

## Index

*Underlined page numbers identify a page citation that continues on the pages that follow.*

- absorbed dose, 72, 79, 354, 516
- absorber, 233
  - crystal, 263
  - layer
    - thick, 9
    - thin, 7, 10, 18, 233
  - material, 257
    - uranium, 255
  - plate, 295
- absorption, 35
  - coefficient, 38, 515
  - cross section, 35, 38
  - edge, 32
  - energy, physical, 72
  - full-, peak, 486
  - muon
    - detector, 488
    - measurement, 466
  - of electrons, 27
  - of hadrons, 41
  - of photons, intensity, 515
  - shower, 233
  - total-
    - peak, calibration, 259
    - scintillator calorimeter, 312, 495
  - X-ray, high, 291
- abundance, elemental, cosmic-ray, 180
- accelerator, 82
  - AGS, 492
- charged particles, 516
  - circular, 517
  - cosmic, 87
  - linear, 82, 517
  - test beam, 79, 259
- acceptance
  - electron, 294
  - range of, 489
- acceptor level, 114
- accident
  - dosimetry, 503
  - radiation, 81, 503
- accommodation period of the eye, 122
- accuracy, *see* resolution
- acetone, 351
- acoustic detection techniques, 258
- activation
  - function, 457
  - neutron, 484
  - of hair, 503
- activator centre, 124
- activity, 516
  - of 1 g radium, 72
- ADC, 188, 275, 392, 531
  - conversion time, 422, 423, 425

- ADC (cont.)
  - differential non-linearity, 423, 425
  - flash, 188, 422–423
  - parameters, 421
  - successive approximation, 423
  - Wilkinson, 423–425
- adiabatic light guide, 130
- aerial survey, 484
- aerogel
  - as Cherenkov medium, 282, 286, 367
  - Cherenkov-counter system (ACC), 367, 369
  - silica, 144, 145, 367
- AES, 480
- after-discharge, 108
- ageing, xxi, 68, 346, 347, 530
  - constructional features, 351
  - rate, 349
  - tests, 350
  - wire chamber, 346, 349, 350
- AGS accelerator, 492
- air
  - capacitor, cylindrical, 97
  - Cherenkov telescope, 504
  - gap magnet, 332, 336
  - light guide, 146
  - range of particles, 26
  - shower
    - Auger experiment, 498
    - extensive, *see* extensive air shower (EAS)
- albedo, 238
  - fluctuations, leakage
  - due to, 238
- ALEPH
  - detector, 450
  - experiment, 445, 461
  - time-projection chamber, 211, 281, 282
- ALICE, 328
- alignment data, 437
- $\alpha$  particles, 26, 298
  - energy loss, 7
  - range, 26
- $\alpha$  spectroscopy, 117
- alternative hypotheses, 281
- aluminium
  - calorimeter, 257
  - granules, 266
  - scattering foil, 481
- AMANDA, 320
  - II layout, 321
- ambiguity
  - exclusion, 191
  - left-right, 192, 444
- americium-241, decay-level scheme, 597
- amplification
  - current, 132
  - gas, *see* gas amplification
- amplifier, 397–401
  - bandwidth, 399–400
  - charge-sensitive, 116, 398–401
  - feedback, 398
  - frequency response, 399–400
  - input impedance, 400–401
  - low-noise, 116
  - rise time, 416
  - simple, 399–400
  - virtual ground, 401
- amplitude
  - distribution, 294, 295
  - signal, 92
  - to-digital converter, 275
- AMS experiment, 292
- analogue-to-digital converter, *see* ADC
- analysis
  - classical cut stream, 460
  - cut, 460
  - neural-net, 460
  - of data, 436, 532
  - of detector system, electronic noise, 409–413
  - of pictures, bubble chamber, 163
  - pulse height, 392
  - selection criteria, 439
- AND, 417
- Anger camera, 468
- angiography, dual-energy subtraction, 472

*Index*

601

- angle
  - Cherenkov, *see* Cherenkov angle
  - critical, for internal reflection, 145
  - deflection, 330, 331
  - Lorentz, 48, 201, 205
  - multiple scattering, 18, 333, 514
  - of emission
    - scintillation photons, 276
    - transition-radiation photons, 148
  - photon, 287
    - measurement, 243
    - scattering, 34
  - polar, 339
  - scattering, distribution, 18
  - solid, coverage, 197
  - stereo, 201
    - Belle CDC, 364
  - zenith, 79
- angular distribution, *see* distribution, angular
- angular resolution, *see* resolution, angular
- annealing, 355, 356
- annihilation, 11, 77
  - cross section, 12
  - radiation, 475
- anode
  - charge deposition, 347
  - coating, 347
  - current, rapidly increasing, 276
  - segmented, 277
  - wire, 198
    - deposits, 352
    - electrostatic repulsion, 189
    - gain change, 349
    - gold-plated tungsten, 188, 351, 365
    - spacing, 192
    - thick, 107, 351
    - thin, 97, 351
- ANTARES detector, 320
- anti-coincidence
  - counter, 297
  - requirement, 495
- antineutrino, 309
- antiparticle, 82
- APD, 138, 242
- application-specific IC, 421
- approximation, empirical, 253
- archaeology, 466
- area density, 5, 32
- argon
  - liquid, 110, 211, 256, 257
  - counter, 110
  - ionisation detector, 246
  - sampling, 247
  - solid, 112
  - ultrapure, 211
- ARIADNE Monte Carlo, 584
- arrival time, 63, 277
  - photon, 287
- astronomy,  $\gamma$ -ray, 287, 495
- astroparticle experiments, 292
- astrophysical neutrinos, 121
- astrophysics, 36
- ATLAS
  - detector, 341
  - energy resolution, 257
  - experiment, 328, 442
  - transition-radiation tracker (TRT), 289
- atmospheric neutrinos, 308, 319
- atom, pionic, 478
- atomic number, 19
- attachment of positive ions, 194
- attenuation
  - coefficient, 32, 38, 472, 515
  - length, light, 276
  - of photons, intensity, 21
- Auger
  - air-shower experiment, 498
  - effect, 33
  - electron, 33, 76, 480
  - spectroscopy, 480
- automatic pattern recognition, 300
  - reconstruction, 176, 180
- autoradiographic techniques, 484
- avalanche, 276
  - chamber
    - multistep, 196
    - parallel-plate, 278

- avalanche (cont.)  
 development, 100, 101, 106  
 electron, 97, 103  
 formation, 188, 346  
 photodiode (APD), 138, 242  
 propagation, 106  
 secondary and tertiary, 105  
 average  
 energy loss, *see* energy loss  
 mean free path, 44, 49  
 photon path, 238  
 refractive index, 145  
 Avogadro number, 4, 578  
 axis of a shower, 235  
 Ayre–Thompson technique, 169
- B* factory, 360  
 $\vec{B}$  field, *see* magnetic field  
*b* parameters, 25  
 BaBar, 328  
 detector, 287, 288  
 angular resolution, 244  
 back-end electronics, 363  
 background  
 beam, 362  
 cosmic-ray, 294  
 processes, 61  
 radiation, microwave, 122  
 reduction, 460  
 rejection, 439  
 WIMP searches, 265  
 backpropagation, 449, 458  
 backscattering, 35  
 Baikal detector, 320  
 Bakelite, 277  
 band  
 conduction, 112, 123  
 forbidden, 112  
 structure, 112  
 valence, 112, 114, 123  
 bandwidth, amplifier, 399–400  
 barn, 300  
 baryon number, conservation, 500  
 beam  
 background, 362  
 diagnostics, 83
- dump experiment, 309  
 energy, known, 260  
 heavy-ion, monitoring, 476  
 loss  
 monitors, 83  
 uncontrolled, 88  
 mixed-particle, 281  
 momentum, 260  
 monoenergetic  
 collinear, 285  
 neutrino, 493  
 pencil, 476  
 secondary, 336  
 test, 79, 259  
 beams, counterrotating, 84  
 beamstrahlung, 586  
 Becquerel (Bq), 72, 516  
 Belle, 328  
 central drift chamber (CDC), 362, 364–367  
 detector, 361  
 components, 361  
 data-acquisition electronics, 382–384  
 level-1 trigger, 382  
 particle identification, 367, 379, 380  
 performance, 385  
 ECL, 372–376  
 energy calibration, 374  
 experiment, 360  
 KLM, 377–381  
 luminosity measurement, 385  
 TOF, 369–372  
 trigger system, 360, 382, 383  
 bending radius, magnetic, 273, 330, 333  
 Bernoulli distribution, 60  
 $\beta$  decay, 76  
 inverse, threshold, 307  
 nuclear, 308  
 $\beta$ -ray  
 dose constant, 74  
 emitters, 77, 486  
 $\beta$  spectroscopy, 117  
 Bethe–Bloch relation, 3, 5, 512, 517  
 Bhabha scattering, 86, 260

*Index*

603

- bialkali cathode, 131
- bias, 440
  - neuron, 457
  - reverse, *see* reverse bias
- Big Bang
  - neutrinos, 264, 309, 322
  - remnants, 230
- Big European Bubble Chamber (BEBC), 314, 316
- binding energy
  - nuclear, 252
  - of the electron, 34
- binomial distribution, 60
- biological
  - cortical neural systems, 456
  - effect, 71–73
  - effectiveness, 476
    - neutron, relative, 299, 300
    - relative, 72, 516
  - half-life, 80
- Birks' constant, 127
- bismuth
  - 207, 259
  - decay-level scheme, 596
  - germanate (BGO) crystal, 362
- blackening, photometrically measured
  - and radial distribution, 177
- blood vessels, imaging, 471, 474
- Blumlein circuit, 168
- boiling temperature, 163
- bolometer, 120, 263
  - two-component, 120
- bond
  - covalent, molecule, 347
  - nuclear, break up, 252
- borehole investigations and
  - technique, 483
- Born approximation, 32
- boron
  - coating, 298
  - trifluoride
    - counter, 297, 483
    - gas, 297
- borosilicate glass, 145
- Bose condensate, 262
- boundary between media, 146
- emission, 147
- Bragg peak, 475
- brain, PET scan, 470, 471
- branching ratio, 440
- breakdown voltage, static, 276
- bremsstrahlung, 1, 19, 77, 231, 481, 512
- cross section, 20
- energy loss, 19, 513
- magnetic, 77
- muon, 296, 336
- brilliance, 31
- bubble chamber, 163, 518
  - BEBC, 314, 316
  - bubble density, 164
  - electronic, 211
  - events of high complexity, 163
  - expansion, 163
  - hydrogen, 163
  - large-volume, 314
  - liquid, 165
  - neutrino observation, 316
  - pictures, analysis, 163
  - size of bubbles, 166
  - superheated state, 163
  - synchronisation, 163
  - vertex, holographic readout, 511
- bubble formation, 163
- bulk
  - damage, 355
  - resistivity, 277
- <sup>14</sup>C method, 501
- cable
  - driver, 427
  - impedance, 427
  - propagation delay, 427
  - reflections, 427–429
  - termination, 428–429
- cadmium-109, decay-level scheme, 595
- calcium-fluoride crystal, 177, 284, 286
- calibrated reference signals, 260
- calibration
  - calorimeter, 258
  - coefficient, 259, 261

- calibration (cont.)  
  constants, 260, 261, 374, 437, 454  
  data, 437  
  energy, 79, 259  
    Belle, 374  
  function, 61  
  monitoring, 259, 526  
  of detectors, 61  
  of time, 502  
  on-line, 454  
  parameters, 61  
  pedestal, 259, 261  
  relative, 259  
  time dependence and stability, 260  
  with a laser, 260, 503  
  with cosmic-ray muons, 260  
  with light-emitting diodes, 260  
  with radioactive sources (e.g. noble gases, uranium), 259
- calorimeter, 90, 510  
  aluminium, 257  
  angular resolution, 243  
  BaBar detector, angular resolution, 244  
  calibration and monitoring, 258  
  calibration with radioactive sources, 259  
  cells, 438  
  compact, 249  
  completely contained electromagnetic cascades, 245  
  cryogenic, 261–263, 266, 526  
  crystal, 239  
    disadvantage, 242  
    separation capability, 294  
  CsI crystal, 295, 372  
  electromagnetic, 166, 231, 438, 524, *see also* Belle ECL  
    calibration, 260  
    CMS detector, 241, 242  
    crystal, 294  
    monitoring, 454  
    parameters, 238  
  electron forward (EFC), 362  
  element, response, 261  
  energy resolution, 257, 261  
  escape from, 252  
  granularity, 438  
  hadron, 166, 249, 438, 525  
    compensation, 255, 256  
    energy resolution, 257  
    overcompensation, 256  
    performance check, 260  
  high-resolution, 372  
  homogeneity, 238  
  ionisation, 243  
  iron–scintillator, 249, 250, 253  
  KTEV, 241  
  lead-glass, 242  
  linearity, 259  
  longitudinal segmentation, 293  
  marble, 257  
  measured energy spectrum, 239  
  micro-, 120  
  muon, 296  
    efficiency determination, 454  
  non-uniformity, 259  
  resolution, energy dependence, 240  
  sampling, 161, 244, 245, 312, 438  
    accordion type, 247  
    calibration, 260  
    elements, 257  
    energy resolution, 245–247  
    fluctuation, 246  
    hadron, 256  
  scintillation counters in, 249  
  scintillator calibration, 260  
    total-absorption, 312, 495  
  sensitive volume, 237  
  shashlik type, 249  
  spaghetti, 249, 525  
  spiralling electrons, 259  
  streamer tube, 247, 292–296  
  temperature rise, 262  
  thickness, 233, 238  
    effective, 238  
  tile, 249  
  tungsten, 253  
  uranium, 259  
  wavelength-shifter readout, 248–250

*Index*

605

- calorimetric
  - detector, 211
  - measurement, 296, 531
  - neutrino detector, 312
  - particle identification, 292, 529
- calorimetry, 230, 524
  - electromagnetic, Belle, 372–374
- camera
  - Anger, 468
  - CCD, 174
  - Compton, 469
  - gamma, 468, 469
  - radiation, 467
- capacitance per unit length, 99, 189
- capacitor, air, cylindrical, 97
- carbon
  - 14 method, 501
  - fibre, 351
  - ions, energy loss, 475
- carrier foil, 300
- cascade, *see also* shower and extensive
  - air shower (EAS)
  - electromagnetic, 178, 233, 293
    - Cherenkov rings, 286
    - completely contained, 245
    - counter, 249
    - in the Earth atmosphere, 251, 257
    - lateral development, 238
    - lateral width, 234, 235
    - longitudinal development, 234–236, 238
- electron-induced, 236
- electron–photon, 231
- hadron, 178, 250, 293, 297
  - centre of gravity, 293
  - electromagnetic subcascades, 251
  - in the Earth atmosphere, 251, 257
  - invisible energy, 252, 255
  - ionisation loss, 252
  - lateral distribution, 255
  - lateral width, 250
  - length, 253
  - longitudinal development, 250
  - longitudinal energy distribution, 253
- lost energy, 256
- neutral particles, 252
- radius, 95 % containment, 256
- secondary particles, 251
- in the Earth atmosphere, 250
- photon- and proton-induced, 250
- radial width, 255
- cathode
  - bialkali, 131
  - continuous, 351
  - deposits, 347
  - pad, 194, 217
  - segmentation, 106, 109
  - strips, 190
- cavity
  - accelerating, 83
  - reflecting, 265
- CCD detector, 174, 217
- CDHS experiment, 313, 314
- cell
  - killing rate, 476
  - nucleus, 475
- cellulose acetate and nitrate, 300
- central drift chamber (CDC), 362, 364
- centre of gravity
  - charges, 190
  - energy deposition, 243
  - shower, 254
    - longitudinal, 293
- centre of mass, energy and system, 336, 337
- ceramic substrate, 213
- cerium-doped glasses, 354
- cesium, 80, 541
  - 137, decay-level scheme, 595
  - iodide
    - crystal, 372, 495
    - crystal calorimeter, 295
    - photocathode, 286
- CGRO, 497
- chain of resistors, 193
- chamber
  - bubble, *see* bubble chamber
  - cloud, *see* cloud chamber
  - discharge, 169
  - drift, *see* drift chamber

- chamber (cont.)  
 emulsion, 176  
 flash, 257  
 gas  
   -filled, 246  
   Freon, 165  
 hyperbolic, 201  
 ionisation, *see* ionisation chamber  
 lifetime, 347  
 material, outgassing, 348  
 multistep avalanche, 196  
 multiwire, *see* multiwire  
   (proportional) chamber  
 neon flash, 169, 519  
   plastic tubes, extruded, 169  
 parallel-plate, 257  
   avalanche, 278  
 resistive plate, 277, 278, 327,  
   362, 377  
 spark, *see* spark chamber  
 straw, 202, 521  
 streamer, 167, 518  
 time expansion, 196, 521  
 time projection, *see* time-projection  
   chamber (TPC)  
 tracking, 476  
 Wilson, *see* cloud chamber  
 wire, *see* wire chamber
- chance coincidences, 63  
 channel control, electronics, 259  
 channel plates, 135  
 channelling, 12  
 characteristic times, 61, 62  
 characteristic X rays, 33, 77,  
   260, 480  
 characteristic, shower, 236, 254  
 charge  
   carrier  
     generations, 100  
     mobility, 44, 117  
     number, fluctuations, 15  
   centre of gravity, 190  
   colour, 447  
   -coupled device, 174, 217  
   deposition, anode, 347  
   -division method, 200, 206
- equivalent noise, 410–415  
 induced, 110  
 ion, 75  
 mirror, 147  
 nuclear, screening, 37  
 particle, 273  
 projectile, 285  
 -sensitive amplifier, 116, 398–401  
 space, *see* space, charge  
 -to-time conversion (QTC), 366,  
   384  
 charged-current interaction, 309, 317  
 charged particle, *see* particle, charged  
 charging resistor, 105  
 charging-up  
   electrostatic, 213  
   time, 194  
 Charm experiment, 314  
 chemical abundance in a borehole, 484  
 chemical composition of high-energy  
   cosmic rays, 292  
 Cheops pyramid, 487  
 Chephren pyramid, 487, 488  
 Cherenkov  
   angle, 143, 288  
   reconstructed, 286  
   resolution, 286  
 counter, 142, 281, 287, 438, 528  
   aerogel (ACC), 367, 369  
   differential, 145, 282  
   discriminating (DISC), 146  
   gas, 144  
   radiation hardness, 354  
   sea water and ice, 501  
   water, 327, 497  
   water, large-volume, 318, 319, 500  
 light, 237, 258, 276, 287,  
   500, 527  
   cone, 282  
 medium  
   aerogel, 282, 286, 367  
   water and ice, 258  
 pattern, 319  
 photons, 143  
   number, 288  
   number, total, 242

*Index*

607

- radiation, xxi, 28, 142
  - particle identification, 281, 528
  - threshold energy, 242
- radiator, 144, 145, 283
  - quartz, 355
- ring, 283, 285, 287, 289, 438, 500, 501
  - distribution of radii, 284
  - elliptically distorted, 287
  - from electromagnetic
    - cascades, 286
    - intersecting, 286
    - technique, 288
  - telescope, air, 499, 504
- Chernobyl (isotopes), 486
- $\chi^2$ 
  - distribution, 444
  - minimisation, 374
- chlorine experiment, 311
- circuit
  - Blumlein, 168
  - digital, 417–421
  - electronic, delay, 197
  - equivalent, 409–410
  - integrated, *see* integrated circuits
- civil engineering, 466
- cladding-fibre light guide, 249
- classical cut stream analysis, 460
- classical electron radius, 4
- clearance level, 76
- clearing field, 168, 172
- cloud chamber, 160, 163, 517
  - diffusion, 161
  - expansion, 161
    - cycle, 161
    - fast, 161
  - multiplate, 161
- cluster
  - KTEV calorimeter, 241
  - model, 447
  - of crystals, 260
  - of energy depositions, 239, 446
  - silver, 176
- CMD-2 detector, 294, 295
- CMOS
  - inverter, 419
  - power dissipation, 419
- CMS detector, 241, 328, 338, 340
- coating
  - anode, 347
  - boron and uranium, 298
  - lithium-fluoride, 298
- cobalt, 541
  - 57, decay-level scheme, 592
  - 60, decay-level scheme, 593
- coil
  - compensation, 338
  - pickup, 262
- coincidence
  - anti-, counter, 297
  - chance, 63
  - majority, 64, 66
    - efficiency, 66
  - random, 63
    - $q$ -fold, 64
  - threefold, 65
  - twofold, 64, 65
- collection
  - time, electrons, 93
  - efficiency, light, 127
- collider
  - counterrotating beams, 84
  - electron–positron,
    - particle–antiparticle,
    - proton–antiproton, 85
  - linear, 84
  - low-rate, 350
  - muon, 85
- collimator, multichannel, 469
- collision
  - cross section, 44, 45
  - electron–electron, 11
  - friction and stochastic force, 47, 48
  - length, 42, 515
  - multiple, 43
  - $\mu^+ \mu^-$ , 85
  - of gas molecules, 47
- colour
  - charge, 447
  - factor, 448
- combined parameter distributions, 293
- compactness parameter, shower, 293

- compensation
  - coil, 338
  - hadron calorimeter, 255, 256
- Compton
  - camera, 469
  - edge, 128
  - effect, 31, 33, 231
    - inverse, 35
  - Gamma Ray Observatory (CGRO), 497
  - scattering, 1, 514
    - cross section, 38
    - telescope, 50
- conduction band, 112, 123
- confidence
  - interval, 58, 59
  - level, 58, 59, 61, 445
  - limit, 444
- conservation
  - baryon number, 500
  - lepton number, 492, 500
  - particle tracks, 176
- constant
  - fine structure, 5
  - Planck, 45, 577
  - Rydberg, 33
- containment
  - 95 % energy, 254
  - 95 % longitudinal, length, 254
  - radius 95 %, 235, 255, 293
- contaminants, 346, 347
  - dissolve, 351
  - silicon, 351
- contamination, 46
  - surface, 81, 503
  - with pions, 293
- contrast, image, 471
- controlled areas, 76, 516
- Conversi tubes, 169, 519
- conversion
  - charge-to-time (QTC), 366, 384
  - electrons, 76
    - monoenergetic, 79
  - flash, 422
  - photon, 208, 450, 451
  - point, photon, 243
- reaction, neutron, 297
- time, ADC, 422, 423, 425
- converter
  - amplitude-to-digital, 275
  - analogue-to-digital, *see* ADC
  - digital-to-analogue, 393
  - photo-, 286
  - time-to-digital, 275, 425
- Cooper pairs
  - binding, 261
  - break-up, 262
  - in superconductors, 120
  - tunnelling, 262
- coordinates
  - determination, 291
  - ghost, 191
  - photon, 284
  - two- or three-dimensional, 437
- copper, 257
  - braid syndrome, 431
- correction function, 243
- corrections, radiative, 260
- CORSIKA EAS generation, 453, 587
- COS-B satellite, 496
- cosmic accelerators, 87
- cosmic radiation, 75, 491
  - high-energy, chemical composition, 292
  - highest-energy, 258
  - primary, (heavy) nuclei and photons, 257
  - sources, 466
- cosmic-ray
  - background, 294
  - elemental abundance, 180
  - experiments, 257, 292
  - Monte Carlo event generators, 587
  - muons, 79
    - calibration with, 260
    - high-energy, 258
- neutrino
  - high-energy, 258
  - low-energy, 261
- cosmological neutrinos, 510
- Coulomb potential and scattering, 18

*Index*

609

- count rate  
 high, 278  
 true, 63
- counter  
 anti-coincidence, 297  
 boron trifluoride, 297, 483  
*Cherenkov*, *see Cherenkov counter*  
 DIRC, 287, 288  
 working principle, 289
- DISC, 146
- electromagnetic cascade, 249
- end-window, 503
- Geiger–Müller, 62, 104, 105, 257
- ionisation, 90, 517  
 cylindrical, 94
- large-size, 276
- liquid argon, 110
- low-level, 502
- methane-flow, 502
- mosaic, 190
- neutron, 296–298, 529
- Pestov, 277
- proportional, *see*  
 proportional counter
- RICH, *see RICH counter*
- scintillation, *see scintillation counter*
- self-quenching, 106
- spark  
 large-area, 277  
 planar, 276, 277
- strip, superconducting, 267
- TDC, 425–426
- threshold, gaseous, 281
- time-of-flight, 274, 276, 527  
 Belle, 369–371
- time-of-propagation (TOP), 288
- trigger, 438
- counterrotating beams, 84
- counting  
 gas, 91, 189  
 medium, 112, 211  
 statistics, 61  
 track, 247
- covalent molecule bond, 347
- covariance matrix, 444  
 helix, 445  
 independent measurements, 444
- Crab Nebula, 496
- critical angle, internal  
 reflection, 145
- critical energy, 21, 232, 235, 244, 513
- critical field strength of  
 superconductivity, 266
- cross-coupling strip detectors, 401
- cross section  
 annihilation, 12  
 atomic, 38, 43  
 Born approximation, 32  
 bremsstrahlung, 20  
 collision, 45  
 energy dependence, 44  
 Compton effect, 38, 514  
 electron scattering, 110  
 energy  
 absorption, 35, 38  
 dependence, 33  
 scattering, 35
- hadronic, 41
- interference effect, 45
- Klein–Nishina, 34
- neutrino–nucleon scattering, 307
- neutron, 297
- neutron–proton scattering, 300
- nuclear, 43
- of photons, 38
- pair production, 32, 36, 514
- photoelectric, 32, 514
- photon absorption, total, 38
- proton–proton, 41
- Ramsauer effect, 45
- recoil proton, 299
- Thomson, 32
- total, 32, 42
- cross-talk, 429–433
- cryogenic  
 calorimeter, 261–263, 266, 526  
 detector, 264, 265  
 experimental set-up, 266
- equipment, 111
- temperatures, 120

610

*Index*

- cryptographic key and treatment, 489
- crystal
- AgCl, 175
  - absorber, 263
  - bismuth-germanate (BGO), 362
  - CaF<sub>2</sub>, 177, 284, 286
  - calorimeter, 239
  - CsI, 295, 372
  - disadvantage, 242
  - separation capability, 294
  - CaWO<sub>4</sub>, 264, 265
  - CdWO<sub>4</sub>, 264
  - cluster, 260
  - CsI, 495
  - dielectric, scintillating, 264
  - germanium, high-purity, 118, 470, 486
  - heavy transparent, 237
  - lattice, excitation, 122
  - LiF, 177
  - non-uniformity, 237, 242
  - scintillation, 237, 264
  - heavy, 239
  - silver-halide, 175
  - TeO<sub>2</sub>, 263
  - UV-transparent, 283
  - window, 284
  - ZnWO<sub>4</sub>, 264
- Curie (Ci), 72
- current
- amplification, 132
  - anode, rapidly increasing, 276
  - dark, 68
  - leakage, 355, 362
  - limited spark chamber, 172
  - mode, 96
  - paths, shared, 430–432
  - reverse-bias, 355, 356
  - surface, 355
  - tunnel, interference effect, 262
- curvature, radius of, 273
- cut, 439
- analysis, 460
  - likelihood ratio, 381
- cycle time, 161
- cyclotron frequency, 48
- Cygnus X3, 496
- cylindrical
- drift chamber, 196, 198, 522
  - ionisation counter, 94
  - proportional chamber, 198, 522
  - wire chamber, 197, 522
- damage
- bulk, 355
  - local, by sparks, 350
  - metallic surface, 277
  - radiation, *see* radiation damage
  - surface, 355
- dark currents, 68
- dark, non-luminous matter, 261
- darkness, structure, 177
- data
- acquisition
  - electronics, Belle detector, 382–384
  - system, 275, 436
  - alignment, 437
  - analysis, 436, 532
  - calibration, 437
  - detector, raw, 436–438
  - digitised, 258
  - event, raw, 439
  - taking time, 437
- dating, 180
- radio-carbon, 501
- dead time, 62, 63, 170
- effects, 259
- decay
- beta
  - inverse, threshold, 307
  - nuclear, 308
  - channel, 492
  - constant, 71
  - law, 516
  - length, 166
  - level schemes, 79, 591–597
  - nucleon, 170
  - experiment, 134

- positron in nucleus, 76  
 proton, 500  
     Cherenkov counter, 500  
 radioactive, 489, 516  
 time, 123  
     scintillator, 124  
     vertex, 318, 451  
 decontamination procedure, 81  
 decoration of particle  
     tracks, 176  
 $dE/dx$ , *see* energy loss  
 deflection  
     angle, 330, 331  
     by multiple scattering, 333  
 delay, 63  
     circuits, electronic, 197  
     gas, 197  
     line  
         magnetostriuctive, 173  
         spiral-wire, 200  
     propagation, 419  
     cable, 427  
 $\delta$  rays, 7, 10, 279, 285, 291, 512  
 dense media, shower development, 236  
 density  
     bubble, 164  
     effect, 4, 279, 280  
     of radicals, 347  
     times thickness, 5, 32  
 deoxyribonucleic acid, 475  
 depletion region (layer), 114  
 deposition  
     charge on anode, 347  
     energy, *see* energy deposition  
 deposits  
     anode wire, 352  
     burning off, 351  
     cathode, 347  
     macroscopic on wires, 351  
 depth  
     –intensity relation, 50  
     muon, 488  
     of shower, 236, 255  
     profile, 479  
 destruction, local, 179  
 detection  
     charged particle, Belle KLM, 377  
 efficiency, *see* efficiency  
 individual particle, 263  
 $K_L$  and muon, 377, 378  
 light, 264  
 limits, 395–397  
 minimum-ionising particle, 267  
 neutron, *see* neutron detection  
 $\nu_\tau$ , 318, 319  
 of muons, 327  
 photon in RICH counter,  
     efficiency, 284  
 techniques, acoustic, 258  
 threshold, 245  
     reducing, 261  
 detector  
     ALEPH, 450  
     AMANDA, 320  
     ANTARES, 320  
     applications, 466, 532  
     array readout, 393–395  
     ATLAS, 341  
         energy resolution, 257  
     BaBar, 287, 288  
         angular resolution, 244  
     Baikal, 320  
     Belle, *see* Belle detector  
     calorimetric, 211  
     CCD, 174, 217  
     CDHS, 313  
     characteristic properties, 56  
     Cherenkov, *see* Cherenkov counter  
     CMD-2, 294, 295  
     CMS, 241, 328, 338, 340  
     concept, 1  
     cryogenic, 262, 264  
         experimental set-up, 266  
     description, 437  
     DONUT, 318  
     efficiency, 455  
     endcap, 209  
     flexible, 213  
     Fly’s Eye, 498  
     gallium-arsenide, 120  
      $\gamma$ -ray, 468

- detector (cont.)  
 gas, 65, 77, 347  
   ageing effect, 346  
   pressure, 280  
 general-purpose, 274, 360, 531  
 homogeneity, 67  
 IceCube, 320, 324, 501  
 isotropy of response, 67  
 KARMEN, 314  
 KEDR, 243  
 KLOE, energy resolution, 249  
 layers  
   number, 257  
   saturation effects, 256  
 linear, 61  
 micropattern gaseous, 212, 213, 286,  
   474, 523  
 microstrip, 213, 443  
 microvertex, 267  
 multipurpose, 510  
 muon absorption, 488  
 NEMO, 320  
 NESTOR, 320  
 neutrino, *see* neutrino detector  
 neutron, *see* neutron, counter and  
   detection  
 non-linear, 61  
 nuclear-track, plastic, 179  
 of internally reflected Cherenkov  
   light (DIRC), 287  
 peak, 424  
 phonon, 262, 264  
 phosphate glass, 179  
 photon, entrance window, 285, 286  
 plastic, 176, 179, 300, 520  
 position-sensitive, 284, 287  
 proportional,  $^3\text{He}$  recoil, 298, 299  
 prototype, ageing test, 350  
 pulsed, 62  
 quality, 515  
 radiation, medicine, 466  
 radiophotoluminescence, 178  
 raw data, 436–439  
 response, simulation, 439, 453  
 RICH  
   HERA-B, 286  
   photon sensor, 286  
   scintillation, 392, 402  
   semiconductor, 466, 481, 486  
   track, 215, 523  
 signal vs. capacitance, 397–398  
 silicon  
   microstrip, 216, 437  
   oxygenated, 356  
   pixel, 443  
   radiation damage, 356  
   radiation hardness, 355  
   strip, double-sided, 363  
   silver chloride, 176  
   solenoid, 339  
   solid-state, xxii, 14, 112, 279,  
     298, 517  
   strip, signal cross-coupling, 401  
 SuperKamiokande, 320  
 surface-barrier, 117  
 test, 77  
 thermal, 263  
 thermoluminescence, 177  
 threshold, for neutrons, 300  
 time-of-flight, 438  
 track, *see* track detector  
 transition radiation, 146, 149, 289,  
   292, 438, 528  
 uniformity, 67, 455  
 vertex, *see* vertex detector  
 visual, 163  
 determination  
   of coordinates, 291  
   of efficiency, 60  
   of muon energy, 258  
   of neutrino energy, 258, 446  
   particle mass, 283, 528  
 deuteron, energy loss, 7  
 diagnostics  
   beam, 83  
   X-ray, 75  
 diamond, 145  
 dielectric  
   scintillating crystal, 264  
   surface, 212  
 differential non-linearity,  
   423, 425

- diffusion, 43, 44
  - cloud chamber, 161
  - coefficient, 43
  - constant, 44
  - linear and volume, 43
  - longitudinal and transverse, 45
- digital
  - circuits, 417–421
  - hit pattern, 295, 296
  - signature schemes, 489
  - to-analogue converter, 393
- digitisation of time, 384
- dimensions, 57
  - molecular, 45
- diode, 114
  - light-emitting, calibration with, 260
  - PIN, structure, 116
  - semiconductor, 116
- dipole
  - field, time variation, 142
  - magnet, 82, 338
    - self-compensating, 338
  - moment
    - radicals, 347
    - resulting, 142
- DIRC counter, 287, 288
  - working principle, 289
- direction of incidence, 287
- DISC counter, 146
- discharge
  - after-, 108
  - chamber, 169
  - channel, 171
  - Geiger, 107
  - glow, 109, 169
  - localised, 107, 278
  - microplasma, 346, 530
  - of electrodes, 277
  - spark, 171–173
  - transverse propagation, 106
- discriminating Cherenkov counter (DISC), 146
- discriminator, 275, 370
- dislocations, 354, 355
- dispersion, 143
- displaced vertices, 449
- displacement, electric, 147
- dissipation of power, 419
- distribution
  - amplitude, 294, 295
  - angular
    - flat, 260
    - muon, 79
    - scattering, 18
    - shower, 234
  - binomial (Bernoulli), 60
  - $\chi^2$ , 444
  - continuous and discrete, 59
  - energy
    - longitudinal, 253
    - thermal, 43
  - energy loss, 7, 10, 60, 279
    - FWHM, 279
    - truncated, 282
  - expectation value, 57
  - function, 56
    - normalisation, 56
    - variance, 56–58
  - Gaussian, 9, 18, 58, 59
    - logarithmic, 239
  - half width, 59
  - invariant-mass
    - Belle ECL, 376
    - $K^+K^-$ , 441
  - Landau, 8, 9, 60, 513
  - lateral
    - extensive air shower at sea level, 257
    - hadronic cascade, 255
  - mass, 372
  - Maxwell–Boltzmann, 43
  - normal, 57–59
  - normalised, 58
  - of Cherenkov ring radii, 284
  - parameter, combined, 293
  - Poisson, 59
    - error, 60
  - rectangular, 56
  - scattering angle, 18
  - donor level, 114
  - DONUT experiment, 311, 318, 319

- dose  
 absorbed, 72, 79, 354, 516  
 constant, 74  
 –depth curve, 478, 480  
 equivalent, 73, 516  
     commitment, 50-year, 539  
     effective, 73, 74  
 per-capita, annual, 75  
 personal radiation, 97  
 profile, 478–480  
 rate, equivalent whole-body, 74  
 surface, 475  
 whole-body, 76  
     lethal, 76
- dosimeter  
 ionisation, 97  
 neutron, 299  
 pocket, 80, 97  
 thermoluminescence, 177, 178
- dosimetry, accident, 503
- double-focussing spectrometer, 343
- double-sided silicon strip  
 detector, 363
- double-strand break, 476
- drift, 44, 515  
 cell, Belle CDC, 364  
 chamber, 45, 67, 347, 474  
     central (CDC), 362, 364  
     cylindrical, 196, 198, 522  
     electrodeless, 195, 521  
     energy-loss resolution, 280  
     induction, 196, 521  
     jet, 197, 205, 522  
     jet, Mark II, 206  
     large-area, 194  
     planar, 191, 521  
     solid state, 218  
 field configuration, 194  
 gas dependence, 44  
 mode, 213  
 module, multiwire, 202  
 properties, 111  
 time, 192  
     measurement, 57, 291  
 trajectory, 201, 206  
 tube, 196, 290
- velocity, 44, 45, 48, 92, 192, 515  
 field dependence, 46, 95  
 volume, 196, 197, 210
- dual-energy subtraction  
 angiography, 472
- DURHAM algorithm, 448
- dynode, 131  
 continuous, 135
- E* scheme, 448
- Earth  
 atmosphere, *see* (extensive) air shower *and* cascade  
 magnetic field, 134
- EC* emitter, 79
- effect  
 Auger, 33  
 biological, 71–73  
 Compton, 31, 33, 231  
     inverse, 35  
 dead and recovery time, 259  
 density, 4, 279, 280  
 interference, 45, 148  
     tunnel current, 262  
 Josephson, 262  
 Landau–Pomeranchuk–Migdal, 236  
 Malter, 348, 349  
 Meissner, 262  
 nuclear counter, 138  
 of magnetic fields, 136  
 photoelectric, 1, 31, 32, 231, 287, 472, 486, 514  
 radiation, 346  
 Ramsauer, 45  
 saturation, 101  
     in detector layers, 256  
 screening, 11, 20  
 space charge, 350, 355  
 threshold, 143, 176  
 tunnel, one-electron, 262
- effective  
 calorimeter thickness, 237  
 equivalent dose, 73, 74  
 ionisation potential, 14  
 light speed, 276

- sampling thickness, 246  
 threshold behaviour, 148  
 effectiveness, biological, *see* biological effectiveness  
 efficiency, 60, 65, 452  
 detection, 440  
     Belle KLM, 378, 380, 381  
     muon, Belle KLM, 379  
     neutron, 298, 300  
     photon in RICH  
         counter, 284  
     electron, 292, 293  
     extracting from data, 454  
     for majority coincidence, 66  
     for pion/kaon separation, 290  
     identification, 274  
     light collection, 127  
     multiparticle, 67  
     multitrap, 67,  
         172, 277  
     of a detector, 455  
     plateau, 108  
     quantum, 131  
     reconstruction, 454  
         multitrap, 67  
         track, 454  
     scintillation, 123  
     separation, 292  
     signal, 439  
     track, 454  
 $e/h$  ratio, 257  
 elastic scattering, 504  
      $e^+e^-$ , 386  
     neutron, 297, 299  
 electrode  
     discharge, 277  
     gap, small, 278  
     material, 351  
     pickup, 169, 196  
     structure, 213  
         on thin plastic foils, 213  
 electrodeless drift chamber, 195, 521  
 electroencephalogram, 470  
 electromagnetic  
     calorimeter, *see* calorimeter, electromagnetic  
     electromagnetic calorimetry, Belle, 372–374  
     cascade, *see* cascade, electromagnetic  
     energy, 252  
     shower, *see* cascade, electromagnetic  
     subcascades, 251  
 electron  
     absorption, 27  
     acceptance, 294  
     Auger, 33, 76, 480  
     avalanche, 97, 103  
     binding energy, 34  
     capture, 76, 79, 91, 308  
         of the K shell, 77  
 cascade  
     lateral development, 235  
     longitudinal development, 293  
 cloud, 45  
 collection time, 93  
 component, 93  
     rise time, 102  
 conversion, 76  
 $\delta$ , 7, 10, 279, 285, 291, 512  
 detection efficiency, Belle KLM, 380  
 efficiency, 292, 293  
 –electron collisions, 11  
 emitter, 77  
 energy, 100  
     loss, 7, 10, 11, 20, 22, 231, 278,  
         279, 282, 527  
 forward calorimeter (EFC), 362  
 /hadron separation, 292  
 /hadron/muon separation, 161  
 high-energy, 287, 294  
 –hole pair, 14, 112  
 hypothesis, 293  
 identification, Belle detector, 379  
 –induced cascade, 236  
 –ion pair, formation, production, 13  
 knock-on, 7, 10, 279, 285, 291, 512  
     energy dependence and  
         spectrum, 10  
 lithography, 213  
 mobility, 45, 102  
 monoenergetic, 76, 259  
 multiplier, gas, 214

- electron (cont.)
  - /muon misidentification, 296
  - /muon separation, 295
  - neutrino, 309, 310, 492
  - neutrino-induced, 287, 320
  - number, 244
    - in shower, 236
    - relative fluctuation, 244
  - photon cascade, 231
  - /pion misidentification probability, 292–294
  - /pion separation, 290, 291, 293, 294
  - positron
    - annihilation, 202
    - collider, 85
    - interaction, 202
    - pair production, 231
  - primary, 11
  - radius, classical, 4
  - range, 27
    - low-energy, 27
  - rays, 475
  - recoil, 264, 265
  - scattering
    - cross section, 110
    - quasi-free, 32
  - secondary, 11
    - emission coefficient, 131
  - signature, 320
  - spectra, linearised, 486
  - spectroscopy, 117
  - spiralling in calorimeter, 259
  - synchrotrons, 84
  - track, 291, 292
    - volt (eV), 538
  - electronegative gas, 110
    - chlorine and oxygen, 49
    - quencher, 168
  - electronic circuit, delay, 197
  - electronic filter techniques, 263
  - electronic noise, *see* noise, electronic
  - electronic readout
    - Belle ECL, 374, 375
    - detector array, 393–395
  - electronic recording, 169
- electronics, 390, 531
  - back-end, 363
  - channel control, 259
  - data acquisition, Belle detector, 382–384
- electrostatic
  - charging-up, 213
  - repulsion, 189
- elements, periodic table, 598
- ELOISATRON, 296
- emission
  - angle
    - scintillation photons, 276
    - transition-radiation photons, 148
  - at boundaries, 147
  - coefficient, secondary electrons, 131
  - positron, *see* positron
  - spectrum, 123, 126
- emulsion
  - chamber, 176
  - nuclear, *see* nuclear emulsion
- ENC, 410
- end-window counter, 503
- endcap detector, 209
- energy
  - absorption, physical, 72
  - balance in events, 446
  - bands, 123
  - beam, known, 260
  - calibration, 79, 259
    - Belle, 374
  - containment, 95 %, 254
  - critical, 21, 22, 232, 235, 244, 513
  - cross section
    - absorption, 35, 38
    - scattering, 35
  - dependence, cross section, 33
  - deposited, 276
  - deposition, 10, 290, 291, 294, 446, 513
    - by transition radiation, 149
  - centre of gravity, 243
  - difference in longitudinal and lateral distributions, 292
  - in clusters, 446

- in insulators, 262
- of shower in clusters, 239
- sample measurement, 245
- total, 260
- distribution
  - longitudinal, 253
  - thermal, 43
- electromagnetic, 252
- electron, 100
  - binding, 34
- extremely low, particle, 261
- flow object, 439, 448
- fluctuation
  - discontinuous, thermal, 263
  - leakage, 237
- gain between two collisions, 97
- gap, 112
- high, *see* high energy
- invisible, 252, 255
  - fraction, 252
- ionisation, 5
- kinetic, 273, 527
- known, of particle, 261
- leakage, lateral and rear, 233, 237, 238
- lost in hadron cascade, 256
- low, *see* low energy
- maximum transferable, 2
- measurement, *see* measurement, energy
- missing, 446, 447
  - technique, 310, 455
- nuclear binding, 252
- of extensive air shower, 257
- of muons, 296
  - determination, 258
  - maximum transferable, 3
- of neutrinos, determination, 258, 446
- partition, pair production, 37, 38
- plasma, 147
- quantum transition, 261
- range relations, 26
- reconstruction, 446
- reduced, of photons, 32
- resolution, *see* resolution, energy
- shower, 235
  - lateral structure, 250
- spectrum
  - measured, 239
  - neutron, 300
- threshold, *see* threshold energy
- total, 2, 274
  - of event, 446
- transfer
  - high, exclusion, 280
  - large, 296
  - visible, 252
- energy loss, 512
  - atomic corrections, 10
  - average, 3, 7, 13, 14, 24, 278, 527
  - by bremsstrahlung, 19, 513
  - by Cherenkov radiation, 142
  - by excitation, 273
  - by ionisation, 7, 273
  - by pair production, 24
  - by radiation, 7
  - by transition radiation, 147
  - catastrophic, 26
  - charged particles, 5, 252
  - cut value, 10
  - distribution, 7, 10, 60, 279
    - FWHM, 279
    - truncated, 282
  - Fermi plateau, 4, 10
  - fluctuation, 7, 10, 18, 26
    - statistical, 15
  - high-energy muons, 296
  - information, 438
  - large samples, 280
  - logarithmic rise, 7
  - measurement, 205, 278, 281
    - Belle CDC, 367
  - minimum, 582, 583
    - of ionisation, 281
  - most probable, 8, 9
    - of  $\alpha$  particles in air, 7
    - of carbon ions, 475
    - of deuterons in air, 7
    - of electrons, 11, 22, 279
      - by bremsstrahlung, 20
      - by ionisation, 10

- energy loss (cont.)
  - by radiation, 231
  - in air, 7
  - of kaons, 278–280, 282
  - of muons, 7, 22, 25, 278
    - in air, 7
  - of pions, 278–280, 282
    - in air, 7
  - of positrons, 11
  - of protons, 278, 280, 282
    - in air, 7
  - parameter, muon, 25
  - relativistic rise, 7, 281
  - resolution, 280
  - spin dependence, 10
  - total, 24
  - trident production, 22, 336
  - truncated, 10
- engineering, civil and
  - underground, 466
- entrance window, 285, 286
- epoxy resin, glass-fibre reinforced, 351
- equivalent circuit, 409–410
- equivalent commitment dose, 50-year, 539
- equivalent dose, 73, 516
  - effective, 73, 74
- equivalent noise charge, 410–415
- equivalent whole-body dose rate, 74
- error
  - Gaussian, 443
  - momentum measurement, 333
  - multiple scattering, 332, 339, 342
  - normal, 60
  - Poisson-like, 60, 66
  - Poissonian, 60
  - square root, 61
  - standard, 58, 59
  - track measurement, 331, 334, 339, 342
- escape
  - from calorimeter, 252
  - peak, 104
- estimate, maximum likelihood, 456
- etch cone, 179
- etching
  - process, 179
  - technique, 300
- Euler's  $\Gamma$  function, 234
- event
  - $B\bar{B}$  creation, 387
  - bubble chamber, high complexity, 163
    - builder, 383
    - display, 450
    - elastic  $e^+e^-$  scattering, 386
    - energy balance, 446
    - generators, Monte Carlo, 452, 584
      - cosmic rays, 587
      - specific, 584
    - interpretation, 67
    - random trigger, 259
    - reconstruction, 337, 383, 437, 439
      - three-dimensional, 166, 211
    - separation, quality, 294
    - simulated, 291, 341
  - excitation, 1, 2, 231, 512, 517
    - energy loss, 273
    - of phonons, 262
    - of the crystal lattice, 122
  - exciton, 124
    - level, 124
  - exclusive OR (XOR), 417
  - exemption limit, 76, 490
  - expansion
    - bubble chamber, 163
    - cloud chamber, 161
      - cycle, 161
      - fast, 161
  - expectation value, 56, 57
  - experiment
    - ALEPH, 445, 461
    - AMS, 292
    - astroparticle, 292
    - ATLAS, 328, 442
    - Auger, air-shower, 498
    - beam dump, 309
    - Belle, 360, *see also* Belle
    - CDHS, 313, 314
    - Charm, 314
    - chlorine, 311

*Index*

619

- cosmic-ray, 257, 292
- DONUT, 311, 318, 319
- fixed-target, 166
- Fly's Eye, 498
- GALLEX, 311, 312
- GlueX, 276
- HEAT, 292
- heavy-ion, 67
- high-rate, 196, 202
- IMB, 500
- in space, 466
- KamiokaNDE, 134, 500, 501
- KARMEN, 312, 314
- KOPIO, 249
- KTEV, 241
- NA48, 243
- neutrino, 134, 170
- NOMAD, 314, 315
- nucleon decay, 134
- OPAL, 242
- PAMELA, 292
- 'Poltergeist', 310
- radiochemical, 311
- random, 60
- satellite,  $\gamma$  rays, 495
- SELEX, 243
- SNO, 287, 288, 501
- STAR, 67
- storage ring, 166, 197
- SuperKamiokande, 501
- two-neutrino, 310, 492
- experimental systematic uncertainty, 440
- extensive air shower (EAS), 327, 497
- acoustic detection techniques, 258
- CORSIKA, 453, 587
- energy, 257
- geosynchrotron radiation, 258, 499
- lateral distribution at sea level, 257
- measurement principle, 498
- measurement with Fly's Eye, 497
- simulations, 453
- external muon identifier, 314
- extraction of light, 126
- extragalactic neutrinos, 320
- eye, accommodation period and sensitivity, 122
- factory
- B*, 360
- neutrino, 73, 85
- FADC, *see* ADC, flash
- false rate, Belle KLM, 379–381
- fallout, radioactive, 486
- Fano factor, 15, 17, 18, 118
- feed-forward network, multilayer, 449
- feedback amplifier, 398
- Fermi
- Kurie plot, 486
- motion, 84
- plateau, 4, 10
- ferrite core, 173
- fibre
- carbon, 351
- cladding-, light guide, 249
- light guide, 248, 249
- principle of operation, 248
- scintillating, 219, 249
- tracker, 219, 524
- single- and multicladding, 248, 249
- field
- clearing, 168, 172
- gradient, 83
- magnetic, *see* magnetic field
- strength
- critical, of superconductivity, 266
- electric, 44
- quadrupole, 543
- film
- thermoluminescence, 178
- scanning, 178
- X-ray, 176
- industrial, 177
- filter technique, electronic, 263
- fine-mesh-type photomultiplier tube, 368, 369
- fine-structure constant, 5
- fish tail, 130
- fission
- reaction, 298
- spontaneous, 180

- fit
  - geometrical, 451
  - kinematical, 451
  - straight line, 443
- fixed-target
  - experiments, 166
  - magnetic spectrometer, 328
  - mode, 84
- flammability, 111
- flash, *see also* light flash
  - ADC, 188, 422–423
  - chamber, 257
  - conversion, 422
  - flint glass, 145
  - flip-flop, 417
  - toggle, 490
- fluctuation
  - albedo, leakage due to, 237
  - energy
    - discontinuous, thermal, 263
    - leakage, 237
    - loss, *see* energy loss, fluctuation
  - first interaction point, 238
  - hadron-shower development, 255
  - ionisation loss, 279
  - Landau, 18, 246
  - number
    - of charge carriers, 15
    - of electrons, relative, 244
    - of neutral pions, 252, 255
  - path length, 134, 276
  - Poisson, 18
  - primary ionisation, statistical, 192
  - sampling, 245, 246, 257
  - correlations, 246
- FLUKA simulation, 453
- fluorescence radiation, 178
- flux tube, ion, 105
- Fly's Eye, measurement of extensive air showers, 497, 498
- foil
  - carrier and plastic, 300
  - scattering, aluminium, 481
- foils, periodic arrangement, 148
- forbidden band, 112
- force
  - friction and stochastic, 47, 48
  - Lorentz, 47, 82
- formation
  - of avalanches, 188, 346
  - of bubbles, 163
  - of polymers, 347
  - of silver nuclei, 176
  - of sparks, 172, 350
  - of stars in pion capture, 475, 478
  - of streamers, 247, 350
  - zone, 237
- $4\pi$  geometry, 166
- FPGA, 421
- fragment, nuclear, short-range, 252
- Freon, 165, 283
- frequency
  - cyclotron, 48
  - response, amplifier, 399–400
- friction force, 48
- Frisch grid, 93
  - ionisation chamber, 94
- full-absorption peak, 486
- full width at half maximum (FWHM), 59
- fusion, proton–proton, 308
- FWHM, 59
  - energy-loss distribution, 279
- gain
  - losses, 68, 349, 350
  - variation, 348, 349
- galactic
  - neutrinos, 319
  - particles and  $\gamma$  rays, 466
- GALLEX experiment, 311, 312
- gallium-arsenide detector, 120
- gamma-backscatter method, 482
- gamma camera, 468, 469
- $\Gamma$  function, 234
- $\gamma$  radiation, 475
  - galactic, 466
  - monochromatic, 76, 77, 259
  - satellite experiment, 495
  - solar, 466

*Index*

621

- $\gamma$ -ray
  - astronomy, 287, 495
  - detector, 468
  - dose constant, 74
  - high-energy, direction of incidence, 287
  - imaging, 468
  - line, 486
  - point sources, 496, 499
- gap
  - air, magnet, 332, 336
  - electrode, small, 278
  - energy, 112
  - spark, 168
- gas
  - amplification, 277, 278
  - factor, 97, 99
  - in liquids, 112
  - low, 278
  - photoelectrons, 276, 284, 286, 301
  - region, 196
  - boron trifluoride, 297
  - Cherenkov
    - counters, 144
    - radiator, 144
  - counting, 91, 189
  - delays, 197
  - detectors, 65, 77, 212, 213, 286, 347, 474, 523
    - ageing effect, 346
  - diffusion in, 43
  - electron multiplier (GEM), 214
  - electronegative, 49, 110
    - quencher, 168
  - filled chamber, 246
  - for high-rate applications, 350
  - heavy, 283
  - impurities, 14
  - low- $Z$ , 365
  - mixture, 91
  - noble, *see* noble gas
  - pressure, 280
  - purification, 351
  - quenching, 106
- scintillation counter
  - (scintillator), 127
- temperature, 43
- ultrapure, 348
- vapour mixture, 160
- gating principle, 210
- gauge particles, virtual, 24
- Gaussian
  - distribution, 9, 18, 58, 59
    - logarithmic, 239
  - errors, 443
  - noise distribution, 404
  - GEANT simulation, 453
  - gedankenexperiment, 16
- Geiger
  - discharges, 107
  - mode, 105
    - locally limited, 106, 257
    - (–Müller) counter, 62, 104, 257
- Geminga, 496
- generations of produced charge carriers, 100
- generator
  - Marx, 168
  - Monte Carlo, *see* Monte Carlo generator
    - random number, 489, 491, 492
  - geometrical fit, 451
  - geoneutrinos, 323
  - geophysics, 466
  - geosynchrotron radiation, 258, 499
  - germanium crystal, high-purity, 118, 470, 486
  - ghost coordinates, 191
  - glaciophone, 501
  - glass
    - borosilicate, 145
    - cerium-doped, 354
    - flint, 145
    - lead, *see* lead glass
    - phosphate, silver-activated, 178
    - plate, graphite-covered, 277
    - spark chamber, 172
      - Yokota, 179
    - glow discharge, 109, 169
    - GlueX experiment, 276

- gluon jets, 447
- gradient
  - of the quadrupole, 543
  - temperature, constant, 162
- granularity, 438, 439
- granules
  - superheated superconducting, 262, 265–267
  - tin, zinc, aluminium, 266
- gravitational wave, 510
- Gray, 72, 516
- grid ('gate'), 210
- 'ground loop', 430
- ground, virtual, 401
- grounding, 432
- GUT theory, 500
  
- hadron, 251
  - absorption, 41
  - calorimeter, *see* calorimeter, hadron
  - cascade, *see* cascade, hadron
  - energy resolution, 252, 255
  - interaction, 41
  - jet, 447
  - signal, 253
  - therapy, 476
- hadronic cross section, 41
- hadronic processes, inelastic, 251
- hadronisation of partons, 260, 447, 584
- hair activation, 503
- half-life, 71, 516
  - biological and physical, 80
- half width, 59
- harsh radiation environments, 68, 346
- heat
  - capacity, 120
  - signal, 263
  - specific, capacity, 263
- HEAT experiment, 292
- heavy flavour physics, 449
- heavy-ion
  - beam, monitoring, 476
  - experiments, 67
  - therapy, 475
  
- heavy ions, 475
  - fast, 285
- heavy nuclei, primary cosmic radiation, 257
- Heisenberg's uncertainty principle, 237
- helium-3 recoil detector, 298, 299
- helix, 445
  - parameters, 445, 446
- HERA-B RICH detector, 286
- hermeticity, 197, 337, 439
- HERWIG Monte Carlo, 447, 584
- hidden layers, 457
- Higgs
  - candidate, 461
  - mechanism, 459
  - production, 67
  - strahlung, 459
- high-energy
  - cosmic radiation, 258
  - chemical composition, 292
  - electron, 287, 294
  - $\gamma$ -ray, direction of incidence, 287
  - hit, 292
  - ion, 292
  - muon, 294
    - cosmic, 258
    - energy loss, 296
    - range, 28
  - neutrino, cosmic, 258
  - neutron, 297
  - particle, 274
  - photon, 287
  - pion, 294
    - transfer, exclusion, 280
- high-purity germanium crystal, 118, 470, 486
- high-rate
  - applications, gases for, 350
  - experiment, 196, 202
- high-resolution
  - calorimeter, 372
  - scintillation counter, 470
- High Resolution (HiRes)
  - telescope, 498
- high-voltage
  - contact, 117

*Index*

623

- pulse, 168
- rise time, 172
- HiRes, 498
- hit
  - high-energy, 292
  - mirror, 445
  - multiple, readout, 67
  - pattern
    - digital, 295, 296
    - lateral, 296
  - single, readout, 67
  - transition-radiation, 291
- hodoscope, 239
- holographic readout technique, 511
- holographic recording, 166
- homogeneity, 67, 237
- HPMT, 136
- hybrid photomultiplier tube, 136, 286
- hydrogen bubble chamber, 163
- hyperbolic chamber, 201
- hypothesis
  - alternative, 281
  - of particles, 293
- Iarocci tubes, 107
- ice
  - Cherenkov counter, 501
  - polar, as Cherenkov medium, 258
- IceCube, 320, 324, 501
- identification
  - charged particle, 274, 527, 531
  - by Cherenkov radiation, 281, 528
  - by ionisation loss, 278, 279, 527
  - by transition radiation, 289, 528
  - transition radiation, 289
- efficiency, 274
- electron, Belle detector, 379
- neutrino-induced muons and
  - electrons, 287
- of isotopes in radioactive fallout, 486
- of muons, 166
- particle, 273, 274, 340, 438, 449, 450, 526
- Belle ACC, 367
- Belle detector, 379
- with calorimeters, 292, 292, 529
- pion and kaon, Belle detector, 380
- image
  - contrast, 471
  - quality, 472
- imaging, 466
  - $\gamma$  rays, 468
  - air Cherenkov telescopes, 499
  - of blood vessels, 471, 474
  - X rays, 467, 468
- IMB experiment, 500
- impact-parameter resolution, 363, 364
- impedance
  - cable, 427
  - input, 400–401
- improvement of energy resolution, 18, 257
- impurities, 113, 124
  - electronegative, 110
  - gas, 14
- incandescent mantle, 490
- incidence, direction of, 287
- incorporation, 75
- independence, statistical, 280
- independent measurements, 444
- index of refraction, 142, 582, 583
  - average, 145
- induced radioactivity, 466
- induction drift chamber, 196, 521
- inefficient zone, locally, 189
- inelastic hadronic processes, 251
- inelasticity, average, 251
- inhalation and ingestion, 75
- initial partons, 447
- initial-state radiation, 260
- inorganic scintillator, 123, 353, 468
- input
  - impedance, 400–401
  - layer, 457
- insulator, 116
  - energy deposition, 262
- integrated circuit, 395
  - application-specific, 421
- readout, 393

interaction, 1  
 charged current, 309, 317  
 electron–positron, 202  
 inelastic, 24, 41  
 neutron, 297  
 length, 41, 42, 515, 582, 583  
 nuclear, 249, 292  
 photon, 232  
 mechanism, 1  
 neutral current, 309  
 $\nu_\tau$ , 317  
 nuclear, 24, 296  
 cross section, 43  
 of charged particles, 2, 41  
 of hadrons, 41  
 of neutrinos, 163, 309, 318,  
 319  
 probability, 307  
 with nucleons, 320, 493  
 with nucleons, cross section,  
 307  
 of neutrons, 296  
 of photons, 1, 31  
 photonuclear, 24, 336  
 point, 449  
 fluctuation, 237  
 probability, 42  
 rate, 85  
 strong, 41  
 vertex, 168, 445  
 weak, 308  
 WIMP, simulation, 265  
 with matter, 1, 512  
 interference effect, 45, 148  
 tunnel current, 262  
 interferometer, quantum, 262  
 interlock systems, 480  
 internal conversion, 76  
 internal reflection, 130, 249, 287  
 critical angle, 145  
 interstitials, 355  
 intrinsically conducting, 116  
 invariant-mass distribution, 376  
 $K^+K^-$ , 441  
 inverse beta decay, threshold, 307  
 inverter, CMOS, 419

investigation  
 of boreholes, 482  
 surface, non-destructive, 480  
 invisible energy, 252, 255  
 fraction, 252  
 ion  
 carbon, energy loss, 475  
 charge, 75  
 flux tube, 105  
 heavy, 475  
 fast, 285  
 high-energy, 292  
 mobility, 44, 110  
 pair, 14  
 positive, attachment, 194  
 ionisation, 1, 2, 231, 237, 512  
 calorimeter, 243  
 chamber, 91  
 filled with liquids, 110  
 Frisch grid, 94  
 liquid-argon, 246  
 liquid-noble-gas, 111  
 solid-state, 91, 112  
 under high pressure, 257  
 constant, 4  
 counter, 90, 517  
 cylindrical, 94  
 dosimeters, 97  
 energy, 5  
 loss, 7, 10, 273  
 loss, 286  
 fluctuation, 279  
 hadron shower, 252  
 of electrons and positrons, 11  
 of heavy particles, 3  
 particle identification, 278,  
 279, 527  
 measurement, 160  
 minimum, 6, 267, 281, 291  
 potential, effective, 14  
 primary, *see* primary  
 ionisation  
 secondary, 13, 91  
 specific, 197  
 statistics, 17  
 structure, 188

*Index*

625

- total, 13
- trail, 438
- yield, 13
- iron, 257
  - 55, decay-level scheme, 591
  - pions in, 254
  - scintillator calorimeter, 249, 250, 253
  - solid, magnet, 332
- ISAJET Monte Carlo, 584
- isotope, 79
  - Chernobyl, 486
  - identification, 486
  - neutron threshold reaction, 300
  - technology, 485
- isotropy of response, 67
- JADE algorithm, 448
- jet
  - clustering algorithms, 448
  - drift chamber, 197, 205, 522
    - Mark II, 206
  - gluon, 447
  - of hadrons, 447
  - quark, 447
  - shape, 448
  - two-, structure, 202
- JETSET Monte Carlo, 447, 584
- jitter, 416
  - time, 134, 416
- Johnson noise, 403–405
- Josephson effect and junction, 262
- K-edge subtraction technique, 472
- K-line emitter, 259
- KamiokaNDE experiment, 134, 500, 501
- kaon, 251, 252
  - detection, efficiency, Belle KLM, 381
  - energy loss, 278–280, 282
  - identification, Belle detector, 380
  - mass, 562
  - neutral, 252
  - /pion separation see pion/kaon separation
- KARMEN experiment, 312, 314
- KEDR detector, 243
- kinematical
  - fit, 451
  - refit, 454
- kinetic energy, 273, 527
  - maximum transferable, 2
- $K_L$  detection system, 377, 378
- Klein–Nishina formula, 34
- KLOE detector, energy resolution, 249
- klystron, 83
- knock-on electron, 7, 10, 279, 285, 291, 512
- KOPIO experiment, 249
- KTEV experiment and calorimeter, 241
- laboratory system, 337
- Landau
  - distribution, 8, 10, 60, 513
  - fluctuation, 18, 246
  - Pomeranchuk–Migdal effect, 236
- large-area
  - drift chamber, 194
  - scintillation counter, 484
  - spark counters, 277
- Large Electron–Positron collider (LEP), 31, 206, 350, 453
- Large Hadron Collider (LHC), 67, 296, 327, 342, 346, 453
- large-size counter, 276
- large-volume
  - bubble chamber, 314
  - neutrino detector, 287
  - water Cherenkov counter, 318, 319, 500
- Larmor radius, 209
- laser calibration, 260, 503
  - UV, 211
- latch, 418
- lateral
  - development of electromagnetic cascade, 238

- lateral (cont.)  
distribution  
extensive air shower at sea  
level, 257  
hadronic cascade, 255  
hit pattern, 296  
leakage, 233, 238  
shower  
position, resolution, 243  
profile, 253, 254  
shape, 449  
width  
electromagnetic shower, 235  
hadron cascade, 250  
lattice contribution to the specific  
heat, 263  
layer, 457  
depletion, 114  
input, output, and hidden, 457  
number, of detector, 257  
oxide, thin, 347  
sampling, 245  
saturation, 256  
sensitive, 295  
thick, absorber, 9  
thin, absorber, 7, 10, 18, 233  
lead  
fluoride, 145  
glass, 145, 237  
block, 242  
calorimeter, 242  
cerium-doped, 354  
plate, 135  
matrix, 249  
leading-edge trigger, 415  
leakage  
current, 355, 362  
due to albedo fluctuations, 237  
energy, lateral and rear, 233, 238  
learning  
algorithm, 449  
scheme, 457  
least-squares method, 444, 451  
left-right ambiguity, 192, 444  
length  
attenuation, light, 276  
collision, 42, 515  
decay, 166  
interaction, *see* interaction length  
longitudinal containment, 95%, 254  
measurement, 510  
path, *see* path length  
radiation, *see* radiation length  
shower, 253  
track, *see* track length  
LEP, 31, 206, 350, 453  
lepton  
number, conservation, 492, 500  
tau, 317  
lethal whole-body dose, 76  
level  
acceptor, 114  
clearance, 76  
confidence, 58, 59, 61, 445  
donor, 114  
exciton, 124  
schemes, decay, 79, 591–597  
trigger, 439, 532  
LHC, 67, 296, 327, 342, 346, 453  
LHCb, 328  
lifetime, 71, 445, 516  
chamber, 347  
proton, 500  
light  
attenuation length, 276  
Cherenkov, 237, 258, 276, 287,  
500, 527  
collection efficiency, 127  
cone, Cherenkov, 282  
detection, 264  
-emitting diode, calibration with,  
260  
extraction, 126  
flash  
Cherenkov light, 276  
duration, 276  
guide, 129  
adiabatic, 130  
air, 146  
fibre, 248, 249  
fibre, cladding, 249  
fish-tail, 130

*Index*

627

- loss, 248, 352
- output, 123
  - reduction, 353
  - relative, 354
- receiver, spectral sensitivity, 126
- scintillation, 237, 258, 264, 276, 498
- speed, effective, 276
- transfer, 247
- yield, 264
- lightest supersymmetric particle, 455
- likelihood, *see also* maximum likelihood
  - function, 280
  - combined, 293
  - joint, 274
  - separation parameter, 293
- probability, Belle, 379
- ratio, 281
  - cut, 381
- limit
  - confidence, 444
  - detection, 395–397
  - exemption, 76, 490
  - lower and upper, 59
- linear
  - accelerators, 82, 517
  - collider, 84
  - detector, 61
  - diffusion, 43
- Liouville's theorem, 130
- liquid, 163
  - argon, *see* argon, liquid
  - bubble chamber, 165
  - Cherenkov radiator, 144
  - counting medium, 110
  - neutron, 165
  - noble gas, 237
    - ionisation chambers, 111
  - scintillator, 127
    - radiation resistance, 354
  - state, superheated, 163
  - warm, 111, 246, 257
  - xenon, 110, 257
- lithium
  - fluoride
  - coating, 298
- crystal, 177
- iodide scintillation counter, 298, 483
- lithography, electron, 213
- local damage
  - by radiation, 180
  - by sparks, 350
- local destruction, 179
- logarithmic Gaussian distribution, 239
- logic
  - arrays, 421
  - CMOS, 419
  - external, 197
  - FPGA, 421
  - functions, 417
  - inverter, 418–419
  - power dissipation, 419
  - symbols, 418
  - synchronous, 421
  - timing, 418
- longitudinal
  - centre of gravity, shower, 254, 293
- containment length, 95 %, 254
- development
  - electromagnetic cascade, 234–236, 238
  - electron shower, 293
  - hadron cascade, 250
  - pion shower, 254, 293
- diffusion, 45
- energy distribution, hadronic shower, 253
- magnetic field, 197
- shower shape, 449
- Lorentz
  - angle, 48, 201, 205
  - factor, 2, 274, 528
  - force, 47, 82
- low-energy
  - calibration, with radioactive sources, 259
- electrons, range, 27
- neutrino, cosmic, 261

- low-energy (cont.)
  - neutron, 297
  - particle, 261
    - range, 26
    - separation, 294
  - photon, 2
  - recoil proton, 256
- low-level counter, 502
- low-noise
  - amplifier, 116
  - preamplifier, 211
- low-rate collider, 350
- lower limit, 59
- luminescence, 2
  - radiation, 124
  - spectrum, 125
- luminosity, 86
  - measurement, 360, 504
  - Belle, 385
- Lund string model, 584
- macaroni, 219
- magnet
  - air gap, 332, 336
  - dipole, 82, 338
  - quadrupole, 82
  - solid-iron, 332
  - toroidal, 338
- magnetic
  - bremsstrahlung, 77
  - field, 47
    - bending radius, 273, 330, 333
    - configuration, 338
    - longitudinal, 197
    - orientation of granules, 266
    - solenoidal, 205, 338
  - flux quanta, 262
  - monopole, 121, 180
  - spectrometer, *see* spectrometer, magnetic
- magnetostriction, 173
- magnetostrictive delay line and
  - readout, 173
- majority coincidence, 64, 66
  - efficiency, 66
- Malter effect, 348, 349
- marble calorimeter, 257
- Mark II jet chamber, 206
- Marx generator, 168
- mass
  - constraint, 453
  - refits, 453
- determination, 283, 528
- distribution, 372
- invariant, distribution
  - Belle ECL, 376
  - $K^+ K^-$ , 441
- kaon, muon, pion, 561, 562
- resolution, 453, 454
  - Belle ECL, 375
- separation, 275
- materials, composite, properties, 582
- matrix
  - covariance, *see* covariance matrix of photomultipliers, 468
- matter, dark (non-luminous), 261
- maximum detectable momentum, 332
- maximum likelihood, 455
  - techniques and estimates, 456
- maximum transferable
  - energy, muon, 3
  - kinetic energy, 2
- maximum, shower, 233, 234
- Maxwell–Boltzmann distribution, 43
- mean free path, 44, 49
- mean, truncated, 279–281, 367
- measurement
  - calorimetric, 296, 531
  - drift time, 57, 291
  - energy, 230, 273, 295
    - loss, 205, 278, 281, 367
    - neutron, 300
    - photon, 244
    - sample of deposition, 245
  - error, track, 331, 334, 339, 342
  - extensive air shower with Fly’s Eye, 497
- independent, covariance matrix, 444
- ionisation, 160
- length, 510

*Index* 629

- luminosity, 360, 504
- Belle, 385
- momentum, 327, 530, 531
  - error, 333
  - sagitta method, 334
- muon absorption, 466
- neutron, 299
- non-ionising particles, 526
- optimum number, 280
- particle velocity, 283, 528
- photon angle, 243
- position, 446
- radiation, 71
  - units, 71, 516
- range, 296
- rate, 63
- reference, 260
- time, 276
- time of flight, 273, 275, 527
  - mass distribution, 372
- timing, 415–416
- track, 160
  - width, 59
- medicine
  - nuclear, 75
  - radiation detectors, 466
- Meissner effect, 262
- memory time, 63, 170, 172
- mental process, task, 470
- methane-flow counter, 502
- method
  - $^{14}\text{C}$ , 501
  - calorimetric, 230
  - charge division, 200, 206
  - gamma-backscatter, 482
  - hair-activation, 503
  - least squares, 444, 451
  - likelihood ratio, 281
  - non-destructive, 480
  - photometric, 177
  - road, 443, 444
  - sagitta, momentum
    - measurement, 334
  - separation, 292
  - track-following, 445
  - truncated mean, 279–281, 367
- microcalorimeter, 120
- microchannel photomultiplier, 135
- Micromegas, 214
- micropattern gaseous detector, 212, 213, 286, 474, 523
- microplasma discharge, 346, 530
- microstrip gas detector, 213
- microvertex detector, 267
- microwave background radiation, 122
- milli-Kelvin range, 262
- minimisation,  $\chi^2$ , 374
- minimum detectable signal, 395
- minimum of ionisation, 6, 281, 291
  - muon, 259
  - particle, detection, 267
- minimum wire tension, 189
- mirror
  - charge, 147
  - hits, 445
  - spherical, 283
- misidentification probability, 65, 274, 290, 292–294, 296
- false rate, Belle KLM, 379–381
- missing
  - energy, 446, 447
  - technique, 310, 455
  - momentum, technique, 310, 455
- mobility
  - of charge carriers, 44, 117
  - of electrons, 45, 102
  - of ions, 44, 110
- moderation
  - neutrons, non-thermal, 297
  - paraffin, 298
  - polyethylene spheres, 298
- molecular sieve, 351
- molecule
  - bond, covalent, 347
  - fragments, 346
- Molière's theory, 18
- Molière radius, 234
- momentum
  - beam, 260
  - known, 260
- maximum detectable, 332

- momentum (cont.)
  - measurement, [327](#), 530, 531
    - error, 333
    - sagitta method, 334
  - missing, technique, 310, 455
  - particle, 273, 526
  - resolution, *see* resolution,
    - momentum
  - spectrometer, 257
  - transverse, *see* transverse
    - momentum
- monitor, beam loss, 83
- monitoring
  - Belle ECL, 373
  - calorimeter, 258
  - heavy-ion beam, 476
  - on-line, 68
  - stability of calibration, 259, 526
- monochromatic  $\gamma$  rays, 76, 77, 259
- monoenergetic collinear particle
  - beam, 285
- monoenergetic electrons, 76, 259
- monopole, magnetic, 121, 180
- Monte Carlo
  - generator, 452, 584
  - ARIADNE, 584
  - cosmic rays, 587
  - HERWIG, 447, 584
  - ISAJET, 584
  - JETSET, 447, 584
  - PYTHIA, 584
  - specific, 584
  - simulation, 246, 250, 251, 253, 254, 439
    - shower development, 234, 235
  - techniques, 452, 453
- mosaic counter, 190
- Moseley's law, 33, 482
- mu-metal cylinder, 131
- multi-anode photomultiplier, 286
- multichannel collimator, 469
- multicladding fibre and scintillation, 248, 249
- multigap spark chambers, 197
- multilayer feed-forward network, 449
- multiparticle efficiency, 67
- multiplate cloud chamber, 161
- multiple collisions, 43
- multiple reflections, 287
- multiple scattering, 18, 26, 208, 234, 250, 333, 514
  - angle, 18, 333, 514
  - error, 332, 339, 342
- multiplication
  - of shower particles, 232
  - system, 131
- multiplicity, 251
  - track, 448
- multipurpose detector, 510
- multistep avalanche chamber, 196
- multitrack efficiency, 67, 172, 277
  - reconstruction, 67
- multivariate techniques, 439, 452, 455
- multiwire
  - chamber, thin-gap, 279
  - drift module, 202
  - proportional chamber, 56, 186, 257, 284, 347, 437, 474, 520
  - cylindrical, 198, 522
  - miniaturised, 213
  - neutron detection, 298, 299
- muon, 252
  - absorption
  - detector, 488
  - measurement, 466
  - angular distribution, 79
  - bremsstrahlung, 296, 336
  - calorimeter, 296
    - efficiency determination, 454
  - colliders, 85
  - cosmic radiation, 260
  - depth–intensity relation, 488
  - detection, [327](#)
    - efficiency, Belle KLM, 379
    - system, 377, 378
  - energy, 296
    - determination, 258
    - loss, 7, 22, 25, 278
    - maximum transferable, 3
  - flux of cosmic rays, 79

*Index*

631

- high-energy, 294
- cosmic, 258
- energy loss, 296
- identification, 166
- identifier, external, 314
- /kaon separation, 377
- mass, 561
- minimum-ionising, 259
- neutrino, 289, 310, 317, 492, 494
- neutrino-induced, 287, 288, 321, 322
- pair production, 260
- /pion separation, 278
- production, 494
- range, 27
  - high-energy, 28
  - in rock, 28
  - system, 295
- signature, 321
- trident production, 336, 337
- X-ray photography, 488, 489
- $\mu^+ \mu^-$  collision, 85
- NA48 experiment, 243
- NAND, 418
- natural
  - radiation load, 75
  - radioactivity, 259, 466, 516
- negative temperature
  - coefficient, 263
- NEMO detector, 320
- neon
  - flash chamber, 169, 519
  - plastic tubes, extruded, 169
  - tubes, spherical, 170
- NESTOR detector, 320
- network, multilayer feed-forward, 449
- neural networks, 449, 455, 456, 458, 460
  - learning scheme, 457
  - overtraining, 458
  - training cycles, 458
  - training, testing, and validation samples, 457–459
- neural-net analysis, 460
- neuron, 449, 457
  - bias, 457
- neutral-current interactions, 309
- neutrino, 252
  - anti-, 309
  - astrophysical, 121
  - atmospheric, 308, 319
  - beam, 493
  - Big Bang, 264, 309, 322
  - cosmological, 510
  - detector, 307, 311, 529
    - calorimetric, 312
    - deep water, 258
    - ice or water, 320, 501
    - large-volume, 287
  - electron, 309, 310, 492
  - energy determination, 258, 446
  - experiment, 134, 170
    - two-, 310, 492
  - extragalactic, 320
  - factory, 73, 85
  - galactic, 319
  - geo-, 323
  - high-energy cosmic, 258
  - higher energy, 318
  - induced electron, 287, 320
  - induced muon, 287, 288, 321, 322
  - interactions, 163, 309, 318, 319
    - probability, 307
  - low-energy cosmic, 261
  - muon, 289, 310, 317, 492, 494
  - nucleon interactions, 320, 493, 494
    - cross section, 307
- observation in bubble chamber, 316
- oscillations, 323, 501
- physics, 287
- primordial, 322
- radiation exposure, 323
- reactor, 308
  - solar, 307, 308, 318, 323, 501
- sources, 307
- spectrum, 324
- supernova, 318
- tau, 311, 317, 319
- telescope, 258, 296, 501

neutron, 252, 255  
 activation, 484  
 -backscatter technique, 483  
 conversion reaction, 297  
 counter, 296–298, 529  
 cross section, 297  
 detection  
   efficiency, 298, 300  
   scintillation counter, 298  
   sensitivity, 299  
 dosimeter, 299  
 elastic scattering, 297, 299  
 energy, measurement and  
   spectrum, 300  
 high-energy, 297  
 inelastic interaction, 297  
 interaction, 296  
 liquid, 165  
 low-energy, 297  
 measurement, 299  
 moderation, 297, 298  
 non-thermal, 298  
 quasi-thermal, 298  
 reaction, threshold, 300  
 relative biological effectiveness,  
   299, 300  
 slow, 298  
 thermal, 297, 298  
 treatment, 475, 479  
 nitrogen scintillation, 258  
 noble gas  
   liquid, 237  
   ionisation chambers, 111  
   radioactive, 259  
 node, 457  
 noise  
    $1/f$ , 404, 411  
   electronic, 242, 362, 403–406  
     analysis of detector system,  
       409–413  
     contribution to energy  
       resolution, 240  
   equivalent noise charge, 410–415  
   Gaussian distribution, 404  
   parallel and series, 410  
   shot, 404–405

thermal (Johnson), 403–405  
 white, 403  
 NOMAD experiment, 314, 315  
 non-destructive methods, 480  
 non-ionising particles, measurement,  
   526  
 non-linearity  
   differential, 423, 425  
   of a detector, 61  
 non-uniform scintillator response, 352  
 non-uniformity  
   of calorimeter, 259  
   of crystals, 237, 242  
 NOR, 418  
 normal-conducting state, 266, 267  
 normal distribution, 57–59  
 normal error, 60  
 normalisation, distribution  
   function, 56  
 normalised distribution, 58  
 NTC resistor, 263  
*n*-type semiconductor, 114  
 nuclear  
   beta decay, 308  
   binding energy, 252  
   bond, break up, 252  
   charge, screening, 37  
   counter effect, 138  
   emulsion, 173, 317, 520  
   stacks, 174  
   fragment, short-range, 252  
 interaction, 24, 296  
   cross section, 43  
   length, 249, 292  
 medicine, 75  
 physics, 466  
 recoil, 264, 265, 355  
 track detector, plastic, 179  
 weapon test, 502  
 nucleon, 251  
   decay, 170  
     experiment, 134  
   heavy, primary cosmic radiation,  
     257  
 number  
   atomic, 19

*Index*

633

- Avogadro, 4, 578
- baryon, conservation, 500
- lepton, conservation, 492, 500
- of charge carriers, fluctuations, 15
- of Cherenkov photons, 288
  - total, 242
- of detected particles, 245
- of detector layers, 257
- of electrons, 244
  - and photons in a shower, 236
  - relative fluctuation, 244
- of high-energy hits, 292
- of intersection points, 245
- of measurements, optimum, 280
- of neutral pions, fluctuation, 252, 255
- of photoelectrons, 286
  - effective and total, 276
- of track segments, 245
- of transition-radiation photons, 292
- object-oriented language, 439
- occupancy, 67
- ocean, as Cherenkov medium, 258
- on-line
  - calibration, 454
  - monitoring, 68
- one-electron tunnel effect, 262
- OPAL experiment, 242
- operating voltage, 355
- optical recording, 163
- optical spark chambers, 493
- OR, 417
  - exclusive (XOR), 417
- organ
  - malfunctions, 468–470
  - picture, 468
- organic scintillator, 126
  - as neutron detector, 299
  - compounds, 123
- oscillation, neutrino, 323, 501
- output layer, 457
- overcharging, 195
- overcompensation, hadron
  - calorimeter, 256
- overtraining, 458
- oxide layer, thin, 347
- oxygated silicon detector, 356
- pad, 194, 216
- pair of ions, 14
- pair production, 1, 15, 31, 36
  - by muons, 22
  - cross section, 32, 36, 514
  - direct, 22–24, 296, 336
  - electron–positron, 231
  - energy loss, 24
  - energy-partition parameter, 37, 38
  - of muons, 260
  - threshold energy, 36
- PAMELA experiment, 292
- paraffin as moderator, 297
- parallel noise, 410
- parallel-plate
  - avalanche chamber, 278
  - chamber, 257
- parameter
  - combined distribution, 293
  - electromagnetic calorimeter, 237
  - energy partition, pair production, 37, 38
  - helix, 445, 446
  - impact, resolution, 363, 364
  - most efficient, 281
  - muon energy loss, 25
  - of separation, 291, 293
- parametrisation
  - energy resolution, 239, 257
  - shower, 231
- particle
  - antiparticle colliders, 85
  - beam
    - mixed, 281
    - monoenergetic collinear, 285
  - charge, 273
  - charged
    - accelerator, 516
    - detection, Belle KLM, 377
    - energy loss, 5, 252
    - interaction, 2, 41
    - ionisation and excitation, 231
    - spatial resolution, 277

- particle (cont.)
    - tracking, 290
    - trajectory, 329, 442
  - extremely low energy, 261
  - gauge, virtual, 24
  - heavy, ionisation loss, 3
  - high-energy, 274
  - identification, *see*
    - identification
  - individual, detection, 263
  - known energy, 261
  - location, resolution, 438
  - measurement
    - energy, 230
    - in liquids, 110
  - minimum-ionising, 6, 291
    - detection, 267
  - missing, reconstruction, 455
  - momentum, 273, 526
  - multiplicity, 251
  - neutral, in hadron cascade, 252
  - non-ionising, measurement, 526
  - number, detected, 245
  - quasi-, 261, 262
  - radiation, solar and
    - galactic, 466
  - range
    - in air, 26
    - low-energy, 26
  - rate, 259
  - relativistic, 3
  - secondary, in hadron
    - cascade, transverse
    - momentum, 251
  - separation, *see* separation
  - shower
    - multiplication, 232
    - track segments, 245
  - supersymmetric, lightest, 455
  - therapy, 475
  - track, conservation and
    - decoration, 176
  - unstable, reconstruction, 449
  - velocity, 274
    - measurement, 283, 528
- weakly interacting massive (WIMP), 261, 264, 265
- partons, initial, 447
- path
  - average mean free, 44, 49
  - length, 134
  - differences, 134
  - fluctuation, 134, 276
  - photon average, 237
- pattern, 457
  - Cherenkov, 319
  - hit, digital, 295, 296
  - of ‘wire shadows’, 347
  - recognition, 443
    - automatic, 300
  - reconstruction, automatic, 176, 180
- PDF, 56, 280
- peak
  - Bragg, 475
  - detector, 424
  - escape, 104
  - full-absorption, 486
  - total-absorption, calibration, 259
- peaking time, 406
- pedestal determination, 259
- pencil beam, 476
- per-capita dose, annual, 75
- period of accommodation, eye, 122
- periodic table of elements, 598
- personal radiation dose, 97
- Pestov counters, 277
- PET, 469, 470, 475, 476
  - scan, 470, 471
- phonon, 261
  - detector, 262, 264
  - excitation, 262, 264
  - pulse height, 265
- phosphate glass, silver-activated, 178
- photocathode, 130
  - cesium-iodide, 286
- photo-converter, 286
- photodiode
  - avalanche (APD), 138, 242
  - silicon, 137

*Index*

635

- photoelectric effect, 1, 31, 32, 231, 287, 472, 486, 514  
photoelectron  
    effective and total number, 276  
    gas-amplified, 100  
    number, 286  
    production, 105  
    statistics, 237, 242  
    transit-time spread, 276  
photographic recording, 162  
photoluminescence centre, 178  
photometric methods, 177  
photomultiplier, 130  
    in RICH counters, 286  
    matrix, 468  
    microchannel, 135  
    multi-anode, 286  
    readout, 275, 287  
    rise time, 134  
    silicon, 142  
    transit time, 134, 276  
    tube  
        fine-mesh-type, 368, 369  
        hybrid, 136, 286  
    window, transparency, 131  
photon, 1  
    absorption, total cross section, 38  
    angle, 287  
        measurement, 243  
        scattering, 34  
    arrival time, 287  
Cherenkov, 143  
    number, 288  
    number, total, 242  
conversion, 208, 450, 451  
    point, 243  
coordinates, 284  
cross section, 38  
detection efficiency, RICH  
    counter, 284  
detector, entrance window, 285, 286  
emission angle, 276  
energy  
    measurement, 244  
    reduced, 32  
high-energy, 287  
-induced cascade, 250  
intensity  
    absorption, 515  
    attenuation, 21  
interaction length, 232  
interactions, 1, 31  
low-energy, 2  
number in shower, 236  
path, average, 237  
-photon scattering, 38  
primary cosmic radiation, 257  
pulse height, 265  
range, 31, 106  
sensor, RICH, 286  
single optical, spectroscopy, 261  
spatial resolution, 243  
starlight, 36  
synchrotron, 77  
timing, 249  
transition radiation, *see* transition radiation  
virtual, 24  
yield, 143, 480  
photonuclear interactions, 24, 336  
photopeak, 128, 486  
photoproduction on protons, 165  
photosensitive vapour, 284  
phototetrode, 137  
phototriode, 137  
    vacuum (VPT), 242  
physical constants, 577  
physical half-life, 80  
physical units, 580  
physics  
    heavy flavour, 449  
    neutrino, 287  
    nuclear, 466  
pickup, 429  
coil, 262  
electrode, 169, 196  
signal, 429–433  
picture of an organ, 468  
pile-up, 406  
PIN diode structure, 116

- pion, 252  
     capture, star formation, 475, 478  
     charged and neutral, 251  
     contamination, 293  
     energy loss, 7, 278–280, 282  
     high-energy, 294  
     hypothesis, 293  
     identification, Belle detector, 380  
     in iron or tungsten, 254  
     /kaon separation, 205, 275, 282,  
       284, 288, 290, 368, 380, 381  
     /kaon/proton separation, 278  
     mass, 561  
     neutral, 251  
     fluctuation in number, 252, 255  
     range, 27  
     shower, longitudinal development,  
       254, 293  
     track, 291, 292  
     treatment, 477  
     pionic atoms, 478  
     PIXE technique, 480, 481  
         applications in geology and material  
           science, 482
- pixel  
     3D (voxel), 477  
     and silicon tracker, 443  
     size, 68  
     system, 217, 221
- planar drift chamber, 191, 521
- planar spark counter, 276, 277
- Planck's constant, 45, 577
- plasma  
     channel, 169, 171, 276  
     energy, 147
- plastic  
     detector, 176, 179, 300, 520  
     foil, 300  
     polymerised, 126  
     scintillator, 127, 275, 353  
         material, 126  
         structure, 213
- Plexiglas, 145
- pn* junction, 114
- pocket dosimeter, 80  
     directly readable, 97
- Poisson  
     distribution, 59  
     error, 60  
     fluctuation, 18  
     -like error, 60, 66  
     statistics, 15  
     square-root error, 61
- polar angle, 339
- 'Poltergeist' experiment, 310
- polyethylene as moderator, 298
- polymerisation, 346, 347  
     structure, hair-like, 351
- polymerised plastics, 126
- polyvinyltoluene, 353
- position  
     centre of gravity, 254  
     lateral, resolution, shower, 243  
     measurement, 446  
     monitors, 83  
     resolution, 237  
         high, 277, 278  
         -sensitive detector, 284, 287
- positron  
     decay in nucleus, 76  
     emission tomography, 469–471, 475,  
       476  
     emitters, 469, 470, 476  
     energy loss, 11
- potential  
     Coulomb, 18  
     distribution, 94  
     ionisation, effective, 14  
     wire, 198
- power dissipation, 419
- preamplifier, low-noise, 211
- pressure  
     gas, detector, 280  
     high, ionisation chamber, 257  
     vapour, saturation, 160
- Pretty Good Privacy (PGP), 489
- primary ionisation, 13, 100  
     processes, statistical fluctuation,  
       192  
     statistics, 193, 206
- primary vertex, 493
- primordial neutrinos, 322

- probability  
 density function (PDF), 56, 280  
 distribution, normalised, 58  
 electron/muon misidentification, 296  
 electron/pion misidentification, 292–294  
 electron–positron pair production, 231  
 interaction, 42  
 likelihood, Belle, 379  
 neutrino interaction, 307  
 of particle misidentification, 65, 274  
 fake rate, Belle KLM, 379–381  
 pion/kaon misidentification, 290  
 transfer, mean, 197  
 production vertex, 318  
 projectile charge, 285  
 propagation  
   avalanche, 106  
   delay, 419  
   cable, 427  
   time, counter (TOP), 288  
 proportional  
   chamber, multiwire, *see* multiwire  
   (proportional) chamber  
 counter, 97, 100, 298, 490  
<sup>3</sup>He recoil, 298  
 xenon, 104  
 mode, 278  
 tube, 257  
 proton  
   –antiproton collider, 85  
   decay, 500  
     Cherenkov counter, 500  
   energy loss, 7, 278, 280, 282  
   –induced cascade, 250  
   –induced X-ray emission, 480  
   lifetime, 500  
   photoproduction, 165  
   positron decay in nucleus, 76  
   primary cosmic radiation, 257  
   –proton  
     cross section, 41  
     fusion, 308  
   range, 26, 27  
 recoil, 297, 298  
   cross section, 299  
   low-energy, 256  
   range, 299  
 slow, 480  
 storage ring, 180  
 synchrotron, 492  
 therapy, 475, 477  
 prototype detector, ageing test, 350  
 pseudo random numbers, 491  
 psychological bias, 460  
*p*-type semiconductor, 114  
 pulse  
   height, 258, 275  
   analysis, 392  
   from phonons and photons, 265  
   spectrum, 94, 369  
 high-voltage, 168  
   rise time, 172  
 shaping, 392–393, 406–409  
 stretcher, 424  
 test, 259  
 purification of gas, 351  
 purity, 452  
 pyramids, hidden chambers, 487  
 PYTHIA Monte Carlo, 584  
*q*-fold random coincidence, 64  
 quadrupole, 88  
   field strength (gradient), 543  
   magnet, 82  
 quality factor, 73  
 quantum  
   efficiency, 131  
   interferometer, 262  
   state, well-defined, 85  
   transition, 266  
     energy, 261  
 quark jet, 447  
 quartz  
   as Cherenkov radiator, 355  
   bar, 287, 288  
   window, 284  
 quasiparticle, 261, 262  
 quench gas, 106

- quencher, electronegative, 168  
quenching, 106
- rad, 72, 516
- radiation
- accident, 81, 503
  - annihilation, 475
  - belt, 466
  - biological effect, 71–73
  - camera, 467
  - Cherenkov, *see* Cherenkov radiation
  - cosmic, *see* cosmic radiation and cosmic-ray
  - damage, 353
    - local, 180
    - recovery from, 353
    - reduced, 213
    - silicon detector, 356
  - detector applications in medicine, space experiments, high energy physics, archaeology, 466
  - dose, personal, 97
  - effects, 346
  - electron, 475
  - energy loss, 7, 231
  - environments, harsh, 68, 346
  - exposure due to neutrinos, 323
  - fluorescence, 178
  - $\gamma$ , *see*  $\gamma$  radiation
  - geosynchrotron, 258, 499
  - hardening, 357
  - hardness, xxi, 68, 77, 111, 222, 355
    - Cherenkov counters, 354
    - of scintillator crystals, 353, 354
    - of scintillator liquids, 354
    - scintillators, 352
  - initial state, 260
  - length, 19–21, 231, 235, 249, 292, 513, 582, 583
    - of mixtures, 21
  - load
    - environment, civilisation, and natural, 75
    - on the patient, 468
  - luminescence, 124

- measurements, 71
  - units, 71, 516
- microwave background, 122
- officer, 76
- particle, solar and galactic, 466
- primary cosmic, 257
- protection, 96, 300, 490
  - regulation, 76
- sources, 71, 76
- synchrotron, 28, 84, 338
- terrestrial, 75
- tolerance, 363
- transition, *see* transition radiation
- units, 71
- weighting factors, 73
- radiative corrections, 260
- radiative return, 459
- radiators
- for Cherenkov radiation, 144, 283
  - quartz, 355
  - solid, liquid gaseous, 144
- radical (free), 346, 347
  - chemical activity, 347
- radio band, 258
- radio-carbon content and dating, 501, 502
- radio-tribology, 484
- radioactive
- decay, 489, 516
  - fallout, 486
  - load, 75
  - noble gases, 259
  - sources, 260
    - low-energy calibration, 259
    - properties, 78
    - radium–beryllium, 77
- tag, 484
- tracer, 468, 469
- radioactivity
- induced, 466
  - natural, 259, 466, 516
    - of the human body, 75
- radiochemical experiment, 311
- radioisotopes, identification, 486

*Index*

639

- radionuclide, 466, 468
  - activity, 72, 516
  - decay constant, 71
- radiophotoluminescence detector, 178
- radiotherapy, 479
- radium
  - activity, 72
  - beryllium source, 77
- radius
  - bending, 273, 330, 333
  - Cherenkov ring, 283, 285
  - distribution, 284
  - containment, 95 %, 235, 255, 293, 256
  - electron, classical, 4
  - Larmor, 209
  - Molière, 234
  - of curvature, 273
- Ramsauer effect, 45
- random
  - coincidence, 63
  - $q$ -fold, 64
  - experiment, 60
  - $\bar{n}$ -number generator, 489, 491, 492
  - trigger events, 259
- range
  - measurement, 296
  - of acceptance, 489
  - of  $\alpha$  particles, 26
  - of electrons, 27
  - low-energy, 27
  - of muons, 27
    - high-energy, 28
    - in rock, 28
  - of particles
    - in air, 26
    - low-energy, 26
  - of photons, 31, 106
  - of pions, 27
  - of protons, 26, 27
    - recoil, 299
  - practical, 27
  - relations with energy, 26
  - short, nuclear fragment, 252
  - system for muons, 295
- raster-scan technique, 476, 477
- rate
  - ageing, 349
  - capability, 191
  - coincidence, two- and threefold, 65
  - count
    - high, 278
    - true, 63
  - fake, Belle KLM, 379–381
  - interaction, 85
  - measurement, 63
  - of particles, 259
  - of polymerisation, 347
  - random coincidence, 64
- raw detector data, 436–438
- raw event data, 439
- RBE factor, 72, 516
- reaction
  - conversion, neutron, 297
  - fission, 298
  - threshold, neutron, 300
- reactor neutrino, 308
- readout
  - chain, 363
  - electronic
    - Belle ECL, 374, 375
    - detector array, 393–395
  - element, 213
  - holographic, vertex bubble chambers, 511
  - integrated circuit, 393
  - magnetostriuctive, 173
  - multiple-hit, 67
  - photomultiplier, 275, 287
  - single-hit, 67
  - technique, holographic, 511
  - thermistor, 120, 263
  - time, 62
  - wavelength shifter, 248–250
- rear leakage, 233, 237
- recoil
  - detector,  ${}^3\text{He}$ , 298, 299
  - electron, 264, 265
  - nuclear, 264, 265, 355
  - proton, 297, 298
    - cross section, 299
    - low-energy, 256

- recoil (cont.)
  - reaction, elastic, 299
  - triton, 298
- recompression, 161
- reconstruction
  - algorithms, 439, 469
  - efficiency, 454
    - multitrack, 67
    - track, 454
  - energy, 446
  - event, *see* event reconstruction
  - missing particles, 455
  - of tracks, 202, 339, 341, 442, 443
  - pattern, automatic, 176, 180
  - raw detector data, 436
  - unstable particles, 449
  - vertex, 500
- recording
  - electronic, 169
  - holographic, 166
  - optical (photographic), 162, 163
- recovery
  - from radiation damage, 353
  - time, 62
  - effects, 259
- rectangular distribution, 56
- reference signal, calibrated, 260
- refit, mass constraint (kinematical), 453, 454
- reflection
  - cable, 427–429
  - internal, 130, 249, 287
    - critical angle, 145
    - multiple, 287
  - refractive index, 142, 582, 583
    - average, 145
- Regener statistics, 60, 61
- region of controlled access, 76, 516
- registering
  - electronic, 62
  - stereoscopic, 173
- rejuvenation, 348
- relative biological effectiveness, *see* biological effectiveness
- relativistic particles, 3
- rem, 73, 516
- repetition time, 62, 163
- repulsion, electrostatic, 189
- resistance
  - high, wire material, 351
  - radiation, *see* radiation hardness
  - volume, 194
- resistive-plate chamber, 277, 278, 327, 362, 377
- resistivity
  - bulk and surface, 277
  - specific, 113
- resistor
  - chain, 193
  - charging, 105
  - NTC, 263
- resolution, 56, 211
  - angular
    - BaBar detector, 244
    - calorimeter, 243
    - energy dependence, 244
    - magnetic spectrometer, 341
  - Belle KLM, 378
  - calorimeter, energy dependence, 240
  - Cherenkov angle, 286
  - detection, 395–397
  - energy, 18, 61, 79, 237–240
    - ATLAS detector, 257
    - Belle ECL, 375, 376
    - calorimeter, 257, 261
    - CMS electromagnetic calorimeter, 242
    - electronics-noise contribution, 240
    - hadron, 252, 255
    - hadron calorimeter, 257
    - improvement, 18, 257
    - ionisation calorimeter, 243
    - KEDR detector, 243
    - KLOE detector, 249
    - Landau fluctuations, 246
    - liquid-argon sampling calorimeter, 247
    - loss, 280
    - NA48 experiment, 243
    - OPAL experiment, 242
    - parametrisation, 239, 257
    - sampling calorimeter, 245–247

*Index*

641

- sampling fluctuations, 246
- scintillator, 247
- shashlik-type calorimeter, 249
- thermal detector, 263
- high-
- calorimeter, 372
- scintillation counter, 470
- impact parameter, 363, 364
- lateral shower position, 243
- mass, 453, 454
  - Belle ECL, 375
- momentum, 330, 332, 334, 335
  - Belle CDC, 366
  - transverse, 339
- particle location, 438
- position, 237
  - high, 277, 278
- silicon vertex detector, 363
- single-track, 221
- spatial, 61, 192, 291
  - Belle CDC, 366
  - charged particle, 277
  - photon, 243
- time, 61, 63, 188, 275–277, 288, 415–416
  - Belle TOF, 372
  - electronics contribution, 276
  - high, 277, 278
- two-track, 68, 221
- vertex, 362
- resonance, known mass, 260
- response
  - calorimeter element, 261
  - frequency, amplifier, 399–400
  - isotropy, 67
  - non-uniform, of scintillator, 352
  - simulation, detector, 439, 453
  - uniform, 127
- reverse bias, 114
  - current, 355, 356
  - voltage, 115
- RICH
  - counter, 282, 284, 285
  - efficiency of photon detection, 284
  - working principle, 283
- detector, HERA-B, 286
- ring imaging Cherenkov counter, *see* RICH counter
- rise time, 102
  - amplifier, 416
  - high-voltage pulse, 172
  - photomultiplier, 134
  - short, 276
- road method, 443, 444
- Röntgen, 74
- root mean square (rms) deviation, 18, 58
- run (taking data), 437
- ruthenium-106, decay-level scheme, 594
- Rydberg's constant, 33
- sag of a wire, 190
- sagitta, 333
- sagitta method, momentum measurement, 334
- sampling
  - calorimeter, *see* calorimeter, sampling
  - elements in calorimeters, 257
  - fluctuation, 245, 246, 257
    - correlations, 246
  - fraction, 246
  - layer, 245
  - plane, 257
  - thickness, effective, 246
- SAS-2 satellite, 497
- satellite
  - COS-B, 496
  - experiment,  $\gamma$  rays, 495
  - SAS-2, 497
- saturation
  - effects, 101
    - in detector layers, 256
  - pressure, vapour, 160
  - super-, vapour, 161
- scanning of thermoluminescence
  - films, 178
- scattering, 2, 18
  - angle
    - distribution, 18
    - of photons, 34

- scattering (cont.)
  - angular distribution, 18
  - Bhabha, 86, 260
  - Compton, 1, 33, 514
    - cross section, 38
    - inverse, 35
  - Coulomb, 18
  - cross section, energy, 35
  - elastic, 504
    - $e^+e^-$  event, 386
  - foil, aluminium, 481
  - multiple, *see* multiple scattering
  - neutrino–nucleon, cross section, 307
  - neutron
    - elastic, 297, 299
    - proton, cross section, 300
  - of electrons, *see* electron
    - scattering
  - photon–photon, 38
  - proton–proton, 41
  - root mean square, 18
  - WIMP–nucleon, 264
- scintillating
  - dielectric crystal, 264
  - fibre, 219, 249
    - calorimeter, 219
    - tracker, 219, 524
- scintillation
  - bar, 276
  - counter, 65, 67, 122, 161, 275, 327, 466, 497, 517
    - gas, 127
    - high-resolution, 470
    - in calorimeters, 249
    - large-area, 484
    - lithium-iodide, 298, 483
    - organic, 299
    - segmented, 469
    - trigger (TSC), 369
  - crystal, 237, 264
    - heavy, 239
  - detector, 392, 402
  - efficiency, 123
  - light, 237, 258, 264, 276, 498
  - mechanism, 123
  - of nitrogen, 258
- photon, emission angle, 276
- principle of operation, 248
- single- and multicladding, 248
- scintillator, xxi, 122, 246, 256, 257
  - calorimeter
    - calibration, 260
    - total-absorption, 312, 495
  - decay time, 124
  - effective light speed, 276
  - energy resolution, 247
  - inorganic, 123, 353, 468
  - material, 123
    - inorganic crystals, 123
    - liquid, 127
    - organic compounds, 123
    - plastic, 126, 127
    - radiation resistance, 353, 354
  - non-uniform response, 352
  - organic, 126
  - plastic, 275, 353
  - plate, end face, 247
  - polyvinyltoluene, 353
  - radiation hardness, 352
  - thickness, 276
  - wavelength-shifter readout, 247, 248
- screening
  - effect, 11, 20
  - nuclear charge, complete, 37
- sea-water Cherenkov counter, 501
- secondary
  - avalanche, 105
  - beam, 336
  - electron emission
    - coefficient, 131
  - ionisation processes, 13, 91
  - particle, 251
    - transverse momentum, 251
- segmented
  - anode, 277
  - cathode, 106, 109
- selection criterion, 274, 455
  - analysis, 439
- SELEX experiment, 243
- self-quenching, 106
- streamer tube, 108

*Index*

643

- semiconductor
  - detector, 466, 481, 486
  - diode, 116
  - n*- and *p*-type, 114
  - thermistor, 120
  - track detector, 215, 523
- sensitive
  - layer, 295
  - time, 62
  - volume, calorimeter, 237
- sensitivity
  - neutron detection, 299
  - of the eye, 122
- separation
  - capability of crystal calorimeter, 294
  - efficiency, 292
  - electron/hadron, 292
  - electron/hadron/muon, 161
  - electron/muon, 295
  - electron/pion, 290, 291, 293, 294
  - method, 292
  - muon/kaon, 377
  - muon/pion, 278
  - of mass, 275
  - parameter, 291, 293
  - particle, 206, 281
    - calorimetric, 292
    - low-energy, 294
  - pion/kaon, 205, 275, 282, 284, 288, 290, 368, 380, 381
  - pion/kaon/proton, 278
  - quality, event, 294
- series noise, 410
- sextupole, 83
- shashlik-type calorimeter, 249
- shot noise, 404–405
- shower, *see also* cascade and extensive
  - air shower (*EAS*)
  - absorption, 233
  - angular distribution, 234
  - axis, 235
  - centre of gravity, 255
    - longitudinal, 254, 293
  - characteristic, 236, 254
  - compactness parameter, 293
  - core, 235
  - depth, 236, 255
  - development, 231, 233, 292
    - dense media, 236
    - hadron, fluctuations, 255
    - longitudinal, 254, 293
    - Monte Carlo simulation, 234, 235
    - starting point, 293
  - electromagnetic, counter, 249
  - energy, 235
    - deposition in clusters, 239
    - lateral structure, 250
  - length, 253
  - maximum, 233, 234
  - model, simplified, 231
  - number of electrons and photons, 236
  - parametrisation, 231
  - particles
    - multiplication, 232
    - track segments, 245
  - position, lateral, resolution, 243
  - profile, lateral, 253, 254
  - radius, 95 % containment, 255, 256
  - shape, lateral and longitudinal, 449
  - sieve, molecular, 351
  - Sievert (Sv), 73, 516
  - sigmoid function, 457
  - signal
    - acquisition, 397–401
    - amplitude, 92
    - detector, vs. capacitance, 397–398
    - efficiency, 439
    - hadron, 253
    - heat, 263
    - minimum detectable, 395
    - mode, 96
    - pickup, 429–433
    - process, statistical significance, 439
    - reference, calibrated, 260
    - rise time of electron component, 102
    - ‘start’ and ‘stop’, 274
    - streamer, 107
    - strip detector, cross-coupling, 401
    - synchronisation, 274
    - timing, 277

644

*Index*

- signal (cont.)
  - to-noise ratio, 391, 395–397
  - vs. capacitance, 405–406
- transmission, 427
- trigger, 63
- voltage, 276
- yield, 440
- signature
  - electron and muon, 320, 321
  - schemes, digital, 489
- silane, 351
- silica aerogel, 144, 145, 367
- silicate, 351
- silicon
  - carbide, 351
  - contaminants, 351
  - detector
    - oxygenated, 356
    - radiation damage, 356
    - radiation hardness, 355
  - drift chamber, 218
  - dust, 348
  - microstrip counter, 216, 437
  - photodiode, 137
  - photomultiplier, 142
  - pixel detector, 443
  - pure, 118
  - reverse current, 355, 356
  - strip detector, double-sided, 363
  - vertex detector (SVD), 363
    - resolution, 363
  - wafer, 264
- silver
  - activated phosphate glass, 178
  - chloride detector, 176
  - cluster, 176
  - halide crystal, 175
- simulation
  - detector response, 439, 453
  - event, 291, 341
  - extensive air shower, 453
  - FLUKA, 453
  - GEANT, 453
  - Monte Carlo, *see* Monte Carlo simulation
- single-cladding fibre and scintillation, 248
- single-track resolution, 221
- SIS transition, 262
- slow control, 68, 360, 454
- slow neutrons, 298
- slow protons, 480
- SNO experiment, 287, 288, 501
- sodium
  - 22, decay-level scheme, 591
  - iodide, 122
  - solid, 145
- solar
  - neutrinos, 307, 308, 318, 323, 501
  - particles and  $\gamma$  rays, 466
- solenoid detector, 339
- solenoidal magnetic field, 205, 338
- solid-angle coverage, 197
- solid argon, 112
- solid Cherenkov radiator, 144
- solid-iron magnet and spectrometer, 332
- solid sodium, 145
- solid-state
  - band model, 112
  - detector, xxii, 14, 112, 279, 298, 517
  - drift chamber, 218
  - ionisation chamber, 91, 112
  - phonons, 261
- sound
  - velocity, 173
  - waves, thermoacoustically generated, 501
- source
  - neutrino, 307
  - point,  $\gamma$ -ray, 496, 499
  - radiation, 71, 76
  - radioactive, *see* radioactive sources
- space
  - charge, 106, 210
  - effect, 350, 355
  - experiments, 466
  - missions, manned, 466
- spaghetti calorimeter, 249, 525
- spark
  - chamber, 67, 170, 492, 494, 519

*Index*

645

- current-limited, 172  
glass, 172  
multigap, 197  
optical, 493  
telescope, 488, 496  
track, 169  
counter  
    large-area, 277  
    planar, 276, 277  
discharge, 171–173  
formation, 172, 350  
gaps, 168  
    local damage by, 350  
sparking, 351  
spatial resolution, *see* resolution,  
    spatial  
specific resistivity, 113  
spectrometer, 329  
    magnetic, 328, 335  
    angular resolution, 341  
    CMS detector, 340  
    double-focussing semicircular,  
        343  
    fixed target, 328  
    special applications, 336  
momentum, 257  
spectroscopy  
     $\alpha$  and electron ( $\beta$ ), 117  
    Auger electron, 480  
    with single optical photon, 261  
    X-ray, 103, 117, 261  
spectrum  
    electron, linearised, 486  
    emission, 123, 126  
    energy, measured, 239  
    luminescence, 125  
    neutrino, 324  
    neutron energy, 300  
    pulse height, 94, 369  
speed of light, effective,  
    scintillator, 276  
spherical mirror, 283  
spherical neon tubes, 170  
spinthariscope, xx  
spiral-wire delay line, 200  
spontaneous fission, 180  
square-root error, 61  
SQUID, 262  
standard error, 58, 59  
Standard Model Higgs boson, 459  
STAR experiment, 67  
star formation, by pion capture,  
    475, 478  
starlight photon, 36  
statistical  
    independence, 280  
    systematic uncertainty, 440  
statistics  
    basic, 56  
    counting, 61  
    ionisation, 17  
    photoelectron, 237, 242  
Poisson, 15  
    square-root error, 61  
primary ionisation, 192, 193, 206  
Regener, 60, 61  
small numbers, 60, 61  
stereo  
    angle, 201  
    Belle CDC, 364  
    wires, 201  
stochastic force, 47  
storage ring  
    experiment, 166, 197  
    proton, 180  
straight line fit, 443  
straw-tube  
    chamber, 202, 521  
    tracker, 290, 443  
streamer  
    chamber, 167, 518  
    formation, 247, 350  
    luminous, 167  
    signal, 107  
tube, 106, 107, 167, 257, 327  
    calorimeter, 247, 292–296  
    self-quenching, 108  
string model of hadrons, 447, 584  
strip  
    cathode, 190  
counter, superconducting, 267  
detector

- strip (cont.)
  - double-sided silicon, 363
  - signal cross-coupling, 401
- strong interaction, 41
- strontium, 79
  - 90, decay-level scheme, 593
- substrate, ceramic, 213
- subtraction technique, K edge, 472
- successive-approximation ADC, 423
- superconducting
  - granules, superheated, 262, 265–267
  - insulating–superconducting transition (SIS), 262
  - quantum interference device (SQUID), 262
  - state, 266, 267
  - strip counters, 267
- superconductivity, destruction, 262
- superconductor, 120, 261, 510
- superheated liquid state, 163
- superheated superconducting
  - granules, 262, 265–267
- SuperKamiokande detector, 320
- SuperKamiokande experiment, 501
- supernova
  - 1987A, 324, 501
  - explosion, 308
  - neutrinos, 318
- supersaturation, vapour, 161
- supersymmetric particle, lightest, 455
- surface
  - barrier detector, 117
  - contamination, 81, 503
  - current, 355
  - damage, 277, 355
  - dielectric, 212
  - dose, 475
  - investigation, non-destructive, 480
  - quality, 277
  - resistivity, 277
- survey, aerial, 484
- symbols, logic, 418
- synchronisation
  - of bubble chambers, 163
  - of signals, 274
- synchrotron, 82, 517
  - electron, 84
  - photons, 77
  - proton, 492
  - radiation, 28, 84, 338
- tag, radioactive, 484
- $\tau$  lepton, 317
- $\tau$  neutrino, 311, 317, 319
- TDC, 275, 425
  - analogue ramp, 425
  - counter, 425–426
- technique
  - acoustic detection, 258
  - autoradiographic, 484
  - Ayre–Thompson, 169
  - borehole, 483
  - Cherenkov ring, 288
  - electronic filter, 263
  - etching, 300
  - holographic readout, 511
  - K-edge subtraction, 472
  - maximum likelihood, 456
  - missing energy, 310, 455
  - missing momentum, 310, 455
  - Monte Carlo, 452, 453
  - multivariate, 439, 452, 455
  - muon X-ray, 488, 489
  - neutron-backscatter, 483
  - PIXE, *see* PIXE technique
  - raster scan, 476, 477
- telescope
  - Cherenkov, air, 499, 504
  - Compton, 50
  - HiRes, 498
  - neutrino, 258, 296, 501
  - spark chamber, 488, 496
- Telescope Array (TA), 498
- temperature
  - annealing, 356
  - boiling, 163
  - coefficient, negative, 263
  - cryogenic, 120
  - extremely low, 262
  - gas, 43
  - gradient, constant, 162

*Index*

647

- rise, in calorimeter, 262
- stability, Belle ECL, 374
- tension, wire, 189
  - minimum, 189
- TeO<sub>2</sub> crystal, 263
- termination, cable, 428–429
- terrestrial radiation, 75
- tertiary avalanche, 105
- test
  - ageing, 350
  - beam, 79, 259
  - nuclear weapons, 502
  - of detector, 77
  - pulse, 259
- testing sample, 458
- tetrafluorsilane, 351
- tetrakis-dimethylaminoethylene (TMAE), 284
- tetramethyllead, -pentane (TMP), -silane (TMS), -tin (TMT), 111
- Tevatron, 453
- theoretical systematic uncertainty, 440
- therapy
  - hadron, heavy-ion, and particle, 475, 476
  - proton, 475, 477
  - radio-, 479
- thermal (Johnson) noise, 403–405
- thermal detector, 263
- thermal neutrons, 297, 298
- thermistor, 263
  - readout, 120, 263
- thermoacoustically generated sound waves, 501
- thermoluminescence
  - agents, 178
  - detector, 177
  - dosimeter, 177, 178
  - film, 178
    - scanning, 178
    - powder, 178
- thermometer, 263
  - tungsten, 264
- thickness
  - calorimeter, 233, 238
  - effective, 237
- sampling, effective, 246
- scintillator, 276
- Thomson cross section, 32
- threefold coincidence rate, 65
- threshold
  - behaviour, effective, 148
  - counter, gaseous, 281
  - crossing, 275
  - detection, 245
    - reducing, 261
  - detector for neutrons, 300
  - effect, 143, 176
  - energy
    - Cherenkov radiation, 242
    - neutron reaction, 300
    - pair production, 36
    - inverse beta decay, 307
    - reactions, neutrons, 300
  - tile calorimeter, 249
- time
  - arrival, 63, 277
    - photon, 287
  - calibration, 502
  - characteristic, 61, 62
  - charging-up, 194
  - collection, electrons, 93
  - conversion, ADC, 422, 423, 425
  - cycle, 161
  - dead, 62, 63, 170
    - effects, 259
  - decay, 123
    - scintillator, 124
  - delay, 63
  - digitisation, 384
  - drift, 192
    - measurement, 57, 291
  - expansion chamber, 196, 521
  - jitter, 134, 416
  - measurement, 276
  - memory, 63, 170, 172
  - of data-taking, 437
  - of-flight
    - counter, 274, 276, 527
    - counter, Belle, 369–371
    - detector, 438
    - difference, 274, 275

time (cont.)  
 measurement, 273, 275, 527  
 measurement, mass  
 distribution, 372  
 -of-propagation (TOP) counter, 288  
 peaking, 406  
 -projection chamber (TPC), 67, 197, 208, 438, 522  
 ALEPH, 211, 281, 282  
 gating principle, 210  
 liquid-argon, 211  
 track efficiency, 454  
 readout, 62  
 recovery, 62  
 effects, 259  
 repetition, 62, 163  
 resolution, *see* resolution, time  
 rise, *see* rise time  
 sensitive, 62  
 stability, calibration, 260  
 stamp, 394  
 -to-digital converter, 275, 425  
 transit, *see* transit, time  
 travel, variation, 276  
 walk, 416, 417  
 correction, 371  
 timing  
 for photons, 249  
 information, 438  
 logic, 418  
 measurements, 415–416  
 signal, 277  
 tin granules, 266  
 microphotograph, 266  
 tissue weighting factor, 73, 74  
 toggle flip-flop, 490  
 token passing, 393, 394  
 toroidal magnet, 338  
 total-absorption  
 peak, calibration, 259  
 scintillator calorimeter, 312, 495  
 total cross section, 32, 42  
 total energy, 2, 274  
 total event energy, 446

total ionisation, 13  
 total track length, 242, 245  
 Townsend coefficient  
 first, 98, 99  
 second, 171  
 toxicity, 111  
 tracer, radioactive, 468, 469  
 track  
 conservation, 176  
 counting, 247  
 decoration, 176  
 detector, 186, 338, 520  
 nuclear, plastic, 179  
 semiconductor, 215, 523  
 triggered, 170  
 efficiency, 454  
 electron, 291, 292  
 finding, 444  
 strategy, 445  
 -following method, 445  
 length  
 measurable, 245  
 total, 242, 245  
 measurement, 160  
 error, 331, 334, 339, 342  
 multiplicity, 448  
 of a particle, 442  
 pion, 291, 292  
 reconstructed, 291  
 reconstruction, 202, 339, 341, 442, 443  
 efficiency, 454  
 segment, 445  
 number, 245  
 of shower particles, 245  
 single-, resolution, 221  
 spark chamber, 169  
 streamer formation, 247  
 two-, resolution, 68, 221  
 tracker  
 pixel and silicon, 443  
 scintillating fibre, 219, 524  
 straw tube, 290, 443  
 transition radiation, 289, 443

*Index*

649

- tracking, 531
  - chamber, 476
  - charged particle, 290
  - system, 276, 288, 442
- training, sample and cycles, 457, 458
- trajectory
  - charged particle, 329, 442
  - drift, 201, 206
- transfer
  - energy
    - high, exclusion, 280
    - large, 296
  - light, 247
  - probability, mean, 197
- transit time, photomultiplier, 134
  - spread (TTS), 134
  - photoelectron, 276
- transition radiation, 28, 527
  - detector (TRD), 146, 149, 289, 292, 438, 528
  - energy loss, 147
  - hits, 291
  - particle identification, 289, 528
  - photons, 148, 291
    - angle of emission, 148
    - number of, 292
  - tracker (TRT), 289, 443
- transmission line, 168, 427
- transparency
  - photomultiplier window, 131
  - reduction, 68, 353, 354, 368
  - ultraviolet, 284
- transparent crystal, heavy, 237
- transverse diffusion, 45
- transverse momentum, 197, 250, 329, 447
  - average, secondary particles, 251
  - resolution, 339
- travel-time variation, 276
- treatment
  - facility, 480
  - tumour, 475, 477
  - with neutrons, 475, 479
  - with pions, 477
- tribology, 484
- trident production, 22, 336
- triethylamine (TEA), 284
- trigger, 394
  - Belle TOF, 369
- counters, 438
  - events, random, 259
  - high time resolution, 277
  - leading-edge, 415
  - level, 439, 532
  - requirement, 65
- scintillation counter (TSC), 369
- signal, 63
- system, Belle detector, 360, 382, 383
  - triton, 298
  - recoil, 298
- troubleshooting, 433
- true count rate, 63
- true random-number generator, 492
- true value, 59, 61
- truncated energy loss, 10
  - distribution, 282
- truncated mean, 279–281, 367
- tumour treatment, 475, 477
- tungsten
  - calorimeter, 253
  - pions in, 254
  - thermometer, 264
  - wires, gold-plated, 188, 351, 365
- tunnel
  - Cooper pair, 262
  - current, interference effects, 262
  - effect, one-electron, 262
  - junction, 122
- two-jet structure, 202
- two-neutrino experiment, 310, 492
- two-track resolution, 68, 221
- twofold coincidence, 64
  - rate, 65
- uncertainty
  - experimental, statistical, and theoretical systematic, 440
  - principle, Heisenberg's, 237
- uncontrolled beam loss, 88

underground engineering, 466  
 undulator, 31  
 uniform response, 127  
 uniformity of a detector, 67, 455  
 unit  
      $dE/dx$  in MeV/(g/cm<sup>2</sup>), 5  
      $dx$  in g/cm<sup>2</sup>, 5  
     physical, 580  
     radiation, 71  
 unstable particles,  
     reconstruction, 449  
 upper limit, 59  
 uranium, 256, 257  
     as absorber material, 255  
     calibration with, 259  
     calorimeter, 259  
     coating, 298  
     /liquid-argon compensation, 256  
 UV  
     laser, calibration, 211  
     transparency, 284

$V^0$  vertex, 450  
 vacuum phototriode (VPT), 242  
 valence band, 112, 123  
     edge of, 114  
 validation sample, 459  
 Van Allen belts, 466  
 vapour  
     addition, 346  
     photosensitive, 284  
     saturation pressure, 160  
     supersaturation, 161  
     water, 351  
 variance, 56–58  
 Vela X1, 496  
 velocity, 274  
     drift, *see* drift velocity  
     of sound, 173  
     particle, measurement,  
         283, 528  
 vertex, 449  
     bubble chamber, holographic  
         readout, 511  
     decay, 451  
     detector, 166, 174, 202, 216

silicon (SVD), 363  
 silicon (SVD), resolution, 363  
 displaced, 449  
 interaction, 168, 445  
 primary, 493  
 production and decay, 318  
 reconstruction, 500  
 resolution, 362  
 virtual  
     gauge particles, 24  
     ground, 401  
     photon, 24  
 visible energy, 252  
 voltage, *see also* high voltage  
     breakdown, static, 276  
     divider, 131  
     operating, 355  
     reverse-bias, 115  
     signal, 276  
 volume  
     diffusion, 43  
     resistance, 194  
     sensitive, calorimeter, 237  
 voxel (3D pixel), 477  
 VPT, 242

$W$  value, 13  
 wafer, silicon, 264  
 warm liquid, 111, 246, 257  
 water  
     as moderator, 297  
     Cherenkov counter, 327,  
         497, 500  
     large-volume, 318, 319,  
         500  
     deep, as Cherenkov  
         medium, 258  
     vapour, 351  
 wavelength shifter, 126  
     external rod, 247  
     materials, 126  
     readout, 248–250  
 weak interaction, 308  
 weapon test, nuclear, 502  
 wear, 484

*Index*

651

- weighting factors  
radiation, 73  
tissue, 73, 74  
well-defined quantum state, 85  
whiskers, 351  
white noise, 403  
whole-body dose, 76  
    lethal, 76  
    rate, equivalent, 74  
Wideroe condition, 543  
width  
    half, 59  
    lateral  
        electromagnetic shower, 235  
        hadron cascade, 250  
        measurement, 59  
        radial, cascade, 255  
wiggler, 31  
Wilkinson ADC, 423–425  
Wilson chamber, 160, *see also* cloud chamber  
WIMP – weakly interacting massive particle, 261, 264, 265  
wire  
    anode, *see* anode wire  
    chamber, 186  
        ageing, 346, 349, 350  
        cylindrical, 197, 522  
    gold-plated tungsten, 188, 351, 365  
    high-resistance material, 351  
    macroscopic deposits, 351  
potential, 198  
sag, 190  
spiral-, delay lines, 200  
stereo, 201  
tension, 189  
    minimum, 189  
X rays, characteristic, 33, 77, 260, 480, 481  
X-ray  
    absorption, high, 291  
    diagnostics, 75  
    emission, proton-induced, 480  
    film, 176  
        industrial, 177  
    imaging, 467, 468  
    photography, muon, 488, 489  
    spectroscopy, 103, 117, 261  
yield, 480  
xenon  
    liquid, 110, 257  
    proportional counter, 104  
XOR, 417  
Yokota glass, 179  
zenith angle, 79  
zinc  
    granules, 266  
    -sulphate screen, 122  
zone, locally  
    inefficient, 189