

Index

- A , A_N (analysing power), 119, 189, 420, 424
 a_e , a_f (electroweak couplings), 236
 A_{FB} (forward–backward asymmetry), 245
 A_{ij} (two-spin analysing power), 119, 466–9
 $e^- e^+ \rightarrow f\bar{f}$, 243
 $pp \rightarrow pp$, 420–3
 A_L , A_Z (longitudinal analysing power), 243
 \hat{a}_{LL} (parton asymmetry), 355–6
 A_{LR} (left–right asymmetry), 244
 measurement at SLD, 246, 257
 \hat{a}_{TT} (parton asymmetry), 377–8
 α_s (Q^2) (QCD effective coupling), 261
 acceleration of polarized particles, 143–54
 Siberian snake, 151–4
 Adair frame, 218
 alignment, 53
 analysing power, generalized, 186
 anomalous magnetic moment, 109
 anti-linear operators, 29
 Argonne
 spin convention, 117
 reaction parameters, 118, 461–2
 shorthand notation, 463–4
 asymmetries, *see* spin asymmetries
 atomic beam, polarized 130–3
 axial anomaly, 322

 Basel convention, 60
 Bjorken limit (DIS), 304
 scaling, 299, 304
 sum rule, 323
 BMT equation, 146
 Brodsky–Lepage
 helicity rule, 425
 mechanism, 424

 canonical rest frame, 13
 spin state, 12
 charge conjugation, 30
 for fields, 35
 charged current interactions, 235
 chirality 89

 helicity, relation to, 90
 collinear singularities, 326
 Collins mechanism, 391
 colour in QCD, 285, 292–6
 Compton scattering, 198
 constituent quarks, 298
 Coulomb interference, 187, 420–3
 covariant derivative in QCD, 260
 covariant spin vector, *see* spin vectors
 crossing relations, 80, 415
 massive particles, 80–2
 massless particles, 82
 C_A (QCD), xvii
 C_F (QCD), xviii
 C_2 (G) in QCD, xvii
 C_2 (R) in QCD, xviii
 C_{ij} (final state correlation parameters in $e^- e^+$),
 246

 D (in hyperon decay) 322
 D_{ij} (depolarization parameters) 465–8
 $e^- e^+$, 246
 \hat{d}_{NN} (parton spin transfer) 393
 $d_{\lambda\mu}^j(\theta)$ (rotation functions) 433–6
 $\Delta G(x)$ (polarized gluon density) 325
 behaviour at $x = 0, 1$, 336
 phenomenology, 331–5
 $\Delta q(x)$ (polarized quark density) 307
 behaviour at $x = 0, 1$, 336
 evolution of, 327
 parametrization of, 332
 phenomenology, 331–5
 $\Delta_T q(x)$ (transverse polarized quark density), 342
 evolution of, 343–4
 Soffer bound for, 343
 $\Delta\sigma_L$ (longitudinal polarization cross-section
 difference) 94
 phenomenology in $pp \rightarrow pp$ 419
 $\Delta\sigma_T$ (transverse polarization cross-section
 difference) 94
 phenomenology in $pp \rightarrow pp$ 418
 $\Delta\Sigma(x)$ (polarized quark singlet density) 323

- decay parameters, table of, 220
 deep inelastic scattering (DIS), 298–347
 neutral current phenomenology, 331–5
 neutrino beams, 344–7
 cross-section formulae, 346
 see also, parton model
 density matrix, **38**
 alignment, **53**
 degree of polarization, **51**
 diagonalization, **48**
 final state particles, 63, 98
 behaviour at $\theta = 0, \pi$, 99
 rank conditions, 99
 resonance production, 65
 secondary scattering, 65
 general properties 40
 helicity multipole parameters 58
 initial state particle, 61
 mixed systems, 42
 multipole parameters, 44
 non-relativistic, 39
 photons, 54
 polarization vectors, **53**
 positivity, 56
 quantization axis, 48
 relativistic, 57
 spherical tensors, 44
 spin-1 particles, **51**
 tensor polarization, 52
 Dicus relation in DIS, 347
 dimensional counting rules, 430
 diquarks, 431–2
 Dirac form factors, **85**
 spinors, 476–84
 Dirac–Pauli representation, 480
 massless fermions, 481–3
 Weyl representation, 481
 distribution amplitudes, 425
 double scattering, 205
 dual Ward identity, 296
 dynamical reaction parameters, **101**, 465–72
 Argonne spin conventions, 117, 461–2
 cartesian formalism for spin-1/2, 115–20, 459–462
 ϕ -dependence of cross-section, 119
 experimental determination, **104**
 helicity amplitudes, relation to, 465–72
 inclusive and multiparticle reactions, 125–8
 non-linear relations, 123
 polarized beam, 107
 final states, properties of, 110–12
 initial multipole parameters, 108
 magnetic field, use of, 108
 polarization transfer, 110
 polarized target, 112
 polarized target and beam, 112–3
 photon-induced reactions, 123
 spin 1/2 spin 1/2 \rightarrow arbitrary spin, 120
 spin 1/2 + spin 1/2 \rightarrow spin 1/2 + spin 1/2, 119
 properties, 102–4, 459–62
 unpolarized initial state, 105
 see also Argonne reaction parameters,
 laboratory reaction parameters
 e^\pm colliders, *see* polarized e^\pm beams
 e^\pm reactions, *see* electroweak interactions
 elastic scattering, 413–32
 large momentum transfer, at, 423–32
 angular momentum, role of, 431–2
 Brodsky–Lepage helicity rule, 425
 Brodsky–Lepage mechanism, 423
 dimensional counting rules, 430
 diquarks, 431
 distribution amplitude, 425
 Landshoff mechanism, 424
 Sudakov suppression, 430
 small momentum transfer $pp \rightarrow pp$, 414–20
 $\Delta\sigma_L, \Delta\sigma_T$, 419–20
 electromagnetic interference, 187, 420–3
 exchange contributions, 415
 electromagnetic–hadronic interference, 187, 420–3
 electroweak interactions, 234–57
 charged current, 235
 Feynman vertices, 235–9
 Kobayashi–Maskawa matrix **238**
 lagrangians, 235–9
 neutral current, 236
 precision tests, 239–51
 propagators, 235–9
 Weinberg angle, 235
 $e^-e^+ \rightarrow$ fermion–antifermion pair, 241
 analysing power, longitudinal, 243
 correlations, initial state, 243
 correlations, final state, 246
 cross-section with polarization, 244
 depolarization, 246
 forward–backward asymmetry A_{FB} , 245
 forward–backward asymmetry for heavy quarks, 256
 left–right asymmetry A_{LR} , 244
 polarization, final state, 246–7
 polarization, initial state, 254
 polarization transfer, 246
 $q\bar{q}$ production, 255–7
 $q\bar{q}$ heavy quarks, 256
 τ polarization, 247–53
 $\tau^+\tau^-$ correlations, 253–4
 Efremov, Leader and Teryaev (ELT) sum rule, 320

 F (in hyperon β -decay) 322
 Φ (quark density matrix) 313
 factorization (Regge poles), 418
 Feynman rules for massless particles, 264–96
 Compton scattering, high energy, 279
 gluon Compton scattering, 281
 helicity theorem, 268–70
 massive spinors, 273–4
 massless spinors, 265
 multigluon amplitudes, 284

- multigluon colour structure, 285
- multigluon colour sums, 292–6
- multigluon dual Ward identity, 296
- multigluon helicity structure, 286–7
- multigluon $G + G \rightarrow G + G$, 282–92, 294–6
- polarization vectors, 274–8
 - gauge freedom, 275–8
- spinor product, 265
 - shorthand notation, 278
- $e\mu \rightarrow e\mu$, high energy, 272–3
- fermionic pole (semi-inclusive DIS) **404**
- Feynman rules for QCD, 264–96, **473–5**
- fields, irreducible, 444–9
 - equations of motion, 447–9
 - Dirac equation, 449
 - parity, 447
- fields, usual, 30–7
 - discrete symmetries, 34–7
 - Lorentz transformations, 30–3
- Fierz rearrangement theorem, 483
- form factors, Dirac
 - pion, large momentum transfer, 427–30
 - proton, 85
 - Sudakov suppression, 429
- forward–backward asymmetry A_{FB} , 245
- Froissart–Martin bound, 415
- frozen polarized targets, 133–7

- $g_1(x)$ (DIS) 300
 - behaviour at $x = 0, 1$, 336–9
 - cross-section, in terms of 304
 - phenomenology, 331–5
 - Regge behaviour, 337
- $g_2(x)$ (DIS) 300
 - cross-section, in terms of, 304
- $G_{1,2}$ (DIS form factors) 303
- gallium-arsenide source, 182
- gamma matrices, **476**
 - Dirac–Pauli representation, 480
 - Fierz rearrangement theorem, 483
 - traces, 476–7
 - Weyl representation, 481
- gas-jet targets, 137–43
- gauge invariance
 - in QCD, 262–4
 - in QED, 262
- Gell-Mann matrices, 260
- gluon
 - anomaly (DIS) 324
 - number density (DIS) 325
 - phenomenology, 331–5
 - orbital angular momentum, 326
 - spin (DIS) 326
- gluonic pole (semi-inclusive DIS) **404**

- harmonic spin matching, 175
- helicity, 7
 - chirality, relation to, 89
- helicity amplitudes, **73**
 - analytic properties, 79
 - behaviour at $\theta = 0, \pi$ 79
- charge conjugation, 79
 - crossing, 80–2
 - massless particles, 82
 - $pp \rightarrow pp$, 415
- identical particles 76
 - Landau–Yang theorem, generalization 78
 - notation in reactions, 453–4
 - parity, 75
 - $pp \rightarrow pp$, 415
 - phase at high energy, 417
 - time reversal, 76
 - $E \rightarrow C + D$, 78
 - $pp \rightarrow pp$, 77, 414–20
- helicity rest frame, **13**
- density matrix, 57
 - Lorentz transformations, 59
- multipole parameters, 58
 - Lorentz transformations, 59
- helicity selection rules, 80–8
 - axial-vector currents, 88
 - high energy limit, 80
 - particle–antiparticle creation, 88
 - vector currents, 88
- helicity states, 7–17
 - Lorentz transformations, 18–30
- helicity theorem, 268–70

- identical particles, 76
- imperfection resonances, 150
- inclusive reactions, 208, 298–344
- infinite momentum frame, **305**
- intrinsic resonances, 150
- isospin, **36**
 - antiparticles, 36

- Jacobi identity, 263
- JET scheme (DIS), 329

- Kij (polarization transfer parameters) 467–8
 - $e^-e^+ \rightarrow f\bar{f}$, 246
- Kobayashi–Maskawa matrix, 238

- laboratory (Lab) frame, **xviii**
- laboratory reaction parameters, 113–5, 461–2
- Landau–Yang theorem, generalization, 78
- Landshoff mechanism, 424
- leading logarithmic approximation (LLA), 327
- left–right asymmetry A_{LR} , 244
 - SLD measurement of, 246, 257
- longitudinal polarization state, **342**
- longitudinal polarized parton density, *see* $\Delta q(x)$, $\Delta G(x)$
- Lorentz transformations **10**, 18–30, 437–443
 - density matrix, 59
 - fields, **30**
 - finite-dimensional representations, 437–9
 - generators 437
 - helicity multipole parameters, 59
 - helicity states, 18–30
 - massive particles, 18
 - massless particles, 24

- spinor representation, 439–42
 vector representation, 442–3
 Lund model for asymmetries, 409
- magnetic moment, 24, 109
 anomalous, 109
 of Ω , 160
- Mandelstam variables, 351
- mass singularities, 326
- matrix elements
 vector current, 82
 axial and vector coupling 85
- Møller scattering, 196
- moments (DIS), 319
- multipole parameters, *see* density matrix
 rotations, effect on 48
- $\overline{\text{MS}}$ scheme (DIS) 328
- $\overline{\text{MS}}$ -MNV scheme (DIS) 329
- neutral current interactions, 236
- neutrino beams, 344
- observables **92**, 101
 non-linear relations amongst, 123
 see also dynamical reaction parameters,
 laboratory reaction parameters
- odderon, 416
- operator product expansion (OPE), 308
 moments, 320
 Bjorken sum rule, 323
- optical theorem, **92**
 arbitrary spin particles, 95
 deuteron–deuteron scattering, 97
 deuteron–nucleon scattering, 96
 generalized, 93
 nucleon–nucleon scattering, 94
- orbital angular momentum of gluons, 326
- Ω particle, magnetic moment of, 160
- parity transformation, **27**
 fields, 34
 helicity amplitudes, 75
- partons 259, 298
- parton model for charged current DIS, 346–7
 Dicus relation, 347
- parton model for neutral current DIS, 300, **305**
 field theoretic generalization, 308–18, 339–43
 quark density matrix Φ , **313**, 340–2
 structure function g_1 , 316–7, 327
 structure function g_2 , 318–9
 $g_1(x)$, 307
 $g_2(x)$, 308
 inclusive reactions, 349
 JET scheme, 329
 $\overline{\text{MS}}$ scheme, 328
 $\overline{\text{MS}}$ -MNV scheme, 329
 polarized parton densities, 307
 parametrization, 332
 QCD corrections, **326**
 evolution, 326
- leading order, 327
 next-to-leading order, 327–31
 scheme dependence, 327–31
 scheme transformations, 330–1
 semi-inclusive reactions, 348–75
 spin crisis, 301
 transverse polarized quark densities, **342**
 evolution, 343–4
 Soffer bound, 343
 unpolarized parton densities, 307
- partonic reactions, 354
 cross-sections, 354
 longitudinal double spin asymmetry \hat{a}_{LL} ,
 355–6
 transverse double spin asymmetry \hat{a}_{TT} , 377–8
- Pauli–Lubanski operator, **8**, 67
- phase of amplitude, 417
- $\pi \rightarrow \mu\nu$, 202
- polarimetry with stable particles, 186–209
 Compton scattering, 198
 Coulomb interference, 187, 420–3
 double scattering 205
 $AB \rightarrow \gamma D$, then $\gamma D \rightarrow AB$, 207
 $pp \rightarrow pp$, then $pp \rightarrow pp$, 206
 inclusive asymmetries, 208
 $pp \rightarrow \pi X$, 208
 Møller scattering, 196
 Primakoff reactions, 191
- polarimetry with unstable particles *see*
 resonance decay to two particles, resonance
 decay to three particles
- polarization (spin-polarization vector) **44**
 circular, 54
 degree of, 50
 even and odd, **47**, 107
 linear, 55
 tensor, 52
 $pp \rightarrow pp$, 426
- polarization correlations 105, 253
- polarization vector, **53**
 field theory, 70
 see also spin-polarization vector
- polarization transfer, 110
 depolarization, 110
- polarized e^\pm beams, **165**
 perfect circular ring, 165–73
 Sokolov–Ternov effect, 166
 imperfect ring, 173–6
 harmonic spin matching, 175
 HERA, 179–81
 LEP, 176–9
 linear collider SLC, 181–4
 gallium arsenide source, 182
- polarized hadron beams, 158–64
 at Fermilab, 161
- polarized hadrons, production, **129**
- polarized particles, acceleration, **143**
 difficulties, 147
 imperfection resonances, 150
 intrinsic resonances, 150
 Siberian snake, 151–8

- Stern–Gerlach polarizer, 154–8
 polarized parton densities, *see* $\Delta q(x)$, $\Delta_T q(x)$, $\Delta G(x)$
 polarized states analysis, *see* polarimetry
 polarized targets, **130**
 atomic beam, 130–3
 frozen, 133–7
 gas-jets, 137–43
 HERMES cell, 139
 Mark-II, 138
 SLAC helium-3, 141
 polarizing power **105**
 pomeron, 416
 Primakoff reactions, 191
 pseudo-thresholds, 80, 452
- $q(x)$ (parton density), *see* $\Delta q(x)$, $\Delta_T q(x)$
 quantization axis, **48**
 quantization plane, **108**
 quantum chromodynamics (QCD), 256
 covariant derivative, 260
 effective coupling $\alpha_s(Q^2)$, 261
 gauge invariance, 262–4
 gluon field, 259
 Jacobi identity, 263
 quark field, 260
 quark masses, 260
 see also Feynman rules
- rank of matrix, 99
 rank- L polarization, 51, 95
 rapidity, 351
 reactions, decays, general $E \rightarrow C + D$, 78
 fermionic, spin J ($J \geq 3/2$) \rightarrow spin $J_1 +$ spin 0 , 218
 $a_2 \rightarrow \rho\pi$, 216
 $D \rightarrow K\pi$, 216
 $D^{*+} \rightarrow \gamma D$, 216
 $\Delta \rightarrow N\pi$, 216
 $f \rightarrow \pi\pi$, 216
 $\Lambda \rightarrow N\pi$, 217
 $\Lambda_c \rightarrow \Lambda\pi$, 220
 $\Lambda_c \rightarrow \Sigma\pi$, 210
 $\omega \rightarrow \gamma\pi$, 216
 $\omega(1670) \rightarrow \rho\pi$, 216
 $\pi \rightarrow \mu\nu$, 202
 $\psi \rightarrow \rho\pi$, 216
 $\rho \rightarrow \mu^+\mu^-$, 221
 $\rho \rightarrow \pi\pi$, 216
 $\Sigma \rightarrow p\pi$, 220
 $\tau \rightarrow \nu\pi$, 216
 $\tau \rightarrow a_1\nu$, 248
 followed by $a_1 \rightarrow 3\pi$, 252
 $\tau \rightarrow \rho\nu$, 248
 followed by $\rho \rightarrow \pi\pi$, 250
 $\Xi \rightarrow \Lambda\pi$, 220
 reactions, scattering, by name
 Compton scattering, 279
 Drell–Yan reactions, 358
 J/ψ , ξ_2 production, 362
 gluon Compton scattering, 281
 inclusive reactions, 125–8
 Mueller discontinuity formula, 129
 photon-induced, 123, 469–71
 reactions, scattering, by symbol
 spin $1/2 +$ spin $1/2 \rightarrow$ spin $1/2 +$ spin $1/2$, 119, 414–27, 466–71
 spin $1/2 +$ spin $1/2 \rightarrow$ spin $0 +$ spin 0 120, 466
 spin $1/2 +$ spin $1/2 \rightarrow$ arbitrary spin, 120
 spin $0 +$ spin $1/2 \rightarrow$ spin $0 +$ spin $1/2$, 120, 465
 $0^- + 1/2^+ \rightarrow 0^- + 3/2^+$, 472
 $0^- + 1/2^+ \rightarrow 1^- + 1/2^+$, 472
 $AB \rightarrow \gamma D$, 207
 $d + d \rightarrow d + d$, 97
 $d + n \rightarrow d + n$, 96
 $e^-e^+ \rightarrow f\bar{f}$, *see* electroweak interactions
 $e^-e^+ \rightarrow \tau^-\tau^+$, 253–4
 $e\mu \rightarrow e\mu$, 272–3
 $G + G \rightarrow G + G$, 288–92, 294–7
 $l + N \rightarrow l + X$, 299
 $l + N \rightarrow \nu + X$, 302
 $l + p \rightarrow l + c\bar{c} + X$, 365
 $pp \rightarrow pp$, 77, 206, 414–27, 466–71
 $pp \rightarrow \gamma X$, 357, 406–9
 $pp \rightarrow \pi X$, 355
 $p\bar{p} \rightarrow \pi\pi$, 466
 $\pi N \rightarrow \pi N$, 465
 $\pi^-p \rightarrow \pi^0n$, 417
 Regge behaviour (DIS), 337
 Regge poles in $pp \rightarrow pp$, 415–20
 factorization, 418
 residue functions, 418
 reference frames, choice of, 60
 laboratory analysing frames, 66
 see also rest frames
 renormalization scheme dependence, 321
 $\overline{\text{MS}}$, 328
 $\overline{\text{MS}}\text{-MNV}$, 329
 JET, 329
 transformations between, 330–1
 residue function (Regge pole), 418
 resonance decay amplitudes, 78
 charge conjugation, 79
 identical particles, 78
 Landau–Yang theorem, generalization, 78
 resonance decay parameters, **219**
 table of, 220
 resonance decay into two particles, 209–23
 angular distribution, 210
 bosonic decay chains, 220
 decay parameters, **217**
 table of, 220
 $e^-e^+ \rightarrow \Lambda X$, 219
 fermionic decay chains, 220
 fermionic spin $J \geq 3/2 \rightarrow$ spin $J_1 +$ spin 0 , 218
 magic decays, **216**
 moments of distributions, 214
 multipole parameters for final state, 211
 parity violating decays, 216
 spin $J \rightarrow$ spin $1/2 +$ spin 0 , 216
 W decay, 222–3

- $\rho \rightarrow \mu\mu$, 221
see also τ decay
 resonance decay into three particles, 223–33
 decay amplitudes, 223
 decay into spinless particles, 227–9
 decay into γ and two spinless particles, 232
 decay to spin-1/2 particle and two spinless particles, 229–32
 moments of distributions, 227
 normal to the decay plane, distribution 225
 identical particles, 226
 parity, 225
 resonant depolarization, 176
 rest frame
 helicity, 13
 canonical, 15
 rotation functions $d_{\lambda\mu}^j$, 433–6
 rotation group, 433–6
 rotations, transformation under, 5
 density matrix, 47
 operators, 433
 representation matrices 433–6
 running coupling (QCD), 261

 scaling functions (DIS), *see* structure functions
 scattering amplitude, *see* helicity amplitudes
 signature (τ), 415
 Sivers mechanism, 390
 Soffer bound, 343, 378, 398
 Sokolov–Ternov effect, 166
 spherical tensors, 44
 spin asymmetries, general theory, 185–233
 Compton scattering, 198
 double scattering, 205
 elastic scattering, 418–26
 $pp \rightarrow pp$, 418–9, 426
 electromagnetic–hadronic interference, 187, 420–3
 inclusive reactions, 208, 349
 Møller scattering, 196
 Primakoff reactions, 191
 resonance decay into two particles, 209–23
 resonance decay into three particles, 223–33
 $AB \rightarrow CD$ 186
 A_{FB} (forward–backward), 245
 A_{LR} (left–right), 244
 $e^-e^+ \rightarrow f\bar{f}$, 241–57
 $e^-e^+ \rightarrow q\bar{q}$, 255
 $\mu \rightarrow e\nu\bar{\nu}$, 202
 $\tau^- \rightarrow \pi^- + \nu_\tau$, 248
 $\tau^- \rightarrow V + \nu_\tau$, 248
 $\tau^-\tau^+$ correlations, 253
 see also reactions, spin asymmetries,
 semi-inclusive reactions
 spin asymmetries, semi-inclusive reactions, 349–412
 longitudinal two-spin, 352–68
 Drell–Yan, 358
 Drell–Yan production of J/ψ and χ_2 , 362
 $l + N \rightarrow l + X$, 298–344
 $l + p \rightarrow l + c\bar{c} + X$, 365
 $pp \rightarrow \gamma X$, 357
 $pp \rightarrow \pi X$, 355
 parity-violating longitudinal single-spin, 368–75
 W and Z production, 369–75
 transverse single-spin case, 382–412
 transverse phenomenological models, 408–412
 Lund model, 409–10
 Thomas precession model, 410–11
 soft physics mechanisms, 388–407
 Collins mechanism, 391–8
 fermionic poles, 404
 gluonic poles, 404
 Sivers mechanism, 390
 Soffer bound, 396
 qGq correlator mechanism, 398–407
 $pp \rightarrow \gamma X$, 406–7
 transverse theoretical problems, 384
 transverse two-spin, 375–81
 Soffer bound, 378
 spin correlations, 105, 252
 spin crisis (DIS), 319, 323
 gluon anomaly, 324
 spin matching, 175
 spin-polarization vector, 6
 spin splitter, 154–158
 spin states, helicity, 12
 canonical, 12
 zero mass, 15
 spin vector, covariant 67
 helicity states, 69
 massless particles, 69
 mean, motion of 144
 polarization vector, relation to 70
 spinors, 439–42, 478–83
 Dirac–Pauli representation, 480
 dotted and undotted, 439
 helicity, 478
 Lorentz transformation, 439–42
 massless fermions, 265, 481–3
 non-relativistic, 2
 spinor products, 265
 vector representation, connection to, 442–3
 Weyl representation, 273, 481
 splitting functions (QCD evolution), 327, 331
 statistical tensors, 46
 Stern–Gerlach experiment 1
 spin tensor, covariant, 69
 polarization vector, relation to 70
 storage rings for e^-e^+ , *see* polarized e^\pm beams
 structure functions, neutral current DIS, 302–43
 charged current DIS, 344–7
 Sudakov suppression, 429
 sum rules (DIS), 319
 Bjorken, 323
 Efremov, Leader, Teryaev (ELT), 320

 $T(R)$ (QCD), xvii
 τ -lepton polarization measurement, 247–53
 $\tau \rightarrow a_1\nu$, 248

500

followed by $a_1 \rightarrow 3\pi$, 252
 $\tau \rightarrow \pi\nu$, 248
 $\tau \rightarrow \rho\nu$, 248
 followed by $\rho \rightarrow \pi\pi$, 250
 τ signature, 415
 $\tau^- \tau^+$ spin correlations, 253
 targets, *see* polarized targets
 tensor operators for spin 1, 52
 relativistic, 69
 tensor polarization, 52
 Thomas precession, 2, **24**, 146
 BMT equation, 146
 model for semi-inclusive asymmetries 410
 thresholds, 80, 452
 time-reversal transformation, **28**
 fields, 34
 helicity amplitudes, 76
 transition amplitudes, *see* helicity amplitudes
 transverse polarization states, **342**
 transverse-polarized quark density, **342**
 transversity amplitudes, 450–2
 triangle anomaly, *see* axial anomaly
 twist, **320**

 v_e, v_f (electroweak couplings), **236**
 vector, axial-vector couplings, 85–8

Index

high energy limit, 88
 particle vs. antiparticle, 86
 particle–antiparticle creation, 88
 vertices, general, 85
 vector current, matrix elements, 82

 W decay, 222–3
 $W_{\mu\nu}$ (DIS)
 neutral current, 303
 charged current, 345
 wave equations, 444–9
 Dirac, 449
 wave functions in fields, 30–7
 Weinberg angle, 235
 value, 245
 Weyl representation, 273
 Wick helicity rotation, **19**
 high energy, 24
 Lorentz boost, 21
 Lorentz transformation from CM to Lab, 22
 massless particles, 24
 non-relativistic limit, 23
 rotations, 20
 Wigner rotation, **20**