

## Index

- Adler sum rule 116
- anapole moment 10
- anomalous moment 9
- antineutrinos 106, 107, 114, 115, 127, 137, 149, 180
  - in reactors 146
- Altarelli *et al.*, *see* spectator model
- atmospheric neutrinos 146
- axial current 16–18, 23–25, 49, 86, 87, 100, 127
- B-meson mixing 207–210, 215, 216
- beta decay 14, 85, 86
- Bjorken 101, 105, 108, 111
- Bjorken scaling 101, 107
- b quark 206–216
- bosons 108, 172, 175, 199, 210, *see also* W and Z
- bound states 119, 157, 172
- box diagram 175–178
- Cabibbo 15, 80, 121
- Callan–Gross relation 113
- charge conjugation 180
- charm quark and charmed states 84, 87, 156–158, 169, 195, 211, 217
- chiral symmetry 25, 153, 197, 198
- chirality 78, 96, 128
- chirality of neutrinos 137
- CKM 80, 81, 159, 172, 189, 195, 197, 198, 210, 211, 217
- color 26
- conservation laws 24, 51
- CP 82, 90–92, 148, 181
- CP in D and B mesons 203–215
- CP in K mesons 180–198
- CPT 181–184, 191
- current algebra 23, 25
- D-meson mixing 204–205
- decays 182, 183, 239
  - B meson 88, 89, 158–164, 169–171, 210–215, 217
  - width difference 174, 175, 188, 191, 209, 215
- D meson 88, 157, 158
- Higgs 225–227, 232
- hyperon 87
- K meson 86, 87, 188, 192
- muon 12, 14, 85
- pion 16
- top quark 172
- W boson 68–70, 88
- Z boson 70, 77
- Dirac Lagrangian and/or mass 4, 34, 137, 138, 149, 153, 165
- Dirac matrices 3, 28, 237
- Drell–Yan 108–111
- effective Hamiltonian 189, 194–197, 204
- effective Lagrangian 164–168
- electrodynamics 3–5, 8–10, 35, 49–51
- Euclidean 176–178
- Euler angles 46, 81
- Euler–Lagrange 143, 166
- evolution of distribution functions 117–120
- Fermi coupling 3, 12, 85, 221
- Fermi motion 160
- Feynman 105, 123
- Feynman rules 62, 66, 67, 72, 73, 219, 220, 240
- Fierz 71, 143, 204
- flavor-changing neutral couplings 82–84
- flux factor 99, 239
- form factors 7–10, 13, 121, 164, 169
- fragmentation function 162
- gauge
  - 't Hooft–Feynman 67, 176
  - Landau 67
  - unitary 67
- gauge symmetry 33–39, 49–51, 100, 228
- Gell-Mann 21, 22
- Gell-Mann matrices 23, 33
- Gell-Mann–Nishijima formula 22, 54, 78
- GIM 84, 179
- Glashow 57–63, 84, 92
- global symmetry 33, 44, 47
- gluon, *see* QCD
- gluon–gluon fusion 110, 229, 230
- gluon propagator 199–200

- gluons in decays 157, 158, 164–166
- Goldberger–Treiman relation 16–18
- Goldstone bosons 45–48, 50, 51, 251
- Gordon identity 7, 8, 121
- ground state 42, 43, 49, 52, 58, 225
- helicity 84, 98, 114, 115, 130, 138
- helicity cross section 98
- Higgs 110, 128, 218–232
  - boson 218
  - couplings 79, 219, 220
  - doublet 57–60, 149, 218
  - exchange 172, 175
  - mass 220, 222–225, 227
  - mechanism 57–61, 173
  - production 110, 227–230
  - vacuum expectation value 61, 79, 155
- isospin
  - strong 13, 14, 18, 22–26, 49, 116, 126, 192, 214
  - weak 53, 54, 62
- K meson 181, 187–189, 192–195, 206
- Kobayashi–Maskawa, *see* CKM matrix
- Lee, B. 62, 224
- Lee, T. D. 180
- lepton mass 61
- local symmetry 33, 50
- longitudinal polarization 38, 39, 50, 60, 164, 173
- Lorentz
  - invariance 9, 13, 16, 100, 138, 149, 160
  - gauge 38, 39
- loop diagrams 118, 173–176, 194, 198–201, 225
- Maiani parametrization 81
- Majorana mass 138, 149–150, 153
- Majorana neutrinos 10, 136, 148–150
- magnetic moment 6, 8, 18, 19, 167, 168
- Marshak 11, 13, 19
- mass difference 188, 191, 209, 215
- mass formula 60, 61
  - for B mesons 191
- Mikheev–Smirnov 144
- muon 12, 14, 68, 85, 221
- muon neutrinos 139–141, 143, 146
- Nambu 41, 52
- Neeman 21
- neutral current
  - in atoms 133, 134
  - hadronic 82–84, 124–130
  - in electron–positron collisions 76, 77
  - in electron–proton collisions 130–134
  - leptonic 65, 66, 70–76
- neutrino mass
  - oscillations 61, 120, 136, 139–148
  - neutrino–electron scattering 70–76
  - neutrino oscillations in matter 142–145
  - neutrinoless double beta decay 148, 150–152
  - neutrinos in accelerators 147
- neutrinos, number of 70
- Noether’s theorem 24
- orthogonal 80, 139, 150
- oscillation of mesons 184–187, 207, 213
- parity 7, 9, 10, 21, 77, 129, 180, 182
- parity violation 12, 130–134
- partial wave 4, 19, 224
- parton model 104–108, 116, 117, 128–130
  - in semileptonic decays 160–163
- Pauli 19, 28
- Pauli matrices 33, 237
- PCAC 16–18
- Paschos 184, 92, 105, 108
- Paschos–Wolfenstein relation 128
- penguin diagram 198–201, 211, 213, 214
- polarization 69, 224, 225, 228
  - vectors 38, 97, 98
- precision tests 220–223
- propagator 5, 15, 16, 67, 68, 71, 76, 122, 131, 132, 151, 155, 166, 176–178, 190, 199, 200
- QCD (quantum chromodynamics) 26, 27, 109, 117–120, 156–158, 164, 178, 197, 200, 209,
  - see also* strong interaction
- quarks 21–26
  - gauge 78, 79
  - physical 78, 79
  - spin of 114, 115
- quasi-elastic scattering 120–123
- radiative corrections 8, 9, 155, 172, 224
  - to coupling constants 12, 14, 85, 90
  - to  $\rho$  parameter 128, 172, 221, 222
- running coupling constant 118–119
- s quark 114, 116, 205
- Salam 57–63
- scalar electrodynamic 38, 39, 49
- scaling 101–103, 107, 109, 113
- Sirlin identities 242
- solar neutrinos 146
- spectator model 158–160
- strangeness 14, 15, 21, 84
- strong interaction 9, 13, 18, 22, 36, 54, 192–198
  - SU(2)
    - strong 14, 21, 49
    - weak 33, 53–61, 124, 128, 149
  - SU(3) 14, 15, 21–26, 36, 86, 87, 117
  - Sudbury experiment 146
  - Sudarshan 19
- 't Hooft 62, 176
- time evolution 184, 185, 207, 208, 213
- time-reversal 9, 10, 13, 19, 121, 180
- top quark 84, 156, 171–173, 222, 231
  - as intermediate state 209, 222
- ultraviolet-finite 174
- unitarity 3, 4, 62, 224, 232

*Index*

245

- unitarity of mixing matrix 80–82, 90, 195, 197, 210, 213, 217  
unitary gauge 60, 67  
unitarity triangle 90–91, 231, 214  
universality 15, 85  
vacuum polarization 222  
Veltman 62  
W boson 60, 108, 172, 199, 210  
W–W fusion 230  
Weinberg 57–63, 71, 76, 84, 92  
Wilson coefficients 194–198  
Wolfenstein 82, 90, 142, 144, 189, 204, 214  
Yang 180  
Yang–Mills theory 33–36  
Yukawa couplings 61, 79, 137  
Z boson 60, 68, 70, 76–77, 110, 124, 131, 227, 228  
zero mass 17, 47–49  
Zinn-Justin 62  
Zweig 21