

## Index

- 3DVAR, 125, 126, 131, 153, 155, 158
  - accuracy, 127, 128
  - algorithm, 127
  - implementation, 130
  - Kalman filter comparison, 126
  - Kalman gain, 127
  - vs. 4DVAR, 129
- 4DVAR, 125, 131
  - implementation, 130
  - strong constraint, 129
  - vs. 3DVAR, 129
  - weak constraint, 129, 130
    - small signal noise limit, 131
    - vanishing noise limit, 130
- analysis operator, 145
- analysis step, 113, 139, 144
- approximation of an integral, 63
- Armijo condition, 175
- auto-correlation, 77, 90
- Bayes' formula, xiv, 5, 20, 144
- Bayes' theorem, 4, 6, 7, 33, 60, 73
  - as optimization, 56
  - variational formulation, 56–58
- Bayesian brittleness, 20
- Bayesian inference, 20, 25, 49
  - optimization approach, 49
- Bayesian inversion, 31, 188
  - Bayesian hierarchical formulation, 34
  - function space, 30
  - optimization approach, 32
- Bayesian model evaluation, 20
- Bayesian posterior distribution, 125
- Bayesian statistics, 20
- Bernstein–von Mises theorem, 31
- BPF, 144, 146, 147, 149, 150, 153, 163
- consistency, 147
- convergence, 147, 156
- linear-Gaussian, 162
- random dynamical system, 151
- vs. OPF, 153, 155, 162
- burn-in, 78
- coupling, 89
- credible intervals, 6
- curse of dimensionality, 163
- data assimilation, xv, 6, 9, 30, 57, 61, 109, 173
  - machine learning, 111
  - sequential, 189
  - stability, 13
  - time-ordered data, 101
  - variational methods, 132
- data model, 102, 103, 110
  - deep learning, 124
  - linear, 112
- data sequence,  $Y$ , 102
- data-misfit objective function, 173, 174, 177, 180, 185
- detailed balance, 80, 86
- Dirac mass, xvi, 6, 24, 60, 61, 73, 153, 160
- Dirac mass approximation, 6, 144
- discrete Gronwall inequality, 17, 18, 129, 150
- distance, 3
  - between random probability measures, 59, 61, 147, 156
- Hellinger, 3, 9, 11, 12, 50, 51, 66, 91, 108
  - bounds, 10
  - compared with total variation, 12
  - smallness, 12
  - upper bound, 51
- total variation, 3, 9, 11, 50, 59, 66, 108
  - bounds, 10

- smallness, 12
- upper bound, 51
- variational characterization, 11, 85
- divergence
  - $\chi^2$ , 59, 65–67, 69, 162
  - asymmetry, 66
  - bootstrap and optimal filter, 162
  - Kullback–Leibler, 19, 49–52, 56–58, 66, 91
  - asymmetry, 50
  - mean-seeking, 55
  - mode-seeking, 55
- dynamical system, xv, 110
  - deterministic chaotic, 132
  - discrete, 126
  - high dimension, 137
  - random, 158, 163
  - stochastic, xv
- dynamics
  - deterministic, 110
  - linear, 113
  - machine learning, 124
  - noise-free, 117
  - nonlinear, 126
  - stochastic nonlinear, 153
- EM, *see* expectation maximization
- EnKF, 133, 137, 138, 142
  - algorithm, 138
  - geophysical applications, 142
  - optimization, 142
  - perturbed observation, 139, 142
- EnKF implementation
  - $N$  dimensions, 142
- EnKI, 191
- EnKI-SL, 177, 185, 186
- ensemble Kalman filter
  - iterative
    - statistical linearization, *see* IEnKF-SL
- ensemble Kalman method, 183, 189
  - linear case, 142
  - machine learning, 189
- ensemble Kalman methods
  - nonlinear case, 143
- ergodicity, 78, 83
  - coupling approach
    - continuous state-space, 86
    - finite state-space, 83
  - geometric, 78
  - pCN method, 88
- ergodicity of sample path, 76
- ExKF, 133–135, 142
- algorithm, 135, 136
- high dimension, 137
- weather forecasting, 142
- ExKI, 177, 180, 181, 186
  - linear, 182
  - vs. IExKF, 181
- expectation maximization (EM), 167, 168
- exponential family, 58
- filtering
  - Bayesian formulation, 9
  - on-line, 101, 125
- filtering distribution, 102, 120, 133, 139, 144, 153
  - approximation, 109
  - Gaussianity, 109, 113
  - Kalman smoother, 120
  - linear-Gaussian, 112
  - non-Gaussian setting, 144
  - optimization methods, 125
  - smooth distribution marginal, 102
  - smoothing marginal, 108
  - true, 147
- filtering map, 146
- filtering problem, 102, 106, 109
  - analysis step, 106, 107, 109
  - updating, 108
  - distribution, 106
  - linear, 112
  - prediction step, 106, 107, 109
  - well-posedness, 108
- filtering update, 153
- filtering update formula
  - approximate, 146
- forecasting, xv
- forward
  - error, 8
  - model, xiii, xiv, 3, 8, 13, 19, 21, 30
  - approximate, 15
  - approximation, xiii
  - linearity, 21
  - nonlinear, 125
  - problem, xiii
- forward Euler method, 15, 16
- Gauss–Newton method, 173, 175, 177, 178, 184, 185, 191
  - implicit regularization, 177
- MAP estimator, 124
- statistical linearization, 183
- Tikhonov–Phillips objective function, 177
- Gaussian, 6, 112, 117
  - isotropic, 52

*Index*

207

- mixture, 6
- noise, 21
- Gaussian ansatz, 144
- Gaussian approximation, 6, 7, 21, 56, 57, 109
  - best, 51–54, 56
    - moment matching, 54
  - infinite-dimensional, 58
  - mixtures, 58
  - moment-matching, 57
  - small noise limit, 58
- Gaussian best fit, *see* Gaussian approximation
- Gaussian elimination, 121
- Gaussian noise, 19
- Gaussian posterior, 22
- Gaussian prior, 21
  - truncated, 86
- Gibbs sampling, 94
  - Metropolis–Hastings, 95
- GOPF, 156, 163
  - algorithm, 159
  - convergence, 156
- gradient descent, 40
  - machine learning, 46
  - stochastic, 43, 44, 46, 53
    - convergence, constant step-size, 47
    - convergence, 44
    - machine learning, 45
- gradient flow
  - preconditional, 40
- graphical model, 95
- IEnKF-SL, 177, 184, 185, 190
- IExKF, 177–179, 185, 189
  - linear, 182
  - linear case, 179
  - vs. ExKI, 181
- ill-posed model, xiv
- implicit regularization, 177
- importance resampling
  - sequential, 71
- importance sampling, xiv, 30, 59–61, 65, 69, 71, 73, 144, 147, 156
  - accuracy, 69
  - adaptive algorithms, 71
  - algorithm, 64
  - error, 67
  - estimator, 69
    - accuracy, 71
  - filtering, 71
  - sample size, 71
- independent samples, 73
- information loss, 55
- innovation, 116
- invariant distribution, 73, 80
  - Markov kernel, 74
- inverse error, 8
- inverse problem, xiii, 21
  - Bayesian formulation, xiv, 3, 6, 9, 18–20, 23, 49, 57, 59, 86, 103, 110, 174
    - algorithmic approach, 19
    - infinite-dimensional, 48
    - stability, 13, 19
    - well-posedness, 3, 8, 19, 105
  - dimension reduction, 19
  - ensemble Kalman methods, 173
  - function space, 19
  - ideal, xiv
  - ill-posedness, xiv, 177, 191
  - incomplete data, xiv
  - linear, 30
  - linear-Gaussian setting, 30, 115, 162, 178, 189
    - bound, 69
  - non-statistical approach, 18
  - nonlinear, 30
  - optimization approach, 24, 31, 47, 173
  - PDE approach, 48
  - regularization, 48
  - statistical estimation theory, 48
  - underdetermined, 31
  - well-posedness, 101
  - well-posedness under data perturbation, 91
- Ising model, 95
- Jensen inequality, 66
- Kalman filter, 109, 112, 119, 126, 136, 139
  - algorithm, 116
  - analysis step, 114
  - characterization, 113
  - constraint formulation, 139
  - EnKF, comparison, 137, 138
  - ensemble, *see* EnKF, 163, 173
  - ExKF, comparison, 134
  - extended, *see* ExKF, 173
  - iterative ensemble, *see* IEnKF-SL
  - iterative extended, *see* IExKF
  - linear-Gaussian setting, 139, 144
  - mean, 117
  - optimality, 119, 124
  - optimization approach, 126
  - prediction step, 114
  - unscented, 189
  - update formulae, 134
  - updates, 115

- Kalman gain, 116, 117, 127, 178
- EnKF, 139
- ExKF, 136
- Kalman inversion
  - ensemble, *see* EnKI-SL
  - statistical linearization, *see* EnKI-SL
  - extended, *see* ExKI
  - Tikhonov ensemble, *see* TEnKI-SL
  - statistical linearization, *see* TEnKI-SL
  - Tikhonov extended, *see* TExKI
- Kalman smoother, 112, 119, 124
  - characterization, 120
  - marginal, 120
  - mean, 121
- Kalman–Bucy filter, 124
- Kullback–Leibler divergence, *see* divergence
- Laplace distribution, 96
- Levenberg–Marquardt method, 173, 175–177, 185, 187, 191
  - data-misfit objective function, 177, 180
  - implicit regularization, 176
  - increment, 176
  - statistical linearization, 183
  - Tikhonov–Phillips objective function, 177, 181
- likelihood function, xiv, 4, 5, 9, 13, 23, 73, 166
  - approximate, 13
  - Gaussian, 22, 30
  - linear-Gaussian setting, 169
  - randomized, 139, 142
- likelihood map,  $\mathcal{A}_j$ , 107
- linear-Gaussian setting, 21, 23, 114, 124, 139
- Lipschitz function, 15
- log-likelihood, 33
  - pseudo, 97
- loss regularizer
  - Gaussian prior, 34
  - Laplace prior, 34
- loss term, 23, 25, 33, 52, 104, 105
  - cross-entropy, 188
  - Gaussian observational noise, 33
  - logistic, 188
- machine learning, 39
  - probabilistic, 57
- MAP estimator, 6, 7, 19, 32, 33, 36, 48, 121, 125, 174
  - attainable, 34
  - fails to capture posterior, 39
  - high dimension, 38
  - infinite-dimensional inverse problems, 48
  - linear-Gaussian, 23, 33
- non-Gaussian prior, 48
- optimization approach, 34
- posterior distribution
  - single-peaked, 36
- Markov chain, 82
  - ergodicity, 73
  - continuous state-space, 86, 88
  - finite state-space, 82
  - homogeneous, 47
  - inhomogeneous, 44, 47
  - $n$ -dimensional, 74
  - sample path, 74
  - sampling, 73, 75, 76
- Markov chain Monte Carlo, *see* MCMC
- Markov inequality, 26
- Markov kernel, 73, 74, 83, 145
  - detailed balance, 80
- MCMC, xiv, 73, 75, 78, 89
  - error, 76
  - sampling, 90
- mean-field approximation, 57
- Meta Theorem, 8
  - failure, 19
- Metropolis–Hastings, 73, 74, 78–80, 82, 94, 96
  - acceptance probability, 78
  - detailed balance, 81
  - ergodicity, 82
  - estimator, 79
  - Gibbs sampling, 95
  - kernel, 79, 86
    - detailed balance, 80, 81
    - invariance, 82
  - pCN, 78, 82, 86
  - proposal kernel, 78
  - sampling, 73
  - target distribution, 80
- model error, 110, 111
- model parameters, 111
- Monte Carlo algorithm, 55
- Monte Carlo error, 62
- Monte Carlo estimator, 61–64
  - accuracy, 78
- Monte Carlo method, 71
  - multi-level (MCLC), 71
  - quasi-, 71
- Monte Carlo sampling, 59–63, 67, 69, 73, 144, 156
  - algorithm, 61
  - limitation, 63
- nonlinear least-squares, 174, 180
  - objective function, 173, 174

*Index*

209

- objective function, 23, 33
  - canonical, 34
  - data-misfit, 173, 174, 177, 185
  - Gaussian, 36
  - general least-squares, 176
  - Laplace, 36
  - nonlinear least-squares, 173, 174
  - optimization
    - small ball, 36
    - posterior probability, 35
    - regularized, 176
    - rough, 37
    - sparsity, 34
    - stochastic, 43
    - Tikhonov–Phillips, 173, 174, 177, 187
  - observation distribution, 6, 7, 105
    - bound, 149
    - linear, 113, 126, 144, 153, 155
    - noise, 3, 7, 21
    - nonlinear, 153
    - small noise limit, 25, 28, 30, 162, 163
    - zero noise limit, 30
  - observation model
    - linearity, 109
  - OPF, 153, 155, 156, 158, 163
    - algorithm, 159
    - convergence, 156, 163
    - implementation
      - linear setting, 157
      - nonlinear setting, 157
    - linear-Gaussian, 162
    - optimality, 160, 161
    - vs. BPF, 153, 155, 162
  - optimal particle filter, *see* OPF
  - optimization, 6, 40, 57
    - algorithm, 40
    - gradient-based, 39, 174
    - large-scale machine learning, 48
  - optimization algorithms compared, 177
  - parameter estimation on ODEs
    - well-posedness, 15
  - parameter tuning, 90
  - particle filter, 144, 163
    - algorithms, 152
    - bootstrap, *see* BPF
    - Gaussianized optimal, *see* GOPF
    - local, 163
    - optimal, *see* OPF
    - without resampling, 160, 161
  - pCN, 74, 78, 82, 86, 88, 89
    - continuous state-space, 86
  - pendulum problem, 165
  - perturbed observation, 139
  - posterior distribution, xiv, 3–7, 15, 21, 22, 36, 52
    - approximate, 6, 15, 58
    - consistency
      - determined case, 27
      - failure, 31
      - infinite dimensions, 30
      - overdetermined, 25
      - underdetermined case, 28
    - covariance, 4, 22, 23, 25
    - Dirac mass, 25
    - expectation, 20
    - Gaussian, 22, 30, 36
    - high dimension, 5
    - Laplace, 36
    - linear-Gaussian setting, 24
    - mean estimator, 5–7, 22, 24, 25, 121
      - linear-Gaussian, 23
    - measure, 7, 8
    - mode, 5, 32
    - multiple-peaked, 36
    - on a manifold, 7
    - rough, 37
    - sensitivity, 8
    - single-peaked, 36
    - small noise limit
      - determined case, 27
      - overdetermined case, 24
      - underdetermined case, 28
    - well-posedness, 13
  - precision, 115
  - preconditioned Crank–Nicolson, *see* pCN
  - prediction map, 106
    - ExKF, 135
  - prediction step, 113
  - prior distribution, 4, 5, 7, 20, 21, 52
    - conjugate, 30
    - covariance, 23
    - Gaussian, 21, 30
    - measure, 20
    - non-Gaussian, 19
  - proposal distribution, 63
  - proximity of target and proposal distribution, 69, 71
  - quasi-random sequence, 71
  - $r$ -Polyak–Łojasiewicz ( $r$ -PL) condition, 92
  - $r$ -strongly convex, 92
  - random walk Metropolis algorithm, 94
  - regularization, 23, 33, 174

- Bayesian, 23
- Bayesian approach, 19
- relative entropy, 50
- resampling, 151, 160
- sampling, 6, 7, 89
  - algorithm, 58
  - approximate, 153
  - high-dimensional state-space, 89
- sequential importance resampling, 144, 146
- sequential Monte Carlo, 188
- signal estimation, 125
- signal sequence,  $V$ , 102
- small noise limit, 8, 21, 24, 30, 133
  - linear-Gaussian setting, 24
  - observation, 162
- smoothing distribution, 102–104, 120
  - Gaussian, 120
  - linear-Gaussian, 112
  - linear-Gaussian setting, 121
  - marginal, 102, 108
  - optimization methods, 125
- smoothing problem, 102, 109, 142
  - Bayesian formulation, 9
  - inverse problem formulation, 103
  - likelihood function, 106
  - linear, 112
  - linear-Gaussian setting, 119
  - off-line, 101, 125
  - stability
    - data perturbation, 13
    - well-posedness, 104, 105, 108
- state-space
  - finite, 82
  - ergodicity, 83
- state-space estimation
  - high-dimensional, 139
- statistical linearization, 183–186, 189
- stochastic dynamics model, 101, 103, 107, 110
  - linear, 109, 112
  - noiseless, 162
  - nonlinear, 109
- target distribution, 57, 59, 61, 79
  - invariance, 80, 81
- TEnKI, 191
- TEnKI-SL, 177, 186, 187, 191
- TExKI, 177, 181, 182, 187
  - linear, 182
- Tikhonov–Phillips objective function, 173, 174, 177, 178, 180, 184, 187
- trust region, 176
- uncertainty quantification
  - forward, 20
- variational characterization of total variation, 11
- w4DVAR, *see* 4DVAR, weak constraint
- weak convergence, xvi, 50
  - of Gaussian distribution, 24, 25
  - of probability measure,  $\Rightarrow$ , 24
- weight collapse, 152
- well-posed model, xiv
- well-posedness
  - filtering, 9
  - inverse problem, 8, 9
  - smoothing, 9
- Woodbury matrix identity, 178