

Index

- G_3/S_2 symmetric spacetime, 367
- G_3/S_2 symmetry, 401
- Λ CDM model, 272, 347
- Abelian group, 87
- absolute
 - apparent horizon, 418–429, 521, 522
 - luminosity, 282, 347
- acausal spacetime, 202
- accelerating expansion of Universe, 269, 270, 272, 273, 347–349
 - mimicking-, 347, 348
- acceleration, 246
 - of light ray, 229
 - transformation, 86
 - vector, 215
- action
 - integral of gravitation, 131
 - of group, 99, 100
 - multiply transitive-, of group, 100
 - simply transitive-, of group, 100
 - transitive-, of group, 100
- active gravitational mass, 291, 292, 369, 385, 410
- adapted coordinates, 36, 44, 64, 65, 375
- affine
 - connection, 28, 30–33, 35, 42, 45, 47
 - parameter, 33, 42, 46, 57, 169, 250, 363
 - parametrisation, 45, 321, 363
- age of Universe, 270, 279
- AH, *see* apparent horizon
- AH⁺, *see* future apparent horizon
- AH[−], *see* past apparent horizon
- algebraic
 - computing, 92, 93
 - type of Weyl tensor, 65, 114
- algebraically special metrics, 444
- angular
 - momentum, 450, 470, 487
 - conservation of, 152
 - orbital-, 470
 - velocity
 - of Earth, 501
 - of rotating fluid, 212
- anomaly
 - eccentric-, 505
 - true-, 505
- antilinear
 - index, 109
 - transformation of spinors, 108
- antisymmetric
 - part of tensor, 17, 95
 - tensor (density), 17, 20, 24
- antisymmetrisation, 17, 18, 22, 23, 44, 92
- antisymmetry, 20, 48, 90, 92
- apparent
 - horizon, 192, 193, 230, 231, 276, 305–312, 314, 318, 326, 327, 331, 333, 334, 336, 338, 340, 357, 363, 365, 418, 419, 422–429
 - in Friedmann models, 308
 - in L–T model, 305
 - future-, 193, 230, 306–308, 310–312, 314, 315, 317, 318, 338, 339, 356, 357, 365
 - past-, 230, 277, 307–310, 312, 314, 315, 317, 318, 356, 357, 365
 - magnitude, 282
- approximation, weak-field-, 148, 149
- area distance, 240
 - observer-, 242, 246
 - source-, 241, 277
- areal radius, 290, 343, 415
- associated
 - function, 18
 - mapping, 18, 19, 69, 76
- asymptotically
 - Cartesian coordinates, 133, 155
 - flat spacetime, 133, 488–490
- axial symmetry, 487, 488
- axisymmetric spacetime, 487
- back-reaction, 149
- bang-time function, 291
- barotropic equation of state, 221, 260, 395, 400
- basis
 - in tangent space, 125
 - of Killing vector fields, 77, 78
 - of generators, 94
 - of orthonormal vector fields, 67, 68
 - dual-, 27
- Beidou navigation system, 499, 506
- Bergmann–Wagoner theory, 145
- bi-metric Rosen theory, 146
- bi-tensor, 36

- Bianchi
 - algebra, 106
 - basis, 106
 - classification, 94, 98, 99, 106
 - identities, 44, 55, 92, 129, 235
 - contracted-, 158
 - type, 94, 96–99, 103, 106, 367
 - metrics, 255
 - models, variational principle for-, 132
 - solutions of Einstein equations, 220
 - spacetime, 94, 100, 102–104, 141, 142
- Big Bang, 192, 262, 278, 280, 283, 284, 292, 293, 301, 308, 320, 324–326, 331, 334, 342, 346–348, 351, 352, 354–358, 360, 375–378, 382, 402, 403, 433
 - function, 341, 342, 410
 - cigar-type-, 433
 - lagging cores of-, 351, 352
 - pointlike-, 433
 - position-dependent-, 292
 - simultaneous-, 433
- Big Crunch, 262, 293, 308, 310, 319, 324, 326, 331–334, 337, 339, 340, 346, 354, 355, 357, 358, 375–378, 382, 411, 415, 424, 425, 428
 - function, 410
 - prevention of-, 375
- Birkhoff theorem, 167, 169
- black
 - body
 - radiation, 283
 - spectrum, 283, 327
 - hole, 47, 191, 192, 309–311, 427, 429, 449, 469, 486, 487
 - formation, 312
 - model, 276
 - dynamical-, 230
 - Kerr-, 485
 - object falling into-, 192
 - observed-, 191
- blueshift, 322, 352
 - infinite-, 276, 322, 324–326
- Boltzmann constant, 283
- Boyer–Lindquist coordinates, 451–453, 460–462, 464, 465, 477–480, 484, 491, 497, 498
- Brans–Dicke
 - field equations, 144
 - theory, 144
- Cartesian
 - coordinates, 1, 77, 78, 86, 87, 211, 225, 398, 450
 - asymptotically-, 133, 155
 - rectangular-, 45
 - product, 164
 - reference system, 4
 - , *see also* coordinates, Cartesian
- caustic, 241
- centrifugal potential, 503
- characteristic equation, 112
- charge density, 375
- charged dust, 370, 373, 378
 - shell crossing in-, 381, 382
- Christoffel symbols, 47, 48, 50, 72, 75, 90, 91, 124, 125, 135, 170, 225, 443, 444
 - 5-dimensional-, 160
 - variations of-, 131
 - class of a Riemann space, 64
 - classification
 - Bianchi-, 94, 98, 99, 106
 - Petrov-, 65, 66, 108
 - closed
 - Universe, 256
 - timelike curve, 453
 - trapped surface, 230, 305
 - CMB, *see* cosmic microwave background
 - Codazzi equations, *see* Gauss–Codazzi equations
 - cold dark matter, 269
 - collineations, 84
 - commutator
 - of directional covariant derivatives, 35
 - of second covariant derivatives, 34, 35, 44
 - of vector fields, 36
 - comoving
 - coordinates, 137, 193, 257, 278, 289, 308, 327, 331, 332, 336, 341, 391
 - observer, 276, 501
 - synchronous coordinates, 289, 366
 - conformal
 - Killing fields, 81, 83, 86
 - finite basis of-, 81
 - Killing vector, 81, 249, 340
 - curvature, 54
 - tensor, 54
 - diagram, 199–201, 206
 - image, 67
 - of null geodesic, 200
 - of null infinity, 200
 - mapping, 53, 67
 - symmetry, 81, 82, 86, 87, 393
 - conformally
 - equivalent
 - Riemann spaces, 81
 - metrics, 81
 - flat
 - Riemann space, 53, 54, 64
 - hypersurface, 401
 - metric, 54, 56, 487
 - perfect fluid solutions, 257
 - solution of Einstein's equations, 285
 - related Riemann spaces, 53, 54, 67
 - connection
 - coefficients, 28, 30, 33, 41, 45, 47, 48
 - forms, 91
 - symmetric part of-, 33
 - conservation
 - equation of radiation, 240
 - of angular momentum, 152
 - constant, *see* under specific names, e.g.
 - gravitational constant
 - curvature, 99
 - space of-, 87, 256
 - of motion, 466
 - time hypersurface, 214
 - structure-, 76, 86, 87, 94, 95
 - continuity equation, 139, 155, 220
 - continuous medium
 - in Newtonian hydrodynamics, 211

548

- in relativistic hydrodynamics, 213
- contraction (of a tensor over indices), 16
- contrast
 - curvature-, 344
 - density-, 344
- contravariant
 - components of a vector, 47
 - vector, 13, 24, 27, 37, 40, 47
 - density, 16
 - field, 13, 35
 - vectors, bases of-, 89
- convergence of null geodesics, 240
- coordinate
 - singularity, 317
 - system, 13, 65
 - transformation, 20, 46, 47, 69
 - linear-, 49
 - space-, 57
 - time-, 57
- coordinates, 13
 - adapted to Killing fields, 487
 - spherical, 78
 - adapted-, 36, 44, 64, 65, 375
 - Boyer–Lindquist-, 451–453
 - Cartesian-, 1, 31, 41–43, 77, 78, 86, 87, 211, 398, 450
 - asymptotically-, 133
 - locally-, 56
 - rectangular-, 49
 - comoving-, 137, 193, 257, 278, 289, 308, 327, 331, 332, 336, 341, 391
 - comoving-synchronous-, 289, 366
 - curvature-, 162, 165, 184, 193, 289, 362, 378
 - geodesic-, 193
 - isotropic-, 193
 - Lemaître-, 193
 - Lemaître–Novikov-, 304, 330, 338, 339, 374, 386, 390
 - Lorentzian-, 154
 - mass-curvature-, 378
 - Novikov-, 193
 - rotating-, 154
 - spherical-, 49, 87
 - synchronous-, 289
 - Szekeres–Szafron-, 399
 - interpretation of-, 397
- Copernican principle, 223
- corrected luminosity distance, 245
- cosmic
 - censorship, 336, 340, 449
 - hypothesis, 336, 338, 340, 341
 - microwave background, 224, 261, 278, 280, 281, 284, 285, 324, 327, 329, 330, 347, 352
 - temperature, 302, 355
 - quadrupole anisotropy of-, 355
 - temperature anisotropies of-, 280, 302
- cosmological
 - constant, 140, 167, 259, 282, 341
 - parameter, 271
 - problem, 281
 - value of-, 282
 - model, 276
 - principle, 223, 224

Index

- singularity, 262
- Cotton–York tensor, 54, 56, 400
- covariant
 - components of a vector, 47
 - derivative, 26, 28, 30, 34, 35, 40, 41, 44, 48, 54, 60, 91, 225, 232
 - directional-, 31, 35, 60, 216
 - differentiation, 26, 34, 37, 40
 - vector, 19, 34, 37, 40, 47, 55
 - field, 13, 19, 30, 34
 - vectors, bases of-, 89
- critical density, 261, 278, 281
- curvature, 34, 36, 43, 48, 50, 51, 56, 67, 99
 - contrast, 344, 346
 - coordinates, 162, 165, 184, 186, 193, 289, 362, 378
 - index, 255, 368
 - of symmetry orbit, 165
 - parameter, 271
 - scalar, 92
 - tensor, 34, 35, 43, 44, 48, 51, 101
 - conformal-, 54
 - conformal-, 54
 - constant-, 99
 - extrinsic-, 60
 - normal-, 51
 - quick calculation of-, 89
 - Riemann-, 51
 - scalar-, 99
 - space of constant-, 87
- curve
 - null-, 57, 59
 - spacelike-, 57
 - timelike-, 57
- dark
 - energy, 262, 269, 281, 347–349
 - matter, 261
 - cold-, 269
 - star of Laplace, 192
- Datt–Ruban metric, 373, 383, 389, 390, 392, 395, 409
- de Sitter metric, 85, 87, 93, 168, 285
- Debever
 - method of Petrov classification, 115
 - spinor, 112–116
 - vector, 116
 - degenerate-, 235, 444
 - vector field, 477
- deceleration parameter, 259, 263
- deflection
 - of light rays, 175
 - in a gravitational field, 177
 - measurement of-, 178–180
 - of microwaves, 180
- density
 - contrast, 297, 344
 - parameter, 271, 330
 - perturbations
 - decreasing-, 344
 - increasing-, 344
 - waves, 365
 - mean mass-, 269

- derivative
 - covariant-, 26, 28, 30, 34, 35, 40, 41, 44, 48, 54, 60, 91, 225, 232
 - directional-, 35, 60, 75, 216
 - directional-, 13, 15, 19, 65, 77, 91
 - exterior-, 90, 93
 - Lie-, 75, 101
 - partial-, 91
 - deviation
 - geodesic-, 249, 335, 341
 - equation, 243, 244, 249
 - operator, 249
 - differentiable
 - manifold, 12, 18, 20
 - vector field, 70
 - differential
 - form, 89, 90, 92, 93
 - perfect-, 31
 - differentiation, covariant-, 26, 34, 37, 40
 - dilatation, 86
 - dilation, time-, 504
 - dipole
 - axis, 417
 - mass-, 409, 416, 417, 423
 - moment, 151
 - direct orbit, 171, 470, 471
 - directional
 - covariant derivative, 60, 75, 216
 - derivative, 65, 77, 91
 - distance
 - in cosmology, 240
 - area-, 240
 - corrected luminosity-, 245
 - luminosity-, 272, 347
 - observer area-, 246, 263, 347
 - source area-, 277, 282
 - divergence of a vector field, 24
 - Doppler effect, transverse-, 504, 507
 - double-null tetrad, 92, 231, 232
 - dragging inertial frames, 154, 453
 - drift
 - free cosmological model, 249
 - of light rays, 349, 350
 - position-, 248, 249, 253
 - redshift-, 253
 - Droste solution, 168
 - dual
 - basis, 27
 - electromagnetic field tensor, 157
 - field of basis vectors, 89
 - duality, 158
 - rotation, 157, 158, 166
 - dummy indices, 16
 - dust, 137, 139
 - charged-, 370
 - Earth
 - surface, idealised, 503
 - equatorial radius of-, 502
 - gravitational field of-, 502
 - gravitational potential of-, 502
 - quadrupole moment of-, 499, 503, 504
 - eccentric anomaly, 505
 - eccentricity of orbit, 172
 - ECEF = Earth-centered, Earth-fixed reference system, 500, 501, 503
 - ECI = Earth-centered inertial reference system, 500–502, 504
 - effective
 - mass, 372, 377
 - potential, 503
 - EH, *see* event horizon
 - EH⁺, *see* future event horizon
 - EH⁻, *see* past event horizon
 - Ehlers–Kundt method of Petrov classification, 115
 - eigenvalue, 65
 - Einstein
 - Cartan theory, 145
 - Maxwell equations, 158, 159, 161, 166, 370, 373, 456, 458
 - solutions of-, 167
 - variational principle for-, 159
 - Universe, 140, 261, 268–270, 285, 361
 - cross, 182
 - equations, 128, 129, 136, 217, 220, 235, 257, 280, 289, 290, 373, 391, 401, 458, 511, 519
 - for Robertson–Walker metric, 260
 - in 5 dimensions, 161
 - with cosmological constant, 140
 - with electromagnetic source, 160
 - Hilbert's derivation of-, 129
 - integration of-, 361
 - linearised solution of-, 502
 - Newtonian limit of-, 133, 136
 - sources in-, 137
 - vacuum-, 443
 - tensor, 129, 391
 - for a Robertson–Walker metric, 260, 287
 - theory, linearised-, 151
- electric
 - field, 65, 370
 - part of Weyl tensor, 65, 217
- electromagnetic
 - energy-momentum tensor, 158, 226
 - field, 225
 - dual tensor of-, 157
 - energy density of-, 157
 - energy stream of-, 157
 - energy-momentum of-, 157
 - Lorentz-covariant description of-, 156
 - stress tensor of-, 157
 - field tensor, 156, 158, 370, 457
 - in Reissner–Nordström metric, 207
 - wave, 225, 227, 500
- electrovacuum metric, 374
- ellipsoidal spacetime, 490–492
- elliptic orbit, 2
- embedding, 58, 60, 64, 80, 202, 207
 - of Schwarzschild spacetime in flat Riemann space, 187
- energy
 - conservation equation, 139
 - density of fluid, 137
 - flux, 241
 - momentum tensor, 361
 - of electromagnetic field, 158, 166

550

- of perfect fluid, 137, 138
- of radiation, 240
- electromagnetic-, 226
- internal-, 220
- enthalpy, 220
- density, 220
- entropy, 220, 221
- equation, *see also* under specific names, e.g.
 - Einstein equations
 - of continuity, 139, 155, 220
 - of geodesic deviation, 249
 - of hydrostatic equilibrium, 194, 196
 - of motion of charged particle, 207
 - of state, 220, 221, 260, 400
 - barotropic-, 221, 260, 395, 400
- equations of motion, 260
- of perfect fluid, 139
- Euler-, 139
- Newton's-, 134
- equivalence problem, 66
- ergosphere, 486, 487
- Ernst potential, 512
- Euclidean
 - geometry, 124
 - metric, 99
 - plane, 50, 397
 - space, 31, 32, 45, 49, 50, 56, 60, 77, 78, 85
- Euler
 - Lagrange equations, 51
 - of geodesic, 464, 465
 - equations of motion, 139, 154
- event horizon, 192, 193, 200, 206, 230, 231, 273–277, 306, 311, 312, 314–316, 338, 339, 357, 361, 387, 388, 477, 482, 486, 487
- in Kerr metric, 459–462, 464, 473
- in Schwarzschild metric, 192, 404, 429, 460
- future-, 310, 312, 314
- proper time to reach-, 193
- evolution
 - equations of Szekeres models, 409
 - of hydrodynamical tensors, 216
- expansion
 - of Universe, 256, 266, 269, 270, 272
 - accelerating-, 269, 270, 272
 - of null curves, 229, 230
 - of ray bundle, 254
 - pattern, 369
 - scalar, 212, 215, 218, 241
 - of null curves, 230, 232
 - of ray bundle, 254, 276
 - velocity of Universe, 257
 - isotropic-, 212
- exterior
 - derivative, 90, 93
 - product, 92
- extreme R–N metric, maximal extension of-, 206
- extrinsic curvature, 60
- Fermi
 - Walker derivative, 248, 253
 - Walker transport, 246–248
 - coordinates, 125, 126
- field

Index

- electric-, 65
- magnetic-, 65
- vector-, 67
- final singularity, 274, 275
- flat
 - Riemann space, 49, 50, 53, 64, 84, 85, 127
 - Universe, 256
 - manifold, 40–43
 - metric, 64
 - space, 50, 225
 - spacetime, 230
 - asymptotically-, 133, 488–490
- flatness problem, 277, 281
- FLRW model, 257
- see also* Robertson–Walker model, 526
- fluid, perfect-, 391
- flux
 - of energy, 241
 - of radiation, 246
 - observed-, 240, 241
 - specific-, 246
- focussing by curvature, 241
- force, inertial-, 124
- formation of structure in Universe, 297
- fractal distribution of matter, 360
- frame dragging, 154, 453
- free motion, trajectory of-, 124
- frequency shift, gravitational-, 504
- Friedmann
 - Lemaître models, 224, 257
 - Universe, flat-, 278
 - equation, 260, 266, 402
 - limit, 368, 402
 - of L–T model, 292, 304, 324, 361
 - of Szekeres metric, 417
 - model, 260, 262, 263, 265, 269, 270, 274, 276, 277, 294, 296, 312, 324, 326, 328, 360–363, 365
 - matching to Schwarzschild metric, 309
 - recollapsing, 268
 - with $\Lambda = 0$, 262, 273
 - with Λ , 266
 - instability of-, 296, 297
- function, associated-, 18
- future, 57, 58
 - apparent horizon, 230, 306–308, 310–312, 314, 315, 317, 318, 338, 339, 356, 357, 365
 - event horizon, 310, 312, 314
 - infinity, 356
 - light cone, 326
 - null infinity, 338, 339
 - trapped surface, 230
- GAIA mission, 350
- Galileo Navigation System, 499, 506
- gamma-ray bursts, 352
- Gauss
 - Codazzi equations, 63, 64, 147
 - curvature, 51
 - law, 152
- general relativity, Newtonian limit of-, 127
- generator
 - basis, 94

- of conformal symmetry, 81
- of group, 71, 99
- of invariance, 72, 76
- of rotation, 78
- of symmetry, 84, 86, 94, 104
- of transformation, 74, 77
- of translation, 99
- generators
 - of $O(3)$, 77, 99
 - of symmetries
 - finite basis of-, 82
- geodesic
 - completeness, 482
 - coordinates, 193
 - deviation, 42, 74, 243, 249, 335, 341
 - equation, 43, 74, 243, 244, 249, 251, 252
 - operator, 249
 - vector, 249, 251
 - equation, 32, 33, 52, 67
 - equations in Kerr metric, 468
 - line, 31–33, 42, 43, 47, 51, 52, 57, 67, 124
 - motion of a perfect fluid, 139
 - vector field, 235
- null-, 57, 249, 305, 312, 314, 317, 318, 320, 321, 328, 339, 349
 - arc, 57
 - equation, 347, 349
 - in Schwarzschild metric, 175
 - radial-, 305, 321, 341, 342
 - timelike-, 124, 125, 169
- geodesically complete manifold, 482
- geodesics
 - in Kerr metric, 468
 - null-, convergence of-, 240
- geoid, 503, 504
- geometric optics, 224, 225
- geometry
 - Euclidean-, 124
 - Riemann-, 123, 124
- Gibbs identity, 220
- Global Positioning System, 499, 500, 504, 506–509
- globally naked
 - shell focussing, 339
 - singularity, 336
- GLONASS = Global Navigation Satellite System, 499, 506
- GNSS = Global Navigation Satellite System, 499
- Goldberg–Sachs theorem, 235, 444, 477
- Goode–Wainwright representation of Szekeres
 - metrics, 287, 429, 430, 433
- graceful exit problem, 281
- gravitation theory of Newton, 133
- gravitational
 - deflection of light rays, 177
 - field, 2, 4, 5, 12, 42, 54
 - of Earth, 502
 - homogeneous-, 123, 124
 - spherically symmetric-, 64
 - force, 4, 5, 42
 - frequency shift, 504
 - interaction, 2
 - lens, 178, 180
 - equation of-, 181
 - example of-, 182, 183
- mass
 - defect, 373, 385
 - active-, 385, 410
- potential, 127, 503
 - of Earth, 502
 - radius, 191
 - redshift, 507
- Great Attractor, 330
- group
 - action, 99
 - of mappings, 99
 - of symmetries, 100
 - orbit, 100
 - parameter, 77, 86
- Abelian-, 87
- continuous-, of mappings, 69
- isometry-, 99
- multiply transitive action of-, 100
- simply transitive action of-, 100
- transitive action of-, 100
- Haantjes transformation, 86, 87, 393
- Hamilton
 - Cayley equation, 113
 - equations of geodesic, 464, 465
- Hamiltonian for geodesic equations, 464–467
- Hilbert's
 - axioms of gravitation theory, 130
 - derivation of Einstein equations, 129
 - variational principle, 132
- history of Universe, 260
- homoeoid, 492
- homogeneity of Universe, 360
- homogeneous
 - gravitational field, 123, 124
 - hypersurface, 102
 - space, 100
 - spatially-, spacetime, 100, 103
- horizon, 47, 273, 276, 336
 - problem, 277–281, 341–343
- absolute apparent-, 418–429, 521, 522
- apparent-, 192, 193, 230, 231, 276, 305–312, 314, 318, 326, 327, 336, 338, 340, 357, 363, 365, 418, 419, 422–429
 - in Friedmann models, 308
 - in L–T model, 305
- future-, 193, 230, 306–308, 310–312, 314, 315, 317, 318, 338, 339, 356, 357, 365
- past-, 230, 277, 307–310, 312, 314, 315, 317, 318, 356, 357, 365
- event-, 193, 230, 231, 273–277, 306, 311, 312, 314–316, 338, 339, 357, 361, 387, 388, 486, 487
 - in Schwarzschild metric, 192, 404, 429
 - future-, 310, 312, 314
- particle-, 273, 276
- Schwarzschild-, 306
- Hubble
 - constant, 261, 360
 - law, 258, 261, 265, 302, 360
 - parameter, 258, 259, 263, 271, 272, 282, 304, 330, 355, 359

552

hydrodynamical tensors, 216
 hydrostatic equilibrium, equation of-, 194, 196
 hyperbolic symmetry, 367
 hyperbolically symmetric
 -metric, 367, 368
 -spacetime, 367
 hypersurface, 13
 -of constant time, 214
 -of simultaneous events, 214
 homogeneous-, 102
 null-, 99
 spacelike-, 99
 stationary limit-, 486, 487
 timelike-, 99
 ideal observations, 361
 identity
 -transformation, 75
 Gibbs-, 220
 image, conformal-, 67
 indefinite signature, 85
 inertial
 -coordinates at infinity, 154
 -force, 124
 -frame
 local-, 123, 124, 500, 502
 infinite
 -blueshift, 276
 -redshift, 276, 452
 -hypersurface, 193, 452
 infinity
 future null-, 338, 339
 future-, 356
 null-, 311
 past-, 356
 inflation, 280, 281, 284
 inflationary models, 277, 278, 280, 281, 341
 inheritance of symmetry, 84, 165, 361
 initial singularity, 276
 integrating factor, 220
 intensity
 -of radiation, 246
 specific-, 246
 interior Schwarzschild solution, 196, 197
 internal energy, 220
 International Space Station, 506
 interval
 null-, 56
 spacelike-, 56
 timelike-, 56
 invariance
 -group, 71, 83
 -of tensors, 69, 73, 75
 -transformation, 69, 71, 72, 74
 invariant
 -tensor field, 69
 -vector field, 100–102, 106
 ionisation temperature, 280, 283
 isentropic motion, 221
 isometry, 86
 -group, 77, 82, 99
 -of Riemann space, 69
 isomorphic algebras, 94

Index

isomorphism of manifold subsets, 69
 isotropic
 -coordinates, 193
 -expansion, 212
 -metrics, 255
 -spacetime, 103
 Jacobi
 -identity, 44, 95
 -matrix, 21, 250, 251
 Jacobian, 16
 Kaluza–Klein theory, 159–161
 Kantowski–Sachs
 -geometry, 385, 400
 -metric, 104, 388, 409
 vacuum-, 184
 -symmetry, 80, 169, 385
 Kerr
 –Newman metric, 459
 –Schild
 -form of Schwarzschild metric, 494
 -metric, 442, 444, 445, 448, 449, 477
 -vector field, 444, 477, 485
 -black hole, 485
 -manifold, maximally extended, 462, 464, 482
 -metric, 187, 442, 444, 449, 459–462, 477, 481, 484, 487, 490–493, 511
 -derivation from separability of Klein–Gordon equation, 454
 -fourth first integral of geodesic equations, 465
 -in Boyer–Lindquist coordinates, 451–453
 generalisation of-, 459
 inverse-, 477
 maximal extension of-, 475, 476
 singularities of-, 453, 454
 -spacetime, 461–463
 Killing
 -equations, 69, 71–75, 77, 78, 85, 99, 102–104, 367
 -field, conformal-, 81, 83, 86
 -vector, 77, 78
 conformal-, 81, 249, 340
 -vector field, 71–74, 76, 80, 86, 87, 101–104, 159, 366, 367, 385, 447, 448, 450, 465, 487–489
 -as geodesic deviation field, 74
 -for Kerr metric, 465
 -vector fields
 algebra of-, 76
 basis of-, 73, 74, 76–78
 kinematical relativity, 266
 Klein–Gordon equation, 454, 456
 Kottler solution, 168, 361
 Kronecker delta, 21, 26
 multidimensional-, 21, 22, 24, 26, 44
 Kruskal
 –Szekeres
 -coordinates, 187
 -representation of Schwarzschild metric, 187
 -throat, 317
 -diagram, 186, 192, 199, 230, 357, 464, 478, 480
 L–T, *see* Lemaître–Tolman model

- lagging cores
 - of Big Bang, 351, 352
 - of expansion, 192
- Lagrangian for geodesic equations, 466
- Laplace
 - equation, 492
 - dark star of-, 192
- last scattering, 278, 279, 324, 341
 - hypersurface, 278
- Lemaitre
 - Novikov coordinates, 304, 330, 338, 339, 374, 386, 390, 427
 - Tolman limit of Szekeres metrics, 406
 - Tolman model, 194, 276, 277, 291, 292, 305, 392, 397
 - in observational coordinates, 294
 - matching to Friedmann metric, 330
 - matching to Schwarzschild metric, 330, 338, 340
 - apparent horizon in-, 305
 - mass density in-, 314
 - vacuum limit of-, 294
 - coordinates, 193
- lens, gravitational-, 180
 - equation of-, 181
 - example of-, 182, 183
- Lense–Thirring effect, 154
- Levi-Civita symbol, 20–22, 24, 26, 54, 83, 95, 108–111, 120
- Lie
 - algebra, 76
 - derivative, 75, 77, 101
 - of general tensor field, 75
 - transport, 101, 246
- light
 - cone, 57–59, 278, 308, 360, 462
 - future-, 326, 462
 - past-, 278, 312, 347, 348, 359–361
 - paths, repeatable-, 249
 - rays, drift of-, 349, 350
- limiting focussing condition, 340, 341
- linear transformation of spinors, 108
- linearised
 - Einstein theory, 151
 - theory of gravitation, 149
- local
 - inertial frame, 123, 124, 500, 502
 - rotational symmetry, 401
- locally
 - naked singularity, 336
 - nonrotating observer, 487, 489, 490
- Lorentz
 - force, 371
 - transformation, 85, 86, 89
- Lorentzian
 - coordinates, 154
 - metric, 46
 - signature, 65
- lowering the index, 47
- luminosity
 - distance, 246, 272, 347
 - redshift relation, 272
 - corrected-, 245
- absolute-, 282, 347
- total-, 241
- Mach principle, 1–4, 145
- magnetic
 - charge, 166, 370
 - field, 65, 370
 - monopole, 158, 166, 370
 - part of Weyl tensor, 65, 217, 399
- magnitude, apparent-, 282
- manifold, 13, 18
 - differentiable-, 12, 18, 20
- map, geographic-, 52
- mapping, 12, 13, 18–20, 52, 69, 86
 - of Riemann spaces, 52
 - associated-, 18, 19, 69, 76
 - conformal-, 53, 67
 - inverse-, 47, 52, 53
 - Mercator-, 67
- mappings
 - continuous group of-, 69
 - group of-, 99
- mass
 - conservation equation, 261
 - curvature coordinates, 378
 - defect, 195
 - gravitational-, 373, 385
 - relativistic-, 292, 369
 - density, 343
 - of charged dust, 373
 - mean-, 269
 - dipole, 409, 416, 417, 423
 - moment, 151
 - active gravitational-, 291, 292, 369, 410
 - effective-, 372, 377
- matching solutions of Einstein's equations, 146
- Mattig formula, 264
- maximal extension
 - of Kerr metric, 475, 476
 - of R–N metric, 197, 201, 202
 - of extreme R–N metric, 206
- Maxwell equations, 156, 158, 159, 166, 224, 225, 279, 458, 495
 - from Kaluza–Klein theory, 160
 - Lorentz covariance of-, 156
 - variational principle for-, 158
- mean mass density, 269
- Mercator mapping, 67
- Mercury, orbital parameters of-, 174
- metric, 13, 45, 47–49, 52–54, 56, 58, 65, 80
 - form, 45, 49, 50, 60, 80, 86
 - spherically symmetric-, 80
 - tensor, 45–47, 49, 50, 52, 53, 58, 67, 69, 72–74, 78, 81, 89, 110
 - limit of-, 84
 - 3-dimensional-, 54
 - conformally flat-, 54, 56
 - degenerate-, 46, 47
 - Euclidean-, 52, 99
 - flat-, 64
 - induced-, 49
 - Minkowski-, 56, 87
 - positive-definite-, 46, 47

554

spherically symmetric-, 80, 103
 Milne–McCrea equation, 266
 minimal equation, 65, 114
 Minkowski
 -metric, 56, 87, 109, 500, 501
 -spacetime, 57, 86, 87, 109, 116
 moment, quadrupole-, -of Earth, 499, 503, 504
 momenta, 464, 466
 momentum
 angular-, 450, 470, 487
 orbital angular-, 470
 motion, free-, trajectory of-, 124
 naked
 -shell crossing, 338, 339
 -shell focussing, globally-, 339
 -singularity, 336, 338, 341, 469
 globally-, 336
 locally-, 336
 strength of-, 340
 neck, 306, 307, 314, 317, 318, 356–358, 373, 521,
 see also wormhole
 Newman–Penrose formalism, 232
 Newton's
 -equations of motion, 134
 -gravitation theory, 133, 154
 Newtonian
 -cosmology, 264
 -limit
 -of Einstein equations, 133, 136
 -of general relativity, 127
 nonrotating observer, locally-, 487, 489, 490
 Nordström solution, *see* Reissner–Nordström
 solution
 normal
 -curvature, 51
 -section, 51
 Novikov coordinates, 193
 null
 -Raychaudhuri equation, 240
 -congruence, 241
 -curve, 57, 59, 228
 -geodesic, 57, 200, 227, 249, 273, 305, 312, 314,
 317, 318, 320, 321, 328, 339, 349
 -arc, 57
 -equation, 347, 349
 -in Schwarzschild metric, 175
 future-directed-, 200
 radial-, 200, 305, 321, 341, 342
 -geodesics
 bundle of-, 241, 276
 convergence of-, 240
 -hypersurface, 99
 -infinity, 200, 311, 312
 future-, 338, 339
 -interval, 56
 -orbit of a group, 99
 -relation, 57
 -tetrad, 92
 -vector, 57, 226, 228
 spinor image of-, 111
 number
 -counts, 246

Index

-density of particles, 219
 observation time vector, 251
 observational cosmology programme, 294
 observer
 -area distance, 242, 246, 263, 347
 comoving-, 276, 501
 locally nonrotating-, 487, 489, 490
 stationary-, 453
 open Universe, 256
 operator of geodesic deviation, 249
 optical
 -observations, 257
 -scalars, equations of propagation, 233
 -tensors, 228
 optics, geometric-, 224, 225
 orbit
 -of Mercury, parameters of-, 174
 -of family of mappings, 99
 dimension of-, 99
 -of group, 99, 100
 null-, 99
 spacelike-, 100
 -of planet, 2, 3, 169
 -of point, 70–72, 100
 -of symmetry group, 221, 304
 -parameter, 172
 direct-, 171, 470, 471
 elliptic-, 2
 group-, 75, 80
 parameter on-, 75
 planetary, influence of cosmic expansion on-, 303
 retrograde-, 171, 470, 471, 476, 486
 orbital angular momentum, 470
 orbits of $O(3)$, 77, 80
 origin in Szekeres spacetimes, 409
 orthogonal
 -transformations, 89
 -transitivity, 487, 488
 orthonormal
 -basis of vector fields, 67, 68
 -tetrad, 92, 93
 Palatini variational principle, 133
 parallax free cosmological model, 249
 parallel transport, 10, 11, 31–34, 36, 37, 40–42, 45,
 46, 101, 125, 247
 -along a closed curve, 32, 40
 propagator of-, 36–38, 41, 42
 parameter
 -of orbit, 172
 affine-, 57, 363
 density-, 330
 group-, 77
 parametrisation, affine-, 321, 363
 Parametrised Post-Newtonian formalism, 136, 145
 partial derivative, 91
 particle horizon, 273, 276
 Pascal law, 138
 past, 57
 -apparent horizon, 230, 277, 307–310, 312, 314,
 315, 317, 318, 356, 357, 365
 -infinity, 356

- light cone, 278, 312, 347, 348, 359–361
- trapped surface, 230, 277
- Pauli matrices, 109, 110, 116
- Penrose
 - diagram, 200, 388
 - method of Petrov classification, 115
 - process, 485
 - transformation, 199, 200, 312
- perfect
 - differential, 31, 220
 - fluid, 137, 217–219, 221, 391, 401
 - energy-momentum tensor of-, 137, 138
 - equations of motion of-, 139
 - geodesic motion of-, 139
 - single-component-, 221, 400
- perihelion shift
 - of Mercury, 174
 - of other planets, 174
- Petrov
 - classification, 65, 66, 108, 116
 - by Debever method, 115
 - by Ehlers–Kundt method, 115
 - by Penrose method, 115
 - vs. Penrose's classes, 114
 - spinor representation of-, 111, 113
 - type, 66, 68, 112, 116, 235, 399, 444
- phenomenological thermodynamics, 220
- photon orbit in Kerr metric, 472
- Planck constant, 283
- plane
 - symmetric
 - metric, 286, 367, 368
 - spacetime, 366, 368
 - symmetry, 286, 367
- Euclidean-, 397
- planetary orbits, influence of cosmic expansion on-, 303
- Poisson
 - bracket, 465, 466
 - equation, 127, 129, 136
 - modified-, 140
 - solution of-, 141
- position drift, 248, 249, 253
- post-Newtonian approximation, 151
- potential
 - centrifugal-, 503
 - effective-, 503
 - Ernst-, 512
 - gravitational-, 503
 - of Earth, 502
- PPN formalism, *see* Parametrised Post-Newtonian formalism
- precession of gyroscope axis, 154
- principal
 - normal to a curve, 246, 247
 - spinor of the Weyl tensor, 112
- problem
 - cosmological constant-, 281
 - flatness-, 277, 281
 - graceful exit-, 281
 - horizon-, 277–281
- projection, stereographic-, 397, 399, 420
- projective plane, 413
- propagation
 - equation
 - of shear, 217
 - of vorticity, 217
 - equations of optical scalars, 233
- propagator
 - of parallel transport, 36, 38, 41, 42
 - along a closed curve, 37
 - elementary-, 37
- pseudo-Riemannian manifold, 46
- pullback, 18, 19, 52, 53
- pushforward, 19
- quadratic form, 46
- quadrupole moment of Earth, 499, 503, 504
- quasi
 - hyperbolic Szekeres metric, 406
 - plane Szekeres metric, 406, 413
 - spherical Szekeres metric, 404–406
- R–W metric, *see* Robertson–Walker metric
- R-region, 164, 360, 361
- radial null geodesic, 305, 321, 341, 342
- radiation
 - conservation equation, 240
 - dominated Universe, 279
 - intensity, 246
 - energy-momentum tensor of-, 240
 - flux of-, 240, 241, 246
- radius, areal-, 290, 415
- raising the index, 47
- Raychaudhuri equation, 216–218, 233, 433
 - null-, 240, 446
- reciprocity theorem, 246
- recombination, 278
- redshift, 226, 227, 240, 241, 246, 254, 263, 272, 282, 320, 321, 324, 358, 359
 - distance relation, 258, 263, 271
 - drift, 253, 272
 - in R–W universe, 257
 - space, 358, 359
 - gravitational-, 507
 - infinite-, 276, 324, 325, 452
 - hypersurface, 193, 452
- reflection (of coordinates), 171
- refocussing, 241
 - in Friedmann models, 264
- regularity conditions at centre, 295, 380
- Reissner–Nordström
 - horizon, 377
 - manifold, 387
 - metric, 166, 168, 187, 197, 361, 374, 375, 377, 386, 388, 390, 459, 470, 476, 482, 485
 - electromagnetic tensor in-, 207
 - extension of-, 201, 202
 - motion of particles in-, 205
 - throat in-, 203
- relativistic
 - mass defect, 292, 369
 - thermodynamics, 219
- relativity, special-, 56, 86
- repeatable light paths, 249
- retrograde orbit, 171, 470, 471, 476, 486

556

Index

Ricci

- formula, 35, 60, 73, 81, 82, 93, 233
- identities, 216
- rotation coefficients, 90, 91, 231, 232, 236
- tensor, 54, 92, 128, 129
 - for spherically symmetric metric, 167
- eigenvalues of-, 400, 401
- five-dimensional-, 160

Riemann

- curvature, 51
- geometry, 50, 123, 124
- manifold, 73
- space, 45–48, 51–54, 58, 60, 64, 69, 72, 78, 80, 81, 83–87, 92, 124
 - conformally flat-, 53, 54, 64
 - conformally related-, 53, 54, 67, 81
 - flat-, 49, 50, 53, 64, 74, 84, 85, 127
 - signature of-, 127
 - spherically symmetric-, 77
 - subspace of-, 49
 - symmetry of-, 69
- surface, 462
- tensor, 48, 50, 54, 60, 62, 73, 74, 83, 85, 91, 93, 232, 314, 444
 - of Kerr metric, 453
 - of Szekeres metric, 410
- linearised-, 149
- scalar polynomial invariants of-, 410
- symmetries of-, 243

Robertson–Walker

- geometry, 256, 261, 400
- limit of Szafron metric, 399, 400
- limit of Szekeres metric, 397
- metric, 105, 192, 218, 220, 221, 224, 255–258, 260, 264, 265, 271–274, 276–278, 280, 284–287, 294, 302, 324, 355, 395, 400
 - invariant definition of, 285, 288
- flat-, 286
- perturbations of-, 344

Rosen bi-metric theory, 146

rotating coordinates, 154

rotation, 13, 24, 366, 367

- of null curves, 229, 230
- of null vector field, 225
- of ray bundle, 254
- of vector field, 289
- scalar, 212, 216, 232
- tensor, 212, 215, 216
 - tetrad components of-, 232
- vector, 216, 217
- Ricci-, -coefficients, 90, 91, 231, 232, 236

rotational symmetry, local-, 401

Ruban metric, 373, 383–389

- charged-, 386, 389

Sagnac effect, 500, 502

scalar, 14, 15, 22, 23, 26, 27

- curvature, 92, 99
 - five-dimensional-, 160
- density, 16, 27, 34, 35, 37, 40
- field, 27, 28, 34, 37, 280
 - of Kaluza–Klein, 160
- polynomial invariants of Riemann tensor, 410

scale factor, 218, 255, 268

Schwarzschild

- Droste solution, 168
 - event horizon, 404, 429
 - horizon, 306, 309
 - limit of L–T model, 306
 - metric, 110, 166, 168, 182, 187, 188, 192, 193, 195, 231, 277, 294, 309, 317, 330, 338, 339, 357, 361, 386, 390, 452–454, 460, 493
 - as vacuum limit of L–T, 330
 - embedding in 6 dimensions, 189
 - in Novikov coordinates, 193, 194
 - matched to Szekeres metric, 427
 - matching to Friedmann metric, 303
 - matching to L–T, 338, 340
 - embedding of-, 188
 - generalisations of-, 193
 - incompleteness of-, 187
 - interior-, 196, 197
 - material source for-, 196
 - maximally extended-, 186, 189
 - null geodesics in-, 175
 - spurious singularity of-, 169, 182, 183, 194
 - throat in-, 203
 - singularity, 339
- screen space, 250, 253
- second fundamental form, 60, 61, 64, 67, 375, 386
- section, normal-, 51
- self-dual spin-tensor, 111
- self-similar
- L–T model, 340
 - spacetime, 100, 340
- shear, 213, 241, 417
- in Szafron metric, 400
 - of null curves, 229, 230
 - of ray bundle, 254
 - propagation equation, 217
 - scalar, 213, 216
 - tensor, 213, 215
 - eigenvalues of-, 401
 - tetrad components of-, 231
- shearfree vector field, 235
- shearing motion, 213
- shell crossing, 292, 299, 300, 306, 307, 314, 316–320, 332, 334–343, 353, 355, 357, 359, 363–365, 377, 378, 383, 386–389, 402, 403, 406, 409, 412, 413, 415, 433
- in charged dust, 381, 382
 - avoiding of-, in Szekeres models, 414
- naked-, 338, 339
- pancake type-, 433
- shell focussing, 331, 332, 340, 341
- globally naked-, 339
- SI = Système International, 500, 502
- time unit in-, 503
- signature, 46, 47, 56, 65, 92
- of Riemann space, 127
 - indefinite-, 85
 - Lorentzian-, 65
- simultaneous events, hypersurface of-, 214
- single-component perfect fluid, 400
- singularity, 218, 219, 230, 269, 276, 277, 310, 314, 331, 332, 336, 338, 340

- of Kerr metric, 453, 454
- of Schwarzschild metric
 - spurious-, 169, 182, 183
- theorems, 218, 219
- coordinate-, 317
- cosmological-, 262
- final-, 274, 275
- genuine-, 183, 185
- globally naked-, 336
- initial-, 276
- locally naked-, 336
- naked-, 336, 338, 341, 469
 - strength of-, 340
- permanent timelike-, 351
- spurious-, 183, 193, 452
- true-, 183
- weak-, 316
- source area distance, 241, 277, 282, 290
- space
 - coordinate, 57
 - of constant curvature, 85, 87, 256
 - Euclidean-, 60
 - Riemann-, 52–54, 58, 60
 - conformally flat-, 54
 - conformally related-, 53, 54
 - tangent-, 12, 27, 53
- Space Shuttle, 506
- spacelike
 - curve, 57
 - hypersurface, 99
 - interval, 56
 - orbit of a group, 100
 - relation, 57
 - vector, 57
- spacetime, 56, 57
 - of Bianchi type, 100, 102–104
 - acausal-, 202
 - asymptotically flat-, 488–490
 - axisymmetric-, 487
 - ellipsoidal-, 490–492
 - isotropic-, 103
 - Minkowski-, 57, 86, 87
 - spatially homogeneous-, 94, 100, 103, 132, 141, 194, 255, 385
 - static-, 487
 - stationary-, 487, 488
 - stationary–axisymmetric-, 487, 488, 490, 491
- spatial distribution of matter, 358
- spatially flat Universe, 269
- special relativity, 57, 86
- specific
 - flux, 246
 - intensity, 246
- spherical
 - coordinates, 78, 87
 - generalised-, 78
 - symmetry, 367
- spherically symmetric
 - Riemann space, 77
 - gravitational field, 64
 - inhomogeneous models, 289
 - metric, 80, 103, 360, 367
- spin-tensor, 110, 111, 117
 - self-dual-, 111
- spinor, 108, 109
 - density, 109
 - image
 - of Weyl tensor, 111, 115, 116
 - of null vector, 111
 - of tensor, 109, 115, 120
 - index, 109, 116
 - representation of Petrov classification, 111, 113
- antilinear transformation of-, 108
- covariant-, 108
- Debever-, 112–116
- linear transformation of-, 108
- principal-, of Weyl tensor, 112
- spurious singularity, 193, 200
 - of Kerr metric, 452
 - of Reissner–Nordström metric, 205
 - of Schwarzschild metric, 169, 452
- standard candle, 282
- state, equation of-, 220
 - barotropic-, 221
- static spacetime, 487
- stationary
 - axisymmetric spacetime, 487, 488, 490, 491, 512
 - limit hypersurface, 453, 459–462, 486, 487
 - observer, 453
 - spacetime, 487, 488
- Stephani universe, 221, 285
- stereographic projection, 397, 399, 420
- stiff fluid, 351
- stress tensor, 138
- structure
 - constants, 76, 86, 87, 94, 95, 106
 - formation in the Universe, 297
- Sun, gravitational field of-, 169
- supernovae, 270, 282, 347, 349
- surface
 - area propagation equation, 240
 - forming vector fields, 76, 77, 487
 - closed trapped-, 230
 - future-trapped-, 230
 - past-trapped-, 230, 277
 - trapped-, 230
- Sylvester theorem on inertia of forms, 46
- symmetric
 - part of tensor, 17, 95
 - spinor, 17
 - tensor, 17, 65, 67
- symmetrisation, 17
- symmetry, 84, 90
 - G_3/S_2 -, 401
 - generator, 84, 94, 104
 - group, 74, 76, 83–85, 100, 221
 - dimension of-, 84
 - inheritance, 84, 165, 361
 - of Riemann space, 69, 72
 - of manifold, 73
 - transformation, 69
- axial-, 487, 488
- conformal-, 81, 82, 87, 393
- hyperbolic-, 367
- Kantowski–Sachs-, 80
- local rotational-, 401

558

plane-, 367
 spherical-, 367
 synchronous coordinates, 289
 Szafron metric, 221, 400
 invariant definition of-, 401
 shear in-, 400
 Weyl tensor of-, 399
 Szekeres
 -Szafron coordinates, 399
 -interpretation of, 397
 -Szafron metric, 391, 401
 invariant definitions of-, 401
 -metric, 402, 406
 -in Goode-Wainwright representation, 429, 430, 433
 -matched to Schwarzschild metric, 427
 class II-, as limit of class I, 404
 evolution equations of-, 409
 Goode-Wainwright representation of-, 287
 invariant definitions of-, 401
 origin in-, 409
 quasi-hyperbolic-, 406
 quasi-plane-, 406, 413
 quasi-spherical-, 404–406
 Riemann tensor of-, 410
 T-region, 164, 360, 361, 384
 tangent
 -space, 12, 13, 27, 53
 basis in-, 125
 -vector, 32, 33, 57
 temperature
 -contrast, 328, 330
 -of fluid, 220
 tensor, *see also* under specific names, e.g. Weyl tensor
 -density, 16
 -field, invariance of-, 69
 -product, 17, 26, 35–37, 75
 associated mapping of-, 19
 differentiation of-, 24
 parallel transport of-, 32, 36
 test field, 225
 tetrad
 -image, 91
 -metric, 89
 -of vector fields, 89
 double-null-, 92, 231, 232
 null-, 92
 orthonormal-, 92, 93
 theorem, *see* under specific names, e.g. the reciprocity theorem
 thermodynamical scheme, 220, 221, 400
 existence of-, 221
 thermodynamics, 220, 221
 phenomenological-, 220
 relativistic-, 219
 time
 -coordinate, 57
 -dilation, 504
 -unit in SI, 503
 hypersurface of constant-, 214
 timelike

Index

-curve, 57
 closed-, 453
 -geodesic, 124, 125, 169
 -hypersurface, 99
 -interval, 56
 -relation, 57
 -vector, 57, 65
 -field, 66, 289
 toroidal topology, 369
 torsion, 28, 30, 46
 torsion-free manifold, 34, 41–43, 48
 torus, 50, 369
 trace, 15, 16, 54
 trajectory of free motion, 124
 transformation
 acceleration-, 86
 coordinate-, 69
 symmetry-, 69
 transitive
 -action of group, 100
 multiply-, action of group, 100
 simply-, -action of group, 100
 transport
 Fermi-Walker-, 246–248
 parallel-, 125, 247
 transverse Doppler effect, 504, 507
 trapped surface, 230
 closed-, 230, 305
 future-, 230
 past-, 230, 277
 true anomaly, 505
 turning point
 -in Kerr spacetime, 486
 -in R–N spacetime, 208
 type
 Bianchi-, 94, 96–99, 103
 Petrov-, 66, 68, 116
 Universe
 closed-, 256
 flat-, 256
 open-, 256
 variational principle
 -of Hilbert, 132
 -of Palatini, 133
 vector, 13
 -field, 13, 19, 59, 67
 -timelike, 66
 differentiable-, 70
 tangent-, 43
 timelike-, 289
 -fields, surface-forming-, 76, 77
 -space, 12, 13, 15, 19
 contravariant-, 13–15, 18, 24, 27, 35, 37, 40, 47
 covariant-, 13–15, 19, 30, 34, 37, 40, 47, 55
 geodesic deviation-, 249
 null-, 57
 observation time-, 251
 spacelike-, 57
 tangent-, 12–14, 32, 33, 57
 timelike-, 57, 65
 Virgo cluster, 330

void, 296, 297, 349, 350, 438	-tensor, 54, 56, 65–67, 111, 112, 120, 129, 218, 232, 444
-evolution, 297	-of Kerr metric, 453
-formation, 297	-of Szafron metric, 399, 401
-models of acceleration, 349	algebraic type of-, 65
vorticity propagation equation, 217	algebraically special-, 233, 235
wave vector, 226	electric part of-, 65, 217
weak singularity, 316	magnetic part of-, 65, 217, 399
weak-field approximation, 148, 149, 449	principal spinor of-, 112
weight of tensor density, 16, 20–22, 24, 26, 27, 34	spinor image of-, 111, 115
Weyl	white hole, 191, 192
-spinor, 112	wormhole, 307, 317, 415