

Index

- Abel, John J., 35
 acetylcholine, 33, 34, 87
 ACGIH (American Conference of Governmental Industrial Hygienists), 49
 Adie's syndrome, 42
 adrenergic sympathetic agents, 38
 AlgiScan pupillometer, 51, 74, 75
 Alhazen, 10–11, 13
 American Conference of Governmental Industrial Hygienists (ACGIH), 49
 amitriptyline, 38
 amphetamine, 38
 anatomy of the pupil, 21–25
 Ancient Greek and Roman thoughts, 5–8
 Anderson, H. K., 19
 anesthesia. *See also* pain, case reports
 anisocoria, 113, 115–116
 dental surgery, 115–116
 LO reflex during anesthesia and after opioids, 89–92
 PRD and nociception, 74–76
 PRD and prediction of movement, 71–72
 PRD testing for local anesthetic block, 72–74
 pupillometry and pain, 76
 anesthesia and sleep, pupil size, 53–54
 anesthetic agent effects, light reflex, 62
 aniridia, 23
 anisocoria, 113–116
 anesthesia, 113, 115–116
 case report, 115
 dental surgery, 115–116
 endoscopic sinus surgery, 116
 Horner's syndrome, 113
 topical application of drugs, 115
 aphakia, 43
 apraclonidine, 32
 Arabic scholars, 8–13
 Argyll Robertson syndrome, 40
 Aristotle, 5, 10
 atropine, 33
 autoimmune and neurodegenerative disorders, 44
 autonomic nervous system, 18–20
 Babbage, Charles, 17
 Bernard, Claude, 19
 Bernstein, J., 33
 body temperature effect, light reflex, 64–66
 botulinum toxin, 36
 Brahe, Tyco, 13
 brain trauma, 94–95
 brimonidine, 36–37
 Broviac catheter insertion, case report, 122
 buprenorphine, case report, 121
 Buxton, Dudley W., 46
 Caliri, Paolo Veronese, 7
 cardiac arrest, 96–99
 prognostic pupillary measurements after return of spontaneous circulation, 96–97
 prognostic value of pupillary measurements during cardiopulmonary resuscitation, 97–99
 case reports, 118–124, *See also* anesthesia
 anisocoria, 115
 Broviac catheter insertion, 122
 buprenorphine (Suboxone), 121
 hepatectomy, 123
 hysterectomy, 122
 leg ulcer surgery, 120
 lumbar and thoracic spine surgery, 122–123
 meningioma surgery, 119
 methadone, 123
 nephrectomy, 121
 pain control, 123
 pectus excavatum correction, 120
 shoulder mass excision, 121
 Suboxone (buprenorphine), 121
 chlorpromazine, 38
 chronic renal failure and diabetes, 42
 ciliospinal reflex, pupillary reflex dilation (PRD), 70
 cocaine, 32, 38
 cognitive–motor dissociation, 99–100
 commercial pupillometers, 45–47
 critical illness factors, 3
 Darwin, Charles, 12
 de la Hire, Philippe, 15
 dental surgery
 anesthesia, 115–116
 anisocoria, 115–116
 dexmedetomidine, 38
 Disraeli, Isaac, 30
 doxazosin, 38
 droperidol, 38
 du Petit, François Ponfour, 18–20
 early history, 5–20
 Alhazen, 10–11, 13
 Ancient Greek and Roman thoughts, 5–8
 Arabic scholars, 8–13
 Aristotle, 5, 10
 Brahe, Tyco, 13
 Caliri, Paolo Veronese, 7
 Darwin, Charles, 12
 Galen of Pergamon, 6–7, 9
 Hippocrates, 5
 Kepler, Johannes, 13
 Leonardo da Vinci, 1, 11–12, 24, 26
 Plato, 5
 Rhazes, 9–10, 58

- ecstasy, 38
 Edinger, Ludwig, 23, *See also*
 EW (Edinger Westphal)
 nucleus
 Elliott, Thomas R., 31, 33
 Elsinor pupillometer, 46
 endoscopic sinus surgery,
 anisocoria, 116
 epinephrine, 35
 EW (Edinger Westphal)
 nucleus, 23–24, 26–27
 inhibition measurement,
 77–92
 light off (LO) reflex, 84–92
 pupil diameter changes
 unrelated to PUAL,
 82–84
 pupillary unrest in ambient
 light (PUAL), 77–82
 Fontana, Abbé Gasparo
 Ferdinando Felice, 14
 Four Score evaluations, 93
 Fraser, Thomas, 34
 Galen of Pergamon, 6–7, 9, 30
 Glasgow coma scales
 (GCS), 93
 glaucoma, 41
 Guglielminotti, J., 71
 Hall, Marshall, 14
 Haller, Albrecht von, 14, 15
 haloperidol, 38
 Helmholtz, Hermann von,
 17
 hepatectomy, case report, 123
 Hippocrates, 5
 Horner, Johann Fredrick, 19
 Horner's syndrome, 42–43
 anisocoria, 113
 brimonidine, 36–37
 cocaine, 32
 first described, 19
 nicotine, 36
 Hugo, Victor, 24
 hyperthermia, light reflex,
 62, 66
 hypothermia, light reflex,
 65, 96
 hysterectomy, case report, 122
 inhibition of the pupillary
 light reflex, 14–16
 interpretation of
 measurements, 125
 Kahneman, Daniel, 29
 Kepler, Johannes, 13
 Knox, Robert, 16–17
 Langley, John N., 19, 31, 34,
 35, 36, 37
 leg ulcer surgery, case
 report, 120
 Leonardo da Vinci, 1, 11–12,
 24, 26
 light off (LO) reflex
 awake subjects, 85–89
 during anesthesia and after
 opioids, 89–92
 EW (Edinger Westphal)
 nucleus, 84–92
 opioid-induced respiratory
 depression, 109–111
 reflex action and the
 pupil, 28
 light reflex, 28, 58–66, *See also*
 reflex action and the
 pupil
 anesthetic agents, 62
 body temperature, 64–66
 hyperthermia, 62, 66
 hypothermia, 65, 96
 hypoxia, 55
 inhibition of the pupillary
 light reflex, 14–16
 neuromuscular blockade,
 64–66
 neurotonic reflex, 63
 nociception, 62–64
 percent reflex, 61–62
 pupil size, 59–61
 limitations of portable
 infrared pupillary, 3
 LO. *See* light off reflex
 Loewi, Otto, 31, 33
 LSD, 38
 lumbar and thoracic spine
 surgery, case report,
 122–123
 marijuana, 38
 measurement of the pupil,
 45–51
 accuracy, 125
 commercial pupillometers,
 45–47
 Elsinor pupillometer, 46
 interpretation of
 measurements, 125
 portable infrared
 pupillometers, 47–51
 meningioma surgery, case
 report, 119
 Mery, J., 14, 67
 mescaline, 38
 methadone, case report, 123
 methylphenidate, 38
 miosis
 opioid miosis, 101–102
 spastic miosis, 41
 National Provider
 Identification number
 (NPI), 50
 nephrectomy, case report, 121
 Neurological Pupillary index
 (NPi), 50, 60–61
 neuromuscular blockade, light
 reflex, 64–66
 Neuroptics NPi-300 portable
 pupillometer, 50, 58, 60
 Neuroptics PLR-3000
 portable pupillometer,
 50, 53, 58
 neurotonic reflex, light
 reflex, 63
 nicotine, 35–36
 nociception effect, light reflex,
 62–64
 NPI (National Provider
 Identification
 number), 50
 NPi (Neurological Pupillary
 index), 50, 60–61
 old age, 43
 opioid effect
 on the pupil, 102–103
 pupillary measures, 104–109
 opioid miosis, history,
 101–102
 opioid therapy, 103–104
 opioids
 ciliospinal reflex, 70
 LO reflex during anesthesia
 and after opioids, 89–92
 methadone, case report, 123
 palliative sedation, 71
 respiratory depression,
 109–111
 pain. *See also* anesthesia
 pupillary pain index
 (PPI), 50
 pupillary unrest in ambient
 light (PUAL), 112
 pupillometry and, 76

Index

- pain control, case report, 123
pectus excavatum correction, case report, 120
percent light reflex, 61–62
pharmacology of the pupil, 30–44
phenylephrine, 35
physiology of the pupil, 26–29
physostigmine, 34–35
pilocarpine, 34
Plato, 5
portable infrared
 pupillometers, 47–51
 expansion of use, 125
 Fairville portable infrared pupillometer, 47–48
 limitations, 3
 Neuroptics NPi-300 portable pupillometer, 50, 58, 60
 Neuroptics PLR-3000 portable pupillometer, 50, 53, 58
 VIP-300 portable pupillometer, 50, 52
post illumination pupillary response (PIPR), 28
PPI (Pupillary Pain Index), 50
prazosin, 38
PRD. *See* pupillary reflex dilation
psilocybin, 38
psychoactive agents and hallucinogens, 38–39
PUAL. *See* pupillary unrest in ambient light
pupil size, 52–57
 awake state, 52–53
 conditions affecting, 55–57
 light reflex, 59–61
 sleep and anesthesia, 53–54
Pupillary Pain Index (PPI), 50
pupillary reflex dilation (PRD), 67–76
 ciliospinal reflex, 70
 nociception during anesthesia, 74–76
 prediction of movement during total intravenous anesthesia, 71–72
 pupillometry using PRD and nociception monitors, 74–76
 species differences, 67–69
 testing for local anesthetic block, 72–74
 pupillary unrest in ambient light (PUAL), 28, 50, 77–82
 opioid-induced respiratory depression, 109–111
 pain, 112
pupillometers. *See* portable infrared pupillometers, measurement of the pupil
RAPD (relative afferent pupillary defect), 44
reflected light from the eye, 16–17
reflex action and the pupil, 13–14. *See also* light reflex
 inhibition of the pupillary light reflex, 14–16
 light off (LO) reflex, 28
 light reflex, 28
 pupillary unrest in ambient light (PUAL), 28
 reflex dilation, 28
reflex dilation, 28
relative afferent pupillary defect (RAPD), 44
renal failure, chronic renal failure and diabetes, 42
respiratory depression, opioid-induced
 light off (LO) reflex, 109–111
 opioid effect, 109–111
 pupillary unrest in ambient light (PUAL), 109–111
Rhazes, 9–10, 58
Robertson, Douglas Argyll, 34
scopolamine, 33
Sherrington, Charles, 30
shoulder mass excision, case report, 121
sinus surgery, anisocoria, 116
size of pupil. *See* pupil size
sleep and anesthesia, pupil size, 53–54
spastic miosis, 41
Steinhauer, Stuart, 29
Suboxone (buprenorphine), case report, 121
systemic drugs, 37–39
 adrenergic sympathetic agents, 38
 amitriptyline, 38
 amphetamine, 38
 chlorpromazine, 38
 cholinergic parasympathetic agents, 37–38
 cocaine, 38
 dexmedetomidine, 38
 doxazosin, 38
 droperidol, 38
 ecstasy, 38
 haloperidol, 38
 LSD, 38
 marijuana, 38
 mescaline, 38
 methylphenidate, 38
 prazosin, 38
 psilocybin, 38
 psychoactive agents and hallucinogens, 38–39
 terazosin, 38
 tetrahydrocannabinol (THC), 38
tapetum lucidum, 17
TBI (traumatic brain injury), 94–95
terazosin, 38
tetrahydrocannabinol (THC), 38
topical application of drugs, 31–37
 anisocoria, 115
traumatic brain injury (TBI), 94–95
unusual pupillary syndromes, 40–44
 Adie's syndrome, 42
 aphakia, 43
 Argyll Robertson syndrome, 40
 autoimmune and neurodegenerative disorders, 44
 chronic renal failure and diabetes, 42
 glaucoma, 41
 Horner's syndrome, 42–43
 old age, 43
 relative afferent pupillary defect (RAPD), 44
 spastic miosis, 41
Verghese, Abraham, 16
VIP-300 portable pupillometer, 50, 52
Westphal, C. F. O., 23
Whytt, Robert, 13, 14, 15
Willis, Thomas, 18–19