

Index

Page numbers in bold refer to keywords appearing in boxes; page numbers in italics refer to keywords appearing in figures.

- acidity, seawater, 131
- ad hoc* buyouts, 150
- adaptation, 21, 239
 - in action, examples, 23
 - connected processes, 48, 49
 - definition, 21
 - in situ* household, institutional failure, 66–67
 - initiation at any scale, 66–67
 - migration as, 48
 - physical and behavioral limits, 7
 - proactive, governments vs. household, 67
 - proactive, progress in low-income countries, 65
 - reactive vs. proactive, 66
 - responses, excessive heat, 125–126
 - rural, dryland regions, 100
 - succession in, 66
 - UNFCCC objectives, and SDGs, 201
- Adaptation Committee and the Least Developed, UNFCCC, 196
- adaptive capacity, 23, 239
 - building, 194, 201
 - floods and storms, increasing frequency, 56
 - hazards overwhelming, 25
 - importance of institutional, 64–66
 - lack of, 68
 - migration decisions, local, 108
 - role in migration, 26
 - SDGs improving, 234
 - strengthening, 201
- “add and stir” approach, gender in migration scholarship, 220
- Advisory Group on Climate Change and Human Mobility, 196
- Africa (International Labour Organization 2024), 30–31
- African Union (Organisation of African Unity), 211
- African Union Convention for the Protection and Assistance of Internally Displaced Persons (Kampala Convention), 212
- agency, 239
 - definition, 29, 46
 - high vs. low, 46
- Indigenous communities, 223
- migrant, gendered influences, 219
- of migration, and government regulations, 38
- and moving decisions, 47, 50, 201, 218
- agent-based modeling (ABM), 181–183
 - climate-related migration simulation model (Bangladesh), 182
 - definition, 239
 - pattern-oriented ABM, 183
 - strength of, 183
- agricultural drought, characteristics, 98
- agricultural pathway, **115**
- air conditioning, and migration shifts, **122**
- amenity-seeking migration, **122–123**
- AMOC (Atlantic meridional overturning circulation), 234
- Anasazi cliff dwellings
 - MWP impact on, 11
 - remains, *11*
- anthropogenic climate change, 3
 - and atmospheric river severity, **93**
 - causes, physical science of, 23
 - definition, **8**
 - and economic losses, 126
 - and fire weather days (California), 127
 - and flood frequency, **85**
 - future impacts, 21
 - future knowns and unknowns, 233
 - short heat waves, health impacts, 121
- anthropogenic GHG emissions, 17
 - rising global average temperatures, effects, 95
 - and temperature rise, 19, 131
- anthropogenic warming
 - AMOC shutdown trigger, 235
 - current and historical links, 78
- Arctic coastal settlements
 - climate change effects on, **147–148**
 - relocation to, **147**
- Arctic Indigenous settlements, relocation, **147–148**
- Argentina, tornado occurrence, 79

- arid areas
 - definition, 96
 - global vs. regional expansion scale, 97
- arid regions, map of world's, 96, 97
- arid, use of term, 96
- Aridity Index, 96
- aridity, degree of, 96
- artificial intelligence (AI), for study use, 186–188
- Asia, MWP impact in, 11
- assimilation, **34**
- asylum claimants, **205**
- Atlantic meridional overturning circulation (AMOC), 234
 - “a black hole of knowledge and understanding”, 236
 - and melting Greenland ice, known unknown interaction, 235
 - shutdown and effects, 235
- atmospheric GHGs
 - concentration, consequences of rising, 18
 - increase, causes, 16
- atmospheric methane concentration, historic, 18
- atmospheric rivers, description, **93**
- atoll nations
 - climate hazards, 193
 - Maldives, 145
 - tourism, 22
 - urbanization, 137
- Atoll states, protective infrastructure costs, 145
- atolls
 - coastal hazards and vulnerabilities, 21
 - freshwater lenses, effect on, 137
- Australian meteorological agency, storm sub-classification, 70
- Bangladesh
 - Bangladeshis, abroad, 160
 - climate hazards, female mortality rate, 219
 - climate-related migration and displacement, case study, 159–161
 - climate-related simulation model, 182
 - climate-resilient and migrant-friendly towns, **227**
 - drought and migration, correlation, 163
 - extreme floods, and migration, 88
 - international migration of women, restrictions, 218
 - lives lost, reduction in, 65
 - migrant health challenges, Korail community, **225**
 - migration patterns, 161
 - rural migration patterns, 160
 - tornado occurrence, 79
- Bangladesh Environment and Migration Survey, 171
- Bangladesh Integrated Household Survey (BIHS),
 - climate-related displacement data, 170
- barrier islands, and high wave events
 - beneficial, failure of, 59
- beneficial adaptation, failure of, 21
- bilateral agreements, regional basis, 211. *See also specific agreements*
- “black hole of knowledge and understanding”, 236
- book summary, xii–xiv
- “braiding” process, 185
- Brazil
 - drought risk, 108
 - precipitation events, heavy, 90
 - rural outmigration patterns, 120
- ‘build back better’ scenario, hazard mitigation, 152
- Burkina Faso
 - drought–migration outcomes, 105
 - female migration during droughts, 106
 - migration response model, 182
 - outmigration patterns, 120
- Cancun Adaptation Framework, 194–195
- Cape Town (South Africa), drought water crisis, **116**
- carbon dioxide (CO₂)
 - anthropogenic, 13
 - atmospheric, measurements at Mauna Loa (HI), 17
 - atmospheric concentration, history, 16
 - atmospheric concentration rise, human activities, 16
 - infrared radiation interference, 14
- carbon sinks, 17
- Caribbean Community (CARICOM), freedom of movement agreements, 213
- Cartagena Declaration on Refugees (Central America), 213
- Carteret Islands, flooding case study, 154–156
- Carteret atoll, 154
- causality, 166
- census, **169**
- ChatGPT, reproduction of earlier research (McLeman), 186
- Children and Youth Constituency of the UNFCCC (YOUNGO), 196
- cisgenderedness, 220
- citizenship, determination and responsibilities, 40
- climate
 - connected processes, 49, 238
 - control, temperature rise limit, 19
 - definition, **8**, 239
 - destinations, planned reception of migrants, 226
 - events, hazardous to humans, 24
 - gentrification, **228**
 - havens, 226
 - and human history events, simultaneous, 12
 - and migration, common vocabulary need, 3
 - processes and human system interactions, risk creation, 25
 - surprise, 236
 - and weather, distinction, xi, **8**
- Climate and Human Migration: Past experiences, future challenges (McLeman), xi
- climate change
 - anthropogenic, 240
 - definition, **8**, 240
 - effect on severe storms, 51
 - and flood event frequency, **85**
 - gendered impacts, migration and displacement, 219

- climate change (cont.)
 - influence on migration decisions, 3
 - “known knowns,” types, 233
 - “known unknowns”, 233
 - migration and displacement, future effects, 26
 - migration and displacement, human
 - activity driven, 12
 - mitigation actions, achievements and progress, xi
 - unknown into known unknowns conversion, 236
- climate change and migration, relationship, 162
 - modeling context, and variety of results, 165
 - scale of analysis, 164
- climate hazards. *See also* slow-onset climate hazards
 - adaptation, measures, 48
 - conflicts and refugees, linkages, 116
 - differences of, 24
 - exposed locations, 2
 - and migration outcomes, links, 159
 - public perceptions, 24
 - response to, 21
 - rising global average temperatures effects, 95
 - voluntary immobility, 46
- climate migrants, 240
 - attracting cities, design, **227**
 - planning for future, **227**
 - receiving areas, 226
- climate refugees, 155, 240
 - definition, **5**
 - use of term, 203
- Climate Resilience and Recovery Plan, 77
- climate risk, connected processes, 48, 49
- climate system, 24, 174, 192, 231, 240
- climate variability, **8**, 240
- climate-changing migration, challenge of unknown unknowns, 236
- climate-migration relationships, thresholds, 229–232
 - average global temperature rise, 230
 - complex systems, changing dynamics, 229
 - critical, 230–232
 - in situ* adaptation, 231
 - migration dynamics threshold, outside push, 231
- climate-related displacements, 240
 - average annual, 56
 - Bangladesh data, 170
 - definition, **6**
 - drivers, 55
 - financial assistance, 3
 - reduction of involuntary, 201
 - regional support agreements, xii
 - risk reduction, 192
- climate-related hazards, and displacements, 56
- climate-related immobility, definition, **6**
- climate-related migration. *See also* migration
 - causality, 166
 - complex systems, interactions, 229
 - data sets for, 170
 - definition, **6**, 240
 - dynamics, xiii
 - and gender research, 220
 - prediction and projection, modeling, 165
 - projection of future, scenarios for modeling, 166
 - to Seattle and Portland (WA), **227**
 - use of term, **6**
- climate-related migration, data collection
 - mobile devices and social media, 183
 - participatory methods, 184–186
- climate-related migration, gendered dimensions
 - cisgenderedness, in research, 220
 - climate hazards, gendered impacts, 219
 - feminization, of international migration, 217
 - gender neutral, 217
 - LGBTQ+, vulnerabilities to disasters, 220
 - migration process, gender aspects, 218
- climate-related migration, human health
 - age- and gender-related, vulnerabilities, 224
 - health services, 224
 - healthcare systems, research on strain, 224–225
 - “healthy migrant effect”, 224
 - human health, 223–225
- climate-related migration, modeling. *See also*
 - machine learning (ML)
 - agent-based modeling (ABM), 167, 181–183, **182**
 - AI and data in, 186–188
 - causal pathways, 172
 - census data, 168
 - climate and migration data sets,
 - spatial mismatches, 175
 - climate and migration/population data,
 - combined use, 172
 - climate data, availability, 171
 - climate hazards and migration, relationship, 163
 - data sources, importance of, 167
 - databases, 169
 - general circulation models (GCMs), 174
 - gravity models, 180–181
 - gridded datasets, cell population distribution, 176
 - hazard identification, data for correct, 173
 - independent variables, temporal connections, 172
 - limits, 167
 - long-term studies, findings, 173
 - machine learning, 178–180
 - machine learning, complexity and
 - interpretability, **179**
 - machine learning, examples, 179
 - machine learning, random forest algorithm, 179
 - migration data, 168
 - mixed methods approach, 188
 - model assumptions, 166
 - model objectives, varying, 173
 - model uncertainties, 166
 - overview, 162
 - physical processes, simulation, 214
 - population census data, 168, **169**
 - projection, use of gridded data, 174
 - regression analysis models, 176
 - research bias, geographical, 175
 - self-reported climate data, 173
 - standard data, limitations, 174–176

- surveys, data collection by, 171
 temporal considerations, droughts and slow-onset events, 172
- climate-related migration, policy considerations
 governments and institutions, engagement, 189
 involuntary displacement, steps to reduce, 190
 key international policies, 190
 policymakers, attention, 189
- climate-related migration, research, 226–229
 destination communities, impact on prior residents, 228
 migration destinations, planning for future, 226
 property values, climate-driven changes, **228**
 US migrant receiving cities, types, 226
- climate-related migration and displacement, national level policies, 214
 planning at subnational government levels, 215
- climate-related processes, mean sea level change, cause for, 132
- climate-related risk, concept examples, 21–23
- climate drivers, of displacements, across regions, 55, 56
- climatic hazards. *See* climate hazards
- CliMig database (University of Neuchatel), xi
- coastal flooding, protective infrastructure, 138
- coastal wetlands, shrinkage, 58
- “Coming Anarchy, The” (*Atlantic Monthly*), 117
- committed warming, MSLR, 135
- common storms, path map of exposed regions, 71
- compound hazards, 25
- Conferences of the Parties (COPs), 3, 192
- consanguinity, 40
- convention, **200**
- Convention Governing the Specific Aspects of Refugee Problems in Africa (1974), expanded definition of refugees, 211
- COP (Conferences of the Parties), 3, 192
- co-production of knowledge, 184, 222
- coral bleaching, 136
- coral reefs, storm surges and shrinkage of, 59
- Coriolis effect, 69
- correlation, in statistics, 163
- Coupled Model Intercomparison Project (CMIP), 141
- Coupled Model Intercomparison Project (CMIP6), 174
- coupled systems, 131
- COVID-19 pandemic impacts, xi
- cyclical migrations, flood-related, Asia, 87
- Cyclone Nargis (Myanmar, 2008), refusal of outside humanitarian assistance, 210
- Cyclone Sidr, Bangladesh (2007), 58, 65
- cyclones. *See* tropical cyclones
- data collection, mobile devices and social media, 183
- Deferred Enforced Departure, climate-related displacement, 214
- Department of Economic and Social Affairs of the United Nations (UN DESA), population census conduct, **169**
- derechos, 79. *See also* storms; tornadoes
 characteristics, 80
 climate change effects on, **81**
- DESA (UN Department of Economic and Social Affairs) Population Division, demographic projections, 141
- desertification, 95
 in high-income countries, 95
 and migration, **120**
 process, 97
- digital nomads, 43
- disaster, definition, **191**, 240
- disaster risk reduction (DRR), 198
- discontinuous threshold effect (Myers), 234
- displaced people (1992–2022),
 global number, 42
- displacees, definition, **5**
- Displacement Tracking Matrix (DTM), 170
- displacements. *See also* involuntary displacements
 definition, 1, **5**, 240
 exposure, rising number of people, 56
 involuntary, 199
 in political unstable states, 42
- drought migration responses
 African dryland regions, 103
 Asia, 106
 Central America, 108
 Central America “Dry Corridor”, 109
 Chile, dryland, 108
 East Africa, 104
 Ethiopia, 105
 Great Plains (North America), 111–113
 India, 107
 Mexico, case study, 109–111
 migration to Europe, **106**
 Nepal, 108
 Pakistan, 107
 South America, 108
 West Africa, rural drylands, 105
- drought migration responses, non-dryland regions, 113–115
 Americas, research paucity, 115
 Bangladesh, rural migration patterns, 114
 Southeast Asia, drought–migration dynamics, 114
 West Bengal state (India), water shortage, 113
- Drought Year (India), 98
- droughts. *See also specific drought categories*
 categories, 98
 climatic definition, 172
 conflict and migration/displacement linkages, 116–120
 impacts, high-income countries, 95
 impacts, low- and middle-income countries, 96
 and migration, relationship (studies), 163
 responses, main dryland regions, 103
 risk indices, standardized, 99
 risks, projected changes, **102**
 risks, urban, **115–116**

- droughts, conflict and migration/displacement linkages
 - Arab Spring, D-M-C pathway, 119
 - and conflicts, within countries, 118–119
 - Darfur region violence, D-C-M pathway, 119
 - drought-migration-conflict pathway (D-M-C), 117
 - pathways, 116–117
 - violent interactions, deliberate, 119
- dryland regions
 - adaptation, 100
 - migration patterns, rural, 100–102
 - population change in, **99**
 - rural, migration strategies, 100
 - young adult migration, 101
- drylands, characteristics, 96
- Dust Bowl era migration, 43, 44
- Earth
 - climate system, features, 24
 - climate, regulation of, 13
 - energy balance, 13, 15
 - radiation balance, 13
 - surface warm up, causes, 14
- “eating the dry season”, 101
- economic conditions, adverse, influence on migration, 31
- El Niño Southern Oscillation (ENSO), 9, **10**
- El Paso-Ciudad Juarez region, 2006
 - flooding impacts, 60
- electromagnetic spectrum, 13
- emergency management plans, 65
- environmental amenity migration, 43
- environmental conditions
 - adverse impacts and migration, 43
 - migration beneficial, 42
- environmental migrants, 119, 225, 240
- environmental migration, 240
 - modeling, 176
 - post-tornado research, 82
 - wildfire effects research, 130
- environmental phenomena, migration responses, 44
- environmental refugees, definition, **5**
- European Union
 - labor migration approach, 31
 - Schengen Agreement, 213
- evacuees, definition, **5**
- evapotranspiration, process, 99
- exposure, definition, 21
- extreme heat events
 - extended periods, influence on migration, 121
 - and out-migration rates, 121
- extreme precipitation
 - changes, by region, 54
 - flooding risk, **85**
 - and long term income inequality, 51
- extreme storms. *See also* storms
 - and additional atmospheric warming, 233
 - housing stock damage, distribution, 62
 - sudden on-set hazard, 44, 50
- Fatehpur Sikri, abandonment of city of, 12
- Federal Emergency Management Agency (FEMA), 65, 151
- femininity, and migration decisions, **218**
- Fiji, organized relocation case study, 156–158
 - cultural considerations, 157
 - in situ* adaptations, 157
 - Planned Relocation Guidelines (PRG), 156
 - relocations, experience, 157
 - Standard Operating Procedures (2020), 156
- flooding
 - catastrophic, regions of, 59
 - El Paso-Ciudad Juarez region (2006), 60
 - expected, and labor migration, 86
 - exposure rise, 60
 - extreme, 86
 - flash, and forest clearance, 58
 - flash, in arid regions, 84
 - Hurricane Harvey, 67
 - and labor migration, 86
 - risk, cyclone duration, 69
 - risk, growing, **85**
 - rivers, causes, 84
 - types, 86
 - unexpected, 85
- floodplains
 - definition, **62**
 - farming, and risk of annual flooding, 86
 - flooding of, causes, 84
 - urban development in, 66
- flood-prone locations, 137
- flood-related displacements, risk of, 85
- floods. *See also* flooding
 - causes, 83
 - definition, 83, 241
 - extreme and migration and displacement, response, **88–91**
 - extreme and population displacements, 86
 - migration and displacement patterns, regional variations, 85
 - migration, regional responses, 89–91
 - vulnerabilities, Asian countries and US, 84
- forced migration, 241
- forest clearance, flash flood risks, 58
- fossil fuel economy, transition away from, x
- Fourmile Canyon fire (CO, 2010), 129
- France, headscarves ban, **35**
- freedom of movement agreements, 213
- future moves, climate-related key factors, 2
- gender and sex, differences, **218**
- gendered expectations, **218**
- gender-related migration, 37
- general circulation models (GCMs), 174
- geological processes, mean sea level change, cause for, 132
- geomorphological processes, flood risk, 141
- geomorphological processes, mean sea level change cause for, 132

- geotechnical hazards, 198
- German development agency, 156
- global “compacts”, xii
- global climate patterns, fluctuations, 9
- Global Compact for Safe, Orderly, and Regular Migration (GCM)
 - achievements and success outlook, 207
 - climate-related objectives, 207
 - objectives, 206
- Global Compact on Refugees, 196
- Global Compacts, 207
- Global Flood Monitoring Program, 84
- global temperatures, average
 - critical thresholds, 230
 - deviations from mean (1850–2024), 20
 - historic (1850–2024), **55**
 - increase, and rising displacement risk, 85
 - rise, 18, 20
 - rise, and emission control, 19
 - rising, due to anthropogenic GHGs, 95
 - in Southeast Asia, during El Niño, **10**
- global warming
 - additional warming by 2100, under RCPs, **53**
 - average soil moistures, projected changes, 102
 - definition, 241
 - in excess of 2 degrees Celsius (UNFCCC), consequences, 53
 - and GHG emissions forecasts, **53**
 - and GHGs, ix
 - measuring, **55**
- government regulations, on mobility and migration, 38–42
- gravity models, 180–181, 241
- Great Depression (1930s), migration during, 31
- Great Plains (US), migrant outflow (1930s), 43
- Great Recession (2007–2008), immigration to US during, 31
- Greater Cahokia (indigenous settlements), abandonment, 12
- Green Climate Fund, 194
- greenhouse effect, 16
- greenhouse gas emissions
 - anthropogenic, 13
 - control, 2
 - Paris Agreement on, xi
 - reduction, x
- greenhouse gasses (GHGs)
 - anthropogenic, 241
 - concentration, historical fluctuations, 16
 - definition, 16
 - global warming, ix
- gridded data, use of, 174
- ground truthing, 180
- Groundswell Report: Preparing for Internal Climate Migration (World Bank), **165**, 180, **198**
- Guiding Principles on Internal Displacement, 208
- Gulf Stream, 234
- habitability
 - climate conditions and hyperthermia risk, relationship, 123
 - long-term, 123
 - project future, 124
 - temperature-related thresholds, and migration, 125
- Hadley cell, **88**
- hazard events
 - gradual onset and impact, 95
 - migration responses, types, 68
 - reconstruction scenarios, 152
 - sudden-onset, 24
 - temperature-related and other types, comparison studies, 121
- Hazard Mitigation Assistance grants, 151
- hazard protection, pre-emptive approach, 152
- hazards, 24–25
 - cascading, 25
 - definition, 21
 - and displacements, 5, 56
 - geotechnical, 198
 - slow-onset, 24
 - sudden-onset, 24
- “healthy migrant effect”, 224
- heat waves, health impacts, 121
- homesteading, 112
- hot spot analysis, geographical areas, **165**
- households
 - driving migration decisions, 29
 - led adaptations, examples, 23
 - as migration key decision-maker (NELM), 32
 - risk management, mixed method study, 188
 - status, and mobility, 45
- Housing and Urban Development, 151
- hukou, 41
- Hulhumalé, artificial island, 145
- human-caused disasters, 198
- humanitarian visas, environmental disasters, 215
- hundred year flood risks, global exposure, 62
- hundred year floods, discussion, **62–63**
- Hurricane Dorian, 25
- Hurricane Harvey (2017)
 - catastrophic flooding, causes and response, 67
 - impact on subsidized housing, Houston (TX), 61
 - recovery period, 73
- Hurricane Irma (2017), 75
- Hurricane Katrina (2005)
 - displacement, duration, 72
 - evacuation period, 72
 - lessons from, **74**
 - recovery period, 73
 - and temporary migration, 44
 - Vietnamese community, support by, 64
- Hurricane Maria (2017)
 - anthropogenic contribution to features of, 78
 - characteristics, 75
 - Dominica, response and migration pattern, 77
 - household migration response, 77
 - impact on Puerto Rico, 33, 75

- Hurricane Maria (2017) (cont.)
 Puerto Rico to Continental US, study of migration, 75–77
 recovery and reconstruction, 75
 recovery period, 73
 Hurricane Mitch (1998), relocations, 73
 Hurricane Sandy (2012), buyouts, 149
 hurricane ties, use, 61, 62
 hurricanes. *See also* tropical cyclones; *and named hurricanes*
 Caribbean region, likelihood, 69
 deaths in US, 64
 naming of, 70
 Saffir–Simpson scale, sub-classification, 70
 hydrological droughts, 98
 hyper-arid (desert) areas, 96
 hyperthermia risks, 123
- illegal migrants, use of term, **39**
 immigration
 definition, 241
 deterrent, **35**
 rules, violation and enforcement, 41
 and settlement policies, at national level, 214
 immobility. *See also* involuntary immobility;
 voluntary immobility
 climate-related, definition, **6**
 definition, **5**, 242
in situ adaptations
 definition, 242
 households, reactive responses, 67
 and persisting hot/dry conditions, 95
 types, 23, 48
in situ, use of, 66
 incorporation
 acceptance and integration, challenges, **34**
 meaning, **34–35**
 process, **34**
 India, annual droughts, 98
 Indian meteorological agency, storm sub-classification, 70
 Indian Oceans, example of risk concept, 21
 Indigenous knowledge, xiii
 Indigenous peoples, 222–223
 ability to adapt, 222
 climate-related migration, 222
 coastal communities, relocation, 149
 colonial-style removals, 41
 co-production of knowledge, 222
 and cultural heritage, 222
 dispossession of Arctic, 147
 forced displacement to higher
 climate risk areas, 222
 forced movement, and
 adverse mental health, 223
 Great Plains, forcible displacement (1800s), 112
 knowledge use in studies, 185
 MSLR impact, 148
 place attachment, 223
- indigenous settlements (Greater Cahokia),
 abandonment, 12
 individual-led adaptations, examples, 23
 inhabitable atolls, MSLR risks, 136–137
 institutional decision making, siloed approach, 189
 Intergovernmental Authority on Development (IGAD), African free movement agreement, 213
 Intergovernmental Panel on Climate Change (IPCC)
 average global temperature rise thresholds,
 effects, 19
 MSLR projection, 135
 report preparation, **23**
 report summary for policymakers (SPM), **24**
 risk, definition, 21
 role of, 23–24
 standard emission scenarios, 52
 standard terminology, use of, 52
 2023 Synthesis Report, impact on people, ix
 2022 Working Group II Assessment Report, 6
 Internal Displacement Monitoring Centre (IDMC),
 2, 55, 169
 internal displacements, 242. *See also specific agencies and organizations*
 camps, 92
 Hurricane Maria, 77
 IOM data collection, 170
 root cause elimination, 212
 UNHCR estimates, Somalia, 170
 internal migration
 definition, 242
 future estimate, gravity models, 180
 rates, 100, 163
 Internally Displaced Persons (IDPs), 205
 definition, 208
 definition, Kampala Convention, 212
 displacement protection, 208
 humanitarian assistance, right to, 208–210
 international agreements, non-binding, **200**
 International Civil Aviation Organization, passport standards, 39
 International Convention on the Protection of the Rights of All Migrant Workers and Members of Their Families, **209**
 International Covenant on Social and Political Rights, 206
 International Federation of Red Cross and Red Crescent Societies, 196
 International Food Policy Research Institute (IFPRI),
 climate/disaster-related data, 170
 international human rights agreements, **209**
 international human rights decisions, xii
 international law, states' immigration rights, 39
 international migration
 Bangladesh restrictions for women, 218
 definition, 242
 effects of droughts on, 175
 extreme weather events, 183
 gender differences, 219
 growing feminization, 217

- and increasing temperature, 125
- patterns, changing, 105
- policy issues, 206
- post-floods, 89
- restrictions, 31
- International Organization for Migration (IOM), 2, 169, 196
- intersectionality concept, **221**
- intertropical convergence zone (ITCZ), **88**
- Inuit settlements
 - expansion during MWP, 10
 - Little Ice Age impact on, 12
- involuntarily immobile, **83**
- involuntary displacements. *See also* displacements
 - by climate-related disasters, xii
 - and compacts, xii
 - and immobility, xii
 - global, 1
 - global assessment, diagnostic steps, 58
- involuntary immobility, xii, 5, 190, 199
 - definition, 47
 - SDG goals, 201
- involuntary migration, **5**, 242
- involuntary non-migration. *See* immobility
- IPUMS, climate-related migration data, **171**
- irregular migration, **39**, 106, 242
- ITCZ (intertropical convergence zone), **88**
- Jakarta, increasing flooding exposure, 60
- Kampala Convention, 212
- key terms, climate-related definitions, **4–6**
- Kyoto Protocol, **200**
- Kyoto Protocol (3rd COP), 193
- La Niña phase, **10**
- landslide risk, cyclone duration, 69
- large scale movements, due to MWP, 9–11
- “Laws of Migration, The” (Ravenstein), **27**
- Least Developed Countries (LDCs), 197
- Little Ice Age, impact examples, 11
- logistic regression, 177
- Loss and Damage Fund (COP, 2023), 3
- Loss and Damage Fund (COP 28, 2022), 197
- Loss and Damage Fund (UNFCCC), 161
- low elevation coastal zone, 141
- MacArthur Foundation, **210**
- machine learning (ML), 178–180, 242
 - complexity and interpretability, 179
 - examples, 179
 - machine learning, complexity and interpretability, 179
 - random forest algorithm, 179
- macro-level processes, driving migration decisions, 28, 29
- mainstreaming, 214
- maladaptation, 242
- Maldives, flooding protection actions, 22
- Mali empire collapse, 12
- managed retreat, 147, 151. *See also* planned relocations
 - definition, 242
- mangroves
 - coastal settlement protection, 58
 - importance, **139**
 - Tampa (FL), 139
- Manila, increasing flooding exposure, 60
- marriage-related migration, 36
- masculinity, and migration decisions, **218**
- Mauna Loa (HI), weather observatory, 17
- Mayan empire, MWP impact on, 11
- Mayors Migration Council, 215
- mean sea level changes, physical processes
 - causing, 132–134
- mean sea level rise (MSLR)
 - Arctic air, positive feedback loop, 134
 - Arctic Ocean ice sheets, effect on, 134
 - Atoll states protective infrastructure, cost, 145
 - autonomous relocation and trapped population, 159
 - Bangladesh, climatic risk, 160
 - causes, 131
 - coastal areas at flooding risk, population estimation, 142–144
 - coastal areas impact, categories, 137
 - and coastal habitability, 131
 - coastal marshes and mangroves, loss, 138
 - coastal permafrost erosion, 138
 - committed warming, 135
 - dams and reservoirs, large-scale construction, 134
 - elevation above sea level, 141
 - erosion rates, impact on, 138
 - extreme sea level, 135
 - flood risk, exponentially growing, 138
 - and GHG emission control, 134
 - glacier meltwaters, 133
 - hazard types, construction of, 142
 - high-end scenario, low GHG emissions, 135
 - in situ* adaptation options, 144–146
 - key factors in risk estimation, 140–142
 - key phenomena for, 133
 - Maldives, protective infrastructure, 145
 - people protection, engineered infrastructure, 147
 - physical impacts, economic toll, 140
 - planned relocation, 147
 - planned relocations, categories of challenges, 149–154
 - protective infrastructure, building construction, 146
 - protective infrastructure, cost, 145
 - protective infrastructure, nature-based solutions, 145
 - rate of post-glacial isostatic rebound, 135
 - relocations, government-initiated, 149
 - risk, and population changes, 142
 - saltwater intrusion, into coastal groundwater reserves, 140
 - school on stilts, Grand Isle (LA), 146
 - thermal expansion, 134
 - underground water tables, rising, 140

- Medieval Warm Period (MWP)
 Anasazi cliff dwellings, impact on, 11
 in Asia, 11
 global impact, 9–11
 impact on Mayan empire, 11
 meteorological droughts, classification, 98
 meteorological elements, **8**
 methane (CH₄), 18
 atmospheric concentration, rise of, 18
 emissions, anthropogenic sources, 18
 infrared radiation interference, 14
 Mexican Migration Project, researcher's survey, 171
 Mexican workers, undocumented. *See under* drought
 migration responses
 migrant agency
 climate-related migration within, 207
 gendered influences, 219
 migrants
 categories, labels of, 27
 definition, **5**
 international networks, 33
 in Okie-towns, **34**
 retirees, **122**
 smuggling organizations, caravans, 41
 undocumented, **39**
 migration. *See also* climate-related migration
 as adaptation, 23, 48
 amenity-seeking, **122–123**
 background, 103
 to California (1930s) and integration, **34**
 categories, labels of, 27
 circular, 101
 and climate hazards, relationship, 163
 colonialism, legacies, 41
 connected processes, 48
 and culture, relationship, 35–36
 cultural influences, 35–38
 decisions, changes over life course, **37**
 decisions, gradual hazards in low- and middle-income countries, 96
 definition, 1, **4**, 26, 242
 desertification, cause for, **120**
 and drought, relationship (studies), 163
 during Great Depression (1930s), 31
 economic processes influencing, 30–32
 environmental influences, 44
 environmental influences, non-climatic, 42–44
 forced, 241
 gender-related, 37
 government influences, policies and practices, 41
 government regulations, 38
 due to hazard event combinations, 96
 household decision characteristics, 45
 human implications, 26
 irregular, **39**
 and life stage, underlying reasons, 36
 location and technology attraction, 43
 long- and short-term, 44
 long distance, rural drylands, 101
 macro-level processes, household decisions, 45
 management, international collaboration, 206
 marriage-related, 36
 normal, 103
 outcomes, diversity of, 28
 potential vs. higher levels of, 68
 and risk association, 26
 rural-to-urban, **37**
 rural-urban, drivers, 30
 seasonal flood-related, Asia, 87
 shift and air conditioning, **122**
 social networks, benefits, 33
 or stay, agency and decision, 46–47
 temporal and spatial characteristics, **29**
 threshold of dissatisfaction, 231
 youths, motivation, 36
 migration behavior
 NELM, 32
 political factors and processes influencing, 38
 migration decision-making process, outcomes, 47
 migration decisions
 context specific economic considerations, 31
 macro-level processes driving, 29
 social and economic considerations, 33
 migration patterns
 changes, gradual hazard events, 95
 and educational opportunities, 38
 influences on, 30–31
 migration processes, function of, 26
 migration research, origins of modern, **27**
 migration response, main dryland regions
 Africa, 103
 background migration, 103
 migration scholarship, “add and stir” approach, 220
 migration-as-adaptation, 242
 Milankovitch cycles, 8
 mitigation, 242
 mobility
 definition, **4**, 242
 government regulations, 38
 and statelessness, **40**
 modeling, weather events. *See also* agent-based
 modeling (ABM)
 climate change and migration,
 variety of results, 165
 climate-migration dynamics, 176
 environmental migration, 176
 future climate change data, 166
 GCMs, 174
 gravity models, 180–181
 internal migration, future estimate, 180
 migration response, Burkina Faso, 182
 MSLR projections, 141
 multinomial models, 177
 OLS regression, 177
 prediction and projection, 165
 projection of future, scenarios, 166
 regression analysis, 176
 simulation model, Bangladesh, 182

- slow-onset climate hazards, data sources, 24
- slow-onset data sources, 162
- monsoonal climates, Aridity Index, 97
- monsoonal precipitation
 - cycle, and crop cultivation, 87
 - regimes, flooding, 86
- monsoons, types and drivers, **88**
- multicultural communities, **34**
- multinomial models, 177
- MWP, Scandinavian Norse (Vikings) migration, 10
- Myers, Norman, on environmental unknowns, 234
- NAFTA (North American Free Trade Agreement),
 - Mexican citizen work permits, 31
- named storms, sub-classification, **70**
- Nansen Initiative, **210**
- Nansen, Fridtjof, **211**
- “nationally determined contribution” (NDC), under
 - Paris Agreement, 195
- national adaptation plans (NAPs), under NfCCC, 214
- national governments, flexible immigration
 - channels, 214
- natural gas (methane), 18
- natural hazards, 24
 - exposure rates, minority- and gender-related, 63
 - research of storm impacts, regional contrasts, 64
- nature-based solutions, protective infrastructure, 145
- new economics of labor migration (NELM), 32
- New York Declaration for Refugees and Migrants (2016), 207
- New Zealand mudslides, 58
- nitrous oxide (N₂O)
 - atmospheric concentration, sources, 18
 - infrared radiation interference, 14
- nomadic pastoralism, 100
- non-climatic hazards, 25
- non-refoulement, principle of, **206**
- normal flooding, 86
- North American Free Trade Agreement (NAFTA),
 - Mexican citizen work permits, 31
- Norwegian Refugee Council, 55
- oceans. *See* sea level changes; sea surface temperatures
- OECD Migration Database, 169
- Okie-towns, **34**
- ordinary least squares (OLS) regression model, 177
- Organisation of African Unity (African Union), 211
- Organisation of Eastern Caribbean States (OECS),
 - freedom of movement agreements, 213
- outdoor work, and high temperatures, 124
- out-migration, reasons, 68
 - out-migration, and extreme heat event, 121
- Pakistan, temperature and migration, correlation, 163
- Palmer Drought Severity Index (PDSI), use, 99
- pandemics, 198
- Paris Agreement (2015), xi, 19, 195
- pastoral livelihoods, geographical areas, 101
- pastoralism, 100, 242
- pastoralist lifestyle, and integration, 36
- pastoralists, and risk of climate change, 101
- people movements
 - climate-related reasons for increasing, 2–3
 - individual’s decision factors for, 28
 - reasons for, 27–28
- People’s Republic of China
 - floating population, 41
 - household registration (*hukou*), 41
- PET (potential evapotranspiration rates), 96
- photosynthesis
 - seasonal effects, 17
- photosynthesizing phytoplankton, carbon sink, 17
- Pineapple Express, **93**
- place attachment
 - Indigenous peoples, 223
 - measurement of, **83**
 - in post-disaster decision-making, importance, **83**
- Planned Relocation Guidelines (PRG), 156
- planned relocations, 48, 147
 - decision makers, 152
 - definition, 243
 - financial costs, 149–151
 - legal and organizational challenges, 151–153
 - social and economic implications, 153
- Platform on Disaster Displacement, 196, **211**
- policy considerations, national level, 214–216
- policy making, siloed approach, 189
- populations
 - geographical expansion and climate change
 - process {climatic?}, 7
 - movement controls, in-state, 41
 - trapped, **47**
- post-disaster scenario, reconstruction, 152
- potential evapotranspiration rates (PET), 96
- precipitation-induced mudslides, in
 - low-income countries, 90
- pre-emptive approach, hazard protection, 152
- pre-industrial period, definition, **55**
- pre-industrial temperatures, 18
- protocols, **200**
- push and pull
 - concept (Ravenstein), **27**
 - factors, **6**
- p-values, statistics, **164**
- radiative forcing, RCP numbers, **53**
- rapid-onset event, 243
- rapid-onset hazards, 24
- “ratcheting up” process, Paris Agreement (2015), 195
- Ravenstein, E. G., **27**
- RCP 2.6, IPCC low-emission scenario, 52, **53**

- RCP 2.8, IPCC high-emission scenario, 52, **53**
- recipient cities, 226
- recovery period, 73
- reef-building corals, sensitivity to ocean temperatures, 136
- refugees
 - claimants, **205**
 - definition, 243
 - definition in *Cartagena Declaration*, 213
 - refugees and climate change, interaction studies (UNHCR), 204
 - treatment of, 204
 - UN definition, 203
- regression analysis, **177**
- regression analysis models, climate-related migration, 176
- regression-based analysis methods, 178
- relocation, 243
- relocation costs, funding sources, 150
- remittances
 - adaptation facilitation, 26
 - Bangladeshis, abroad, 160
 - climate hazard responses, 32
 - definition, 243
 - household status, 36
 - importance of, **32**
- representative concentration pathways (RCPs)
 - additional warming by 2100, **53**
 - future climate change, data for modeling, 166
- resilience
 - development, 207
 - housing, 62
 - investments in, 199
 - wildfires, 127
- retiree migrants, number estimates, **122**
- return migration
 - definition, 243
 - to family farms, 115
 - Hurricane Maria, after, 73, 76
 - Nepal, 108
- risks
 - climate-related, intersection of key components, 21, 22
 - climate-related, key components, 21
 - definition, 21, 243
 - displacement, 85
 - estimation key factors, 140–142
 - exposure, key factors, 84
 - extreme weather, 51
 - to humans, 48
 - and migration association, 26
 - response decisions and revisions, 50
 - wildfires, 127
- rural drylands, long distance migration, 101
- rural-out migration, poverty driven, 87
- Saffir–Simpson scale, **70**
- scale of analysis, 164
- Schengen Agreement* (European Union), 31, 213
- sea level changes. *See also* mean sea level rise (MSLR)
 - climate change-related rise, 58
 - definition, 243
 - ice and interglacial periods, 133
 - MWP, Europe, 9
 - physical processes causing, 132–134
 - rate of rise, 19
- sea salinity, and agricultural productivity, 140
- sea salinity, increasing, 131
- sea surface temperatures
 - anthropogenic warming and, 78, 131
 - average global, rise in, 78
 - and Coriolis effect, 69
 - cyclone formation, 69, 78
 - La Niña effect, 10
 - rise, due to GHGs, 131
 - threshold, 231
- seasonal droughts (India), 98
- seawater acidity, 131
- self-reported climate data, 173
- semi-arid areas, 96
- Sendai Framework for Disaster Risk Reduction, **191**, 198–199, 206
- settlement patterns, historical, 7
- sex and gender, differences, **218**
- Shared Socio-economic Pathways (SSPs), 141
- significance threshold, statistics, **164**
- siloed approach, policy and decision making, 189
- Sixth Assessment Report (AR6), xiv, **23**
- slope failure risk, forest clearance, 58
- slow-onset climate hazards, 24. *See also*
 - climate hazards
 - data sources and modeling, 162
 - migration, *Groundswell* reports, 181
 - US federal government non-support, 148
- snowbird migration, 43
- snowbirds, **122**
- socio-economic drought, characteristics, 98
- socio-economic pathways (SSPs), 166
- solar energy, effects of temporary variations, 9
- Sonoma County wildfire (CA, 2017), 129
- SSP/RCP scenarios, and high wet bulb temperature, 124
- SSPs (Shared Socio-economic Pathways), 141
- Standard Operating Procedures (2020), 156
- Standardized Precipitation Evapotranspiration Index (SPEI), use, 99
- stateless, reasons, **40**
- statements of intentions, **200**
- statistical significance, **164**
- storms. *See also* extreme storms
 - climate change effects on, **81**
 - damage, home construction susceptibility to, 61
 - displacement and migration process, 71–73
 - evacuation alerts and orders, stage one, 72
 - recovery period, stage three, 73
 - temporary displacement, stage two, 72–73
- stratospheric ozone depletion, and CFC production curb, 236

- sudden-onset hazards, 24
 Sun Belt states migration, 44
 super typhoons, 70
 supercells, formation, 79
 surveys, biases and errors, 175
 sustainable development, 200
 Sustainable Development Goals (SDGs), **198**, 201
 focus areas, UN set, 202
 pathways to achieve targets, 201–203
 synergistic outcomes, threshold effect (Myers), 234
- Task Force on Displacement (UNFCCC),
 members, 191
- temperature anomaly, definition, 18, **55**
- temperatures, average
 above, and drought risk, 52
 during MWP, 9, 11
 increase, due to rising GHGs, 18
 pre-industrial, 19
 rising, slow-onset hazard, 24
- temperatures, excessively hot
 adaptation responses, 125
 energy demands, 125
 and migration, 124
 socio-economic impacts, 125–126
- temporary migration
 Africa, 104
 definition, 244
 flood damages, 89
 Vietnam, 173
- Temporary Protected Status (TPS), climate-related
 displacement, 214
- Thames Barrier (London, UK), cost, 144
- Theory of Planned Behavior (TPB), 183
- thermohaline circulation, abrupt shutdown, 234–235
- threat multiplier effect, 119
- threshold effects (Myers), 234
- threshold of dissatisfaction, 231
- Tornado Alley, 62, 79
- tornadoes. *See also* derechos; storms
 areas of formation, 79
 characteristics, 79
 climate change effects on, **81**
 death rates (US), 62
 demographic characteristics, 82
 housing units in exposed areas, rising rate, 81
 long term effects, on area population, 82
 media attention, 82
 Moore, OK, **83**
 size and duration, 80
 and supercells, 79
 warning time, 80
- transhumance pastoralism, 100
- transnational communities, 33
- trapped populations, 47. *See also* immobility
 definition, 244
 and MSLR, 159
- tropical cyclones. *See also* hurricanes; typhoons
 anthropogenic climate change, effects on, **78**
 categorization and nomenclature, **70–71**
 categorization scales, 70
 conditions for, 69
 death rates, 65
 extreme events, for communities, 71
 formation, **78**
 migration/displacement patterns, stages in, 71–73
 naming of, **70**
 path, chance of being in, 69
 regions exposed to, path map, 71
 sub-classification, **70**
 tropical storms, classification, 70
 2021 Working Group I Report sudden
 on-set events, 52
 2022 IPCC Working Group II Assessment Report, 55
 Type 1 error, statistics, **164**
 typhoons, 70
 categorization scales, 70
 naming of, **70**
 super, 70
- UN Convention to Combat Desertification, on risk
 of desertification, 98
- UN Department of Economic and Social Affairs
 (DESA)
 Population Division, demographic projections, 141
 population growth, plateauing, x
- UN Development Programme (UNDP), 196
- UN Global Compact on Migration, 196
- UN Office for the Coordination of Humanitarian
 Affairs, internal displacement data, 170
- UN Refugee Convention, **200**
- UN Sustainable Development Goals, x
- undocumented migrants, **39**
- UNHCR Refugee Data Finder, 168
- United Nations 1951 Refugee Convention
 change of, impracticality, 204
 IDPs, protection, 208
 refugee and asylum claimants, **205**
 refugee definition, 203
- United Nations Convention Relating to the Status of
 Refugees (1951), **5**, 240
- United Nations Environment Programme
 (UNEP), creation of IPCC, **23**
- United Nations Environment Programme
 report (1985), 117
- United Nations Environment Programme
 report (2008), on Darfur drought, 117
- United Nations Environment Programme,
 Aridity Index, 96
- United Nations Framework Convention on
 Climate Change (UNFCCC), 3, **6**
 challenges, 192
 climate-related loss and damage funds,
 low-income countries, 197
 COP23 (2017), 193
 facilitate adaptation actions, 192
 GHG emission mitigation actions, 192
 international climate policy aspects, 191

- UNFCCC (cont.)
 - Kyoto Protocol (3rd COP), 193
 - Loss and Damage fund, 151
 - Loss and Damage fund (2022), Bangladesh, 161
 - objective, 192
 - signatories, 192
 - terminology, negotiation process, 52
 - Cancun COP (2010), adaptation priority, 194
 - Warsaw COP (2013), executive committee tasking, 195
- United Nations High Commissioner for Refugees (UNHCR), **39**, 169, 196
- Universal Declaration of Human Rights (UDHR), key agreements, **209**
- Universal Declaration of Human Rights (UN), 208
- University of Neuchâtel, xi
- unknown unknowns, research and discovery in climate change, 237–238
- urban drought risk, **115–116**
- US Army Corps of Engineers, 151
- US Census and American Community Survey reports, **171**
- variables, temporal connections, 172
- vegetative (agricultural) droughts, 98
- volcanic activity fluctuations, effects on global climate, 9
- voluntary immobility, 5. *See also*
 - immobility; involuntary immobility
 - definition, 46, **83**
 - paradox of, place attachment, **83**
 - place attachment, 223
- voluntary migration, xii, 47, 244
- vulnerabilities
 - definition, 21, 244
 - population groups to extreme weather, 64
- vulnerable cities, 226
- warming trajectories, importance of future, 19
- Warsaw COP (2013),
 - executive committee tasking, 195
- Warsaw International Mechanism, 195
- Warsaw International Mechanism for Loss and Damage, 195
- water vapor as a GHG, 16
- weather and climate, distinction, **8**
- weather events, extreme
 - amplifying factors, 64
 - death rates, severe storms, 64
 - definition, 241
 - definition, difficulty of, **60**
 - displacement/migration, factors for growing, 68
 - effects on low- and middle-income populations, 59
 - effects on people, 51
 - global displacement risk, diagnostic steps, 58
 - hazard exposure rates, people, 62
 - high- and low-income countries, impact contrast, 65
 - homes lost or damaged, and relocation, 60
 - household migration decisions, 68
 - impact types, 68
 - increase, consequences, 53
 - residential location patterns, and risk, 59
 - rich and poor neighborhoods, contrast of impact, 60
 - rise, and rates of population increase map, 56, 57
 - and risk of involuntary displacement, 58
 - and social inequality, 62–63
 - socio-economic consequences, 51
 - vulnerabilities to, of population groups, 64
- weather, definition, **8**
- wet-bulb thermometer, measurements, 123
- wet-bulb 35°C threshold, 123–124
- wetlands filling, and flood risks, 58
- White House, climate change implications for migration study, 214
- wildfires
 - air pollution, 127
 - and average temperature rise, 230
 - “Black Summer” (Australia), displacements, 130
 - displacement dynamics, 127
 - displacement risks, areas of great, 127
 - displacements in low-income countries, study, 130
 - effects on migration and borrowing, 129
 - Fort McMurray (Alberta, Canada),
 - displacement study, 128
 - future risk elevation, factors, 127
 - as migration drivers, 126
 - resilience, 127
 - temporary vs. long-term displacement,
 - studies, 128–130
 - and vegetative cover, rejuvenation and revitalization, 126
- World Bank, **198**
 - hundred-year flood risk study, 62
 - people displacement projection by 2050, x, 2
- World Bank Global Bilateral Migration Database, 169
- World Commission on Environment and Development, 200
- World Meteorological Organization (WMO)
 - definition of weather, **8**
 - meteorological systems,
 - improved access, 65
 - storm naming protocols, oversight, **70**
- Yangtze River Basin, case study of changing flood risks, 92–93
- YOUNGO (Children and Youth Constituency of the UNFCCC), 196
- youth migration, motives, 36