

Index

- alternative treatment, catatonia
 amantadine and memantine,
 105–106
 ketamine, 106
 rTMS, 106–107
 amantadine, 105–106
 Andral, Gabriel, 2
 anti-gamma-aminobutyric acid
 A (GABA-A) encephalitis
 and catatonia
 background, 126–127
 clinical manifestations, 127
 anti-N-methyl-D-aspartate
 (NMDA) receptor
 encephalitis and catatonia
 autonomic symptoms, 125
 background, 124
 clinical manifestations,
 124–125
 MRI and, 125
 treatment, 125–126
 antipsychotics, 103–105
 anxiety and catatonia, 62–63
 autism and catatonia, 39–42
 benzodiazepines
 catatonia and schizophrenia,
 99–100
 dependency, 99
 efficacy, 97, 99
 lorazepam, 97–99
 bipolar disorder (BD),
 21–22
 Bleuler, Eugen, 11
 brain networks, catatonia
 motor concept, 139–140
 MRI and, 136
 neuroimaging studies,
 135–136
 psychomotor and motor
 concept summary
 table, 140
 psychomotor concept,
 136–139
 Bräunig, P., 50
 Bräunig Catatonia Rating Scale
 (BCRS), 79, 80
 Bumke, Oswald, 12
 Burrows, George Man, 1
 Bush-Francis Catatonia Rating
 Scale (BFCRS), 79, 80, 139
 Bush-Francis Catatonia
 Screening Instrument
 (BFCSI), 79, 80
 case reports, catatonia
 Mr. A, 30–33
 Mr. G, 39–42
 Mrs. L, 33–36
 Mrs. T, 37–39
 Ms. A, 42–44
 catatonia
 case studies, 30–45
 critiques, 67–68
 epidemiology, 47–55
 general population studies,
 50–51
 withdrawal induced,
 104–105
 catatonia, affective changes
 anxiety, 62–63
 coma, 65
 decision-making
 ambivalence, 65
 denudativeness, 65
 incontinence, 65
 moaning, 64
 catatonia, behavioral
 changes, 68
 catatonia, conceptual
 frameworks
 motor concept, 22–23
 psychomotor concept, 21–22
 Wernicke-Kleist-Leonhard
 (WKL) school, 23–24
 catatonia, diagnosis
 clinical rating scales, 79–81
 CT scans, 90
 EEG, 88–89
 lorazepam challenge test
 (LCT), 82–85
 MRI, 89–90
 pathophysiology, 85–87
 catatonia, DSM diagnostic
 criteria, 25
 catatonia, DSM subtypes
 catatonia due to another
 medical condition, 25
 catatonia specifier, 25
 unspecified, 25
 catatonia, history, nineteenth
 century
 classification system, 10–11
 early catatonia descriptors, 7
 before Kahlbaum, 1–3
 catatonia, history, twentieth
 century
 affective disorders, 12–13
 classification system, 13–15
 decline with
 psychopharmacotherapy
 use, 48
 as independent diagnostic
 entity, 13–15
 overview, 14
 as syndrome, 15–16
 catatonia, management
 basic principles, 95–96
 GABAergic agents, 96–100
 pathophysiology, 95
 catatonia, outcomes
 contemporary research,
 118–119
 historical research, 115–118
 research summary table, 120
 catatonia, research challenges
 classification problems,
 47–48
 genuine versus medication-
 induced movements, 47
 narrow definition, 49–50
 prevalence complications, 47
 subjective symptom bias, 47
 catatonia, subtype classification
 catatonia schizophrenia, 69
 classic, 69
 critical illness, 69
 delirium, 69
 malignant, 69
 medical disorder, 69
 medication or substance
 induced, 69
 periodic, 69
 catatonia, treatment
 algorithm, 98
 alternative therapies,
 105–107

- catatonia, treatment (cont.)
 - antipsychotics, 103–105
 - ECT, 100–103
 - international guidelines, 109
 - special cases, 107–109
- catatonia and mania, 50
- catatonia and schizophrenia
 - classification, 69
 - ECT, 102–103
 - Gelenberg on, 49
 - lorazepam treatment, 99–100
 - van der Heijden on, 52
- catatonia due to another medical condition (CAMC), 109
- catatonia phenomenology
 - importance of
 - psychotherapy to prevent relapses, 36
 - interrelation between catatonic and psychotic symptoms, 33
 - nihilistic delusions, 39
 - schizoaffective psychosis, 44
- catatonia research, future
 - digital mental twin (DMT) assessment, 147
 - early recognition strategies, 145–146
 - ecological momentary assessment (EMA), 146–147
 - environmental risk factors, 148–149
 - incorporation of lived experience patients, 149–150
 - magnetic resonance spectroscopy (MRS), 148
 - multimodal neuroimaging fusion analysis, 147–148
 - open-source databases, 151
 - psychotherapy, 148
 - somatic and medical disorders, 144–145
 - spatiotemporal psychopathology (STPP), 150–151
 - systematic research framework, 151
- clinical rating scales, catatonia
 - Bräunig Catatonia Rating Scale (BCRS), 79
 - Bush-Francis Catatonia Rating Scale (BFCRS), 79
 - Bush-Francis Catatonia Screening Instrument (BFCSI), 79
 - Catatonia Quick Screen (CQS), 79
 - Kanner Scale, 82
 - Modified Rogers Scale (MRS), 81
 - Northoff Catatonia Rating Scale (NRCS), 79
 - Rogers Catatonia Scale (RCS), 81
- clozapine
 - efficacy, 104
 - withdrawal induced catatonia, 104–105, 107
- creatine phosphokinase (CPK), 86–87
- CT scans, 90
- cyclical insanity, 5–6
- deep vein thrombosis (DVT)
 - catatonia and, 74–75
 - treatment, 75–75
- delirium and catatonia, 69, 72, 145
- depression and catatonia, 82
- diagnostic challenges, catatonia
 - prevalence complications, 47
 - psychopathology, 69–70
- digital mental twin (DMT)
 - assessment, 147
- dopamine receptors
 - antagonists and partial agonists, 103–105
- dopamine-2-receptor (D2 R)
 - antibody-positive encephalitis and catatonia background, 127–128
 - incidence, 127
- DSM-5, catatonia, catatonia and schizophrenia, 11–12
 - classification pros and cons, 25–26
 - diagnostic criteria, 25
 - MRS research study, 82
 - subtypes, 25
- dystonia and catatonia, 69
- ecological momentary assessment (EMA), 146–147
- electroconvulsive treatment (ECT), catatonia
 - catatonia and schizophrenia, 102–103
 - efficacy, 100, 102
 - geriatric, 101
 - organic catatonia, 101–102
 - outcomes study, 117–118
 - pediatric, 100
 - scope of disorders, 103
 - timing, 102
- electroencephalography (EEG), catatonia
 - abnormalities versus outcomes, 88
- catatonia pathophysiology, 88–89
 - challenges, 89
 - future research using, 148
 - medical versus psychiatric diagnosis, 88
 - relevance of, 88
- encephalitis and catatonia
 - D2 R antibody-positive, 127–128
 - GABA-A, 126–127
 - NMDA receptor, 124–126
 - pathogenesis study, 123
 - pathophysiology, 123–124
- encephalitis and catatonia, clinical signs
 - autoimmune pathways, 129
 - background, 128–129
 - misdiagnosis dangers, 129–130
 - red flags, 129
 - yellow flags, 129
- epidemiology, catatonia
 - current incidence and prevalence research, 50
 - early incidence and prevalence research, 48–50
 - incidence and prevalence research in geriatric and pediatric populations, 53–54
 - research challenges, 47–48
- excited/agitated catatonia, 107, 108
- extrapyramidal symptoms (EPS) and catatonia, 81

- febrile catatonia, 15
free water imaging, 148
- GABAergic agents and catatonia, 96–100
Gelenberg, A. J., 49
gender prevalence, catatonia, 53
general population prevalence, catatonia research, 50–51
geriatric catatonia prevalence, 54
Griesinger, Wilhelm, 3
- Haase, Wilhelm Andreas, 1
Hecker, August Friedrich, 2
Hecker, Ewald, 6–8
hyperkinetic motor features, 23
hypokinetic motor features, 23
- ICD-11, catatonia, catatonia and schizophrenia, 11–12
pros and cons, 27
subtypes and signs, 26–27
intellectual disability and catatonia, 69
- Kahlbaum, Karl Ludwig
catatonia distinct diagnostic entity, 8–9
catatonia forms, 9
mental disorders nosology, 6
neuromotor stimulation phenomena, 9
outcomes and prognosis, 115
patient outcomes, 8
psychiatric illness as distinct entity, 10
psychomotor term usage, 3
trigger situations, 9–10
Kanner Scale, 80, 82
Kendell, Robert, 47
ketamine, 106
Kirby, Georg Hughes, 13
Kleist, Karl, 13
Kraepelin, Emil
catatonia and schizophrenia, 10–11
catatonia outcomes, 116–117
Kraft-Ebbing, Richard von
biography, 3
clinical and scientific work, 4
cyclical insanity, 5–6
organic basis for psychiatric disorders, 3–4
- psychomotor term usage, 4, 5
sexuality research, 3
stupor description, 5
- Leonhard, Karl, 13–15, 50
lorazepam, 97
lorazepam challenge test (LCT)
administration routes, 85
algorithm, 83
background, 82–84
early response predictor, 84
effectiveness studies, 84, 85
pediatric value, 85
- machine learning (ML), 138
magnetic resonance imaging (MRI), catatonia
functional, 136
NMDA receptor encephalitis, 125
prevalence, 89–90
relevance of, 89
structural, 136, 138
magnetic resonance spectroscopy (MRS), 147–148
major depressive disorder (MDD) and catatonia, 21–22
malignant catatonia
antipsychotics, 105
catatonia subtype, 69
treatment, 107
memantine, 105–106
mental disorders and catatonia, 51–53
Modified Rogers Scale (MRS)
description, 81
research studies, 80, 81–82
Morrison, James R., 117
motility psychosis, 115–116
motor concept, catatonia
Abrams and Taylor research, 48–49
brain studies, 139–140
definition, 139
imbalance, 65
markers, 140
NCRS, 66
neurobiology, 23
versus psychomotor concept, 23
symptom types, 23
multimodal neuroimaging
fusion analysis, 139
- neurite orientation dispersion and density imaging (NODDI), 148
neuroinflammation and catatonia
most frequent conditions, 123
pathogenesis, 123
neuroleptic malignant syndrome (NMS) and catatonia, 69
NMDA receptor antagonists, 105–106
Northoff Catatonia Rating Scale (NRCS)
affective, 65–68
behavioral, 68
definition, 79
history, 136–137
motor, 68
overview, 80
- organic catatonia, 101–102
- parakinesia, 23
Parkinson's disease and catatonia, 69
pathophysiology, catatonia
acute-phase response, 85–86
cerebrospinal fluid, 87
cortical modulation by other networks, 22
elevated CPK, 86–87
encephalitis and, 123–124
global cortical activity, 22
low iron levels, 86
management and, 95
subcortical modulation, 22
systemic inflammation and psychiatric disorders, 87
thyroid dysfunction, 87
pediatric catatonia prevalence, 53–54
periodic catatonia, 23–24, 69
prevalence, catatonia
diagnostic challenges, 47
early research, 48–50
gender, 53
general population, 50–51
geriatric and pediatric population, 53–54
MRI and, 89–90
patients with mental disorders, 51–53
underdiagnosis, 54–55

- psychomotor concept,
 catatonia
 affective symptom
 incorporation, 21–22
 bipolar disorder (BD), 21–22
 definition, 21, 136
 history, 21
 major depressive disorder
 (MDD), 21–22
 versus motor concept, 22
 schizophrenia and, 21–22,
 137–138
 psychomotor concept,
 catatonia pathophysiology
 cortical modulation by other
 networks, 22
 global cortical activity, 22
 subcortical modulation, 22
 psychopathology, catatonia
 diagnostic challenges,
 69–70
 differential diagnosis, 70–73
 future development
 research, 145–146
 signs, 59–69
 somatic complications,
 73–74
 subtypes, 68–69
 psychosis and catatonia
 current research, 119
 motility psychosis, 115–116
 phenomenology, 44
 psychotherapy
 future research using, 148
 importance of, 36
 Raecke, Julius Karl August, 116
 Richter, Hermann Eberhard,
 2–3, 137
 Rogers Catatonia Scale (RCS),
 80, 81
 Rosebush, 49–50, 61
 schizophrenia and catatonia
 catatonia psychomotor
 concept, 21–22
 extrapyramidal symptoms
 (EPS), 81
 SMA hyperperfusion, 140
 structural MRI study, 138
 schizophrenia and catatonia,
 19th century
 Bleuler on, 11
 classification system, 11–12
 Kraepelin on, 10–11
 Schneider, Kurt, 15–16
 signs, catatonia
 affective, 65–68
 behavioral, 68
 lack of understanding
 around, 65–67
 motor, 66
 posturing, 60
 summary, 61–62
 variation in, 59
 somatic complications,
 catatonia
 deep vein thrombosis
 (DVT), 74–75
 low iron levels, 75
 need for future research, 145
 refusal to eat or drink, 73
 summary table, 74
 urinary tract infections
 (UTIs), 75
 spatiotemporal
 psychopathology (STPP),
 150–151
 Spurzheim, Jhann Gaspar,
 1–2
 Stauder, Karl Hermann, 15
 Stöber, G., 53
 structural MRI
 definition, 136
 ML and, 138
 multimodal neuroimaging
 fusion analysis, 139
 subjective experience
 case report insights, 44
 future research using, 148,
 149–150
 system catatonias, 24
 systemic lupus erythematosus
 (SLE) and catatonia, 123
 transcranial direct current
 stimulation (tDCS),
 106–107
 transdiagnostic approach,
 catatonia treatment, 44
 urinary tract infections
 (UTIs), 75
 van der Heijden, 52
 Wernicke–Kleist–Leonhard
 (WKL) school
 diverse catatonia
 manifestations, 24
 etiopathophysiological
 model, 23
 genetics, 24
 periodic catatonia, 23–24
 system catatonias, 24
 therapy, 24
 Wilmanns, Carl, 12, 15