

Index

- 3-in-1 block, 133
- 3rd National Audit Project, 64, 435
- 4th National Audit Project, *See* NAP 4
- 5-HT, *See* 5-hydroxytryptamine
- 5-HT receptors, 273
- 5-hydroxytryptamine, 6, 272
 - cardiovascular effects, 274
 - CNS effects, 274
 - gastrointestinal system, 274
 - genitourinary system, 274
 - receptors and sub-types, 273
 - respiratory system, 274
 - synthesis and metabolism, 273
- 5-hydroxytryptamine receptors
 - 5-HT1A receptor, 216
 - 5-HT1B and 5-HT1D receptors, 273
 - 5-HT1E and 5-HT1F receptors, 273
 - 5-HT2A and sub-types A, B and C, 273
 - 5-HT2C receptor, 273
 - 5-HT3 receptor, 273
 - 5-HT4 receptor, 273
 - 5-HT6 receptor, 239
 - 5-HT7 receptor, 257
 - 5-HTA and 5-HTB receptors, 274
- 5th National Audit Project, 482
- 6th National Audit Project, 303, 358, 458
- AAGA, *See* accidental awareness during general anaesthesia
- abciximab, 369
- abdominal compartment syndrome, 30, 238
- abdominal viscera, 87
 - blood supply, 87
 - abdominal wall, 95
 - acarbose, 426
- accidental awareness during general anaesthesia
 - enzyme induction, 482
 - explicit and implicit, 482
 - incidence, 482
 - incidence associated with NMBDs, 483
 - psychological sequelae, 483
 - risk factors, 482
- ACE inhibitors, 160
- cough, 160
- discontinuation prior to surgery, 400
- mechanism of action, 400
- acetaminophen, *See* paracetamol
- acetazolamide, 246
- acetylcholine, 29, 255
- acetylcysteine, 369
- ACh, *See* acetylcholine
- acromegaly, 56
- ACTH, *See* adrenocorticotrophic hormone
- activated charcoal, 444
- acute hypervolaemic haemodilution, 208
- acute lung injury, 150
 - adaptive support ventilation, 153
 - airway pressure release ventilation (APRV), 153
 - conventional ventilation, 151
 - extracorporeal membrane oxygenation (ECMO), 154
 - high frequency ventilation, 152
 - hypercapnic acidosis, 151
 - inverse ratio ventilation, 153
 - lung-protective ventilation, 151
 - nebulised prostacyclin PGI2, 154
 - nitric oxide (NO), 153
 - perfluorocarbons, partial liquid ventilation, 154
 - permissive hypercapnia, 151
 - positive end-expiratory pressure (PEEP), 152
 - prone ventilation, 152
 - recombinant protein C-based surfactant, 154
- acute normovolaemic haemodilution, 208
- acute trauma coagulopathy (ACT), 204
- ADAMST13 (protease), 216
- adaptive support ventilation, 153
- adductor canal block, 134
- adenohypophysis, *See* anterior pituitary
- adenosine, 420
- ADH, *See* antidiuretic hormone
- adiponectin, 261
- adjuncts to subarachnoid and epidural (neuraxial) anaesthesia, 395

Index

- adrenaline, 305, 408, 413
- adjuvant in regional anaesthesia, 391
- anaphylaxis, 272
- biosynthesis, 270
- cardiac arrhythmias, 271
- cardiovascular effects, 270
- CNS effects, 271
- gastrointestinal effects, 271
- ischaemic necrosis, 271
- metabolic effects, 271
- metabolism, 270
- receptor effects, 270
- respiratory effects, 271
- resuscitation, 272
- upper airway obstruction, 272
- vasoconstrictor doses, 272
- adrenocorticotrophic hormone, 25
 - deficiency, 27
- ageing, physiology, 264
 - airway, 265
 - anaesthetic summary, 265
 - autonomic nervous system, 264
 - cardiovascular system, 264
 - central nervous system changes, 264
 - coexisting disease, 265
 - drug handling, 265
 - gastrointestinal system, 265
 - post-operative cognitive dysfunction, 265
 - renal system, 265
 - respiratory system, 264
 - surgical mortality, 265
- airway pressure release ventilation (APRV), 153
- albumin, 279
- alcohol-induced hypoglycaemia, 444
- alfentanil, 361
 - context-sensitive half-time, 361
- Allen test, 112
- alveolar gas equation, 147
- AM404, 369
- amantadine, 470
- American Heart Association anti-arrhythmics
 - classification, 419
- amethocaine, 383
- aminoglycosides, 351
 - potentiation of action of NMBDs, 351
- aminophylline, 417
- amiodarone, 160, 387, 420, 423
- amlodipine, 400
- amphetamines, 446
- Amsorb, 508
- CO₂ absorption, 508
- anabolic steroids, 376
 - recreational use
 - adverse effects, 376
- anaemia, 212
 - compensatory responses, 213
 - defined, 212
 - erythropoiesis, 213
 - failure of red cell production, 212
 - intravenous iron supplementation, 214
 - iron absorption, 214
 - oral iron supplementation, 213
 - red cell destruction, 212
 - red cell loss, 212
 - red cell morphology, 213
- anaerobic threshold (AT), 181
- anaesthesia dolorosa, 33
- anaesthetic breathing systems, 502
 - circle system
 - advantages and disadvantages, 504
 - circle system components, 503
 - closed circle system, 503
 - Humphrey ADE system, 507
 - Mapleson A, 505
 - Mapleson B and C, 506
 - Mapleson classification, 504
 - Mapleson D, E and F, 506
 - semi-open/semi-closed circle system, 503
- anaesthetic machine, 494
 - emergency O₂ flush, 495
 - flow control valves, 495
 - flow restrictors, 495
 - gas cylinders, 495
 - gas pipelines, 495
 - interlock devices, 495
 - pressure regulators, 495
 - protection from barotrauma, 496
- anaesthetic preconditioning, 340
- anandamide, 259, 369, 424
- angiotensin, 159
- angiotensin antagonists, 401
 - receptor down-regulation, 401
- angiotensin-converting enzyme (ACE) inhibitors, 400, *See ACE inhibitors*
- angor animi, 75
- ankle block, 137
- Anrep effect, 310
- antecubital fossa, 109
- anterior pituitary, 25

- anterior spinal artery syndrome, 92
- anti-arrhythmic drugs, 418
- anti-arrhythmic drugs, classifications, 419
- antibiotic classification
 - aminoglycosides, 457
 - carbapenems, 457
 - fluoroquinolones, 457
 - glycopeptides, 457
 - macrolides, 457
 - nitroimidazoles, 458
 - oxazolidinones, 457
 - penicillins, 457
 - sulfonamides, 457
 - tetracyclines, 457
- antibiotic prophylaxis, 458
- antibiotic resistance, 459
- antibiotics, 455
 - allergic reactions, 458
 - classification, 457
 - mechanisms of antibiotic action, 456
- anticholinesterases, 352
 - acetylcholine metabolism, 352
 - cholinesterase enzymes, 352
 - clinical uses, 352
 - CNS effects, 352
 - in dementia, 353
 - donepezil, rivastigmine, galantamine, 354
 - edrophonium, 354
 - muscarinic effects, 352
 - neostigmine, 353
 - nicotinic effects, 352
 - physostigmine, 353
 - pyridostigmine, 353
- anti-coagulation and neuraxial block, 435
- anti-coagulation and surgery, 432
 - clinical scenarios, 434
- anti-diuretic hormone, 26
- antidopaminergic drugs, side effects, 372
- anti-epileptic drugs, 452
 - and anaesthesia, 455
 - enzyme induction, 455
 - sites of action, 453
- anti-hypertensive drugs
 - incidence of hypertension (UK), 399
 - anti-hypertensive drugs and anaesthesia, 399
 - angiotensin antagonists, 401
 - angiotensin-converting enzyme (ACE) inhibitors, 400
 - calcium channel antagonists, 399
 - diuretics, 399
 - β -adrenoceptor blockers, 399
- antimuscarinic drugs, side effects, 372
- antiserotonergic drugs, side effects, 372
- aortic incompetence, 186
 - aetiology, 186
 - anaesthetic implications, 186
 - pathophysiology, 186
 - regurgitant fraction, 186
- aortic regurgitation, *See* aortic incompetence
- aortic stenosis, 184
 - aetiology, 184
 - anaesthetic implications, 185
 - fixed output state, 185
 - pathophysiology, 184
 - peak pressure gradient, 184
 - valvular area, 184
- aortic valve disease, 184
- aortocaval compression, 222
 - leftwards tilt, 223
 - neonatal indices, 223
- apixaban, 432
- apnoea, 146
 - apnoeic oxygenation, 147
 - non-obstructed, 146
 - obstructed, 146
- apomorphine, 470
- arachnoid cysts, 117
- arginine vasopressin, *See* antidiuretic hormone, vasopressin
- arterial cross-clamping, 310
 - associated complications, 311
 - attenuation of haemodynamic instability, 312
 - cardiovascular effects, 310
 - clamp duration and complication risk, 312
 - clamp release, 311
 - descending thoracic aorta, 311
 - haemodynamic changes on clamp release, 312
 - reperfusion injury, 311
 - spinal cord ischaemia, 311
 - supracoeliac, 311
 - suprarenal/infraceliac, 286
- arterial tourniquet, 307
 - cardiovascular effects, 309
 - cerebral blood flow and ICP, 309
 - coagulation, venous thrombosis, 309
 - contraindications, 307
 - cuff leakage, 309
 - incidence of major complications, 310
 - indications, 307

Index

- arterial tourniquet (cont.)
 - mechanical pressure effects, 308
 - metabolic changes, 309
 - muscular and vascular damage, 308
 - neurological damage, 308
 - reperfusion syndrome, 309
 - respiratory effects, 309
 - safe duration limit, 308
 - safe practice, 310
 - temperature changes, 309
 - tourniquet pain, 309
 - tourniquet syndrome, 308
- aspiration, *See* pulmonary aspiration of gastric contents
- asthma, 154
 - assessment, 155
 - β_{2} -adrenoceptor agonists, 416
 - clinical features, 155
 - criteria for ventilatory support, 155
 - cromones, 418
 - incidence, 415
 - inhaled anticholinergics, 417
 - inhaled corticosteroids, 416
 - leukotriene receptor antagonists, 417
 - management, 155
 - methylxanthines, 417
 - monoclonal antibody immune-modulating drugs, 418
 - pathophysiology, 415
 - wheeze, mechanism, 156
- atenolol, 411, 420
- atosiban, 465
- atracurium, 350
 - metabolism, 350
- atrial fibrillation (AF), 422, 568
 - intraoperative management, 423
- atropine, 372, 420
- autonomic nervous system, 28
 - parasympathetic division, 29
 - sympathetic division, 28
- Avogadro's law, 512
- awake fibreoptic intubation, 48, 57
- axillary block, 104
- baclofen, 32
- barium lime (Baralyme), 508
- beclomethasone, 160
- Beer-Lambert law, 527
- bendroflumethiazide, 399
- benserazide (co-beneldopa), 469
- benzhexol, 470
- benzodiazepines, 452
 - mechanism of action, 452
 - overdose, 452
 - paradoxical excitement, 452
- benzothiazepines, 400
- beta (β)-adrenoceptor blockers, 402, *See* beta blockers
 - actions, 403
 - adverse effects, 404
 - anaesthetic implications, 405
 - cardiovascular indications, 403
 - effects on cardiac action potential, 403
 - hypertension, 403
 - in hypertrophic cardiomyopathy, 404
 - intrinsic sympathomimetic activity, 405
 - myocardial depression, 403
 - perioperative atenolol, 403
 - POISE trial, 404
 - selective β_1 -antagonists, 404
- beta₂ agonists (β_2 -agonists), 155
- beta-melanocyte stimulating hormone, 25
- betrixaban, 433
- Bezold-Jarisch reflex, 30, 406
- bicarbonate (in DKA), 296
- biguanides, 425
 - actions, 425
 - metformin, 425
 - pharmacokinetics, 426
- bilirubin, 305
- bioavailability, 318
 - definition, 318
 - factors affecting bioavailability, 320
 - measurement, 319
- biological potentials, 580
 - amplification, 580
 - detection, 580
 - magnitude and frequency, 580
 - recording and display, 581
- biological sex and anaesthetic agents, 320
 - drug metabolism in females, 321
 - drug metabolism in males, 322
 - hypnotic drugs, 321
 - influence of sex hormones, 322
 - muscle relaxants, 321
 - opioids, 321
 - potential mechanisms, 321
- biologics, *See* monoclonal antibodies
- biphosphonates, 293

- BIS, *See* bispectral index
- bisoprolol, 405, 420
- bispectral index (BIS), 478, 484
- bivalirudin, 474
- bleomycin, 463
- blood groups, 206
 - acute antigen–antibody reaction, 207
 - red cell agglutinins, 206
 - red cell agglutinogens, 206
 - red cell membrane antigens, 206
 - rhesus C, D and E antigens, 207
 - rhesus factor agglutinin, 207
- blood transfusion filters, 549
- blood transfusion, complications, 209
 - acute haemolytic reactions, 210
 - allergic and anaphylactic reactions, 210
 - delayed haemolytic reactions, 210
 - dilutional coagulopathy, 211
 - graft-versus-host disease, 212
 - hyperkalaemia, 211
 - hypothermia, 211
 - immunomodulation, 211
 - infection, 211
 - metabolic alkalosis, 211
 - non-haemolytic (febrile) reactions, 210
 - transfusion-associated circulatory overload (TACO), 210
 - transfusion-related acute lung injury (TRALI), 210
- blood, reducing transfusion requirements, 207
 - acute hypervolaemic haemodilution, 208
 - acute normovolaemic haemodilution, 208
 - autologous donation, 208
 - perioperative autologous blood recovery (cell salvage), 208
 - pre-operative optimisation, 207
 - surgical and anaesthetic technique, 208
- boiling point, defined, 514
- Bolam principle, 287
- Boyle's law
 - first perfect gas law, 511
- brachial plexus, 100
- brachial plexus block, 101
 - axillary, 104
 - interscalene, 101
 - subclavian perivascular, 103
 - supraclavicular, 103
 - vertical infraclavicular, 103
- bradykinin, 159, 221, 549
- brainstem death testing. *See* diagnosis of death using neurological criteria
- breathing, control of, 142, *See also* control of breathing
- Brewer–Luckhardt reflex, 30
- bridging (anticoagulation), 434
- brivaracetam, 454
- bromocriptine, 26, 469
- bronchomotor tone, 154
 - antimuscarinic drugs, 155
 - autonomic influences, 154
 - non-adrenergic non-cholinergic (NANC) nerves, 155
 - phosphodiesterase (PDE) inhibitors, 155
 - β 2-agonists, 155
- bronchopulmonary segments, 55
- bronchoscopy, fibrooptic, 56
- bumetanide, 399
- bupivacaine, 317, 382–383, 393
 - structure, 393
- buprenorphine, 390
 - adjuvant in regional anaesthesia, 390
- burst suppression, 479
- cabergoline, 26, 469
- cadiac pacemakers
 - pacemaker syndrome, 572
- Cajal, interstitial cells, 191
- calcitonin, 293
- calcium-channel blockers, 351
 - potentiation of NMBDs, 351
- candesartan, 401, 421
- cannabinoids, 372
 - side effects, 373
- cannabis, 447–448
 - mechanisms of action, 447
- cannon waves, 198
- capnograph trace, 490
- capnography, 488
- capnography trace
 - cardiovascular information, 490
 - respiratory information, 490
- capsaicin, 293
- captopril, 400
- carbachol, 420
- carbamazepine, 32, 453
- carbenoxalone, 421
- carbetocin, 467
- carbidopa (co-careldopa), 469
- carbimazole, 282
- carbon monoxide (CO), 157
- carboprost, 467
- carcinoid syndrome, 188, 274

Index

- cardiac action potential, 418
- cardiac computed tomography (CT), 180
- cardiac function, pre-operative assessment, 178
 - anaerobic threshold (AT), 181
 - biological markers, 181
 - cardiac computed tomography (CT), 180
 - cardiopulmonary exercise testing (CPET), 180
 - cardiovascular magnetic resonance (CMR) imaging, 180
 - clinical assessment, 179
 - coronary angiography, 180
 - dipyridamole-thallium scintigraphy, 180
 - dobutamine stress echocardiography, 180
 - echocardiography, 180
 - electrocardiography, 180
 - cardiac output measurement, 522
 - lithium dilution (LiDCO), 523
 - oesophageal Doppler monitor (ODM), 523
 - pulmonary artery flotation catheter (PAC), 522
 - pulse contour analysis, 523
 - transoesophageal echocardiography (TOE), 523
- cardiac output monitoring
 - pulse contour CO (PiCCO), 524
 - thoracic electrical bioimpedance, 524
- cardiac pacemaker
 - implantable cardioverter defibrillators (ICDs), 571
- cardiac pacemakers, 570
 - biventricular, 571
 - device classification, 571
 - electrical pulse generation, 570
 - electromagnetic interference, 572
 - magnets, 572
 - perioperative considerations, 572
 - surgical diathermy, 570
- cardiac pain, 74
- cardiac risk, predictors, 179
 - anaerobic threshold (AT), 181
 - biological markers, 181
 - cardiac computed tomography, 180
 - cardiopulmonary exercise testing (CPET), 180
 - cardiovascular magnetic resonance (CMR) imaging, 180
 - coronary angiography, 180
 - dipyridamole-thallium scintigraphy, 180
 - dobutamine stress echocardiography, 180
 - echocardiography, 180
 - electrocardiography, 180
 - intermediate predictors, 179
 - major predictors, 179
 - MET level, 179
- minor predictors, 179
- New York Heart Association functional classification, 180
- risk classifications, 179
- risk reduction, 181
- surgery-specific risk, 179
- cardiopulmonary exercise testing (CPET), 180
- cardiovascular magnetic resonance (CMR) imaging, 180
- carotid endarterectomy, 41
- caudal analgesia, 125
 - adjuncts, 102
 - Armitage paediatric dose regimen, 125
 - complications, 126
 - local anaesthetic doses, 125
- CBF, *See* cerebral blood flow
- CEA, *See* carotid endarterectomy
- cell salvage, 208, 531
 - advantages and disadvantages, 531
 - continuous rotary system, 532
 - economic benefits, 208
 - fixed volume bowl system, 532
 - indications, 531
 - in Jehovah's Witnesses, 533
 - leucocyte depletion filters (LDFs), 532
 - in malignancy, 568
 - in obstetrics, 208, 533
 - in sepsis, 508
 - in sickle cell disease, 533
 - variable volume (dynamic) disk system, 532
- cell salvage in obstetrics, 220
 - problems, 221
 - SALVO (cell SALVage in Obstetrics), 221
- central anticholinergic syndrome, 353, 452, 472
- central venous cannulation, 17
 - complications, 18
 - indications, 17
 - right ventricular function, 17
 - technique, 17
 - volaemic status, 17
- central venous catheterisation
 - complications, 199
 - indications, 198
 - infection, 199
 - intravascular volume assessment, 198
 - right ventricular function, 198
- central venous pressure (CVP), 198
 - left ventricular function, 199
 - negative values, 199
- central venous pressure and cannulation, 197

- central venous pressure (CVP) waveform, 197
- cephalosporins, 457
- cerebral blood flow, 246
 - autoregulation, 246
 - CMRO₂, 247
 - effect of temperature, 247
 - influence of PaCO₂ and PaO₂, 247
 - measurement, 248
 - normal CBF, 246
 - rheology, 248
 - steal and inverse steal, 249
- cerebral blood flow, effects of anaesthesia, 249
 - arterial pressure, 249
 - intravenous induction agents, 249
 - opioids, 249
 - steal and inverse steal, 249
 - venous pressure, 249
 - volatile anaesthetic agents, 249
- cerebral blood flow, measurement, 248
 - Kety-Schmidt method, 248
 - positron emission tomography (PET), 248
 - scintigraphy and SPECT scanning, 249
 - transcranial doppler ultrasonography, 248
- cerebral circulation, 8
 - arterial supply, 8
 - venous drainage, 9
- cerebral function analysing monitor (CFAM), 481
- cerebral function monitor (CFM), 480
- cerebral oxygenation measurement, 526
- cerebral vasospasm, 10
 - management, 10
 - triple-H therapy, 10
- cerebral venous thrombosis, *See* cortical venous thrombosis
- cerebrospinal fluid, 115, 245
 - circulation, 245
 - composition, 246
 - functions, 246
 - production, 245
- cervical plexus, 40
 - deep cervical plexus block, 41
 - superficial cervical plexus block, 40
- Charles's law
 - second perfect gas law, 511
- chemoreceptor trigger zone (CTZ), 258
- chemotherapeutic (cytotoxic) drugs, 461
- chemotherapeutic drugs, *See* cytotoxic drugs
- chest X-ray, standard, 68
- chest-wall rigidity, 360
- Cheyne-Stokes respiration, 144
- chirality, 316
- bupivacaine, 317
- chiral centre, 317
- chirality and isomerism, 316
- enantiomers, 316
- etomidate, 318
- glutaraldehyde orientation, 317
- halogenated anaesthetic agents, 318
- ketamine, 318
- lidocaine, 318
- optical isomerism, 317
- prilocaine, 318
- racemic mixture, 317
- ropivacaine, 317
- sevoflurane, 318
- sotalol, 318
- tramadol, 318
- chlorhexidine, 303
- chlorprocaine, 381–382
- chlorphenamine, 397
- cholecystokinin, 191
- cholinergic crisis, 257
- cholinesterase enzymes, 352
- cholinesterase inhibition, 464
- chronaxie, 561
- circulatory changes at birth, 230
- cisatracurium, 350
 - metabolism, 350
- citalopram, 448
- clathrate theory, 332
- clearance, 331
- clinical trial design, 590
 - clinical vs statistical significance, 591
 - false negative (type II error), 591
 - false positive (type I error), 590
 - power calculation, 591
 - sample size, 590
- clinical trials, errors in interpretation of data, 591
- clobazam, 454
- clonazepam, 454
- clonidine, 376, 390, 412
 - adjuvant in regional anaesthesia, 378, 390
 - indications and uses, 377
 - mechanism of actions, 377
 - neuraxial anaesthesia, 378
 - pharmacokinetics, 377
 - side effects, 378
- clopidogrel, 431
- CO₂ measurement, 488

Index

- coagulation correction, 435
- fresh frozen plasma (FFP), 435
- protamine, 435
- prothrombin complex concentrate (PCC), 435
- vitamin K, 435
- coagulation cycle, 429
- cocaine, 446, 448
- Cochrane Collaboration, 586, 588
- codeine phosphate, 360
- oral bioavailability, 361
- phenotypes (metabolisers), 361
- phenotype variation in different populations, 361
- coeliac plexus, 89
- coeliac plexus block, 90
 - complications, 90
 - indications, 90
 - technique, 90
- cold ischaemia time, 98
- colloids, 201
 - defined, 201
- complement, 302
- complex regional pain syndrome (CRPS), 61, 290
 - clinical features, 292
 - CRPS type I (formerly reflex sympathetic dystrophy), 291
 - CRPS type II (formerly causalgia), 291
 - current treatments, 292
 - nomenclature, 291
 - pathophysiology, 291
- compliance, 148
 - defined, 149
 - dynamic, 149
 - hysteresis, 150
 - pressure-volume (P–V) curves, 149
 - reduction, 150
 - specific, 150
 - static, 149
- compound A, 508–509
- compressed spectral array, 480
- confidence intervals, 585
- Confidential Enquiry into Maternal Deaths, 50
- Confidential Enquiry into Maternal Deaths (CEMD), 192
- congenital heart disease, 230
 - acyanotic, 232
 - anaesthetic management, acyanotic CHD, 232
 - anaesthetic management, cyanotic CHD, 233
 - concordant (normal) anatomical relations, 232
 - cyanotic, 232
- discordant (abnormal) anatomical relations, 232
- incidence, 230
- conscious sedation, 473
 - definition, 473
 - inhalation sedation, 474
 - ketamine, 474
 - midazolam, 473
 - propofol TCI, 473
 - relative analgesia, 474
 - remimazolam, 473
- context-sensitive half-time (CSHT), 325, 331
- control of breathing
 - central chemoreceptors, 142
 - mechanoreceptors, 143
 - medullary neurons, 142
 - peripheral chemoreceptors, 143
 - pontine respiratory group, 142
 - respiratory centre, 142
- cordotomy, *See* percutaneous cervical cordotomy
- Cormack and Lehane classification, 45
- coronary angiography, 180
- coronary perfusion, 71
- cortical venous thrombosis, 11
 - clinical presentation, 35
 - incidence, 11
 - risk factors, 11
- corticosteroid equivalence, 269
- corticosteroids, 373
 - glucocorticoid receptor (GR), 373
 - immunomodulation, 374
 - metabolic effects, 374
 - relative potencies, 374
 - resistance, 374
 - side effects, 374
- corticosteroid supplementation, 269
 - complications of supraphysiological regimens, 270
 - replacement regimens, 269
- corticotropin releasing hormone, 25
- cortisol, 267–268
- cotinine, 157
- cranial nerve reflexes, 12
- cranial nerves, 15
 - 13th cranial nerve, 15
 - 14th cranial nerve, 15
- craniotomy, awake, 39
- CRH, *See* corticotropin releasing hormone
- cricoid pressure, 52, 225
 - European practice, 225
- cricothyroidotomy, 59
- cricothyrotomy, *See* cricothyroidotomy

- critical illness myopathy, 563
- critical pressure, 494, 514
- critical temperature, 494, 514
- cromones
 - mechanism of action, 418
- CRPS, *See* complex regional pain syndrome
- crystalloids, 201
- CSF, *See* cerebrospinal fluid
- CSHT, *See* context-sensitive half-time (CSHT)
- Cushing's disease, 135
- Cushing's triad, 244
- CVT, *See* cortical venous thrombosis
- cyanosis, 486
- cyclizine, 371
- cyclo-oxygenase (COX) enzyme inhibitors, 365
 - analgesic mechanisms, 366
 - anti-inflammatory actions, 366
 - antineoplastic effects, 367
 - antipyretic action, 366
 - antithrombotic effects, 367
 - constitutive COX-1 enzyme, 366
 - COX enzyme functions, 366
 - COX enzymes, 366
 - inducible COX-2 enzyme, 366
 - non-selective drugs, 366
 - pain pathways, 366
 - PGE2 receptors, 366
 - prostanoid biosynthesis, 366
 - selective COX-2 inhibitors, 366
- cyroheptadine, 274–275, 444, 450
- cytochrome CYP2D6, 276, 361–362
- cytochrome CYP3A4, 276
- cytochrome P450 CYP1A2, 158
- cytochrome(s) P450, 275
 - biochemistry, 275
 - competitive inhibition, 277
 - description, 275
 - enzyme induction, 276
 - families and subfamilies, 276
 - location, 276
 - nomenclature, 276
 - phase I and phase II reactions, 275
 - significant subtypes, 276
- cytotoxic drugs
 - alkylating agents
 - (cisplatin, busulphan, chlorambucil, cyclophosphamide), 317
 - anaesthetic considerations, 463
 - antibiotics
 - (daunorubicin, doxorubicin, bleomycin), 382
 - antimetabolites
 - (methotrexate, fluorouracil, mercaptopurine, cytosine), 462
 - cardiomyopathy
 - daunorubicin, doxorubicin, 462
 - mitotic inhibitors
 - (vincristine, vinblastine), 434
 - myelosuppression, 462
 - nephrotoxicity
 - cisplatin, methotrexate, phosphamides, 462
 - neurotoxicity
 - vincristine, vinblastine, cisplatin, 463
 - plasma cholinesterase inhibition, 464
 - pulmonary fibrosis
 - bleomycin, 407
 - pulmonary toxicity
 - vinca alkaloids, cisplatin, busulphan, methotrexate, 463
 - vinca alkaloids, cyclophosphamide, 463
 - tumour lysis syndrome, 474
- dabigatran, 432
- dalteparin, 431
- Dalton's law of partial pressures, 512
- DDAVP, *See* desmopressin
- deep brain stimulation (DBS), 471
 - anaesthetic considerations, 471
 - system components, 471
 - target sites, 471
- defibrillation, 566
 - capacitance, 567
 - defibrillator circuit, 567
 - impedance, 567
 - synchronised DC shock, 568
 - underlying principles, 567
 - waveforms (monophasic and biphasic), 567
- delirium in critical care, 250
 - mitigation, 250
 - risk factors, 250
- depolarising block, 256
- depolarising muscle relaxants
 - ACh agonism, 349
- depth of anaesthesia monitoring, 477
 - bispectral index (BIS), 478
 - cerebral function analysing monitor, 481
 - cerebral function monitor, 480
 - compressed spectral array, 480
 - EEG frequencies, 479

Index

- depth of anaesthesia monitoring (cont.)
 - E-entropy, 479
 - evoked potentials, 480
 - frontalis EMG, 481
 - isolated forearm technique, 478
 - median frequency, 480
 - Narcotrend, 480
 - NICE recommendations, 478
 - oesophageal contractility, 481
 - PRST scoring system, 478
 - respiratory sinus arrhythmia and R-R interval variation, 481
 - spectral edge, 480
- desflurane, 340–341, 500
 - environmental considerations, 342
 - physicochemical characteristics, 342
 - vaporiser design, 342
- desmopressin, 116
- dexamethasone, 245, 374, 390
 - as adjunct to perineural block, 375
 - adjuvant in regional anaesthesia, 390
 - analgesia, 375
 - antiemetic action, 375
 - anti-inflammatory actions, 375
 - hyperglycaemia, 375
 - immunomodulation, 375
 - infection risk, 375
- dexmedetomidine, 39, 376, 378
 - doses, 378
 - pharmacokinetics, 379
- dextran, 202
- DI, *See* diabetes insipidus
- diabetes insipidus, 27, 583
 - neurogenic, 27
- diabetes mellitus, 425
 - morbidity, 428
 - prevalence (UK), 425
 - type 1 insulin-dependent diabetes mellitus, 425
 - type 2, or non-insulin-dependent, diabetes, 425
- variable rate intravenous insulin infusion (VRIII), 429
- diabetic ketoacidosis (DKA and HHNK), 293
 - clinical assessment, 295
 - clinical presentation, 295
 - definition, 294
 - euglycaemic ketoacidosis, 297
 - management
 - fluids and insulin, 296
- pathogenesis, 294
- precipitants, 295
- diagnosis of death using neurological criteria, 11
 - apnoea testing, 13
- diagnosis of death using neurological criteria, pitfalls, 13
 - Bickerstaff's brainstem encephalitis, 13
 - Guillain–Barré syndrome, 13
 - locked-in syndrome, 13
 - Miller–Fisher syndrome, 13
- diamorphine, 360, 397
 - complications, intrathecal, 397
- diaphragm, 77
 - motor supply, 78
 - sensory supply, 78
- diaphragmatic hernia, 79
- diazepam, 452
- digoxin, 415, 420, 423
- dihydropyridines, 400
- diltiazem, 400, 421
- dipyridamole–thallium scintigraphy, 180
- direct oral anticoagulants (DOACs), 368
- disodium cromoglycate, 418
- disopyramide, 420
- disorders of respiration, 143
 - apnoea and hypoventilation, 143
 - Cheyne–Stokes respiration, 144
 - fish-mouth breathing, 144
 - hyperventilation, 144
 - Kussmaul respiration, 144
 - obstructive sleep apnoea, 144
 - Ondine's curse, 143
- DKA, *See* diabetic ketoacidosis and HHNK
- DNC, *See* diagnosis of death using neurological criteria
- dobutamine, 413
- dobutamine stress echocardiography, 180
- domperidone, 469
- donepezil, 353–354
- dopamine, 414
- dopexamine, 414
- Doppler effect, 520, 554
- Doppler equation, 521–522
- dorsal column stimulation, 292
- double burst stimulation (DBS), 559
- double-lumen endobronchial tubes, 57
- double-lumen tubes, 163
 - complications, 163
 - depth of insertion, 163
- doxapram, 146

- DPP-4 (dipeptidyl peptidase-4) inhibitors
 - actions, 427
 - cardiac impairment, 427
 - Class 1 saxagliptin, vildagliptin. Class 2 linagliptin, alogliptin. Class 3 sitagliptin, tenagliptin, 427
 - pharmacokinetics, 427
- dronabinol, 373
- droperidol, 371–372
- drug overdose, 442
 - activated charcoal, 444
 - alcohol, 444
 - benzodiazepines, 443
 - paracetamol, 443
 - tramadol, 444
 - tricyclic antidepressants (TCAs), 442
- drug treatment of type 2 diabetes mellitus, 425
- drug trials, phases I–IV, 590
- drugs, adverse reactions, 301
 - anaphylactoid reactions, 302
 - complement, 302
 - hapten formation, 301
 - hypersensitivity reactions, 301
 - investigation, 303
 - non-specific markers, 303
 - risk of anaphylaxis, 303
- drugs affecting coagulation, 429
 - abciximab, 369
 - aspirin (acetyl salicylic acid), 431
 - bivalirudin, 474
 - clopidogrel, 431
 - dabigatran, 432
 - fondaparinux, 452
 - heparins, 431
 - non-steroidal anti-inflammatory drugs (NSAIDs), 431
 - ticagrelor, 317
 - warfarin, 430
- drugs to treat nausea and vomiting, 370
 - PONV risk factors, 370
- drugs used to treat asthma, 415
- Duffy antigen, 210
- dystrophia myotonica, 257
- Eaton–Lambert syndrome, 257
- echocardiography, 180
- e-cigarette and vaping associated lung injury, *See* EVALI
- ECMO, 533
 - anti-coagulation, 534
 - complications, 535
- components, 569
- venoarterial (V-A), 534
- venovenous (V-V), 534
- ecstasy, *See* MDMA
- ECT, *See* electroconvulsive therapy
- edoxaban, 434
- edrophonium, 257, 353–354
- EEG frequencies, 479
- E-entropy, 479
- Ehlers–Danlos syndrome, 118, 383
 - resistance to local anaesthetics, 118
- electrical safety, 564
 - electrocution, 566
 - equipment, grades of protection, 565
 - lethal current, 564
 - microshock, 566
 - precautions, common earth, 565
 - precautions, earth leakage circuit breakers (ELCB), 565
 - precautions, isolated (floating) circuits, 565
- electricity, 564
- electricity, definitions, 564
 - electricity, 564
 - impedance, 564
 - Ohm's law, 564
 - resistance, 564
- electrocardiography (ECG), 180
- electroconvulsive therapy (ECT), 287
 - anaesthetic technique, 288
 - autonomic effects, 287
 - Bolam principle, 287
 - cerebral effects, 287
 - complications, 288
 - contraindications, 288
 - grand mal convulsion, 287
 - Mental Capacity Act, 288
 - musculoskeletal effects, 287
 - technique, 287
- electromagnetic flowmeters, 521
- electromyography, 562
 - motor unit action potential, 562
 - muscle motor unit, 562
 - needle electrodes, 562
 - waveform morphology, 563
- electrophysiological basis of common arrhythmias, 421
- Eleveld pharmacokinetic model, 329
- EMG, *See* electromyography
- enantiomers, 316
- endocannabinoids, 452

Index

- endorphins/enkephalins, 26
- endothelin-1 (ET-1), 10
- enoxaparin, 431
- enoximone, 414
- entacapone, 470
- enteral nutrition, 285
- Entonox, 494
- ephedrine, 407, 415
- epidural analgesia, 119
 - adjuncts
 - opioids, 396
 - complications, 121
- epidural analgesia, adjuncts, 395
 - NMDA receptor antagonists, 398
 - vasoconstrictors, 398
 - α 2-agonists, 398
- epidural space, 120
- epinephrine, *See* adrenaline
- epistaxis, 36
- epitopes, 460
- EPs, *See* evoked potentials
- erector spinae plane block, 98
- ergometrine, 467
- erythrocyte abnormalities, 213
- erythropoiesis, 213
- erythropoietin (EPO), 213
- escitalopram, 448
- esmolol, 404–405, 411
- ESP, *See* erector spinae plane block
- essential thrombocythaemia (ET), 217
 - primary cause, 217
- ether, 5
- ethics committees, 590
- ethosuxamide, 453
- etidocaine, 382, 395
- etomidate, 267, 318, 335
 - adrenocortical suppression, 337
 - adverse reactions, 337
 - chemistry, 336
 - CNS effects, 336
 - doses
 - intravenous and rectal, 336
 - haemodynamic effects, 336
 - modified analogues, 337
 - pharmacokinetics, 337
 - respiratory effects, 337
- euglycaemic ketoacidosis, 297
- EVALI, 159
 - acute eosinophilic pneumonia, 159
 - popcorn lung, 159
- evoked potentials, 480, 484
 - auditory evoked responses (AERs), 485
 - EPs and depth of anaesthesia monitoring, 486
 - EPs in spinal surgery, 486
 - motor evoked potentials (MEPs), 485
 - neurological diagnosis, 486
 - somatosensory evoked potentials (SSEPs), 485
 - visual evoked potentials (VEPs), 485
- examinations, 5
 - primary purpose, 5
- extracorporeal membrane oxygenation (ECMO), 154
- extradural space, *See* epidural space
- eye, 19
 - autonomic innervation, 20
 - motor innervation, 20
 - ophthalmic reflexes, 21
 - sensory innervation, 20
- face, 36
 - sensory supply, 36
- failing lung, 151
- falipamil, 421
- fascia iliaca block, 133
- fasting, pre-operative, 192
 - clear fluid, defined, 193
 - intervals, 193
 - milk-containing drinks, 193
 - prolonged fluid restriction, effects, 192
 - water elimination half-life, 193
- favism, 212
- felypressin, 271
- femoral nerve, 131
 - 3-in-1 block, 133
 - adductor canal block, 134
 - fascia iliaca block, 133
 - femoral block, 133
 - PENG block, 135
 - supra-inguinal fascia iliaca block, 133
- femoral triangle, 130
- fendiline, 421
- fentanyl, 361
 - context-sensitive half-time, 361
- fetal circulation, 231
- FIB, *See* fascia iliaca block
- fibrinogen, 280
- fibrinogen concentrate, 220
- Fick principle, 521
- filling ratio, 515
- filling ratio (cylinders), 494

- filters, 548
- blood transfusion filters, 549
- epidural catheter filters, 549
- HME (heat and moisture exchange), 548
- leucocyte depletion filters (LDFs), 549
- flecainide, 420–421, 423
- flow, 498
 - fluid, 499
 - gas, 499
- flowmeters, 496
 - effects of altitude, 502
 - physical principles, 497
 - sources of inaccuracy, 497
- flucloxacillin, 356
- fludrocortisone, 376
- fluid therapy, 200
 - blood, 202
 - blood loss, 200
 - body fluid compartments, 200
 - colloids, 201
 - dehydration, 201
 - dextran, 202
 - gelatins, 202
 - glucose 5%, 201
 - Hartmann's solution, 201
 - human albumin solution (HAS), 202
 - micro-encapsulated haemoglobin, 203
 - normal saline (NaCl 0.9%), 201
 - perfluorocarbons, 203
 - perioperative fluid losses, 201
 - pure dehydration, 201
 - starches, 202
 - stroma-free haemoglobin solutions, 203
- flumazenil, 399, 443, 452, 473
 - half-life, 452
- fluoxetine, 448
- follicle stimulating hormone, 26
- fondaparinux, 452
- foot, sensory innervation, 137
- forest plots, 587
- foslevodopa-foscarbidopa, 469
- fospropofol, 325
- Fourier analysis, 480
- Fourier's law, 538
- fractals, 241
 - airway anatomy, 241
- FRCA, 3
 - marking system, 2
- FSH, *See* follicle stimulating hormone
- fuel cell, 491
- furosemide, 399
- fusidic acid, 356
- GABA_A receptor, 314
- gabapentanoids, 453
- gabapentin, 32, 453
- gadolinium, 552
 - nephrogenic systemic fibrosis, 552
- GALA trial, 42
- galantamine, 354
- gamma (γ -) globulins, 280
- gamma knife radiosurgery, 104
- gamma-aminobutyric acid (GABA) receptors, 454
- gas laws, 511
- gas, defined, 514
- gases and vapours, 514
- gastric emptying, 190
 - gastric excitatory vagal motor circuit (GEVMC), 190
 - gastric inhibitory vagal motor circuit (GIVMC), 190
 - gastric peristalsis, 191
 - gastric volumes, 191
 - influences on emptying, 191
 - interstitial cells of Cajal, 191
 - motility, 190
 - pacemaker cells, 191
 - smooth muscle, 191
 - stomach muscular layers, 191
 - gastrin-releasing peptide, 191
- Gaussian (normal) distribution, 584
- Gay-Lussac's law
 - third perfect gas law, 512
- gelatins, 202
 - CRISTAL trial, 202
 - gelofusine, 202
 - haemaccel, 202
 - in severe sepsis, 202
- gender, drug effects. *See* biological sex and anaesthetic agents
- general anaesthesia, neurotoxicity, 315
 - GAS study, 315
 - MASK study, 316
 - PANDA study, 315
- gestational thrombocytopaenia, 216
 - aetiology, 216
 - incidence, 216
- GH, *See* growth hormone
- ghrelin, 49, 191, 261

Index

- GHRH, *See* growth hormone
- Gillick competence, 209
- glibenclamide, 426
- gliclazide, 426
- glimepiride, 426
- glipizide, 426
- globulins, 279
- GLP-1 agonists, 427
 - actions, 428
 - pharmacokinetics, 428
 - pulmonary aspiration risk, 428
 - semaglutide ('Ozempic' 'Wegovy') dulaglutide, exenatide, liraglutide, lixisenatide, 428
 - weight loss, 428
- glucagon, 86, 191, 415
- glucocorticoid receptor, 6
- glucocorticoid response to surgery, 268
 - cortisol levels, 268
 - cortisol production, 268
 - HPA axis response, 268
 - perioperative steroid replacement, 269
 - sympathoadrenal response, 268
- glucocorticoids, 156, 416
 - complications of long-term treatment, 270
- glucose-6-phosphate dehydrogenase deficiency, 212
- GLUT4, insulin-regulated transporter protein, 424
- glutamate receptors, 454
- glyceryl trinitrate, 410, 465
- glycine intoxication (TUR syndrome) with hyponatraemia, 583
- glycopyrrolate, 372, 420
- goal-directed and early goal-directed therapy (GDT), 196
- Goldman index, 179
- graft-versus-host disease, 212
- gransetron, 371–372
- Graves' disease, 283
- growth hormone, 26
- GTN, *See* glyceryl trinitrate
- Guillain–Barré syndrome, 30
- GWP₁₀₀, *See* global warming potential
- haemodiafiltration, 530
- haemofiltration (HF), 529
- haemolytic reactions, 210
- haemostatic mechanisms, 429
- haloperidol, 252, 372
- hand, 111
 - arterial supply, 111
- Hartmann's solution, 201
- Hartmann's solution
- gluconeogenesis, 201
- heat loss, 538
 - conduction, 538
 - convection, 538
 - evaporation, 538
 - general anaesthetic effects, 538
 - radiation, 538
 - respiration, 538
- heliox, 156
- HELLP syndrome, 229
 - risk factors, 229
- hemianopia, 27
 - bitemporal, 27
- Henderson–Hasselbalch equation, 381
- Henry's law, 512
- heparin-induced thrombocytopenia (HIT), 217
 - aetiology, 217
 - incidence, 217
- hepatorenal syndrome, 306
- hepcidin, 214
- hiatus hernia, 79
- high-frequency ventilation, 152
- HIT, *See* heparin-induced thrombocytopenia (HIT)
- HME (heat and moisture exchange), 548
- Horner's syndrome, 60
- HPV, *See* hypoxic pulmonary vasoconstriction
- human albumin solution (HAS), 202
- humidification, 546
 - absolute humidity, 546
 - cascade humidifier, 546
 - clinical importance, 547
 - droplet size, 547
 - HME (heat and moisture exchange) filter, 546
 - nebulisers, 547
 - water bath (cold), 546
 - water bath (warm), 546
- humidification, measurement, 547
 - hair hygrometer, 547
 - mass spectrometry, 547
 - Regnault's hygrometer, 547
 - transducers, 547
 - wet and dry bulb hygrometer, 547
- hydralazine, 411
- hydromorphone, 362
- hyoscine, 372
- hyperammonaemic encephalopathy, 455
- hyperbaric oxygen, 172
 - anaemic hypoxia (Jehovah's Witnesses), 174
 - carbon monoxide (CO) poisoning, 174
 - decompression sickness, 173

- dissolved oxygen, 173, 513
- indications, 173
- hyperbilirubinaemia, 306
 - decreased hepatic bilirubin uptake, 306
 - defective bilirubin binding or conjugation, 306
 - increased bilirubin production, 306
 - reduced secretion into the biliary system, 306
- hyperosmolar non-ketotic acidosis (HHN/HONK), 295
 - management, 296
 - pathophysiology, 295
- hypersensitivity reactions, 301
 - Sell at al. alternative classification, 302
 - type I (immediate), 301
 - type II (cytotoxic), 302
 - type III (immune complex), 302
 - type IV (delayed), 302
- hypersplenism, 84
- hypertension, drug treatments, *See anti-hypertensive drugs*
- hyperthyroidism, 282
 - medical management, 282
- hypertonic saline, 245
- hypophosphataemia, 286
- hypophysectomy, 27
 - transsphenoidal, 27
- hypophysis, *See pituitary*
- hypotension, 405
 - determinants of arterial blood pressure, 406
- hypotension and pharmacological management, 405
- hypothermia, 537, 539
 - benefits, 540
 - cardiac and respiratory effects, 539
 - cerebral function, 540
 - and coagulation, 539
 - effects on drugs, 539
 - and metabolic rate, 539
 - rewarming, 540
 - surgical outcome, 540
- hypoxic pulmonary vasoconstriction, 162, 169
 - defined, 169
 - influence of anaesthesia, 169
 - mediators, 169
 - onset, 169
- ibutilide, 420, 423
- ICP, *See intracranial pressure*
- icterus, *See jaundice*
- ideal gas law, 512
- idiopathic intracranial hypertension, 243
- imidazole receptors, 377
- imipramine, 451
- immune thrombocytopaenia, 215
 - aetiology, 215
 - management, 216
- immune thrombocytopaenia; idiopathic thrombocytopaenic purpura (ITP), 215
- immunology (and drug reactions), 300
 - acquired or specific immunity, 301
 - innate or non-specific immunity, 300
- immunomodulation, 384
 - by anaesthesia, 384
 - by opioids, 384
- immunomodulation, homologous blood transfusion, 211
- impedance, 564
- indapamide, 399
- induced hypotension, 409
 - complications, 412
 - direct vasodilators, 411
 - ganglion blockers, 411
 - glyceryl trinitrate (GTN), 410
 - hydralazine, 411
 - indications, 409
 - peripheral vasodilators, 320
 - phentolamine, 410
 - sodium nitroprusside (SNP), 410
 - α_2 -adrenoceptor agonists, 412
 - α -adrenoceptor blockers, 410–411
- infective bacterial endocarditis, 183
 - NICE guidelines, 183
 - prophylactic antibiotics, 184
- inguinal herniorrhaphy, 99
 - field block, 99
- inguinal region, innervation, 99
 - genitofemoral nerve, 99
 - iliohypogastric nerve, 99
 - ilioinguinal nerve, 99
- inhaled anticholinergics
 - mechanism of action, 417
- inhaled corticosteroids
 - dysphonia, candidiasis, 416
- innervation of the larynx, 48
- inotropes, 412
 - defined, 413
 - inflammatory modulation, 413
 - mechanisms of action, 413
- insulin, 66, 423
 - endocannabinoids, 452
 - insulin-regulated transporter protein GLUT4, 424
 - protein synthesis, 424

Index

- insulin receptor, 424
- insulins, 424
 - long-acting recombinant human insulin analogues, 425
 - rapid-acting insulin analogues, 425
 - soluble human insulin (Actrapid), 424
- intercostal nerve block, 76
 - complications, 77
- intercostal nerves, 75
- internal jugular vein, 15
- interscalene block, 102
 - complications, 103
 - indications, 102
- intra-arterial blood pressure measurement, 517
 - damping, 500
- intra-arterial blood pressure monitoring
 - indications, 519
- intra-arterial injection, 113
 - management, 113
 - propofol, 113
 - thiopental, 113
- intracranial pressure, 242
 - cerebral herniation
 - central, cingulate, uncal, 244
 - cerebral perfusion pressure, 243
 - clinical features of raised ICP, 244
 - Cushing's reflex, 244
 - Cushing's triad, 244
 - factors influencing ICP, 242
 - intraparenchymal monitors, 283
 - intraventricular catheters, 243
 - management of raised ICP, 245
 - measurement, 243
 - Monroe-Kellie hypothesis, 242
 - normal range, 243
 - specific signs of raised ICP, 244
 - subdural pressure transducers, 191
- intrahepatic cholestasis, 306
- intraocular pressure, 252
 - aqueous humour, 253
 - central venous pressure, 253
 - choroidal blood volume, 253
 - defined, 253
 - determinants, 253
 - drugs that lower IOP, 254
 - effects of laryngoscopy and tracheal intubation, 254
 - extraocular muscle tone, 253
 - extrinsic compression, 253
 - glaucoma, 253–254
- influence of anaesthesia, 254
- measurement, 253
- normal range, 253
- the open eye, 254
- intrapleural catheterisation, 22
- intravenous immunoglobulin (IVIG), 280, 293
- intravenous iron, 214
 - dose regimens, 214
 - side effects, 214
- intubation, nasotracheal, 35
 - complications, 36
 - contraindications, 36
 - indications, 35
- inverse ratio ventilation, 153
- IOP, *See* intraocular pressure
- iPACK block, 135
- IPPV
 - constant-flow generators, 150
 - constant-pressure generators, 150
- ipratropium, 417
- irbesartan, 401
- iron stores, 213
- ischaemic preconditioning, 339
- isocarboxazid, 451
- isoflurane, 340
 - cerebral blood flow, 341
 - CVS effects and the ‘coronary steal syndrome’, 341
 - physicochemical characteristics, 340
 - respiratory effects, 341
- isoflurane, mechanism of action, *See* sevoflurane, mechanism of action
- isolated forearm technique, 307
- isoprenaline, 414, 420
- ITP, *See* immune thrombocytopaenia
- ivabradine, 420
- IVIG, *See* intravenous immuno-globulin
- jaundice, 82, 305, 488
 - bilirubin, 305
 - causes
 - decreased hepatic bilirubin uptake, 306
 - defective bilirubin binding or conjugation, 306
 - diminished secretion into the biliary system, 306
 - increased bilirubin production, 306
 - defined, 305
 - perioperative implications, 306
 - post-operative jaundice, 307

- Jehovah's Witnesses, 209, 533
 - ethical issues, 209
- jugular venous bulb oxygen saturation
 - measurement, 525
- jugular venous bulb oxygen saturation ($SjVO_2$), 524
- Kell antigen, 207, 210
- Keppra, *See* levetiracetam
- ketamine, 156, 318–319, 332, 474
 - chemistry, 332
 - CNS effects, 334
 - doses/routes of administration, 333
 - emergence delirium/hallucination, 334
 - gastrointestinal effects, 334
 - haemodynamic effects, 334
 - intrathecal and epidural, 398
 - mechanisms of action, 333
 - onset and duration of action, 333
 - pharmacokinetics, 333
 - respiratory effects, 334
 - treatment of depression, 335
 - ulcerative cystitis (ketamine bladder), 335
 - use in chronic pain, 335
- Kety–Schmidt, 248
- Kety–Schmidt method, 522
- Kiesselbach's plexus, 34
- Kupffer cells, 80
- Kussmaul respiration, 144
- labetalol, 405, 411, 420
- lactic acidosis, 205
 - decreased tissue perfusion, 205
- laminar flow, 498
- laminar flow operating theatres, 499
- laminar and turbulent flow, 498
- lamotrigine, 33, 453
- laparoscopy, 237
 - abdominal compartment syndrome, 238
 - cardiovascular effects, 238
 - central nervous system effects, 187
 - CO_2 absorption, 268
 - compartment syndromes, 293
 - gastrointestinal and renal effects, 238
 - pneumoperitoneum, effects and complications, 239
 - respiratory effects, 238
 - surgical indications, 285
- Laplace's law, 516
- laryngeal nerve injury, 49
 - recurrent laryngeal nerve, 49
 - superior laryngeal nerve, 49
- laryngoscopy, 45
 - obesity, 47
 - predictors of difficulty, 47
 - three-axis alignment theory, 45
 - three-column model, 46
 - two-curve theory, 45
- larynx, 43
 - innervation, 45
- lasers, 550
 - argon lasers, 550
 - CO_2 lasers, 550
 - excimer lasers, 551
 - Nd
 - YAG lasers, 550
 - physical principles, 550
 - safety, 551
- latent heat, fusion and vaporisation, 514
- latex allergy, 303
 - composition of latex, 303
 - diagnosis of a reaction, 304
 - management of a reaction, 305
 - patients at risk, 304
 - perioperative management of latex allergic patients, 304
 - radioallergoabsorbent tests (RAST), 304
 - skin-prick testing, 304
 - types of reaction, 304
- laudanosine, 350
- leptin, 191, 261
- leucocyte depletion filters (LDFs), 221, 549
 - bradykinin production, 221
 - hypotension, 221
- leukotriene receptor antagonists, 156
 - mechanism of action, 417
 - neuropsychiatric reactions, 417
- levels of evidence, 500, 588
- levetiracetam, 454
- levodopa, 469
- levosimendan, 414
- lidocaine, 318, 384
 - intravenous infusion, 384
- ligamenta flava, 120
- lisinopril, 400, 421
- lithium, 351, 450
 - mechanisms of action, 450
 - potentiation of action of NMBDs, 351
 - toxicity, 450
- lithium dilution (LiDCO), 523

Index

- liver, 79
- blood supply, 80
- drug biotransformation, 81
- metabolic functions, 82
- microscopic architecture, 80
- protein synthesis, 82
- Rappaport's acinus, 81
- local anaesthetics, 119, 379
 - acquired resistance, 119
 - adjuvants, 390
 - alkalinisation, 389
 - allergic reactions, 388
 - amides, 388
 - esters, 388
 - basic chemistry, 389
 - basic structure, 379
 - carbonation, 390
 - definition, 379
 - frequency dependence, 395
 - inflammatory modulation, 391
 - innate resistance, 118
 - lipid emulsion formulations, 392
 - lipid solubility, 382
 - liposomal formulations, 392
 - mechanism of action, 379
 - metabolism, 395
 - MLAC
 - minimum local analgesic concentration, 383
 - onset/latency, 393
 - pKa, 381
 - potency, 394
 - protein binding, 383, 394
 - resistance, 383
 - sensory-motor dissociation, 395
 - sodium channel function, 380
 - structure-activity relationships, 381
 - vasoactivity, 394
- local anaesthetic toxicity, 385
 - bupivacaine, 394
 - central nervous system effects, 388
 - clinical features, 386
 - haemodynamic effects, 388
 - incidence, 385
 - lipid infusion regimen, 387
 - management, 387
 - maximum doses, 386
 - mechanisms, 386
 - myotoxicity and chondrotoxicity, 388
 - predisposing factors, 385
- prilocaine, 394
- pulmonary sequestration, 387
- ropivacaine, 394
- lofepramine, 451
- losartan, 401, 421
- lower limb blood supply, 127
 - acute ischaemia, 127
 - arterial, 127
 - reperfusion injury, 129
 - venous system, 128
- lower limb revascularisation, 129
- LSD, *See* lysergic acid diethylamide
- lumbar plexus block, 94
- lumbar sympathectomy, 93
 - complications, 94
 - indications, 93
 - techniques, 93
- lumbar sympathetic chain, 93
- lung, non-respiratory functions, 159
 - barrier function, 160
 - drug metabolism, 160
 - filtration, 160
 - immune function, 161
 - metabolic, 159
 - neuroendocrine functions, 160
 - pulmonary sequestration, 160
 - vascular reserve, 161
- luteinising hormone, 26
- Lutheran antigen, 207, 210
- lysergic acid diethylamide
 - actions, 448
- magnesium sulphate, 155, 351, 421, 439
 - adjuvant in regional anaesthesia, 391
 - cardiovascular actions, 440
 - CNS and PNS effects, 440
 - physiology, 440
 - potentiation of NMBD action, 351
 - regulation of cellular functions, 440
 - renal effects, 441
 - toxicity, 441
- magnesium sulphate, clinical uses
 - acute arrhythmias, 441
 - analgesia, 441
 - asthma, 441
 - constipation and dyspepsia, 441
 - epilepsy, 441
 - hypomagnesaemia, 441
 - pre-eclampsia and eclampsia, 441
 - subarachnoid haemorrhage, 441

- tetanus, 441
- tocolysis, 441
- magnetic resonance imaging, 551
 - anaesthesia for, 552
 - anaesthetic monitoring, 553
 - and cardiac pacemakers, 553
 - physical principle, 552
 - T1 and T2 views, 552
- MAOIs, *See* monoamine oxidase inhibitors
- Marsh pharmacokinetic model, 328
- mass spectrometry, 489, 492
- massive haemorrhage, 203
 - acute trauma coagulopathy, 204
 - clinical features, 205
 - compensatory responses, 204
 - compensatory responses and management, 203
 - hypothalamo-pituitary-adrenal response, 204
 - inflammatory response, 204
 - lactic acid generation, 205
 - metabolic acidosis, 205
 - permissive hypotension, 206
 - principles of management, 205
- massive obstetric haemorrhage, 219
 - definition, 219
- maternal cardiac arrest, 224
- MDMA, 446
 - mechanisms, 446
 - overdose, 446
- measurement of end-tidal CO₂
 - colorimetric methods, 489
 - infrared absorption, 489
 - mass spectrometry, 489
 - Raman scattering, 489
- mechanisms of action of general anaesthetics, 313
- mechanisms underlying general anaesthesia, 313
 - 5-HT3 and neuronal nicotinic acetylcholine receptors, 314
 - GABA receptor system, 314
 - glutamate receptors, 315
 - glycine receptors, 314
 - transmitter-gated ion channels (TGIC), 314
 - two-pore domain K⁺ channels, 314
 - voltage-gated ion channels, 314
- median nerve, 108
 - injury, clinical features, 109
- mediastinoscopy, 95
- mediastinum, 68
- medical gas supply, 492
 - central supply, 492
 - cylinder contents, 493
 - cylinders, 493
 - liquid oxygen, 493
 - medical air, 493
 - oxygen concentrators, 493
- medical research, fundamental flaws, 589
- meglitinides, 426
 - actions, 426
 - nateglinide, repaglinide, 426
 - pharmacokinetics, 427
- melanocortin-1 receptor (MC1R receptor), 118
- Mendelson, Curtis, 50, 191
- Mendelson's syndrome, 192
- Mental Capacity Act, 288
- MET, *See* metabolic equivalent of task
- meta-analysis, 586
 - advantages and problems, 587
 - defined, 592
- metabolic equivalent of task, 179
- metaraminol, 408
 - as false transmitter, 408
- metformin, 425
- methacholine, 420
- methaemoglobinæmia, 394
- methoxyflurane, 340, 342
 - analgesic potency, 342
 - nephrotoxicity, 342
 - physicochemical characteristics, 342
- methylene blue, 275
 - serotonin syndrome, 275, 449
- methylxanthines
 - mechanism of action, 417
 - toxicity, 417
- metoclopramide, 372
- metoprolol, 420
- mexiletine, 420
- Meyer–Overton hypothesis, 313
- MgSO₄, *See* magnesium sulphate
- mianserin, 451
- micro-encapsulated haemoglobin, 203
- midazolam, 473
 - intrathecal, 399
- milrinone, 188, 414
- Minto pharmacokinetic model, 329
- mirroring (in CRPS), 293
- mirtazapine, 451
- misoprostol, 467
- mitral incompetence, 183
 - aetiology, 183
 - anaesthetic implications, 183

Index

- mitral incompetence (cont.)
 - pathophysiology, 183
 - regurgitant fraction, 183
- mitral regurgitation, *See* mitral incompetence
- mitral stenosis, 182
 - aetiology, 182
 - anaesthetic implications, 182
 - fixed output state, 182
 - pathophysiology, 182
 - valvular area, 182
- mitral valve disease, 181
- mivacurium, 350
 - metabolism, 352
- moclobemide, 451
- modified Allen test, *See* Allen test
- MODS, *See* multi-organ dysfunction syndrome
- smoking, 157
- monoamine oxidase inhibitors, 450
 - and anaesthesia, 451
 - MAO-A, 450
 - MAO-B, 450
 - non-selective and irreversible, 451
 - selective, 451
 - selective and reversible, 451
- monoclonal antibodies
 - adverse effects, 460
 - malignancy, 460
 - nomenclature, 460
- Monroe–Kellie hypothesis, 242
- montelukast, 417
- morphine, 360
 - bioavailability, 360
 - intrathecal, 397
 - morphine-3-glucuronide, 360
 - morphine-6-glucuronide, 360
- motilin, 191
- MRI, *See* magnetic resonance imaging
- multi-organ dysfunction syndrome, 88
- muscarinic antagonists, 155
- myasthenia gravis, 257, 353
- myasthenic crisis, 257
- myocardial innervation, 73
- myocardial ischaemia, 72
 - acute coronary syndrome, 72
 - STEMI, NSTEMI, 72
- myocardium, 69
 - arterial supply, 70
 - oxygen supply and demand, 72
 - venous drainage, 71
- myxoedema, 283
- myxoedema coma, 283
- nabilone, 372–373
- n-acetylcysteine, 443
- n-acetyl-p-benzoquinone-imine (NAPQI), 369, 443
- nalbuphine, 397
- naloxone, 446
- NAP 3, *See* 3rd National Audit Project
- NAP 4, 59
- NAP 5, *See* 5th National Audit Project
- NAP 6, *See* 6th National Audit Project
- NAPQI, *See* n-acetyl-p-benzoquinone-imine
- Narcotrend, 480
- nateglinide, 426
- nausea and vomiting, 371
 - 5-HT3 receptors, 371
 - CB1 and CB2 receptors, 372
 - dopamine (D2) receptors, 371
 - H1-antagonists, 371
 - multi-modal treatment, 371
 - NK1-receptors, 372
- near infrared spectroscopy, 526
 - physical principles, 526
- neck, surface anatomy, 57
- nedocromil, 418
- negative predictive value, 593
- neostigmine, 352–353
 - intrathecal, 399
 - onset and duration of action, 386
- nephrogenic systemic fibrosis, 552
- neuraxial block and anticoagulation
 - ‘safe’ intervals, 409
- neuraxial block and thrombocytopaenia, 217
 - ‘safe’ platelet count, 218
- neurohypophysis, *See* posterior pituitary
- neuroleptic malignant syndrome, 472
- neuromuscular blocking drugs, 348
- neuromuscular block, assessment, 558
 - clinical signs, 558
- neuromuscular junction, 255
 - anatomy, 255
- neuropathy, 30
 - autonomic, 30
- neuropeptide Y, 261
- Newtonian fluid, 498
- New York Heart Association (NYHA) functional classification, 180
- nicorandil, 421
- nicotine, 157
- nifedipine, 400
- nimodipine, 10
- niroscope, 526
- nitric oxide (NO), 153, 191, 277

- actions, 278
- cardiovascular effects, 278
- delivery systems, 279
- inactivation, 278
- inhaled, 278
- NO-mediated vasodilation, 278
- NOS isoforms, 277
- synthesis, 277
- volatile anaesthetic interactions, 278
- nitrogen balance, 284
- nitrous oxide, 344
 - anaesthesia, 345
 - analgesia, 345
 - bone marrow toxicity and neurotoxicity, 346
 - clinical advantages, 345
 - clinical disadvantages, 346
 - ENIGMA II trial, 260
 - ENIGMA trials, 347
 - greenhouse gas, 346
 - physical properties, 345
 - NMBDs, *See* neuromuscular blocking drugs
 - NO, *See* nitric oxide
 - non-adrenergic non-cholinergic (NANC) nerves, 155
 - non-depolarising block, 256
 - non-depolarising muscle relaxants
 - allergic reactions, 351
 - aminosteroids, 350
 - benzylisoquinoliniums, 350
 - mechanisms of action, 429
 - potentiation, 351
 - quaternary ammonium structure, 349
 - non-obstetric surgery in pregnancy, 226
 - non-parametric tests, 585
 - non-respiratory functions of the lung, 159
 - non-steroidal anti-inflammatory drugs (NSAIDs)
 - adverse effects, 367
 - bronchoconstriction and asthma, 367
 - effects on bone healing, 368
 - gastrointestinal tract effects, 367
 - influence on haemostasis, 368
 - mechanisms of action, 367
 - overview, 366
 - renal effects, 367
 - thrombotic risks, 367
 - non-steroidal anti-inflammatory drugs
 - VIGOR trial, 367
 - noradrenaline, 29, 408, 414
 - normal saline (NaCl 0.9%), 201
 - hyperchloraemic acidosis, 201
 - nortriptyline, 451
 - nose, 33
 - functions, 34
 - instrumentation, 35
 - olfactory receptors, 34
 - null hypothesis, 592
 - nutrition, 283
 - additives, 284
 - calorie sources, 284
 - electrolyte requirements, 284
 - energy requirements, 284
 - enteral nutrition, 285
 - fluid requirements, 284
 - indications for nutritional support, 283
 - nitrogen balance, 284
 - protein requirements, 284
 - starvation, 283
 - supplements, 284
 - total parenteral nutrition (TPN), 284
 - obesity, 260
 - abdominal obesity, 262
 - anaesthetic problems, summary, 263
 - bariatric surgery, 263
 - body mass index (BMI), 261
 - cardiovascular changes, 262
 - classifications, 261
 - endocrine problems, 263
 - ethnic variations, 261
 - gastrointestinal system changes, 263
 - ideal weight formula, 261
 - mortality, 262
 - neurohumoral mechanisms, 261
 - NICE criteria for weight-reduction surgery, 263
 - obstructive sleep apnoea, 262
 - prevalence, 260
 - respiratory problems, 262
 - technical difficulties, 263
 - waist to height ratios, 262
 - obstetric airway, 50
 - obstetric coagulopathy, 220
 - obstetric general anaesthesia, 192
 - central tenets, 192
 - obstetric haemorrhage, 220
 - major haemorrhage packs, 220
 - management, 220
 - obstructive sleep apnoea, 144
 - STOP-BANG, 144
 - odds ratio, 585
 - oesophageal Doppler monitor (ODM), 523
 - oestrogen, 322
 - OHDC, *See* oxygen–haemoglobin dissociation curve

Index

- Ohm's law, 564
- OLV, *See* one-lung ventilation
- omalizumab, 418
- ondansetron, 371–372
- Ondine's curse, 143
- one-lung ventilation, 161
 - indications, 161
 - physiological changes, 162
 - unexpected hypoxia, 163
 - ventilator settings, 162
- ophthalmic blocks, 22
 - peribulbar block, 22
 - retrobulbar block, 22
 - sub-Tenon's block, 23
 - topical anaesthesia, 22
- opiates/opioids, 359
 - definitions, 359
- opioid-free anaesthesia, 363
 - hard rationale, 364
 - soft rationale, 363
- opioid-induced hyperalgesia (OIH), 365
 - possible mechanisms, 365
- opioid receptors, 359
- opioids, 455
 - actions at cellular level, 359
 - excitatory effects, 360
 - inhibitory actions, 360
 - withdrawal syndrome, 447
- organ blood flow measurement, 520
 - Doppler ultrasonography, 520
 - electromagnetic flowmeters, 521
 - Fick principle, 521
 - indicator dilution methods, 521
 - Kety-Schmidt method, 522
 - para-amino hippuric acid (PAH) clearance, 521
 - PET and SPECT scanning, 522
- organ donation, 14
 - management, 14
- organophosphate poisoning, 354
 - management, 354
- orphenadrine, 470
- OSA, *See* obstructive sleep apnoea
- osmolality, 582
 - osmolality, derangements
 - diabetes insipidus (DI), 583
 - hyperosmolar states (HHNK), 584
 - SIADH, 583
 - TUR syndrome, 583
 - water intoxication, 584
 - osmolar gap, 582
- osmolarity, 582
- osmosis, 581
 - calculation of osmolality, 582
 - definition, 582
 - oncotic pressure, 583
 - osmolar gap, 582
 - osmolarity and osmolality, 582
 - osmotic pressure, 582
 - tonicity, 583
- Otrivine, *See* xylometazoline
- oxcarbazepine, 32
- oxycodone, 362
 - metabolism, 362
 - oral bioavailability, 362
- oxygen concentrators, 493
- oxygen delivery, 177
 - determinants, 177
 - dissolved oxygen, 178
 - optimisation, 178
- oxygen measurement, 491
 - Clark electrode, 491
 - galvanic fuel cell, 491
 - mass spectrometry, 492
 - paramagnetic oxygen analyser, 492
- oxygen toxicity, 175
 - clinical features, 176
 - hyperbaric oxygen, 176
 - mechanisms, 175
- obstetrics
 - adverse effects, 176
 - protective mechanisms, 176
 - pulmonary pathology, 175
 - retrolental fibroplasia, 177
- oxygen-haemoglobin dissociation curve
 - 2,3-DPG, 172
 - abnormal haemoglobins, 172
 - Bohr effect, 171
 - carboxyhaemoglobin, 171
 - double Bohr effect, 171
 - double Haldane effect, 171
 - Haldane effect, 171
 - methaemoglobin, 171
 - shifts in, 170
- oxytocin, 26
- PACMAN study, 524
- paediatric airway, 234
- paediatric physiology, 234
 - airway, 234
 - cardiovascular system, 234

- central nervous system, 236
- closing capacity, 235
- drug effects, 236
- energy metabolism, 235
- fluid balance, 236
- fluid resuscitation, 236
- gastrointestinal system, 236
- psychological considerations, 237
- renal system, 235
- respiratory system, 234
- surface area to mass ratio, 234
- thermoregulation, 235
- pain pathways, 289
 - gate control, 290
 - ligand-receptor blockade, 290
 - modulation of nociceptive afferents, 289
 - primary afferents, 289
 - secondary afferents, 289
 - transmitters, 290
- palonosetron, 371–372
- pancreas, 85
 - endocrine cells, 86
 - exocrine cells, 86
- pancreatic polypeptide, 49
- pancuronium, 350
- panhypopituitarism, 27
- papaverine, 113
- para-aminobenzoic acid (PABA), 388
- paracetamol, 368
 - degradation, 369
 - inhibition of prostaglandin synthesis, 369
 - intravenous formulation, 369
 - intravenous vs oral, 370
 - mechanisms of action, 368
 - metabolite p-aminophenol, AM404 formation, 369
 - n-acetyl-p-benzoquinone-imine (NAPQI), 369
 - toxicity, 369
- paradoxical disinhibition, 473
- parametric and non-parametric data, 584
 - non-parametric data, 584
 - parametric data, 584
 - parametric tests, 585
 - qualitative data analysis, 585
- parathyroid glands, 43
- paratropes, 459
- paravertebral block, 62
 - complications, 64
 - contraindications, 63
- indications, 62
- technique, 63
- paravertebral space, 62
- parenteral nutrition, 198
 - complications, 285
- Parkinson's disease, 388
 - deep brain stimulation (DBS), 471
 - effect of anaesthetic drugs, 472
 - perioperative care, 471
- Parkinson's disease, drug treatments
 - antimuscarinic drugs, 470
 - antiviral drugs, 470
 - catechol-O-methyltransferase (COMT) inhibitors, 470
 - dopamine precursors, 469
 - dopamine receptor agonists, 469
 - ergot-derived dopamine agonists, 469
 - monoamine oxidase inhibitors, 470
 - non-ergot derived dopamine agonists, 469
- patient-controlled analgesia (PCA), 363
 - drugs for PCA, 363
- PCA, *See* patient-controlled analgesia (PCA)
- PDPH, *See* post-dural puncture headache
- PECS 1 and 2 blocks, 65
- pectoralis nerve blocks, *See* PECS 1 and 2 blocks
- penetrating eye injury, 255
 - anaesthesia, 255
 - laryngoscopy, 255
 - suxamethonium, 255
- PENG block, 135
- pentazocine, 397
- Pentrox, 343
- pepsin, 191
- perampanel, 454
- percutaneous cervical cordotomy, 575
- percutaneous tracheostomy, 58
- perfluorocarbons, 203
- perfluoro-octabromide, 203
- pergolide, 399
- peribulbar block, 22
- perindopril, 400
- perioperative autologous blood recovery (cell salvage), 208
- peripheral nerve stimulators, 558
 - assessment of neuromuscular block, 558
 - mechanomyography, electromyography, acceleromyography, 559
 - patterns of stimulation, 559
 - physical principles, 558

Index

- peripheral nerve stimulators, regional anaesthesia, 560
 - device characteristics, 560
 - pulse duration – rheobase and chronaxie, 561
 - stimulator needles, 561
- permissive hypotension, 206
- pethidine, 361
 - anticholinergic effects, 361
 - norpethidine, 361
- PH, *See* pulmonary hypertension
- pharmacogenomics, 474
 - cytochrome P450 polymorphisms, 475
 - definition, 475
 - pharmacogenomics vs pharmacogenetics, 474
 - single nucleotide polymorphisms (SNPs), 475
- pharmacology of anti-emetic drugs, 371
- phase II block, 256
- phenelzine, 451
- phenobarbital, 454
- phenoxybenzamine, 113
- phentolamine, 410
- phenylalkylamines, 399
- phenylephrine, 407
- phenytoin, 32, 453
- phosphate, 286, 296
- phrenic nerve, 78
 - block, 103
 - palsy, 78
 - spinal cord injury, 79
- physiological changes of late pregnancy relevant to general anaesthesia, 222
- physiology of ageing, 264
- physiology and clinical anatomy of the infant and neonate, 233
- physiology of gastric emptying, 190
- physostigmine, 353
- pituitary, 24
- pKa, 381
- placental drug transfer, 227
- placentation, abnormal, 219
 - incidence, 219
- Plan A blocks, 97
 - adductor canal block, 97
 - axillary block, 97
 - erector spinae plane block, 97
 - femoral nerve block, 97
 - interscalene block, 97
 - rectus sheath block, 97
 - sciatic nerve block, 97
- Planck's constant, 550
- plasmapheresis, 280
- plasma proteins, 279
 - albumin, 279
 - fibrinogen, 280
 - functions, 280
 - gamma (γ -) globulins, 280
 - globulins, 279
- platelet disorders, 215
 - Glanzmann's thrombasthenia, 216
 - immune thrombocytopenia, 215
 - platelet storage pool defects, 216
- platelet transfusion, 217
 - complications, 217
- platelets, 214
 - adhesion, 215
 - aggregation, 215
 - function, 215
 - procoagulation, 215
 - secretion, 215
 - structure, 215
 - synthesis, 215
- pleura, 65
- pleural effusion, 67
- pneumomediastinum, 69, 142
- pneumopericardium, 142
- pneumoperitoneum, 239
 - complications, 239
- pneumothorax, 139
 - causes, 140
 - diagnosis, 140
 - management, 141
 - tension, 141
- POCD, *See* post-operative cognitive dysfunction
- point of care tests, 576
 - arterial blood gases, 577
 - blood glucose, 576
 - electrolytes, 577
 - haemoglobin, 576
 - HIV status, 522
 - thromboelastography, 577
- POISE trial, 404
- Poiseuille–Hagen equation, 498
- PONV, *See* post-operative nausea and vomiting
- portal circulation, 33
 - defined, 25
 - hypothalamo-hypophyseal circulation, 25
- positive predictive value, 593
- post-dural puncture headache, 121
 - management, 122
- posterior pituitary, 24

- post-operative cognitive dysfunction (POCD), 249, 265
 - aetiology, 251
 - cerebral oxygen desaturation, 252
 - delirium in critical care, 250
 - delirium defined, 250
 - dementia defined, 249
 - immunity and inflammatory mediators, 252
 - incidence, 251
 - ISPOCD-1 study, 251
 - management, 252
 - POCD, defined, 250
 - risk factors, 251
- post-operative cognitive dysfunction and delirium, 249
- post-operative nausea and vomiting, 258
 - cortical afferents, 258
 - emetic drugs, 259
 - gastrointestinal and vagal afferents, 258
 - management, 260
 - multimodal approach to treatment, 260
 - neural pathways, 258
 - nucleus tractus solitarius (NTS), 259
 - risk factors, 259
 - scoring systems, 260
 - vestibular afferents, 259
 - visceral afferents, 258
 - vomiting centre (VC), 258
- post-operative nausea and vomiting
 - chemoreceptor trigger zone (CTZ), 258
- postpartum haemorrhage (PPH), 219, 468
 - abnormal placentation, 219
 - coagulopathy, 220
 - genital tract trauma, 219
 - incidence, 219
 - non-uterine causes, 219
 - risk factors, 219
 - uterine atony, 219, 468
 - uterine causes, 219
- postpartum headache, 113
 - differential diagnosis, 122
- postpartum and massive obstetric haemorrhage, 218
- post-tetanic count (PTC), 559
- postural orthostatic tachycardia syndrome (POTS), 30, 376
 - potassium iodide, 282
 - potential space, 120
 - POTS, *See* postural orthostatic tachycardia syndrome
 - power, of a study, 591–592
- PPH, *See* postpartum haemorrhage
- pralidoxime, 354
- pramipexole, 469
- prandial glucose regulators, *See* meglitinides
- pre-eclampsia, 228
 - anaesthesia, 230
 - clinical features, 228
 - fluids and vasopressors, 230
 - incidence, 228
 - normal placental implantation, 229
 - placental pathophysiology, 229
 - precipitants, 229
- pregabalin, 453
- pregnancy, late, physiological changes, 222
 - airway, 224
 - anaesthetic implications, 224
 - aortocaval compression, 222
 - cardiovascular system, 222
 - central nervous system, 225
 - drug metabolism, 225
 - gastrointestinal system, 224
 - haematological system, 225
 - metabolic changes, 225
 - musculoskeletal system, 225
 - respiratory system, 224
- pregnancy, non-obstetric surgery, 226
 - anaesthetic considerations, 227
 - developmental delay, 228
 - drug effects, 227
 - first trimester, 226
 - general principles, 226
 - incidence, 226
 - miscarriage, 228
 - placental drug transfer, 227
 - teratogenesis, 227
 - third trimester, 227
- pre-operative assessment of cardiac function, 178
- pre-operative fasting, 192
- pressor response to laryngoscopy, 255
 - attenuation, 255
- pressure, 88, 515
 - aneroid gauges, 516
 - automatic blood pressure, oscillometry, 516
 - defined, 515
 - diaphragm gauges, 516
 - intra-abdominal, 88
 - Laplace's law, 516
 - manometry, 516
 - pressure, absolute and gauge, 516

Index

- prilocaine, 318
 - structure, 393
- primidone, 454
- procainamide, 420
- prochlorperazine, 371–372
- proconvulsant anaesthetic actions, 455
- procyclidine, 470
- progesterone, 146, 322
- prolactin, 26
- prolactinoma, 27
- prone position in anaesthesia, 239
 - airway access, 240
 - cardiovascular effects, 241
 - compartment syndromes, 240
 - complications, 240
 - fractals, 241
 - manual handling, 240
 - mechanical pressure effects, 240
 - peripheral nerve injury, 240
 - pressure sores, 240
 - respiratory system, 241
 - surgical bleeding, 278
 - surgical indications, 239
- prone ventilation, 152
- propafenone, 420–421
- propanolol, 404, 412
- propofol, 322
 - chemistry, 323
 - context-sensitive half-time, 325
 - dose and routes of administration, 323
 - effects and side effects, 324
 - mechanisms of action, 323
 - pharmacokinetics, 323
 - in pregnancy, 324
 - propofol derivatives, 325
 - propofol infusion syndrome, 324
 - suitability for TCI, 325
- propylthiouracil, 282
- prostacyclin, 113
- prostacyclin PGI₂, 154
- protamine, 435
- prothrombin complex concentrate (PCC), 435
- pruritus (opioid-induced), 345, 360
 - diamorphine, 396
 - mechanisms, 396
 - treatment, 396
- pseudocritical temperature, 514
- pseudovascularisation, *See* pre-eclampsia
- psoas compartment block, *See* lumbar plexus block
- pulmonary aspiration of gastric contents, 55, 191
 - in children, 192
 - incidence, 192
 - management, 55
- pulmonary hypertension, 166
 - anaesthetic implications, 167
 - anaesthetic techniques, 168
 - arterial hypertension, 167
 - combined pre- and post-capillary, 167
 - diagnosis, 166
 - drug-induced, 167
 - hypoxic hypertension, 167
 - idiopathic, 167
 - mortality, 167
 - post-capillary, 166
 - pre-capillary, 166
 - right ventricular failure, 167
 - thrombotic hypertension, 224
 - vasopressors, 168
 - venous hypertension, 188
- pulmonary incompetence, 188
 - aetiology, 188
 - anaesthetic implications, 188
- pulmonary oedema, 164
 - management, 165
 - Starling equation, 164
- pulmonary regurgitation, *See* pulmonary incompetence
- pulmonary stenosis, 187
 - aetiology, 187
 - anaesthetic implications, 187
 - pathophysiology, 187
 - pressure gradient, 187
- pulmonary valve disease, 187
- pulse contour analysis, 523
- pulse contour CO (PiCCO), 524
- pulse oximetry, 486
 - abnormal haemoglobins, 488
 - calibration, 487
 - haemoglobin absorption spectra, 487
 - interference by other substances, 487
 - in jaundice, 488
 - limitations, 487
 - physical principles, 487
 - problems in interpretation, 488
 - sources of error, 487
- pupillary signs, 21
 - Argyll-Robertson pupil, 21
 - Holmes-Adie syndrome, 21
- pyridostigmine, 257, 353

- QLB, *See quadratus lumborum block*
- Q-T interval prolongation, 363, 451
 - ondansetron, granisetron, droperidol, ciprofloxacin, erythromycin, 449
- quadratus lumborum block, 97
- quinidine, 420
- rachi-resistance, 119
- radial nerve, 106
 - injury, clinical features, 107
- raised ICP, management, 245
- ramipril, 421
- ranolazine, 420
- rapamycin (mTOR) pathway, 424
- rasagiline, 470
- recombinant protein C-based surfactant, 154
- recreational drugs and drugs of abuse, 445
- rectus sheath block, 96
- red blood cell abnormalities, 213
- red blood cell morphology, 213
- redheadedness, 118
- re-entry (pre-excitation) tachycardia, 422
- refeeding syndrome, 285
 - clinical features, 285
 - mechanisms, 285
 - re-establishing nutrition, 286
- regional anaesthesia, 384
 - in cancer surgery, 385
 - MASTER trial, 384
 - tumour recurrence, 384
- remifentanil, 362
 - context-sensitive half-time, 362
 - for labour analgesia, 362
 - metabolism by non-specific tissue esterases, 362
 - post-operative hyperalgesia, 362
- remimazolam, 473
- renal replacement therapy (RRT), 528
 - complications, 530
 - haemodiafiltration, 530
 - indications, 528
 - principles of haemofiltration (HF), 529
 - in sepsis, 530
- repaglinide, 426
- reperfusion injury, 311
- reperfusion syndrome, 309
- resistance, 564
- respiratory stimulants, 146
 - almitrine, 146
 - doxapram, 146
 - progesterone, 146
- retrobulbar block, 22
- Reynolds number, 498
- rheobase, 561
- rhesus factor, 207
- rhesus sensitisation, 144
- rivaroxaban, 432
- rivastigmine, 354
- rocuronium, 351
 - metabolism, 379
- rofecoxib, 367
- ropinirole, 469
- ropivacaine, 317, 382, 391
 - structure, 393
- ROTEM, *See thromboelastography*
 - INTEM, EXTEM, FIBTEM, 578
 - limitations, 579
- rotigotine, 469
- sacrum, 124
- SAH, *See subarachnoid haemorrhage*
- salbutamol, 416, 464
 - mechanism of action, 416
- saturated vapour pressure, 514
- saxitonins, 392
- scalp, 38
 - sensory nerve supply, 38
- scavenging, 509
 - active systems, 510
 - Cardiff Aldasorber, 510
 - passive systems, 510
 - permitted maxima, 511
- Schnider pharmacokinetic model, 329
- sciatic nerve, 135
 - block, 136
 - popliteal fossa block, 137
- scoring system
 - Wilson score (difficult intubation), 543
- scoring systems, 541
 - APACHE, 561
 - Apfel score (risk of PONV), 543
 - ASA classification, 542
 - Glasgow Coma Score (GCS), 542
 - Global Registry of Adverse Coronary Events, 543
 - Intensive Care National Audit and Research Centre (ICNARC), 545
 - Logistic Organ Dysfunction (LOD) score, 545
 - Model for End-Stage Liver Disease: MELD scoring, 592
 - Modified Early Warning System (MEWS), 516
 - Multiple Organ Dysfunction Score (MODS), 545

Index

- scoring systems (cont.)
 - Nottingham hip fracture score, 543
 - Paediatric Early Warning System (PEWS), 542
 - POSSUM and P-POSSUM, 578
 - Ranson score (acute pancreatitis), 544
 - Sequential Organ Failure Assessment (SOFA), 545
 - Simplified Acute Physiology Score, 581
- sedation, *See* conscious sedation
- selective serotonin reuptake inhibitors
 - mechanism of action, 448
 - Q-T interval prolongation, 363
 - surgical bleeding, 449
- selegiline, 451
- sensitivity, of a clinical test, 592
- sepsis, 193
 - clinical features, 195
 - corticosteroids, 195
 - definitions, 193
 - glycaemic control, 195
 - goal-directed and early goal-directed therapy, 196
 - inflammatory mediators, 194
 - inflammatory response, 194
 - major infective sources, 195
 - monoclonal antibodies, 196
 - multiple organ dysfunction syndrome (MODS), 194
 - NICE guidelines (2024), 194
 - nitric oxide synthetase inhibitors, 196
 - procoagulant-anticoagulant balance, 194
 - selenium, 196
 - septic shock, 194
 - sepsis six, care bundle, 194
 - signalling molecules, 194
 - systemic inflammatory response syndrome (SIRS), 193
 - vasopressin, 195
- Serious Hazards of Transfusion (SHOT) Report
 - 2023, 207
- serotonin, *See* 5-hydroxytryptamine
- serotonin syndrome, 274, 442, 444, 449
 - clinical presentation, 449
 - criteria for diagnosis, 449
 - management, 450
 - Sternbach criteria, 275
- sertraline, 448
- sevoflurane, 7, 337, 500
 - cardiovascular effects, 338
 - cerebral blood flow, 338
 - compounds A and B, 339
 - EEG changes, 338
- ischaemic preconditioning, 339
- mechanisms of action, 339
- physicochemical characteristics, 338
- respiratory effects, 338
- SGLT2 inhibitors
 - actions, 427
 - canagliflozin, dapagliflozin, empagliflozin, 427
 - pharmacokinetics, 427
- Sheehan's syndrome, 27
- Shy-Drager syndrome, 30
- sinus bradycardia, 421
- SIRS, *See* systemic inflammatory response syndrome (SIRS)
- smoking
 - anaesthetic implications, 158
 - associated diseases, 157
 - carbon monoxide (CO), 157
 - cessation, 158
 - cytochrome P450 CYP1A2, 158
 - nicotine, 157
 - nicotine withdrawal, 158
 - surgical implications, 158
- smoking, vaping and anaesthesia, 157
- soda lime, 507
 - carbon monoxide production, 509
 - chemical composition, 508
 - compound A production, 509
 - indicator dyes, 508
 - mesh, 508
 - regeneration, 508
 - trichloroethylene, 509
- sodium channel, 119
- sodium nitroprusside (SNP), 410
- sodium valproate, 454
- somatostatin, 86
- somatotropin, *See* growth hormone
- sotalol, 318, 404, 420
- SPANK block, 134
- specificity, of a clinical test, 592
- spinal anaesthesia, *See* subarachnoid anaesthesia
- spinal cord, 91, 115
 - blood supply, 91
 - ischaemic injury, 92
 - mitigation of ischaemic risks, 92
 - vertebral levels, 115
- spinal cord injury, 297
 - acute injury
 - clinical features, 297
 - anaesthesia, 299

- autonomic hyperreflexia, 300
- chronic phase
 - anaesthesia, 299
 - clinical features, 299
- early management, 298
- high-dose corticosteroids, 299
- incidence, 297
- level of injury
 - effects summarised, 298
- mass reflex sympathetic discharge, 299
- neurogenic shock, 298
- patterns of spinal cord injury, 297
- spinal shock, 298
- suxamethonium, 299
- spinal cord stimulation, 573
 - anaesthetic considerations, 574
 - analgesic mechanisms, 574
 - magnetic resonance (MR) imaging, 574
 - neurostimulator types, 573
 - NICE recommendations, 573
 - primary indication, 573
 - surgical diathermy, 574
- spinal epidural haematoma (SEH), 218
 - clinical presentation, 436
 - incidence, 218, 436
 - presentation and diagnosis, 218
 - risk, 218
 - risk factors, 436
- splanchnic circulation, 87
 - anaesthetic influences, 89
 - autonomic supply, 88
 - autoregulation, 87
 - humoral regulators, 88
 - hypoperfusion, sequelae, 88
- spleen, 83
 - arterial supply, 138
 - functions, 84
 - venous drainage, 83
- splenectomy, 98
 - sequelae, 84
- splenic injury, 85
 - management, 85
- splenomegaly, 84
 - causes, 84
- SSRIs, *See* selective serotonin reuptake inhibitors
- standard deviation (SD), 585
- standard error of the mean (SEM), 585
- starches, 202
- starvation, 283
- statins, 401, 421
 - mechanism of action, 401
 - myalgia and myositis, 402
 - myoglobinuria after suxamethonium, 402
 - pleiotropic effects, 401
- statistical significance, 593
- Stefan-Boltzmann equation, 538
- stellate ganglion, 60
 - block, 61
- stellate ganglion block
 - complications, 61
 - indications, 61
 - techniques, 61
- steroid equivalence, 269
- steroid psychosis, 373
- steroid supplementation, 269
 - complications of supraphysiological regimens, 270
 - replacement regimens, 269
- stress response to surgery, 266, 384
 - benzodiazepines, 267
 - catabolism, 267
 - definition, 266
 - endocrine response, 266
 - etomidate, 267
 - immune response, 267
 - immunomodulation, 384
 - inflammatory response, 267
 - modification by anaesthesia, 267
 - opioids, 267
 - regional anaesthesia, 268
 - α 2-agonists, 267
- stroma-free haemoglobin solutions, 203
- subarachnoid anaesthesia, 113
 - intrathecal spread of drug, 116
 - reasons for failure, 117
- subarachnoid anaesthesia, adjuncts, 396
 - adrenaline, 398
 - anticholinesterases, 398
 - diamorphine, 397
 - GABA agonists, 399
 - magnesium sulphate, 398
 - monoamine uptake inhibitors, 399
 - morphine, 397
 - NMDA receptor antagonists, 398
 - non-steroidal anti-inflammatory drugs (NSAIDs), 399
 - opioids, 396
 - spinal opioid receptors, 397
 - vasoconstrictors, 398
 - α 2-agonists, 398

Index

- subarachnoid haemorrhage, 10
- cerebral vasospasm, 10
- management, 10
- subcutaneous emphysema, 141
- subdural block, 122
- sub-Tenon's block, 23
- sugammadex, 354
 - breastfeeding, 356
 - cardiac arrhythmias, 356
 - drugs that displace rocuronium, 356
 - hypersensitivity reactions, 356
 - metabolism and excretion, 355
 - oral contraceptives, 355
 - recurarisation, 356
 - reversal doses, 355
 - structure and chemistry, 355
 - toroidal structure, 355
- sulphonylureas, 426
 - actions, 426
 - pharmacokinetics, 426
 - tolbutamide, glibenclamide, gliclazide, glipizide, glimepiride, 426
- supply of medical gases, 492
- supraclavicular block, 103
 - complications, 103
 - indications, 103
- supra-inguinal fascia iliaca block, 133
- surgical diathermy, 568
 - bipolar, 569
 - and cardiac pacemakers, 570
 - physical principles, 569
 - thermal injury, 569
 - unipolar (monopolar), 569
- sustainability, 348
- desflurane
 - GWP100 of 2540, 348
- global warming potential (GWP100), 348
- isoflurane
 - GWP100 of 510, 348
- nitrous oxide
 - GWP100 of 298, 348
 - nitrous oxide 'cracking', 348
- propofol TIVA, 348
- sevoflurane
 - GWP100 of 130, 348
- suxamethonium, 299, 349, 356, 402
 - ACh agonism, 357
 - anaphylaxis, 358
 - bradyarrhythmias, 357
 - does it have a future?, 357
- hyperkalaemia, 358
- indications, 357
- inherited deficiencies of plasma cholinesterase, 358
- intramuscular/intralingual, 357
- metabolism, 349
- metabolism and elimination, 357
- myalgia, 357
- phase II block, 358
- structure, 356
- suxamethonium myalgia
 - attenuation, 357
 - risk factors, 357
- sympathetically maintained pain, 30
- synaptobrevin, 256
- syndrome of inappropriate antidiuretic hormone (ADH) secretion (SIADH), 583
- syntocinon, 466
- syntometrine, 467
- systematic review, 586
 - criteria, 587
 - definitions, 586
- systemic inflammatory response syndrome (SIRS), 88, 129, 193, 267
 - criteria, 194
- TAP block, *See transversus abdominis plane block*
- target-controlled infusion, 326, 330
 - context-sensitive half-time, 331
- Eleveld model, 329
- hysteresis, 332
- Marsh model, 328
- Marsh, Schnider and Eleveld, practical differences, 330
- Minto model for remifentanil, 329
- obesity, 330
- pharmacokinetic modelling, 327
- pharmacokinetic principles, 326
- plasma and effect-site targeting, 328
- Schnider model, 329
- target concentration, 332
- TCI delivery equipment, 326
- three-compartment model, 327
- time to peak effect (TTPE), 328
- volume of distribution (Vd), 331
- Tarlov cysts, 117
- tau protein, 353
- TCI, *See target-controlled infusion (TCI)*
- teicoplanin, 303

- temperature measurement, 535
 - dial thermometers, 536
 - infrared devices, 536
 - mercury and alcohol thermometers, 536
 - resistance thermometer, 536
 - thermistor, 536
 - thermocouple, 536
- terbutaline, 416, 464
- terfenadine, 372
- testosterone, 322
- tetanic stimulation, 559
- Tetracyclics (TeCAs), 451
- tetrahydroaminoacrine ‘tacrine’, 352
- tetralogy of Fallot, 232–233
- theophylline, 417
- theophyllines, 156
 - toxicity, 417
- therapeutic monoclonal antibodies, 459
- thermoregulation, 539
- thiamine (vitamin B1), 286
- thiazolidinediones, 426
 - actions, 426
 - oncogenesis, 427
 - pharmacokinetics, 427
 - pioglitazone, 426
- thiopental, 335
 - adverse reactions, 336
 - cardiovascular effects, 336
 - chemistry, 336
 - CNS actions, 336
 - doses
 - intravenous and rectal, 336
 - pharmacokinetics, 336
 - in porphyria, 336
 - respiratory effects, 336
- thoracic electrical bioimpedance, 524
- thoracic epidural, 64
- thoracic epidural analgesia, 123
- thoracic pain, 76
 - analgesic options, 76
- thrombocytes, *See* platelets
- thrombocytopaenia and neuraxial block, 217
 - ‘safe’ platelet count, 217
- thrombocytosis, 217
 - presentation, 217
 - primary cause, 217
- thromboelastography
 - principle of measurement, 577
 - ROTEM, 577–578
- thrombophilias, 11
 - factor V Leiden, 11
 - protein C deficiency, 11
 - protein S deficiency, 11
- thrombotic thrombocytopenic purpura (TTP), 216
 - clinical presentation, 216
 - pathophysiology, 216
 - in pregnancy, 216
 - treatment, 216
- thyroid, 42
- thyroid disease, 282
 - airway problems, 282
 - hyperthyroidism, 282
 - thyroid storm, 282
- thyroid exophthalmos, 283
- thyroid function, 281
- thyroid hormone, 281
 - binding, 281
 - biosynthesis, 281
 - secretion, 281
 - summary of functions, 281
- thyroid-releasing hormone, 25
- thyroid-stimulating hormone, 26
- thyroid storm, 282
- ticagrelor, 317
- tinzaparin, 431
- tiotropium, 417
- TIVA, *See* total intravenous anaesthesia (TIVA)
- tocolytics, 464
 - calcium channel blockers, 420
 - ethanol, 465
 - magnesium sulphate, 465
 - nitrates, 465
 - oxytocin antagonists, 465
 - β 2-adrenoceptor agonists, 464
- tolazoline, 113
- tolbutamide, 426
- tolcapone, 470
- topiramate, 454
- toremifene, 356
- toroidal structure, 355
- total intravenous anaesthesia, 325
- total spinal, 123
- tourniquet, *See* arterial tourniquet
- tourniquet pain, 309
- tourniquet syndrome, 308
- trachea and bronchi, 54
- train-of-four (TOF), 559

Index

- tramadol, 318, 362, 444
- adjuvant in regional anaesthesia, 391
- metabolism, 362
- serotonin and noradrenaline reuptake inhibitor, 362
- tranexamic acid, 437
 - adverse effects, 439
 - chemistry, 438
 - CRASH-2 study, 438
 - dosing regimens, 438
 - MATTERs study (military trauma), 439
 - mechanism of action, 438
 - thromboembolic risk, 454
 - WOMAN trial (postpartum haemorrhage), 439
- transcranial doppler ultrasonography, 248
- transcutaneous electrical nerve stimulation (TENS), 293, 575
- transfusion reactions, 207
 - acute antigen–antibody reaction, 207
 - clinical features, 207
 - management, 207
 - pathophysiology, 207
- transfusion reactions and immediate management, 207
- transfusion triggers, 209
- transfusion-associated circulatory overload (TACO), 210
 - clinical diagnosis, 210
- transfusion-related acute lung injury (TRALI), 210
 - immunologically related TRALI, 210
 - non-immune TRALI, 210
- transoesophageal echocardiography (TOE), 523
- transplanted heart, 73
 - anaesthetic problems, 74
 - denervation, 73
 - Starling mechanism, 74
- transversus abdominis plane block, 96
- tranylcypromine, 451
- TRH, *See* thyroid-releasing hormone
- tricuspid incompetence, 189
 - aetiology, 189
 - anaesthetic implications, 189
 - pathophysiology, 189
- tricuspid regurgitation, *See* tricuspid incompetence
- tricuspid stenosis, 188
 - aetiology, 188
 - anaesthetic implications, 189
 - pathophysiology, 189
 - pressure gradient, 189
 - valvular area, 189
- tricuspid valve disease, 188
- tricyclic antidepressants (TCAs), 451
 - management of overdose, 452
 - mechanism of actions, 451
 - overdose, 452
- trigeminal nerve, 31
- trigeminal neuralgia, 32
 - drug treatment, 32
 - gamma knife surgery, 33
 - radiofrequency ablation, 33
 - surgical decompression, 33
- trimetaphan, 411
- triple-H therapy, 10
- TRPV1 receptor, 369
- tryptase, 303, 305
- TSH, *See* thyroid-stimulating hormone
- Tuffier's line, 115
- tumour lysis syndrome, 474
- tumour necrosis factor alpha (TNF- α), 460
- TUR syndrome, 583
- turbulent flow, 498
- two-pore domain potassium channel (TREK-1), 343
- TXA, *See* tranexamic acid
- type 2 diabetes, drugs, 425
 - biguanides, 425
 - DPP-4 (dipeptidyl peptidase-4) inhibitors, 427
 - GLP-1 agonists, 427
 - meglitinides, 426
 - SGLT2 inhibitors, 427
 - sulphonylureas, 426
 - thiazolidinediones, 426
 - α -glucosidase inhibitors, 426
- type 2 respiratory failure, 143
- type I or α error, 592
- type II or β error, 592
- ulnar nerve, 104
 - injury, clinical features, 106
- ultrasound, 553
 - cricothyroidotomy, 556
 - Doppler effect and colour Doppler, 554
 - frequencies, 554
 - gastric emptying, 556
 - half-power distance, 554
 - intensive care and anaesthesia, 555
 - physical principles, 554
 - regional nerve block, 555
 - tissue imaging, 554
 - velocity, 554
- unitary hypothesis of general anaesthetic action, 313

- universal gas law, 512
- uterine relaxants, *See* tocolytics
- uterine stimulants, *See* uterotronics
- uterotonics
 - carbetocin, 467
 - carboprost, 467
 - ergometrine, 467
 - misoprostol, 467
 - syntocinon, 466
 - syntometrine, 467
- uterus
 - contractile mechanism, 466
- vagus nerve, 30
 - reflexes, 30
- valsartan, 401
- vaping, 159
 - delivery system, 159
 - physiological effects, 159
- vaporisers, 496, 499
 - 'pressurising' effect, 501
 - 'pumping' effect, 501
 - calibration, 501
 - draw-over vaporisers, 500
 - effects at altitude, 513
 - effects of altitude, 501
 - flow rate dependence, 501
 - latent heat of vaporisation, 500
 - measured gas flow plenum vaporiser, 528
 - physical principles, 500
 - saturated vapour pressure (SVP), 500
 - splitting ratio, 500
 - variable bypass plenum vaporiser, 500
 - VIC (vaporiser inside circle), 502
 - VOC (vaporiser outside circle), 502
- vapour, defined, 514
- variance, 584
- vascular endothelial growth factor (VEGF), 460
- vasoactive intestinal polypeptide (VIP), 191
- vasopressin, 195, 409, 415
 - summary effects, 409
- Vaughan-Williams (Singh-Vaughan-Williams) classification, 419
- vecuronium, 351
 - metabolism, 351
- venlafaxine, 448
- ventricular fibrillation (VF), 568
- venturi principle, 517
- verapamil, 400, 421
- vernakalant, 420
- videolaryngoscopy, 53, 556
 - 'evidence', 557
- vigabatrin, 454
- vitamin B12 deficiency, 347
- vitamin K, 435
- warfarin, 430
- xenon, 343
 - cardiostability, 344
 - cerebral blood flow, 343
 - environmental considerations, 344
 - haemotopoiesis, 344
 - mechanism of action, 343
 - neuroprotection, 343
 - physicochemical characteristics, 343
 - respiratory stability, 344
 - summary, 344
- xylometazoline, 36
- zafirlukast, 417
- α -glucosidase inhibitor
 - acarbose, 426
- α -glucosidase inhibitors, 426
 - actions, 426
 - pharmacokinetics, 426