

## Index

- AC, *see* anterior commissure  
 AC-PC line, 54  
 aliasing, 49, 50  
 alternative hypothesis, 110  
 anatomical variability, 53–54  
 anterior commissure, 54  
 AR(1) + white noise model, 91  
 artifacts, 35  
 autoregressive moving average model, 91
- balloon model, 153  
 basis function, 21, 31, 77  
   constrained basis set, 79–81  
 Bayesian inference, 153  
 Bayesian statistics, 111  
 beta-series correlation, 133–134, 163  
 between-modality registration, 22  
 bias field correction, 56  
 Bonferroni, 122  
 Bonferroni correction, 117  
 bounding box, 54  
 brain extraction, 56–57  
 Brodmann's area, 178, 181–182
- circularity, 116, 184  
 classifier, 161, 167–172  
   assessing accuracy, 171  
   characterizing, 171–172  
   linear, 167  
   nonlinear, 167  
   sensitivity analysis, 171–172  
 cluster forming threshold, 114, 115  
 computational anatomy, 61  
 conditional independence, 150  
 conjunction inference, *see* statistical inference;  
   conjunction  
 connectivity  
   effective, 144–155  
   functional, 131–144  
 convolution, 32–74  
 coordinate space, 54  
 coordinate system, 15–16  
 coregistration, 60
- cost function, 18, 21–26  
   correlation ratio, 25–26  
   least squares, 22–23  
   mutual information, 23–25, 46  
   normalized correlation, 23  
 cost function masking, 69  
 cross-validation, 165, 171  
 curse of dimensionality, 161
- data organization, 202–204  
 deconvolution, 75, 133, 135, 136  
 default mode, 140, 159  
 design optimization, 98–99  
 diffeomorphism, 61  
 dimensionality reduction, 161, 167  
 directed graph, 145  
 discrete cosine transform basis, 88  
 dispersion derivative, 77  
 distortion correction, 38–41  
 drift, 6, 86  
 dropout, 38, 39  
 Duvernoy atlas, 178  
 dynamic causal model, 152–154
- efficiency, 95–98  
 entropy, 23
- false discovery rate, 121–123  
 familywise error rate, 117–121  
 FDR, *see* false discovery rate  
 feature selection, 161, 164–167  
 file format  
   Analyze, 209–210  
   BRIK, 209  
   DICOM, 209  
   MINC, 209  
   NIFTi, 63, 208–210  
 filter  
   high-pass, 32, 33, 88  
   low-pass, 32, 33, 92  
 finite impulse response model, 77–80, 98, 186  
 FIR, *see* finite impulse response model

## 226 Index

- fixed effects model, 6, 104  
 fMRI  
   event-related, 5, 133  
   resting-state, 140  
 format  
   numeric, 13–15  
 Fourier analysis, 31  
 Fourier transform, *see* Fourier analysis  
 Friston, Karl, 8  
 full width at half maximum, 51, 118  
 functional localization, 130  
 functional localizer, 185  
 functional specialization, 130  
 FWE, *see* familywise error rate
- Gauss Markov theorem, 193  
 Gaussian random field theory, *see* random field theory  
 general linear model, 6, 103, 191–200  
   estimation, 191  
   multiple linear regression, 193  
   simple linear regression, 192  
   weighted linear regression, 196  
 geometric distortion, 38  
 ghosting, 35, 36  
 glass brain, *see* maximum intensity projection  
 GLM, *see* general linear model  
 global signal covariate, 158  
 Granger causality, 154–155  
 Granger causality mapping, 154  
 graph theory, 155  
 graphical causal model, 150–152  
 grid computing, 202
- hemodynamic response, 2, 71–77, 133, 186  
   assuming a shape, 79  
   canonical, 75–77  
   linearity, 6, 73–74, 187  
   temporal resolution, 81–82  
 homogenous coordinates, 20  
 HRF, *see* hemodynamic response
- ICA, *see* independent components analysis  
 independent components analysis, 37–38, 44, 50, 138–143, 159, 167  
 inference, *see* statistical inference  
 interleaved acquisition, 41  
 interpolation, 18, 28–31, 46  
   higher-order, 29–31  
   linear, 29, 47  
   nearest neighbor, 28–29  
   sinc, 29–30, 47
- jitter, 97  
 joint histogram, 24, 25
- Lagrangian multiplier, 149  
 linear discriminant analysis, 170  
 LOWESS, 88
- M-sequence, 98  
 machine learning, 6, 160  
 masking, *see* statistical inference; masking  
 maximum intensity projection, 175  
 metadata, 14, 208  
 mixed effects model, 6, 100–104  
   between subject variance, 100  
   compared to fixed effects model, 100–102  
   ordinary least squares, 104  
   two stage approach, 102–104  
   within subject variance, 100  
 modeling  
   ANOVA, 199  
   contrasts, 194  
   design matrix setup, 197–200  
   interactions, 109  
   mean centering covariates, 105–108  
   motion parameters, 84  
   paired *t*-test, 197  
   response time, 82–84  
   *t*-test, 197  
 mosaic data storage, 210  
 motion correction, 43–50  
   interactions with slice timing correction, 48  
   interactions with susceptibility, 47–48  
   prospective, 47  
   quality control for, 47  
 multifiducial mapping, 175  
 multiple testing problem, 116  
 multiscale optimization, 27  
 multivoxel pattern analysis, 6, 163  
 MVPA, *see* multivoxel pattern analysis, *see* multivoxel pattern analysis
- NaN, *see* not a number  
 network analysis, 155–159  
   preprocessing for, 157–159  
 neurological convention, 16  
 noise, 86–92  
   1/*f*, 86  
 normalization  
   children, 67–68  
   choosing a method, 63–64  
   data with lesions, 68, 69  
   elderly, 68  
   landmark-based, 60  
   quality control, 65–66  
   special populations, 66–68  
   surface-based, 62–63, 175  
   troubleshooting, 66–67  
   volume-based, 60, 175  
 not a number, 59  
 nuisance model, 133, 157–158  
 null hypothesis, 110
- operating systems, 202  
 orthogonal sections, 174  
 orthogonalization, 84  
 overfitting, 170, 161–170
- P-value, 110  
 parametric modulation, 82

- parametric simulations, 119  
 partial least squares, 143–144  
 path analysis, *see* structural equation modeling  
 pattern information analysis, *see* multivoxel pattern analysis  
 PC, *see* posterior commissure  
 PCA, *see* principal components analysis  
 percent signal change, 186–189  
 peristimulus time averaging, *see* selective averaging  
 PET, *see* positron emission tomography  
 phrenology, 130  
 physiological motion, 49  
 PLS, *see* partial least squares  
 positron emission tomography, 4  
 posterior commissure, 54  
 power, 111  
 power analysis, 126–129  
   post hoc, 129  
   ROI-based calculation, 127  
 power spectrum, 31, 32  
 PPI, *see* psychophysiological interaction  
 precoloring, 92  
 prewhitening, 90–91, 196  
 principal components analysis, 132, 137–138, 167  
 probabilistic atlas, 179, 182  
 processing stream, 10, 35, 58–60  
 project management, 204–205  
 psychophysiological interaction, 134–136, 158–159  
  
 quadratic discriminant analysis, 167  
 quality control, 34–38  
 quantization error, 15  
  
 radiological convention, 16  
 Raichle, Marcus, 140  
 RAID, 202  
 random field theory, 51, 114, 117–119  
 rank deficient, 194  
 recursive feature elimination, 167  
 region of interest, 116, 164, 183–189  
   for inference, 126  
 registration  
   landmark-based, 55  
   linear, 63–64  
   nonlinear, 63–64  
 regularization, 26–27  
 RESEL, 118  
 ROI, *see* region of interest  
  
 scripting, 205–207  
 searchlight procedure, 172  
 seed correlation, 131–133  
 selective averaging, 75  
 SEM, *see* structural equation modeling  
 skull stripping, *see* brain extraction  
 slice timing correction, 41–42  
 small volume correction, 126, 183  
 small-world network, 155–156  
 software package, 7  
   AFNI, 8–9, 25, 60, 202  
   alphasim, 119  
   group modeling, 105  
   AIR, 23, 26, 27  
  
   ART, 64  
   BFC, 57  
   Brain Voyager, 8, 9  
   CARET, 62, 175–177  
   choosing, 10  
   DARTEL, 61, 64  
   FastICA, 142  
   FreeSurfer, 9, 62, 63, 176, 179  
   FSL, 8–9, 23, 25–28, 58–60, 88, 91, 115, 143, 202, 205  
     FIRST, 179  
     FLIRT, 64  
     FLOBS, 79, 80  
     FNIRT, 61, 62, 64  
     FSLView, 65, 174  
     group modeling, 105  
     MELODIC, 141  
     randomise, 120  
   GIFT, 143  
   IRTK, 64  
   MATLAB, 205  
   mricron, 175  
   PERL, 205  
   PyMVPA, 170  
   Python, 205  
   R, 170  
   SPM, 8, 25–27, 57–59, 77, 91, 132, 176, 202, 205  
     group modeling, 105  
     SnPM, 121  
   SYN, 64  
   TETRAD, 150–153  
   UNIX, 205  
   XNAT, 204  
 spatial smoothing, 50–52  
 spatiotemporal classifier, 163  
 spikes, 35, 36  
 spin history, 43  
 statistical inference  
   Bayesian, 111–112  
   classical, 110–112  
   cluster mass, 114  
   cluster size, 114  
   cluster-level, 112–115  
   conjunction, 125  
   conjunctions, 126  
   masking, 125  
   nonparametric, 119–121  
   set-level, 112, 115–116  
   voxel-level, 112–113  
 statistical learning, *see* machine learning  
 stimulus correlated motion, 44  
 stimulus-driven transients, 131  
 structural equation modeling, 146–149, 154  
 support vector machine, 164, 170  
  
 Talairach atlas, 55, 177–178  
 Talairach space, 17, 54, 179–181  
 Talairach, Jean, 17, 19, 54  
 template  
   custom, 68  
   ICBM-152, 56  
   MNI, 55, 60, 178, 181  
 temporal derivative, 77

**228**      **Index**

---

- TFCE, *see* threshold free cluster enhancement
- threshold free cluster enhancement, 115
- tissue segmentation, 57–58
- transform
  - affine, 18–19, 60
  - discrete cosine, 21
  - linear, 18, 19
  - nonlinear, 19–21
  - piecewise linear, 19
  - rigid body, 19
- Type I error, 111
- Type II error, 111
- unified segmentation, 58
- UNIX, 202, 203
- voodoo correlations, *see* circularity
- voxel, 13
- voxel-counting, 185
- within-modality registration, 22
- Woods criterion, 26