

Cambridge University Press & Assessment 978-1-009-51731-7 — Ruptured Supratentorial Cerebral Artery Aneurysm with Large Intracerebral Haematoma Samuel Hall, Diederik Bulters Copyright information More Information



Shaftesbury Road, Cambridge CB2 8EA, United Kingdom
One Liberty Plaza, 20th Floor, New York, NY 10006, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
314–321, 3rd Floor, Plot 3, Splendor Forum, Jasola District Centre,
New Delhi – 110025, India

103 Penang Road, #05-06/07, Visioncrest Commercial, Singapore 238467

Cambridge University Press is part of Cambridge University Press & Assessment, a department of the University of Cambridge.

We share the University's mission to contribute to society through the pursuit of education, learning and research at the highest international levels of excellence.

www.cambridge.org Information on this title: www.cambridge.org/9781009517317

DOI: 10.1017/9781009424837

© Samuel Hall and Diederik Bulters 2024

This publication is in copyright. Subject to statutory exceptionand to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the writtenpermission of Cambridge University Press & Assessment.

When citing this work, please include a reference to the DOI 10.1017/9781009424837

First published 2024

A catalogue record for this publication is available from the British Library.

ISBN 978-1-009-51731-7 Hardback ISBN 978-1-009-42480-6 Paperback ISSN 2755-0656 (online) ISSN 2755-0648 (print)

Cambridge University Press & Assessment has no responsibility for the persistence oraccuracy of URLs for external or third-party internet websites referred toin this publication and does not guarantee that any content on suchwebsites is, or will remain, accurate or appropriate.

Every effort has been made in preparing this Element to provide accurate and up-to-date information which is in accord with accepted standards and practice at the time of publication. Although case histories are drawn from actual cases, every effort has been made to disguise the identities of the individuals involved. Nevertheless, the authors, editors and publishers can make no warranties that the information contained herein is totally free from error, not least because clinical standards are constantly changing through research and regulation. The authors, editors and publishers therefore disclaim all liability for direct or consequential damages resulting from the use of material contained in this Element. Readers are strongly advised to pay careful attention to information provided by the manufacturer of any drugs or equipment that they plan to use.