

Cambridge University Press & Assessment

978-1-009-60623-3 — Satellite Radar Interferometry

David T. Sandwell , Xiaohua Xu , Jingyi Chen , Robert J. Mellors , Meng Wei , Xiaopeng Tong ,

John B. DeSanto , Qi Ou

Index

[More Information](#)

Index

- angular resolution, 10
- aperture
 - 1-D, 8
 - 2-D, 13
 - synthetic, 15
- apogee, 22
- atmospheric modeling, 133
- azimuth, 6
- azimuth compression, 46, 48
- back projection, 19, 36
- bandwidth, 14
- baseline, 38, 64, 78, 82
 - critical, 62, 65, 76
 - decorrelation, 73, 75
 - parallel, 62, 63
 - perpendicular, 61–63
- burst, 107
 - acquisition, 111
 - overlap, 108, 112
- burst overlap interferometry (BOI), 119, 152
- carrier frequency, 42
- centrifugal force, 23
- chirp, 41
 - bandwidth, 47
 - frequency modulated, 58
 - slope, 47
- coherence, 75
 - baseline, 75
 - Doppler, 75
 - image, 78
 - radar noise, 75
 - temporal, 75
 - X, C, L, 76
- coherent radiation, 9
- convolution
 - 2D, 148
 - theorem, 148
- coordinates
 - Earth-centered Earth-fixed (ECEF), 168
 - East North Up (ENU), 168
- coregistration, 115, 117
- correlation, 74
 - cross correlation function, 148
- deconvolve, 47
- deformation
 - east, 171
 - ENU, 170
 - LOS, 170
 - north and up, 171
- demodulate, 41
- deramping, 115
- dielectric constant, 137
- digitize, 42
- Doppler
 - centroid, 36, 50, 51, 58
 - frequency rate, 50, 51
 - shift, 15
 - zero, 36, 58, 72
- dynamic form factor J_2 , 24
- Earth-fixed coordinate system, 26
- effective speed, 49, 51
- enhanced spectral diversity, 111, 117
- fast time, 7
- filter
 - boxcar, 74
 - Gaussian, 74
 - Goldstein, 79
- focused image, 52
- Fourier transform, 2-D, 89

Cambridge University Press & Assessment

978-1-009-60623-3 — Satellite Radar Interferometry

David T. Sandwell , Xiaohua Xu , Jingyi Chen , Robert J. Mellors , Meng Wei , Xiaopeng Tong ,

John B. DeSanto , Qi Ou

Index

[More Information](#)

196

Index

- Fraunhofer diffraction
 - 1-D, 8
 - 2-D, 13
 - integral, 10, 11
- Fresnel distance, 12
- geocode, 69
 - SLC, 71
- geometric image alignment, 38
- global navigation satellite system (GNSS), 166
- global positioning system (GPS), 166
- GMTSAR, 2, 4, 71
 - *.LED, 20
 - *.PRM, 45
 - *.raw, *.SLC, *.PRM, 42
 - configure.txt, 38
 - esarp, 42, 60, 105
 - fitoffset, 60
 - phasediff, 62
 - resamp, 37, 60, 113
 - SAT_baseline, 38, 63
 - SAT_llt2rat, 36
 - SAT_look, 171
 - solid_tide, 144
 - trans.dat, 36, 70
 - xcorr, 60, 149
- GNSS
 - correcting InSAR LOS, 171
 - vector deformation, 166
- Green's theorem, 87
- group velocity, 128, 138–140
- Hermite polynomial
 - interpolation, 19, 56
- Hermitian symmetry, 42
- heterodyne, 42
- hyperbola, 49
- image
 - cross correlation, 147
 - geometric alignment, 115
 - master, 60
 - reference, 60, 61, 68
 - repeat, 60, 61, 68
 - secondary, 60
 - traditional image alignment, 113
- imaging modes, 101
- in phase, quadrature, 42
- incidence angle, 63, 64, 72, 169
- inclination of orbit plane, 24
- InSAR, 1
- interferogram, 60, 65, 69
 - artifacts, 123
 - filtering, 73
 - fringes, 123
- interseismic
 - velocity, 172
- interseismic velocity uncertainty, 172
- ionosphere
 - correction, 140
 - F region, 136
 - plasma, 137
 - split spectrum, 128, 141, 142
- ionospheric advance, 136
- J_2 dynamic form factor, 24
- Kepler
 - elements, 21
 - argument of perigee, 24
 - eccentricity, 24
 - inclination, 24
 - longitude of node, 24
 - semimajor axis, 24
 - true anomaly, 24
 - second law, 22
- latitude
 - geocentric, 28
 - geographic, 28, 169
- line of sight (LOS), 56, 76, 81, 84, 95, 111, 128, 133, 134, 147, 151, 154, 156, 159, 167, 169, 170, 172
- look angle, 63, 64
- looks, 76
- master and secondary, 37
- matched filter, 47, 50
- multilook, 74, 76
- multiple aperture interferometry (MAI), 150
- near range, 49
- NISAR, 119, 121
- orbit
 - dynamics, 19
 - exact repeat, 33
 - frequency, 23
 - geostationary, 19, 30
 - geosynchronous, 30
 - near polar, 19
 - period, 22, 23
 - precession, 21, 24
 - precise, 19, 34, 53
 - Sun synchronous, 21, 31
- parabolic approximation, 56
- parametric modeling, 134
- patch processing, 43
- perigee, 22
- persistent scatterer (PS), 161
- phase
 - aliasing, 86
 - closure, 96
 - Earth curvature, 61, 122
 - gradient, 79, 87, 89
 - gradient stacking, 90

Cambridge University Press & Assessment

978-1-009-60623-3 — Satellite Radar Interferometry

David T. Sandwell , Xiaohua Xu , Jingyi Chen , Robert J. Mellors , Meng Wei , Xiaopeng Tong ,

John B. DeSanto , Qi Ou

Index

[More Information](#)*Index*

197

- ionosphere advance, 61, 122
- layover, 86
- noise, 61, 86, 122
- orbit error, 61, 122
- residue, 87, 92
- shadow, 86
- surface deformation, 61, 122
- tides, 61, 122
- topography, 61, 122
- troposphere delay, 61, 122
- unwrapping, 84
 - branch cut, 92
 - Fourier transform, 89
 - global, 89
 - Goldstein, 93
 - minimum cost flow, 93
 - nearest neighbor, 95
 - SNAPHU, 94
- phase velocity, 125, 127, 136, 138, 139
- Piñon, 48
- pixel offset tracking (POT), 148, 149
- plasma, 136
- plasma frequency, 138
- Poisson's equation, 89
- polarization, 103
- precession of orbit plane, 24
- PRF, 16, 38, 42, 45, 46, 51, 52, 58, 76, 107, 108, 111, 119, 151, 152
 - constraints, 16, 101, 102
- PRM
 - chirp_ext, 42
 - chirp_slope, 42
 - near_range, 42
 - pulse_dur, 42
 - radar_wavelength, 42
 - rng_samp_rate, 42
- pulse duration, 47
- pulse repetition frequency—PRF, 7
- quadrature, in phase, 42
- \ddot{R} range acceleration, 53
- radar
 - wavelength, 85
- radar echo, 42
- radar reflectors, 48
- radius of Earth, 28
 - equatorial, 28
 - polar, 28
- range, 6
 - acceleration, 50, 51, 53
 - compression, 43, 46
 - far, 16, 101
 - migration, 12, 44
 - near, 16, 101
 - rate, 36, 50
 - sampling rate, 47
 - vs. slow time, 56
- range–Doppler algorithm, 41
- raw signal data, 43
- reference and repeat, 37
- refractive index
 - dry troposphere, 126
 - ionosphere, 125
 - troposphere, 125
 - wet troposphere, 126
- refractivity, 127
- resolution
 - azimuth, 14, 104
 - ground range, 14
 - range, 65, 104
 - slant range, 14
- SAR, 1, 8
 - processor, 41, 44
 - spotlight mode, 50
 - strip mode, 15, 41, 50
- ScanSAR, 103, 105
- ScanSAR interferometry, 108, 111
- ScanSAR processing, 105
- shift property, 41
- sidelobes, 10
- sidereal day, 21, 23
- sinc function
 - 1-D, 10
 - 2-D, 13
- single look complex (SLC), 41, 46, 60, 68
- slow time, 7, 49
- Small Baseline Subset (SBAS), 156
- SNAPHU, 93, 94, 98
- solar cycle, 137
- spheroid, 28
- spotlight mode SAR, 10
- squint angle, 57
- SRTM, 67
- stacking, 133, 154
 - common scene, 155
- state vector, 19
- strain rate
 - dilatation, 174
 - second invariant, 174
 - shear, 174
- strain rate tensor, 174
- strip mods, 103
- subswath, 107, 111
- swath width constraints, 102
- SweepSAR, 119, 121
- synthetic aperture
 - length, 52
- terrain observation by progressive scans (TOPS), 111
- tide, 122
 - aliasing, 145
 - solid earth, 142, 144

198

Index

- time series
 - GNSS, 177
 - InSAR, 177
- topography, 67, 68
- total electron content (TEC), 123, 126, 128, 136, 140, 142
- troposphere
 - stratification, 130
 - turbulence, 130
- troposphere delay, 128
 - mitigation, 133
 - spatial characteristics, 131
- temporal characteristics, 131
- velocity
 - effective, 52, 57
 - ground track, 52
 - spacacraft, 52
- water vapor, 127
- WGS84
 - ellipsoid, 63
- zenith hydrostatic delay, 129
- zenith wet delay, 129