

Index

- AIC difference values (Δ_i), 21, 144, 149
 Akaike information criterion (AIC), 21,
 45, 92, 144, 149, 262, 297, 301, 306
 Bayesian information criterion (BIC), 21,
 45, 262, 297, 298, 301, 306
 bivariate distribution
 bivariate binomial, 133
 bivariate generalized Poisson (BGP),
 124, 144, 146, 148
 bivariate negative binomial (BNB),
 124, 133, 144, 146, 148
 bivariate Poisson (BP), 124, 126–129,
 131, 133, 134, 139, 142–144, 146,
 148
 bivariate sCMP, 133
 compounded bivariate CMP
 (BCMPcomp), 131–135, 144, 146,
 148, 272
 Sarmanov family, 138
 Sarmanov1-produced bivariate CMP
 (BCMPsar1), 139, 140, 144, 146,
 148
 Sarmanov2-produced bivariate CMP
 (BCMPsar2), 139, 140, 144, 146,
 148
 trivariate reduced bivariate CMP
 (BCMPtriv), 126–129, 131, 144, 146
 CMP progressive mean (CMP-PM) chart,
 248, 249
 CMP Shewhart chart, 219, 221, 228, 229,
 238, 242, 245, 249
 CMP-EWMA-CUSUM chart, 243
 conditional predictive ordinate (CPO),
 298, 306
 Conway–Maxwell–Poisson
 parametrization
 ACMP, 38, 53–55, 57, 58, 60, 61, 63,
 68, 263, 264
 CMP, 24–26, 28–31, 35–39, 44, 52, 57,
 59, 72, 73, 75, 78, 83, 93–95, 99,
 102–104, 106, 108, 110, 111, 113,
 117, 118, 121, 126, 131, 132, 138,
 224, 252, 253, 260, 267, 270, 276,
 279, 280, 303
 MCMP1, 58, 59, 61, 62, 265
 MCMP2, 38, 60, 61, 267, 275
 Cumulative sum (CUSUM) chart, 238,
 248
 CMP λ -CUSUM, 239, 240, 242, 243,
 249
 CMP ν -CUSUM, 239, 241, 242
 CMP s -CUSUM, 239, 241–243
 Poisson CUSUM (PCUSUM),
 238–240
 deviance information criterion (DIC),
 298, 306
 dispersion index, 2, 7, 10, 88
 CMP dispersion index, 38
 generalized Poisson dispersion index,
 13
 negative binomial dispersion index, 7
 Poisson dispersion index, 2
 distribution
 alternative extended
 Conway–Maxwell–Poisson
 (ECMPa), 112
 Bernoulli, 26, 28, 108, 220, 252, 268,
 302
 binomial, 104, 126, 252, 302
 COM–Katz, 113

distribution (cont.)

COM–Poisson-type negative
 hypergeometric (CMPtNH), 120, 121
 Conway-and-Maxwell-type negative
 binomial (COMtNB), 93, 101–106, 108, 110, 111, 121
 Conway-Maxwell negative binomial (COMNB), 98–100, 108, 113, 120, 121
 Conway-Maxwell negative
 hypergeometric, Type I (COMNH), 99, 120
 Conway-Maxwell negative
 hypergeometric, Type II (CMNH), 121–123
 Conway-Maxwell-binomial (CMB), 78–83, 86, 87, 93, 113, 121
 Conway-Maxwell-multinomial (CMM), 83–87, 89, 91
 Conway-Maxwell-negative binomial (COMNB), 93
 Conway-Maxwell-Skellam (COM-Skellam or CMS), 72, 74
 exponential, 252–254, 306
 exponential-CMP (ExpCMP), 114–116
 exponential-geometric (EG), 113, 114
 exponential-Poisson (EP), 113, 114
 exponentially weighted Poisson (EWP), 93, 102
 extended Conway–Maxwell–Poisson (ECMP), 93, 106–108, 110–112
 gamma, 307, 309
 generalized COM–Poisson (GCMP), 93–98, 106–108
 generalized Conway–Maxwell–binomial (gCMB), 81, 270, 278
 generalized gamma, 308
 generalized Poisson (GP), 10, 11, 13, 15, 16, 269
 geometric, 7, 26, 28, 53–55, 58, 63, 108, 220, 252–254, 302
 Katz, 112
 log-logistic, 310
 lognormal, 307, 309
 negative binomial (NB), 6, 7, 9, 93, 94, 98–100, 102–105, 108, 110, 111, 119, 126
 negative hypergeometric (NH), 119–123
 normal, 307

Poisson, 2, 7, 11, 13, 15, 25, 26, 28, 31, 35, 38, 41, 48, 50, 52–55, 59, 62, 64, 95, 104, 108, 126, 130, 132, 137, 139, 220, 252, 268
 sum of Conway–Maxwell–Poissons (sCMP), 75, 82, 126, 130, 133, 220, 252, 254, 267, 270, 278
 Weibull, 307, 309, 310
 Weibull–CMP (WCMP), 117, 118
 weighted Poisson, 16–18, 35, 64, 80, 94, 99, 107, 108
 exponential dispersion family, 18, 25, 59, 69
 exponential family, 2, 17, 25, 42, 59, 69, 80, 81, 83–85, 94, 97, 103, 107, 109
 Exponentially weighted moving average (EWMA) chart, 226, 248
 Bernoulli EWMA, 228
 CMP-double EWMA (CMP-DEWMA), 234–236, 247, 248
 CMP-EWMA, 227–229, 231, 233, 234, 236–238, 243, 245, 247–249
 CMP-EWMA chart with multiple dependent state sampling (CMP-MDSEWMA), 229, 230
 CMP-EWMA chart with repetitive sampling (CMP-RSEWMA), 231, 233
 CMP-hybrid EWMA (CMP-HEWMA), 237, 238
 geometric EWMA, 228
 modified CMP-EWMA chart (CMP-MEWMA), 233, 234
 Poisson double EWMA (PDEWMA), 234, 235, 246
 Poisson EWMA (PEWMA), 226–228, 234, 244
 generalized dispersion index (GDI), 124, 127
 generalized method of moments (GMM), 277
 generalized quasi-likelihood (GQL), 267, 273, 276, 277, 279, 280
 generally weighted moving average (GWMA) chart, 244
 CMP-double GWMA (CMP-DGWMA), 246–248
 CMP-GWMA, 245–249
 Poisson double GWMA (PDGWMA), 245, 246
 Poisson GWMA (PGWMA), 244, 245

- likelihood ratio test, 20, 74, 105, 123, 128–130, 134, 136, 138, 144, 173, 174, 177, 196, 306
- multivariate distribution
 - compounded multivariate CMP (MultiCMPcomp), 137, 138
 - multivariate Bernoulli, 137
 - multivariate binomial, 137
 - multivariate geometric, 137
 - multivariate negative binomial, 137
 - multivariate Poisson (MP), 130, 137, 138
 - trivariate-reduced multivariate CMP (MultiCMPtriv), 130
- normalizing constant
 - ACMP, $Z_1(\mu_*, \nu)$, 57, 62, 68, 69
 - CMP, $Z(\lambda, \nu)$, 24–26, 28–30, 42, 57, 65, 66, 68, 253, 305
 - MCMP1, $Z(\lambda(\mu, \nu), \nu)$, 58
 - MCMP2, $Z_2(\mu, \phi)$, 60
- optimization tools, 20, 74
 - nlminb, 20, 74, 77, 222
 - nlm, 20, 260, 261
 - optim, 20, 74, 81, 85, 101, 123, 260, 261, 271
- proportional hazard, 310
- proportional odds, 309
- R package
 - bivpois, 129, 134, 135, 144
 - CMPControl, 221, 223
 - cmpprocess, 254, 255
 - combayes, 56, 61, 63, 178
 - CompGLM, 31, 44, 56, 63, 173–175
 - COMPOissonReg, 30, 31, 44, 56, 63, 173–175, 202, 261
 - compoisson, 29, 30, 39, 44, 56, 63, 221
 - DGLMExtPois, 173, 176, 177
 - gamlss, 289
 - glmmTMB, 203
 - HMMpa, 11, 15
 - LaplacesDemon, 11
 - MASS, 7, 156, 221
 - mpcmp, 62, 63, 172–174, 176, 177
 - multicmp, 135
 - multicool, 271
 - RNGforGPD, 11, 15, 16
 - stats, 4, 7, 31, 32, 155, 163, 271
 - VGAM, 11, 135, 190
- Shewhart chart, 219–221, 226, 238
 - c-chart, 219, 220
 - cmpc-chart, 219, 220
 - cmppu-chart, 219, 220
 - g-chart, 219, 220
 - h-chart, 219, 220
 - np-chart, 219, 220
 - p-chart, 219, 220
 - u-chart, 219, 220
 - MultiCMP chart, 225
- time series model
 - ACMP integer-valued autoregressive conditional heteroscedastic (ACMP-INARCH), 264
 - ACMP integer-valued generalized autoregressive conditional heteroscedastic (ACMP-INGARCH), 263, 264
 - binomial INAR, 271
 - binomial INMA, 278
 - bivariate CMP autoregressive (BCMPAR), 272
 - bivariate mean-parametrized (of the second type) CMP moving average (BMCMP2MA), 279
 - CMP-autoregressive (CMPAR), 270, 272
 - generalized autoregressive moving average (GARMA), 265, 266
 - generalized Poisson autoregressive (GPAR), 269
 - generalized Poisson moving average (GPMA), 274, 275
 - integer-valued autoregressive (INAR), 267, 268, 273
 - integer-valued autoregressive integrated moving average (INARIMA), 267
 - integer-valued autoregressive moving average (INARMA), 267
 - integer-valued moving average (INMA), 267, 273–276, 278
 - MCMP1 autoregressive moving average (MCMP1-ARMA), 265, 266
 - negative binomial INAR (NB-INAR), 268
 - negative binomial INMA, 278
 - Poisson autoregressive (PAR), 268–271

330	<i>Index</i>
time series model (cont.)	sCMP autoregressive (SCMPAR), 270, 271
Poisson integer-valued generalized autoregressive conditional heteroscedastic (Poisson INGARCH), 264	sum-of-CMPs moving average (SCMPMA), 278
Poisson moving average (PMA), 273, 274, 278	