

LONDON MATHEMATICAL SOCIETY STUDENT TEXTS

Managing Editor: Ian J. Leary,
 Mathematical Sciences, University of Southampton, UK

- 74 Representation theorems in Hardy spaces, JAVAD MASHREGHI
- 75 An introduction to the theory of graph spectra, DRAGOŠ CVETKOVIĆ, PETER ROWLINSON & SLOBODAN SIMIĆ
- 76 Number theory in the spirit of Liouville, KENNETH S. WILLIAMS
- 77 Lectures on profinite topics in group theory, BENJAMIN KLOPSCH, NIKOLAY NIKOLOV & CHRISTOPHER VOLL
- 78 Clifford algebras: An introduction, D. J. H. GARLING
- 79 Introduction to compact Riemann surfaces and dessins d'enfants, ERNESTO GIRONDO & GABINO GONZÁLEZ-DIEZ
- 80 The Riemann hypothesis for function fields, MACHIEL VAN FRANKENHUIJSEN
- 81 Number theory, Fourier analysis and geometric discrepancy, GIANCARLO TRAVAGLINI
- 82 Finite geometry and combinatorial applications, SIMEON BALL
- 83 The geometry of celestial mechanics, HANSJÖRG GEIGES
- 84 Random graphs, geometry and asymptotic structure, MICHAEL KRIVELEVICH *et al*
- 85 Fourier analysis: Part I – Theory, ADRIAN CONSTANTIN
- 86 Dispersive partial differential equations, M. BURAK ERDOĞAN & NIKOLAOS TZIRAKIS
- 87 Riemann surfaces and algebraic curves, R. CAVALIERI & E. MILES
- 88 Groups, languages and automata, DEREK F. HOLT, SARAH REES & CLAAS E. RÖVER
- 89 Analysis on Polish spaces and an introduction to optimal transportation, D. J. H. GARLING
- 90 The homotopy theory of $(\infty, 1)$ -categories, JULIA E. BERGNER
- 91 The block theory of finite group algebras I, MARKUS LINCKELMANN
- 92 The block theory of finite group algebras II, MARKUS LINCKELMANN
- 93 Semigroups of linear operators, DAVID APPLEBAUM
- 94 Introduction to approximate groups, MATTHEW C. H. TOINTON
- 95 Representations of finite groups of Lie type (2nd Edition), FRANÇOIS DIGNE & JEAN MICHEL
- 96 Tensor products of C^* -algebras and operator spaces, GILLES PISIER
- 97 Topics in cyclic theory, DANIEL G. QUILLEN & GORDON BLOWER
- 98 Fast track to forcing, MIRNA DŽAMONJA
- 99 A gentle introduction to homological mirror symmetry, RAF BOCKLANDT
- 100 The calculus of braids, PATRICK DEHORNOY
- 101 Classical and discrete functional analysis with measure theory, MARTIN BUNTINAS
- 102 Notes on Hamiltonian dynamical systems, ANTONIO GIORGILLI
- 103 A course in stochastic game theory, EILON SOLAN
- 104 Differential and low-dimensional topology, ANDRÁS JUHÁSZ
- 105 Lectures on Lagrangian torus fibrations, JONNY EVANS
- 106 Compact matrix quantum groups and their combinatorics, AMAURY FRESLON
- 107 Inverse problems and data assimilation, DANIEL SANZ-ALONSO, ANDREW STUART & ARMEEN TAEB
- 108 Künneth geometry, M.J.D. HAMILTON & D. KOTSCHICK
- 109 ADE: Patterns in mathematics, PETER J. CAMERON *et al*
- 110 Sets and transfinite algebra, THOMAS MÜLLER
- 111 Celestial mechanics, ANTONIO GIORGILLI, UGO LOCATELLI & MARCO SAN-SOTERRA
- 112 The Shrikhande graph, PETER J. CAMERON, APARNA LAKSHMANAN S. & AMBAT VIJAYAKUMAR
- 113 Differential topology, GEREON QUICK

London Mathematical Society Student Texts 112

The Shrikhande Graph

A Window on Discrete Mathematics

PETER J. CAMERON
University of St Andrews

APARNA LAKSHMANAN S.
Cochin University of Science and Technology

AMBAT VIJAYAKUMAR
Cochin University of Science and Technology



CAMBRIDGE
UNIVERSITY PRESS

Cambridge University Press & Assessment
978-1-009-70910-1 — The Shrikhande Graph
Peter J. Cameron , Aparna Lakshmanan S. , Ambat Vijayakumar
Frontmatter
[More Information](#)



CAMBRIDGE
UNIVERSITY PRESS

Shaftesbury Road, Cambridge CB2 8EA, United Kingdom
One Liberty Plaza, 20th Floor, New York, NY 10006, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
314–321, 3rd Floor, Plot 3, Splendor Forum, Jasola District Centre,
New Delhi – 110025, India

Cambridge University Press is part of Cambridge University Press & Assessment,
a department of the University of Cambridge.

We share the University's mission to contribute to society through the pursuit of
education, learning and research at the highest international levels of excellence.

www.cambridge.org

Information on this title: www.cambridge.org/9781009709101

DOI: 10.1017/9781009709118

© Peter J. Cameron, Aparna Lakshmanan S. and Ambat Vijayakumar 2026

This publication is in copyright. Subject to statutory exception and to the provisions of
relevant collective licensing agreements, no reproduction of any part may take place
without the written permission of Cambridge University Press & Assessment.

When citing this work, please include a reference to the
DOI 10.1017/9781009709118

First published 2026

A catalogue record for this publication is available from the British Library

*A Cataloging-in-Publication data record for this book is available from the Library of
Congress*

ISBN 978-1-009-70910-1 Hardback

ISBN 978-1-009-70908-8 Paperback

Cambridge University Press & Assessment has no responsibility for the persistence
or accuracy of URLs for external or third-party internet websites referred to in this
publication and does not guarantee that any content on such websites is, or will
remain, accurate or appropriate.

For EU product safety concerns, contact us at Calle de José Abascal, 56, 1º, 28003 Madrid,
Spain, or email eugpsr@cambridge.org.

Contents

<i>Preface</i>	<i>page</i> ix
<i>Acknowledgements</i>	xi
PART I BIOGRAPHY	1
1 The Life of S. S. Shrikhande	3
PART II GRAPH BASICS	9
2 Definitions	11
2.1 What Is a Graph?	11
2.2 Definitions and Basic Results	12
2.3 Algebraic Graph Theory	27
2.4 Laplacian Matrix	30
2.5 Graph Polynomials	31
2.6 Enter the Shrikhande Graph	33
3 Strongly Regular Graphs	37
3.1 The Friendship Theorem	37
3.2 Strongly Regular Graphs	39
3.3 Square Lattice and Triangular Graphs	46
3.4 Shrikhande's Theorem	47
3.5 Partitions into Given Graphs	50
3.6 Ramsey's Theorem	53
PART III PROPERTIES OF THE SHRIKHANDE GRAPH	57
4 Spectrum and Automorphism Group	59
4.1 Spectrum	59

4.2	Permutation Group Properties	60
4.3	Cayley Graphs	62
4.4	Uniqueness and Automorphisms	64
5	Further Properties	66
PART IV THE SHRIKHANDE GRAPH IN CONTEXT		71
6	Latin Squares	73
6.1	Introduction	73
6.2	Euler and Latin Squares	74
6.3	Constructing and Counting Latin Squares	76
6.4	The Euler Conjecture	79
6.5	Latin Square Graphs	86
6.6	Pseudo and Negative Latin Square Graphs	87
6.7	$L_2(4)$ and the Shrikhande Graph	90
6.8	Automorphisms of Latin Square Graphs	92
7	The Shrikhande Graph on the Torus	98
7.1	Orientable Surfaces	99
7.2	Non-orientable Surfaces	103
7.3	Regular Maps	105
8	Root Systems	107
8.1	The Definition	107
8.2	A Graph-Theoretic Result	109
8.3	Proof of Theorem 8.1	110
8.4	Another Approach to Root Systems	112
8.5	Proof of Theorem 8.5	115
9	Graphs with Least Eigenvalue -2	117
9.1	Preliminaries	117
9.2	Generalized Line Graphs	118
9.3	The Shrikhande Graph in E_7	122
10	Miscellanea	125
10.1	A Bouquet of Papers on the Shrikhande Graph	125
10.2	Seidel Switching	127
10.3	Distance-Regular Graphs	136
10.4	Block Designs	138
10.5	Hadamard Matrices	143

	<i>Contents</i>	vii
	10.6 The Sylvester Graph	145
	10.7 A Final Note	148
11	Further Reading	152
	<i>References</i>	154
	<i>Index</i>	160

Preface

The *Petersen graph*, a strongly regular graph on 10 vertices, is so famous, and its occurrences within graph theory as an example or a counterexample are so many and varied, that it has a whole book devoted to it [59].

Our subject here is the *Shrikhande graph*, discovered by the Indian mathematician Sharadchandra Shankar Shrikhande in 1959. Our motivation is a little different to that of Derek Holton and John Sheehan. The Shrikhande graph occupies a pivotal position within discrete mathematics, at the meeting point of algebraic and topological graph theory, Latin squares, root systems, graph eigenvalues, Seidel switching and other topics. We invite the reader to a gentle introduction to these topics.

In this book, the unadorned term ‘the Graph’ will sometimes be used to refer to the Shrikhande graph.

If you look at the picture of the Shrikhande graph on the torus (Figure 7.1), you will see that from a vertex there are six different directions you can travel. In this book, we are going to give six different constructions of the Shrikhande graph:

- (a) a direct construction (Section 3.5), which can be used to calculate the number of automorphisms (Section 4.4);
- (b) as a Cayley graph (Sections 2.6 and 4.3);
- (c) as the complement of the Latin square graph from the Cayley table of the cyclic group of order 4 (Section 6.7);
- (d) as a regular map on the torus (Section 7.3);
- (e) embedded in the exceptional root system E_7 (Section 9.3);
- (f) and by Seidel switching from the 4×4 grid graph, the line graph of $K_{4,4}$ (Section 10.2).

Each construction is embedded in a detailed account of the relevant part of discrete mathematics.

The book begins with a short biography of Shrikhande. He is best known as one of the ‘Euler spoilers’, the trio of mathematicians who disproved the conjecture of Euler on the existence of Graeco-Latin squares. (For the novice, we remark that the name ‘Euler’ is pronounced to rhyme with ‘spoiler’.) In keeping with this, we observe that there are two Latin squares of order 4, the Cayley tables of the two groups of order 4; the complements of their Latin square graphs are $L_2(4)$ (the line graph of the complete bipartite graph $K_{4,4}$) and the Shrikhande graph.

This is followed by two chapters giving an introduction to the notation and terminology of graph theory and to the class of strongly regular graphs (including the Shrikhande graph and several other beautiful graphs). The concepts introduced are illustrated in Chapters 1 and 2 by showing how they work out in the case of the Shrikhande graph.

The final part of the book was one of our main reasons for writing it: a discussion of the various contexts in which the Shrikhande graph arises, treating Latin squares, triangulations of the torus, root systems, Seidel switching and others. Many of these contexts throw further light on the properties of the Shrikhande graph and its special place in graph theory.

Thus, we use the Shrikhande graph as a window for viewing a number of topics in discrete mathematics, including strongly regular and distance-regular graphs, Latin squares, generalized line graphs, error-correcting codes and several others.

Shrikhande’s theorem states that a graph with the same spectrum as the line graph of the complete bipartite graph $K_{n,n}$ is isomorphic to $L(K_{n,n})$ unless $n = 4$, in which case there is just one further graph, the Shrikhande graph. Two extensions of this theorem we discuss are classifications of connected graphs with smallest eigenvalue -2 (where the Shrikhande graph is one of the finitely many exceptions to the statement that these are generalized line graphs) and distance-regular graphs with the same parameters as Hamming graphs (where the Doob graphs, Cartesian products of 4-cliques and copies of the Shrikhande graph, are the exceptions when the alphabet size is 4). Also, a set of mutually orthogonal Latin squares containing two fewer than a complete set can be completed if the order is not 4; the exception for order 4 is explained by the Shrikhande graph.

Acknowledgements

Shrikhande's discovery of his graph was not a one-off event, but was part of a much wider project at the time, to characterize certain graphs by the spectra of their adjacency matrices. The American mathematician Alan Hoffman was a leading figure in this project, but it also involved mathematicians from many countries, including Belgium, China, India, the Netherlands, the United Kingdom and the United States. It will also be made clear from this book that the Shrikhande graph is connected to a wide range of topics in discrete mathematics, a worldwide language and enterprise.

The subject has a rich history. Some of this, such as Euler's conjecture on Graeco-Latin squares, we treat in detail; but we also give references to other interesting byways, including Mesner's discovery of the Higman–Sims graph, Paley's non-discovery of the Paley graphs and the story of Hoffman's bound, for which we recommend the papers [65], [61] and [55], respectively, by Klin and Woldar, Jones and Haemers, respectively. We are grateful to all these authors for their papers and discussion.

We have attempted to give references for further reading on the topics we cover, including the surprising occurrence of the Coxeter–Dynkin diagrams of type ADE in the theory of graph spectra.

We are grateful to many colleagues and friends who have provided us with the information which we are passing on in these pages. In particular, we thank Sharad Sane and Mohan Shrikhande for some biographical information about S. S. Shrikhande, Andries Brouwer for the construction of a locally Shrikhande graph, Wilfried Imrich for results about the primality of the Shrikhande graph and R. A. Bailey for the anecdote in Chapter 1.

The pictures in Chapter 6 and Section 10.6 are from photographs by the first author, while those in Sections 6.2 and 10.7 are © Neill Cameron. In other cases, we have attempted to use pictures in the public domain.