

# Index

Note: page numbers in *italics* refer to tables

- abstinence from heroin use 91, 127
- accidents
  - mortality 120–1
  - see also* trauma
- accommodation issues, established
  - heroin users 77
- addiction career 12–14
- adolescents
  - alcohol use 43
  - see also* teenage years
- age group of heroin users 63–80
  - mortality 112–13
  - older 99–109
    - drug use patterns 100–3
    - health 104–7
    - maturing out hypothesis 99–100
    - morbidity 104–8
    - mortality 109, 112–13
    - psychopathology 107–8
    - use reduction 116
- 20s/30s 63–80
  - criminality 77–9
  - drug-related problems 68–79
  - health impact 70–4
  - mortality 112–13
  - overdose risk 69–70, 115–16
  - psychopathology 74–6
  - social disadvantage 76–7
  - see also* teenage years
- age of initiation 50–5
- cannabis 44
- cocaine use 46
- decline 54
- gateway theory 36
- heroin 50–5
  - injecting route of administration 55–6
  - methamphetamine 46
- ageing, accelerated in heroin users 42
- AIDS *see* HIV infection
- alcohol/alcohol use
  - adolescents 43
  - dependence 65–6
  - heroin users 42–3
  - neurotoxicity 43
  - temporal primacy for substance misuse 36–7
- alcohol abuse
  - driving whilst intoxicated 120
  - health impact 43, 66
  - heroin overdose risk 70
  - heroin users 65–6
  - liver damage 43
  - mortality 43, 115
  - parental 19–21
  - polydrug use 43, 65–6
  - social disadvantage 17
  - suicide risk 66
  - violence 66
- Alcoholics Anonymous 84
- analgesia 3

Cambridge University Press

978-1-107-00063-6 - The Life of the Heroin User: Typical Beginnings, Trajectories and Outcomes

Shane Darke

Index

[More information](#)

178

Index

- analgesics, narcotic 3
  - with heroin use 64
- antagonists
  - drop-out rate 89
  - long-term retention 128
  - maintenance therapies 89
  - poor compliance 89
- antiretroviral therapy 117
- antisocial personality disorder (ASPD)
  - childhood 31–2
  - criminality 74–5
  - established heroin users 74–5
  - treatment outcomes 95
- anxiety disorders 9
  - childhood 30–1
  - established heroin users 74
  - older users 107–8
  - suicide risk 118–19
- arrest
  - juvenile 31
  - see also* criminality
- arthritis, older users 107
- atherosclerosis, older users 106
- babies of heroin using mothers 73–4
- benzodiazepines
  - harm level association 67
  - heroin overdose risk 70
  - injecting route of administration 72
  - mortality 115
  - polydrug use 66–7, 94
- borderline personality disorder
  - established heroin users 75
  - suicide risk 118–19
  - treatment outcomes 95
- brain damage, overdose 69
- buprenorphine
  - dosage 87
  - half-life 3–4
  - maintenance therapy 86–7
  - managed withdrawal from
    - heroin 82
    - route of administration 5
    - toxicity 88
- burden of disease 10
- cancer, alcohol abuse 66
- cannabis
  - age of onset of use 44
  - dependence liability 7–8
  - early use among heroin users 44–5
  - educational achievement 44
  - gateway drug 35, 37
  - psychosis association 45
  - schizophrenia incidence 45
  - temporal primacy of licit drugs 36–7
  - tobacco use 42
- cardiovascular disease
  - alcohol abuse 66
  - cigarette smoking 106
  - heroin users 42
  - older age group 106, 109
  - polydrug use 73
  - psychostimulants 46–7, 68, 73
    - mortality risk 109
- chasing the dragon 5
  - see also* smoking of heroin
- child abuse 27–30, 122
  - early harms of heroin use 61
  - histories of heroin users 23
  - parental substance abuse 19, 27
  - social disadvantage 16–17
  - substance misuse 47–8
  - suicide risk 119
  - see also* physical abuse; sexual abuse
- child neglect 17
- childhood 16–21, 122
  - antisocial personality disorder 31–2
  - anxiety disorders 30–1
  - conduct disorder 31–2
  - depression 30–1
  - emotional abuse 23, 28
  - neglect 23, 28
  - parental separation/absence 22

Cambridge University Press

978-1-107-00063-6 - The Life of the Heroin User: Typical Beginnings, Trajectories and Outcomes

Shane Darke

Index

[More information](#)*Index*

179

- parental substance dependence impact
  - 17–18, 18–21
- physical abuse 23, 27–30, 122
  - suicide risk 119
- post traumatic stress disorder 31
- psychiatric diagnosis 30
- psychopathology 19, 30–2
- resilience 30
- sexual abuse 23, 27–30, 122
  - sexual behaviour impact 47–8
  - suicide risk 119
- shattered 28–9, 30
- social disadvantage 16–18
- trauma 29
- violence 28, 29
- cigarette smoking
  - cardiovascular disease 106
  - early age 41–2
  - health impact 73
  - prevention campaigns 124
  - pulmonary disease 106
  - social disadvantage 17
  - temporal primacy for substance misuse 36–7
- clinical implications of heroin use 123–33
- cocaine use
  - age of initiation 46
  - cannabis as gateway drug 37
  - cardiotoxicity 73
  - with heroin use 45–6
  - initiation patterns 38–9
  - polydrug use 68, 94
- combat settings 7
- common factor theory 54
- community
  - costs of crime 78
  - drug awareness campaigns 124
- conduct disorder (CD) 74
  - childhood 31–2
  - suicide risk 118–19
- constipation 4
- coronary artery atherosclerosis 106
- cost of illness 10
- cough reflex suppression 3
- criminality 8, 9
  - acquisitive crime 60–1, 77–8
  - costs 10–11, 11–12
  - social disadvantage 16–17
- antisocial personality disorder 74–5
- established heroin users 77–9
- prediction 78
- reduction with treatment 92–3, 126
- remission/relapse 94–5
- treatment enrolment effects 125–6
- death
  - causes of 114–21
  - see also* mortality
- decelerated users 123, 124
- delinquency, social disadvantage 16–17
- dependence potential of drugs 7–8
  - see also* heroin dependence; opioid dependence
- depression
  - childhood 30–1
  - established heroin users 74
  - older users 107–8
  - treatment effects 93
- detachment induction 3
- detoxification 82–3, 97, 127
  - relapse risk 83
  - residential rehabilitation 83
- diacetylmorphine 3–4
- diagnostic triad, opioid toxicity 4
- diet
  - established heroin user 73–4
  - older users 106–7
- disability adjusted life years (DALYs) 11
- driving whilst intoxicated 120
- drowsiness 3
- drug awareness campaigns 124
- drug use trajectory 12
- dysthymia, established heroin users 74

- earnings loss 11
- education
  - overdose risk 131
  - school-based 124–5
- educational achievement 44
  - cannabis use 44
  - established heroin users 77
  - social disadvantage 16–17
- emotional abuse 28
  - childhood 23
- emphysema, older users 106
- endocarditis, injecting route of
  - administration 72
- endorphins 3
- environmental factors in substance
  - misuse 26
- euphoria induction 3
- family
  - dysfunction and suicide risk 119
  - social disadvantage 17–18
  - violence 28
- family-based interventions 125
- fat intake, older users 106–7
- financial problems
  - established heroin users 76
  - see also* criminality, acquisitive crime
- gastrointestinal tract motility 4
- gateway drugs 35
  - age of initiation 54
  - cannabis 35, 37
- gateway theory 34–40
  - age limitation on risk of initiation 36
  - age of initiation 54
  - alternative interpretations 37–40
  - cultural dependence 37–8
  - evidence for 36–7
  - progression probability 35
- gender
  - age of initiation of heroin use 54
  - heroin dependence 5–6
- injecting drug use initiation 56
- mortality 113, 116
  - suicide/suicide risk 29, 118
  - treatment seeking 90
- genetics of heroin dependence 22–6
- Golden Crescent (Afghanistan/Pakistan) 3
- Golden Triangle (Myanmar/Laos) 3
- harm reduction 124, 129–33
  - medically supervised injecting
    - centres 132–3
  - naloxone provision to heroin users
    - 131–2
  - needle and syringe provision 130–1
  - overdose prevention 131–2
  - philosophical issues 129–30
- harms associated with drugs 7–8
  - heroin 8–10
- health
  - alcohol abuse 43, 66
  - cigarette smoking 73
  - established heroin use 70–4
  - intravenous route of administration 9
  - mortality 117–18
  - older users 104–7, 109
  - oral 74
  - physical morbidity in older users
    - 104–7
  - risks of dependence 9
  - smoking of heroin 72–3
  - social disadvantage 16
  - treatment effects 92, 93–4
  - see also* mental health; mortality;
    - psychopathology; viral
      - infections, blood-borne
- hepatic metabolism, alcohol abuse 66
- hepatitis B virus
  - alcohol abuse 66
  - established heroin use 71–2
  - risk 60
- hepatitis C virus
  - alcohol abuse 43, 66

Cambridge University Press

978-1-107-00063-6 - The Life of the Heroin User: Typical Beginnings, Trajectories and Outcomes

Shane Darke

Index

[More information](#)*Index*

181

- heroin users 43
  - established 71–2
- liver damage 71–2
- mortality 117
- needle and syringe provision for harm
  - reduction 130–1
- older users 105–6
- prevalence 72
- risk 60
- transmission 71–2
- treatment effects 93–4
- heroin/heroin use
  - age of initiation 50–5
  - brown 3, 5, 57
  - cannabis as gateway drug 37
  - commencement of use 50–61
  - contaminants 114
  - daily 63
  - duration of use 113
  - early licit substance use 41–3
  - early onset of use 54
  - harms associated with 8–10
    - early stage 59–61
  - high functioning employed user 13
  - intravenous route of administration
    - 3–4, 5
    - dependence liability 7–8
    - health risks 9
  - liability of abuse 54–5
  - maintenance therapy use 87
  - medicinal use 3
  - metabolism 3–4
  - natural history of use 116
  - origins 2
  - overdose risk 9
  - parental substance abuse 18–21
  - prevalence of use 5–6
  - production areas 3
  - purity 114
  - recreational use 3, 13
  - route of administration 3–4, 5
    - dependence liability 7–8
    - smoking 5, 57, 72–3
    - tolerance 116
    - trajectories 2
    - transition to regular use/dependence
      - 6–7
    - use reduction with age 116
    - white 3, 5
    - see also* smoking of heroin
  - heroin dependence 1–2
    - chronicity 122–3, 124
    - gender 5–6
    - genetics 22–6
    - harms 8
    - health risks 9
    - liability 6–8, 122
    - mental health 9
    - overdose risk 59–60
    - smoking of heroin 72–3
    - social costs 10–12
    - social profile 9
    - syndrome 6
    - transition to 6–7
    - treatment entry 126
  - HIV infection
    - established heroin use 71
      - endocarditis 72
    - mortality 117
    - needle and syringe provision for harm
      - reduction 130
    - needle sharing 71
    - risk 60
      - polydrug use 71
      - sex work 71, 117
      - sexual transmission 71, 117
      - treatment effects 93–4
  - homicide 120
  - housing instability 77
  - hypertension in older users 106
  - illness careers 13
  - incarceration
    - costs 10–11

- incarceration (cont.)
  - established heroin users 78
  - maintenance therapies 128–9
  - reduction with treatment 92–3
  - social disadvantage 16–17
  - treatment issues 128–9
- injecting route of administration 3–4, 5
  - age of initiation 51
  - age of onset 55–6
  - dependence liability 7–8
  - endocarditis risk 72
  - health risks 9
  - hepatitis C virus risk 71–2
  - learning 56
  - medically supervised centres 132–3
  - methadone 64, 88
  - mortality 112
  - needle sharing 60
  - overdose risk 70
  - oxycodone 64
  - reduction with treatment 92
  - rush 59
  - teenage years 55–6
  - transition from smoking 58–9
  - 20/30-year-old age group 63–4
  - vascular damage 60, 72
- intramuscular injection 55
- intravenous route of administration,
  - learning 56
- Korsakoff’s psychosis 43
- leukoencephalopathy, smoking of
  - heroin 72–3
- lifecycle of heroin users 122–3
- lifestyle change, residential rehabilitation 84
- liver damage/disease
  - alcohol abuse 43, 66
  - hepatitis C virus 71–2
  - older users 105–6, 109
- low birth weight, social disadvantage
  - 16–17
- maintenance therapies 85–8, 126–7
  - aims 88
  - antagonist 89
  - heroin use 87
  - naltrexone 89
  - outcome 96
  - prison 128–9
  - substitute maintenance drugs
    - 3–4
    - see also* buprenorphine; methadone
- maturing out hypothesis 99–100
- medical care, costs 10, 11–12
- medically supervised injecting centres
  - 132–3
- mental health
  - heroin dependence 9
  - social disadvantage 16
  - see also* psychopathology
- methadone
  - abuse 64
  - administration 5
  - adverse effects 88
  - ancillary service support 85–6
  - costs 10
  - cross-tolerance 85
  - death risk 88
  - dosage 86, 87
  - dosing schedule 86
  - half-life 3–4
  - injecting 64, 88
  - maintenance therapy 85–6
  - managed withdrawal from heroin 82
  - route of administration 5
  - withdrawal symptoms 88
- methamphetamine
  - age of initiation 46
  - cardiotoxicity 73
  - with heroin use 45–6
  - polydrug use 68
- mood disorders 9
  - established heroin users 74
  - see also* named disorders

Cambridge University Press

978-1-107-00063-6 - The Life of the Heroin User: Typical Beginnings, Trajectories and Outcomes

Shane Darke

Index

[More information](#)*Index*

183

- morbidity, physical in older users 104–7
- morphine 3
  - concentration in fatalities 114
  - dependence liability 7–8
  - plasma half-life 3–4
- mortality 111–21, 123
  - accidents 120–1
  - age group of heroin users 112–13
  - alcohol abuse 43, 115
  - benzodiazepines 115
  - blood-borne viral infections 117–18
  - causes 114–21
  - comparison with other drugs 112
  - demography 112–13
  - driving whilst intoxicated 120
  - established users 112–13
  - gender 113, 116
  - health 117–18
  - hepatitis C virus 117
  - HIV infection 117
  - homicide 120
  - injecting route of administration 112
  - length of heroin use career 113
  - methadone 88
  - older users 109
  - overdose 69, 112, 114–16
  - oxycodone abuse 64
  - polydrug use 114–15
  - psychostimulants 109, 115
  - rate 8, 111–12
  - reduction 112, 125–6
  - regional 111
  - risk 111
  - social disadvantage 16–17
  - trauma 120–1
  - treatment enrolment effects 125–6
    - see also* suicide/suicide risk
- motivation to change, client
  - readiness 95–6
- naloxone
  - buprenorphine combination 86–7
  - provision to heroin users 131–2
- naltrexone 116
  - maintenance therapies 89
- narcotics 3
- Narcotics Anonymous 84
- nausea 4
- needle and syringe provision 130–1
- needle sharing 60
  - HIV risk 71
  - reduction with treatment 92
- neglect, childhood 23, 28
- older users 2
- opiates 3
  - dependence characteristics 1
  - medicinal use 3
  - recreational use 3
- opioid(s) 1, 2–5
  - actions 3–4
  - dependence, genetic predisposition 22–6
  - harms associated with 8–10
  - health risks of dependence 9
  - maintenance therapies 85–8
  - negative sequelae 4
  - overdose risk 9
  - prevalence of use 5
  - production areas 3
  - respiratory depressants 4
  - social costs 10–12
  - toxicity 4
  - use alongside heroin 64
- opioid dependence, physiological 73–4
- opioid dependence syndrome 4
  - daily use 63
- opioid withdrawal syndrome, signs/symptoms 82
- opium
  - dependence liability 7–8
  - production areas 3
- opium poppy 2–3
  - cultivation 3

- oral administration 5
- oral health 74
- output loss costs 11
- overdose
  - costs 10
  - education about risk 131
  - injecting route of administration 70
  - mortality rate 69, 112, 114–16
  - naloxone provision to heroin users 131–2
  - non-fatal 69
  - polydrug use 70
  - pre-existing physical disease 105
  - predictive factors 70
  - prevention 131–2
  - response to 69, 131
  - risk 9
    - after detoxification 83
    - alcohol abuse 66
    - early use 59–60
    - established users 69–70, 115–16
  - risk reduction 132
    - smoking of heroin 57–8
    - treatment 92
  - sequelae 69
  - suicide distinction 119
- oxycodone
  - with heroin use 64
  - initiation patterns 38–9
  - injection 64, 72
  - mortality 64
  - prevalence of use 6
  - progression to 37
- Papaver somniferum* (opium poppy) 2–3
- parental separation/absence, childhood 22
- parents 16–21
  - alcohol abuse 19–21
  - of heroin users 18–22
  - psychopathology 19, 21–2, 30
  - social disadvantage 16–18
  - substance misuse 19–21
    - child abuse risk 19, 27
    - impact on children 17–18, 18–21
    - psychopathology association 20
  - violence 19
- patterns of heroin use 63–4
  - see also* sequencing of substance misuse initiation patterns
- personality disorders 9
  - established heroin users 74–5
  - suicide risk 118–19
  - treatment outcomes 95
- physical abuse 122
  - childhood 23, 27–30
  - suicide risk 119
- physical assault
  - risk 29
  - see also* violence
- polydrug use
  - alcohol abuse 43, 65–6
  - benzodiazepines 66–7
  - cardiovascular disease 73
  - driving whilst intoxicated 120
  - HIV risk 71
  - mortality 114–15
  - overdose 70
  - patterns 64–8
  - psychostimulants 67–8
  - reduction 91–2
    - with treatment 92
  - treatment enrolment 125–6
- population, ageing 100–1
- post traumatic stress disorder (PTSD)
  - childhood 31
  - older users 107–8
  - suicide 118–19
- pregnancy, heroin use 73–4
- prescribed psychoactive substances
  - progression to 37
  - see also* oxycodone
- prevention of heroin use 124–5
  - community drug awareness campaigns 124
  - family-based interventions 125



Cambridge University Press

978-1-107-00063-6 - The Life of the Heroin User: Typical Beginnings, Trajectories and Outcomes

Shane Darke

Index

[More information](#)*Index*

185

- school-based education 124–5
- prison *see* incarceration
- production loss 11–12
- prostitution *see* sex work
- psilocybin, dependence liability 7–8
- psychiatric diagnosis 9, 74
  - childhood 30
- psychological distress, treatment
  - outcomes 93, 95
- psychopathology 8, 108
  - childhood 19, 30–2
  - costs 10
  - early harms of heroin use 61
  - established heroin users 74–6, 79
  - inter-generational transfer 30–1
  - older users 107–8
  - parental 19, 20, 21–2, 30
  - reduction with treatment 93
  - suicide/suicide risk 118–19
  - treatment impact 108
- psychosis
  - cannabis use 45
  - psychostimulants 46, 68
- psychosocial functioning, treatment
  - effects 92
- psychostimulants
  - acute sequelae 46
  - cardiotoxicity 46–7, 68, 73
    - mortality risk 109, 115
  - early use 45–7
  - heroin overdose risk 70
  - mortality 109, 115
  - polydrug use 67–8
  - psychiatric sequelae 68
  - psychosis 46, 68
  - schizophrenia 46
  - schizophreniform psychosis 68
  - transition to heroin use 46
  - violence 68
    - see also* cocaine use;
      - methamphetamine
- public health risks 2
- pulmonary disease
  - cigarette smoking 106
  - older users 106, 109
- pulmonary fibrosis 106
- pulmonary function 42
- pulmonary oedema with overdose 69
- pulmonary vascular pathology 72
- quality of life 11
- reduction in heroin use 90–1
- rehabilitation
  - costs 10
    - see also* residential rehabilitation
- relapse
  - client characteristics 94–6
  - prediction 94–7
  - treatment characteristics 96–7
- remission 96–7, 126
  - client characteristics 94–6
  - prediction 94–7
  - treatment characteristics 96–7
  - treatment outcome 126
- residential rehabilitation 83–5
  - attracting users 85
  - drop-out rate 85
  - effectiveness 92
  - lifestyle change 84
  - outcome 96
  - structure 84
- respiratory depressants 4
- retention times 97
- rhabdomyolysis with overdose 69
- route of administration 5
  - dependence liability 7–8
  - intravenous 3–4
  - overdose risk 70
  - sequencing patterns of initiation 39–40
  - teenage heroin use 55–9
  - transition 58–9
    - see also* injecting route of
      - administration; smoking

- rush 3–4
  - injection route 59
- schizophrenia
  - cannabis use 45
  - psychostimulant use 46
- schizophreniform psychosis,
  - psychostimulants 68
- seeking 90
- self-harm, established heroin
  - users 76
- sequencing of substance misuse
  - initiation patterns 34–6
  - administration route 39–40
  - age trends 40–1
  - alternative interpretations 37–40
  - background prevalence of drugs 38
  - early trajectory 39
  - exposure to illicit drugs 40–1
  - illegal status of drug 39
  - temporal specificity 38–9
- sex work 9, 47–8
  - HIV infection risk 71, 117
  - risks 61
- sexual abuse 23, 27–30, 122
  - history in heroin users 27
  - sexual behaviour impact 47–8
  - suicide risk 119
- sexual activity, early 47–8
- sexual assault 29
- sexually transmitted diseases
  - risk 47–8
  - sex workers 61
  - see also* HIV infection
- shattered childhood 28–9, 30
- skin popping 55
- sleep induction 3
- smoking *see* cigarette smoking
- smoking of heroin 5, 56–8
  - health risks 72–3
  - overdose risk reduction 57–8, 72–3
  - technique 57
- transition to injecting 58–9
- viral infection risk reduction 57–8, 72–3
- social benefits of treatment 92–3
- social costs 10–12, 11–12
- social disadvantage 16–18
  - established heroin users 76–7
  - substance misuse 17–18
- social implications of heroin use 60–1
- social isolation, suicide risk 119
- social marginalisation 8
- social profile 9
- social welfare costs 11–12
- stable retention 97, 126–7
- stages of change model 96
- stepping stone theory 34
- substance misuse
  - early sexual activity 47–8
  - environmental factors 26
  - genetic susceptibility 22–6
  - initiation
    - administration route 39–40
    - age limitation 36
    - age trends 40–1
    - alternative interpretations of sequencing 37–40
  - background prevalence of drugs 38
  - early trajectory 39
  - exposure to illicit drugs 40–1
  - illegal status of drug 39
  - sequencing patterns 34–6
  - temporal specificity 38–9
- liability 54–5
- onset in early teenage years 34–48
- parental 19–21
  - child abuse risk 19, 27
  - impact on children 17–18, 18–21
  - psychopathology association 20
- range of substances 18
- sequencing patterns of initiation 34–6
  - administration route 39–40
  - age trends 40–1

Cambridge University Press

978-1-107-00063-6 - The Life of the Heroin User: Typical Beginnings, Trajectories and Outcomes

Shane Darke

Index

[More information](#)*Index*

187

- alternative interpretations 37–40
  - background prevalence of drugs 38
  - early trajectory 39
  - exposure to illicit drugs 40–1
  - illegal status of drug 39
  - temporal specificity 38–9
  - social disadvantage 17–18
  - temporal primacy of licit drug use 36–7
- substance use, licit 41–3
  - temporal primacy 36–7
- substitute maintenance drugs 3–4
  - see also* buprenorphine; methadone
- suicide/suicide risk 29, 118–19
  - alcohol abuse 66
  - anxiety disorders 118–19
  - established heroin users 75
  - family dysfunction 119
  - gender 118
  - older users 109
  - overdose distinction 119
  - personality disorder 118–19
  - post traumatic stress disorder 118–19
  - psychopathology 118–19
  - risk factors 118
  - social isolation 119
  - treatment effects 93
- teenage years
  - alcohol use 43
  - early 34–48
    - alcohol use 43
    - illicit substance use 44–7
    - sexual activity 47–8
  - mid-/late 50–61
    - harms of early heroin use 59–61
    - route of heroin administration 55–9
    - social implications of heroin use 60–1
- tobacco
  - with cannabis use 42
  - see also* cigarette smoking
- tolerance of heroin 116
- trajectory of use 123–4
- Transtheoretical Model 96
- trauma 9
  - alcohol abuse 66
  - childhood 29
  - mortality 120–1
- treatment 125–9
  - abstinence from use 91, 127
  - characteristics 96–7
  - client readiness 95–6
  - criminality reduction 92–3, 125–6
  - cycle 81–98
  - detoxification 82–3, 97, 127
  - drug-related problems 92–4
  - early intervention 128
  - enrolment 125–6
  - incarceration 128–9
  - multiple occasions 90
  - previous 95
  - seeking 128
  - social benefits 92–3
  - successful 90–4
  - types 81–9
  - see also* antagonists; maintenance therapies
- tricyclic antidepressants, heroin overdose risk 70
- turning points, significant 123
- unemployment 11
  - costs 11
  - established heroin users 76–7
  - social disadvantage 16–17
- vascular damage
  - injecting route of administration 60, 72
  - older users 107
- victims of crime 10–11
  - costs to 78
- Vietnam war (1960s–1970s) 7

188	<i>Index</i>
violence	mortality 117–18
alcohol abuse 66	needle and syringe provision for harm
drug-related 77	reduction 130–1
established heroin users 79	risk reduction with smoking of heroin
family 28	57–8
levels 29	risk with early use 60
parental 19	<i>see also</i> hepatitis B virus; hepatitis
physical assault risk 29	C virus; HIV infection
psychostimulants 68	vomiting 4
reduction with treatment 92–3	
risk 9	withdrawal, managed 82
sex workers 61	withdrawal symptoms 4, 82
viral infections, blood-borne 9	methadone 88
costs 10	opioid withdrawal syndrome 82
established heroin use 71–2	severity 82–3