

## Index

bold = tables; italics = figures; underline = data sheet

- abscisic acid (ABA), 138  
 formation, 132, 139  
 abscisic aldehyde, 139  
 absorption  
 by non-fluorescent PSI and PPC, 518  
 by non-phytoplankton particles, 520  
 by pigments, 547  
*in situ* sensors, 546  
 absorption coefficient  
 chlorophyll *a*, 367  
 chlorophyll *b*, 367  
*in vivo*  
 measurement problems, 504  
 of cellular matter for phytoplankton ( $a_{cm}$ ), 500  
 optical properties, 497  
 peak value, with no package effect, 509  
 pigment calibration, 212  
 absorption cross-section  
 PSII reaction centres, 519  
 absorption fingerprints, 555  
 absorption properties of algal cells  
 interference from other particles, 505  
 absorption spectrum  
 analysis by multivariate techniques, 343, 344  
 decomposition into Gaussian bands, 506  
 decomposition into Gaussian–Lorentzian  
 curves, 507  
 deconvolution of the spectrum, 508  
 fourth-derivative analysis, 506  
*in vivo* phytoplankton, 496  
 neural network methods, 507  
 pigment information retrieval, 506  
 principal component analysis  
 partial least-squares regression, 507  
 ratio of photoprotective carotenoids to  
 light-harvesting pigments, 507  
 reconstruction using pigments, 508  
 stepwise discriminant analysis, 506  
*Acaryochloris marina*, 101  
*Acaryochloris* sp., 14  
 accessory pigments  
 role in light absorption, 509  
*Acidiphilium rubrum*, 81  
 Advanced Laser Fluorometer (ALF)  
 active fluorescence  
 airborne sensor, 562  
 aerobic anoxygenic phototrophic bacteria,  
 183, 610  
 HPLC pigment method, 181  
 airborne remote sensing  
 advantages, 561  
 Airborne Visible/Infrared Imaging Spectrometer  
 (AVIRIS), 561  
*Akashiwo sanguinea* (= *Gymnodinium sanguineum*)  
 red tide  
 mycosporine-like amino acids, 418  
 ALA-synthase, 88  
 induction, 88  
*Alexandrium excavatum* (= *A. tamarense*)  
 mycosporine-like amino acids, 418  
*Alexandrium* sp.  
 mycosporine-like amino acids, 417  
 pigment signature, 565  
*Alexandrium tamarense*  
 induction of mycosporine-like amino acids, 424  
 mycosporine-like amino acids, 425  
 nitrogen starvation  
 mycosporine-glycine, 426  
 toxic and non-toxic strains, 618  
**algae**  
**classification, 4, 9, 11**  
 pigment perspective, 5  
 protistan perspective, 4  
 freshwater, 6, 16, 17, 22, 24, 30, 34, 40  
 heterokont, 9, 18  
 Algae Online Analyser (AOA), 556

algal bloom, 32, 33, 37  
 optical monitoring, 538  
 spatial scale  
 airborne remote sensing, 561

algal classes  
 pigment characteristics, 45

algal cultures  
 as authentic sources of pigments, 653  
 reference for new algal classes and pigments, 654

algal ketolase gene (*bkt*), 135

algal resting stages  
 secondary carotenoids, 129

Algal\_2 product  
 remote sensing for Case II waters, 549

allophycocyanin, 14, 15, 16, 17, 525  
 absorption spectrum, 384  
 spectroscopy, 384

allophycocyanin (APC), 378

alloxanthin, 34, 35, 37, 144, 258, 261, 565, 728

*all-trans*-lycopene, 124, 125

5-aminolevulinic acid (ALA), 81  
 C<sub>4+1</sub> pathway, 88  
 C<sub>5</sub> pathway, 88  
 formation, 83

ammonium acetate buffer  
 allomerization problem, 175

*Amphidinium carterae*, 37, 134  
 peridinin  
 PCP and ACP, 525  
 xanthophyll formation, 135

*Amphidinium klebsii*  
 pigment ratios, 296

*Anabaena* sp.  
 myxol-rhamnoside, 138

*Anabaena variabilis*, 129

anomalous diffraction approximation, 500

anoxygenic phototrophic bacteria, 102

aromatic carotenoids, 128

antheraxanthin, 20, 23, 24, 40, 42, 44, 131, 134, 524, 663, 730  
 relationship with fluorescence quenching, 453  
 xanthophyll cycle, 450

antioxidant  
 carotenoids, 619

antioxidant enzyme  
 promoted by abscisic acid, 139

*Apedinella* sp., 24

aphanizophyll, 13

apocarotenoid  
 enzymatic cleavage of carotenoids, 138

β-8-apocarotenal, 144

β-apo-10'-carotenal  
 formation, 143

β-apo-10'-carotenol, 143

β-apo-13-carotenone, 143  
 formation, 143

apoprotein, 375, 383

apparent optical properties (AOP), 546

applied phycology, 618

Archaeplastida, 4, 5

Arctic Ocean, 22

ARGO floats  
 bio-optical instruments, 558

*Arthrospira maxima*  
 ketocarotenoids, 135

astaxanthin, 42, 44, 129, 136, 138, 732  
 commercial interest, 135, 619  
 formation, 130  
 LC-MS/MS  
 loss of toluene, 331  
 Nannochloropsis sp., 136  
 synthesis from zeaxanthin, 135  
 synthesis from β,β-carotene, 135

astaxanthin esters  
 in dinoflagellates and krill  
 LC-MS/MS, 334  
 in lipid globules in snow algae, 525

atmospheric correction  
 for remote sensing of ocean colour data, 559

ATP production  
 in photosynthesis, 523

attenuation coefficient, 546  
 apparent optical properties, 546  
 optical properties, 497

Aurearenophyceae, 23

*Aureococcus* sp., 25

*Aureoumbra* sp., 25

auroxanthin, 734

autonomous underwater vehicles (AUVs), 559, 567, 617

Bacillariophyceae, 18, 20, *See also* diatom  
 Chl *c*-containing phytoplankton, 497  
 xanthophyll cycle, 450

backscattering, 505

backscattering coefficient, 548

bacteriochlorin, 79

bacteriochlorophyll, 79, 609  
*bchE* gene, 94  
 BChl-synthase  
*bchG* gene, 99, 100  
 biosynthesis, 611  
 chlorin reductase  
*bchX*, *bchY*, *bchZ* genes, 99  
 HPLC method, 183  
 HPLC pigment analysis, 182  
 LC-MS, 314  
 LC-MS/MS, 322, 324  
 APCI, 328  
 multivariate spectrofluorometric  
 methods, 353  
 structure, **81**

- bacteriochlorophyll *a*, 81, 259, 675  
 formation, 99  
 HPLC method, 179  
 mass spectrometry, 94  
 oligotrophic oceans, 610  
 bacteriochlorophyll *c*, 81, 101  
 pigment analysis problems, 183  
 bacteriochlorophyll *d*, 81, 101  
 bacteriochlorophyll *e*, 81, 101  
 LC-MS/MS, 323  
 bacteriochlorophyll *g*, 81  
 bacteriochlorophyll *g'*, 101  
 bacteriochlorophyll oxidation products  
 LC-MS/MS, 328  
 bacteriopheophytin *a*, 102  
 bacteriopheophytin *b*, 102  
 bacteriophytochlorin  
 absorption bands, 81  
 Baltic Sea  
 cyanobacteria  
 CHEMTAX, 299  
 phytoplankton pigments  
 spectral *in vivo* fluorescence 344  
 benthic diatom  
 UV-damaged xanthophyll cycle, 458  
 benthic microalgae (microphytobenthos)  
 extraction efficiency  
 sediment-to-solvent volume, 630  
 extraction of pigments, 631  
 bilins, 375  
 dimethylesters  
 hydrolysis conditions, 397  
 preparation conditions, 397  
 biliprotein, 13, 375, 376, 378, 392  
 absorption compared between native and  
 denatured, 387  
 conformation, 382  
 cryptophyte  
 variety of chromophores, 383  
 $\beta$ -subunits, 378  
 denaturation, 388  
 diagnostic characteristics, 399  
 phytochromes, 378  
 regulation of tetrapyrrole, 390  
 subunits isolation, 393  
 used as labelling tool, 613  
 biliverdin (BV)  
 isolation procedure, 396  
 biliverdin IX $\alpha$ , 382  
 biofuel  
 microalgae, 618  
 biomass normalization, 449  
 bio-optical algorithm, 546  
 regionally-specific, 567  
 bio-optical characteristics of phytoplankton, 496  
 bloom dynamics  
 changes in bio-optical properties, 558  
 blue light, 425  
*Bolidomonas mediterranea*, 22  
*Bolidomonas pacifica*, 22  
 Bolidophyceae, 18, 22, *See also* bolidophyte  
 bolidophyte, 18, 20, 22  
 pigment markers, 259  
 xanthophyll cycle, 131  
*Botrydium* sp., 30  
*Botryococcus braunii*  
 harmful algae  
 freshwater systems, 566  
 Brevebuster, 566  
 brown algae  
 abscisic acid, 139  
 xanthophyll cycle, 131  
 buoys  
 for *in situ* optical instruments, 555  
 19'-butanoyloxyfucoxanthin, 20, 24, 34, 37, 259, 736  
 C:chlorophyll *a* ratio, 480  
 satellite-derived estimate, 484  
 C:N ratio  
 using HR-MAS-NMR, 615  
 C<sub>5</sub>-pathway  
 aminolevulinic acid formation, 83  
 caloxanthin, 137, 138, 738  
*Camptothecium* sp., 89  
 canthaxanthin, 13, 24, 37, 129, 130, 144, 740  
 formation, 136  
*Nannochloropsis* sp., 136  
 CaroteNature, 659  
 carotene  
 biosynthesis, 114  
 formation of aromatic types, 128  
 LC-MS/MS, 331  
 $\alpha$ -carotene. *See*  $\beta$ , $\epsilon$ -carotene  
 $\beta$ , $\beta$ -carotene, 13, 15, 16, 17, 20, 22, 23, 24, 25,  
 26, 28, 29, 30, 32, 34, 37, 39, 40, 42, 44,  
 113, 718  
 formation, 114, 127  
 LC-MS/MS, 331  
 ESI, 329  
 outside thylakoid membranes, 524  
 slow-responding photoprotective carotenoid,  
 524  
 xanthophyll formation, 134  
 $\beta$ , $\epsilon$ -carotene, 15, 17, 35, 37, 39, 42, 126, 127,  
 134, 720  
 formation, 114  
 $\beta$ , $\psi$ -carotene, 37, 42, 44, 126, 137,  
 144, 722  
 $\beta$ -carotene ketolase (BKT), 136  
 $\gamma$ -carotene. *See*  $\beta$ , $\psi$ -carotene  
 $\epsilon$ , $\epsilon$ -carotene, 25, 724  
 $\psi$ ,  $\psi$ -carotene. *See also* lycopene  
 carotenogenesis, 113, 114  
 in cyanobacteria, 144

- carotenoid
  - biosynthesis, 113
  - formation of cyclic carotenes, 126
  - degradation, 138
  - in algal resting spores, 611
  - in eyespot, 611
  - in light-harvesting complexes of algae compared to higher plants, 524
- LC-MS
  - APCI and ESI, 329
  - FAB ionisation, 329
  - ionisation methods, 329
- LC-MS/MS, 330
- photodegradation
  - in cyanobacteria, 144
- photoprotective, 247, 294, 445, 497
  - fast responding, 524
  - light-harvesting function, 524
  - quantum yield of photosynthesis, 509
  - slow responding, 524
- photosynthetic, 247
- sediment samples, 334
- synthesis, 119
- carotenoid cleavage oxygenases (CCO), 139
  - CCD1 subfamily, 143
  - NSC1 or NosCCD, 144
  - NSC3, 144
- carotenol chlorin esters, 328
- Carteria* sp., 39
- Case I waters, 547
- Case II waters, 547, 555, 556, 567
- CDOM
  - determination using absorption spectroscopy, 519
  - determination using liquid waveguide spectrophotometers, 519
  - exponential slope (S), 519
  - map of global distribution, 521
  - Sargasso Sea, 520
  - solar bleaching, 520
  - terrestrial origin, 520
- cell wall, 13, 14, 17, 20, 22, 26, 28
  - dithiothreitol weakening effect, 370
  - murein, 13
  - peptidoglycan, 16
  - silica, 20
- cellulose plate, 17, 23, 30, 37
- cellulose wall, 42
- Ceratium* sp., 565
- Chaetoceros brevis*
  - xanthophyll cycle
    - UV effect, 457
    - UV inhibition, 457
- Chaetoceros muelleri*, 616
  - pigment ratio
    - nutrient limitation, 295
- Chaetoceros* sp.
  - number of chloroplasts, 446
- chemometric methods
  - full spectrum techniques, 343
  - multi-component analysis, 343
- chemotaxonomic marker, 56
- chemotaxonomic method, 262
  - Bayesian compositional estimator (BCE), 264
- CHEMTAX, 262
  - cluster analysis, 289
  - environmental data, 289
  - excel solver, 262
  - flow cytometry and flowCAM, 289
  - fluorometry, 289
  - interpretation of pigment data, 289
  - inverse simultaneous equation, 262
  - microscopy, 289
  - multiple linear regression, 262, 290
  - productivity data, 289
  - remote-sensing data, 289
- chemotaxonomy
  - comparison with microscopy, 297
  - problem with symbiotic associations, 298
  - quantitative analysis, 257
- CHEMTAX, 56, 259, 262, 264, 618
  - assumptions and constraints, 265
  - comparison with microscopy, 299
  - comparison with other techniques, 301
  - comprehensive analysis, 291
  - depth strata, 290
  - Dictyochophyte, 293
  - Emiliania huxleyi*, 294
  - gyroxanthin diester, 563
  - minimum number of samples, 290
  - nutrient responses, 296
  - optimum solution, 288
  - pigment ratios, 265, 291
    - in field and algal cultures, 293
    - variability, 292
  - preliminary run, 291
  - ratio limit matrices, 291
  - sub-grouping, 290
- Chlamydomonas reinhardtii*, 119, 121, 124, 125
  - bkt* gene, 136
  - CCO genes, 140
  - genome, 130
  - zeaxanthin epoxidase, 132
- Chlamydomonas* sp., 39
  - lutein-based xanthophyll cycle, 450
- chlorarachniophyte, 9, 38, 40
  - cyst, 40
- Chlorella fusca*, 119
- Chlorella protothecoides*, 616
- Chlorella* sp., 39
- Chlorella vulgaris*, 43
- chlorin, 79

- chlorin steryl ester  
HPLC pigment analysis, 182
- Chlorobium phaeobacteroides*  
HPLC pigment analysis, 183  
LC-MS/MS, 326
- Chlorobium* sp., 89
- Chlorobium tepidum*  
LC-MS/MS of chlorophyll and bacteriochlorophyll, 329
- Chloroflexus* sp., 89
- chloromonad, 26, 28
- Chlorophyceae, 38, 42  
Chl *b*-containing phytoplankton, 497
- chlorophyll  
allomerization, 629  
biodegradation, 78  
biosynthesis, 78, 92, 611  
degradation, 99, 612  
extraction method  
DMF or DMSO, 368  
formation, 89  
LC-MS/MS, 322  
monomeric solutions  
labile character, 366  
partial least squares analysis, 352  
phytychlorin-type  
absorption bands, 81  
ring E  
hydratase pathway, 94  
spectrophotometric data, 81  
structure, 78, 81  
transmetalation  
pollution, 612  
transmetallated, 81
- chlorophyll *a*, 80, 676  
alkyl sulphide derivative  
Antarctic lake sediment, 328  
concentration retrieval algorithm, 549  
epimers, 101  
extraction problems, 631  
fluorescence  
quantum yield, 512  
quenching processes, 513  
*in vitro* fluorescence, 512  
auto-fluorescence, 512  
*in vivo* fluorescence, 497, 512  
excitation spectra, 514  
rapid changes in picoeukaryotes  
photoprotection, 455  
separation from divinyl chlorophyll *a*, 170  
solar-stimulated fluorescence, 555  
specific absorption coefficient, 518
- chlorophyll *a* oxidase, 612
- chlorophyll *a*:C ratio, 449
- chlorophyll *a'*  
C-13<sup>2</sup> epimer of Chl *a*, 101, 680
- chlorophyll *a*-chlorophyll *b* protein complexes, 523
- chlorophyll *a*-chlorophyll *c* protein complexes, 523
- chlorophyll *a*-chlorophyll *c*-peridinin protein (ACP), 447
- chlorophyll allomers  
influence on spectrofluorometric methods, 361
- chlorophyll *a*-specific  
absorption, 448  
absorption coefficient, 508
- chlorophyll *b*, 38, 39, 80, 259, 540, 682  
formation, 98  
HPLC separation, 171  
LC-MS/MS, 322  
separation from divinyl chlorophyll *b*, 170  
spectrofluorometric methods  
NNLS, 358  
spectrofluorometry compared with HPLC, 359
- chlorophyll *b'*, 684
- chlorophyll *b*-containing algae  
energy regulation mechanisms, 448
- chlorophyll *c*, 6, 15, 20, 28, 32, 35, 37, 56, 79, 80, 101, 174, 259, 540  
absorption spectrum, 79  
algal groups containing, 497  
degradation in autosampler, 631  
function, 79  
LC-MS, 314  
ESI, 321, 323  
spectral overlap with phycobiliproteins, 399  
structure, 79
- chlorophyll *c*<sub>1</sub>, 259, 686  
HPLC separation, 174
- chlorophyll *c*<sub>1</sub>-like *K. foliaceum*-type, 20
- chlorophyll *c*<sub>1</sub>-MGDG, 259
- chlorophyll *c*<sub>2</sub>, 259, 688  
non polar, 80
- chlorophyll *c*<sub>2</sub>-like *Pavlova gyraus*-type, 20, 260
- chlorophyll *c*<sub>2</sub>-MGDG [14:0/14:0], 34, 37, 95, 259
- chlorophyll *c*<sub>2</sub>-MGDG [18:4/14:0], 34, 95, 259, 690
- chlorophyll *c*<sub>3</sub>, 20, 22, 34, 95, 96, 100, 259, 290, 565, 692  
harmful algae classes, 566  
HPLC separation, 171, 174  
in HAB classes involved in fish mortality, 565  
LC-MS/MS, 324  
multivariate spectrofluorometric method, 353  
*Pseudochattonella verruculosa*, 545  
satellite monitoring of *Emiliania huxleyi*, 564  
spectrofluorometric methods, 356  
spectrofluorometry compared with HPLC, 359  
wavelength targeting, 557
- chlorophyll *c*<sub>3</sub> (CS-170), 95, 100, 259
- chlorophyll *c*-containing algae  
energy regulation mechanisms, 448
- chlorophyll *c*-containing phytoplankton functional types  
optical discrimination, 569

- chlorophyll *c*-MGDG esters, 170  
 chlorophyll concentration from ocean colour  
   semi-analytical technique, 521  
 chlorophyll cycle, 98, 99  
 chlorophyll *d*, 14, 15, 81, 101, 102, 609, 610, 694  
 chlorophyll *f*, 102, 610  
 chlorophyll oxidation products  
   LC-MS/MS, 328  
 chlorophyll synthase, 99  
 chlorophyllase  
   HPLC method, 179  
 chlorophyllide, 80, 88, 356  
   LC-MS  
     MALDI, 317  
 chlorophyllide *a*, 696  
   esterification, 99  
   influence on spectrofluorometric methods, 361  
 chlorophyllide *a* oxygenase (CAO), 97  
 chlorophyllide *b*, 698  
   esterification, 99  
   formation, 97, **98**  
 chlorophyllide reductase, 611  
 Chlorophyta, 5, 38, 42, 43, *See also*  
   chlorophyte  
     bio-optical discrimination, 540  
     state transitions, 447  
 chlorophyte, 9, 42, 119, 259, 260, 540  
   genome  
     MEP and MVA pathways, 119  
     pigment markers, 258, 259  
     qE and xanthophyll cycle, 453  
     qE mechanism model, 453  
     state transition, 515  
     xanthophyll cycle  
       UV effect, 457  
     zeaxanthin, 262  
 chloroplast  
   changes associated with photo-acclimation, 446  
 chlororespiration  
   xanthophyll cycle, 452  
 Chl-synthase  
   *chlG* gene, 99  
*Chondrus crispus*  
   mycosporine-like amino acids, 425  
 Chromadex, 659  
 Chromalveolata, 5, *See also* chromalveolate algae  
 chromalveolate algae, 126, 127, 144, 611  
   conversion of xanthophyll-cycle pigments, 134  
   violaxanthin, 132  
   xanthophylls, 128  
*Chromatium* sp., 89  
 Chromophyta. *See also* chromophyte  
   bio-optical discrimination, 540  
 chromophyte, 5, 6, 45, 79, 259, 569  
   evolution, 9  
*Chrysochromulina* sp.  
   pigment markers, 259  
*Chrysocystis* sp., 25  
 chrysolaminarin, 20, 23, 25, 29, 33  
 Chrysophyceae, 5, 22, 23, 24, 26, 28, 29, 30,  
   *See also* chrysophyte  
   Chl *c*-containing phytoplankton, 497  
   xanthophyll cycle, 450  
 chrysophyte, 9, 22, 23, 26, 29, 260, 540  
   conversion of xanthophyll-cycle  
     pigments, 134  
   phytoplankton functional types, 543  
   pigment markers, 259  
   qE and xanthophyll cycle, 453  
   xanthophyll cycle, 131  
*Cladophora rupestris*  
   chlorophyll extraction, 370  
 climate and environmental change, 619  
 cobalamine, 90  
 coccolith, 32, 33  
   backscattering, 521  
   free during post-bloom phase, 564  
   from MODIS satellite monitoring, 561  
   light scattering, 519  
   satellite monitoring of *Emiliania huxleyi*, 564  
   scattering, 508  
 coccolithophore, 617  
   high scattering chromophytes, 569  
 Coccolithophyceae, 33, *See also* coccolithophyte,  
   *See also* Prymnesiophyceae  
   Chl *c*-containing phytoplankton, 497  
 coccolithophyte  
   harmful algae, 566  
   phytoplankton functional types, 543  
 coenzyme-F<sub>430</sub>, 90  
 coloured or chromophoric dissolved organic matter  
   (CDOM), 427, 497, 519, 546, 547, 555,  
   *See also* CDOM  
   from MODIS, 561  
   influence on pigment ratios, 296  
 commercial suppliers of pigments, 658  
 comparative genomics, 119, 140, 144, 615  
 continuous flow-FAB, 315  
 coproporphyrin I, 90  
 coproporphyrinogen I and III, 90  
 coproporphyrinogen III  
   formation, 91  
 core-membrane linker, 376  
 cosmetic sector  
   microalgae, 618  
 crocoxanthin, 35, 742  
   LC-MS/MS  
     APCI, 331  
 cross-sectional area of PSII and PSI, 448  
 Cryptophyceae  
   Chl *c*-containing phytoplankton, 497  
 Cryptophyta, 5, 34, 40, *See also*  
   cryptophyte  
   characteristics, 34

- cryptophyte, 9, 16, 35, 260, 540, 562  
   endosymbionts, 37  
   mycosporine-like amino acids, 418  
   phycobiliprotein-containing phytoplankton, 497  
   phycobiliproteins, 375, 378  
     light-harvesting, 391  
     radiative excitation energy transfer, 525  
   pigment markers, 258  
 cryptoxanthin, 15, 16, 744  
*Cyanidioschyzon merolae*, 121, 124, 130  
*Cyanidium caldarium*, 130  
*Cyanidium* sp., 18, 89  
 cyanobacteria, 13, 14, 20, 38, 114, 119, 127, 138, 260, 540, 562, 569, 617  
   4-keto-myxoxanthophyll, 299  
   abscisic acid, 139  
   aromatic carotenoids, 128  
   biosynthesis of carotenoids, 114  
   carotenoid biosynthesis, 137  
   characteristics, 12, **13**  
   CrtR-enzymes, 129  
   detection using hyperspectral imagers, 561  
   formation of lycopene, 124, 125  
   free phycobilin chromophores, 383  
   Gauss-peak spectra method, 350  
   genes involved in carotenoid biosynthesis, 127, 128, 136  
   genomes, 138  
   harmful algae, 566  
   isopentenyl diphosphate isomerases, 120  
   LPOR, 96  
   lycopene cyclases, 126  
   MEP pathway, 124  
   mycosporine-like amino acids, 417, 425  
   novel pigments, 609  
   phycobiliprotein-containing phytoplankton, 497  
   phycobiliproteins, 375  
     light-harvesting, 389  
     radiative excitation energy transfer, 525  
   phycobilisome pigmentation, 385  
   phycochromes, 613  
   phycoerythrin, 378  
   phycourobilin, 384  
   phytoene desaturase genes, 125  
   phytoplankton functional types, 543  
   pigment markers, 258, 259  
   pigment ratios, 299  
   PS I  
     chlorophyll *a* epimers, 101  
     qE and xanthophyll cycle, 453  
     state transition, 515  
     symbiotic, 13  
     symbiotic in dinoflagellates, 9  
   terrestrial  
     mycosporine-like amino acids, 417  
   UV-B photoreceptor, 425  
   variable absorption spectra of  
     phycobiliproteins, 399  
   with chlorophyll *d*, 610  
   xanthophyll cycle, 455  
   xanthophyll formation, 137  
   xanthophylls, 128, 129  
   zeaxanthin, 262  
    $\beta$ , $\epsilon$ -carotene, 126  
 cyanobacteria bloom  
   remote-sensing, 567  
 cyanobacteriochrome, 613  
*Cyanophora* sp., 16  
 Cyanophyta. *See* cyanobacteria  
 cyclic carotenoid  
   formation, 126  
 cyclic electron flow  
   ATP formation, 523  
 $\beta$ -cyclocitral, 143  
*Cyclotella meneghiniana*  
   xanthophyll formation, 134  
 cyst formation  
   induced by abscisic acid, 139  
 cytochrome P450  
   *Synechocystis* sp., 142  
   cytochrome P450 enzyme, 143  
  
 D1 protein, 514  
 Danish Hydraulic Institute (DHI), 658  
 dark protochlorophyllide oxidoreductase  
   photosynthetic bacteria, 97  
   *bchB*, *bchL* and *bchB* genes, 97  
 de-epoxidation state index, 459  
 dehydroxylusujirene, 417  
 1-deoxy-D-xylulose 5-phosphate, 120  
 1-deoxy-D-xylulose 5-phosphate reductoisomerase (DXR), 120  
 1-deoxy-D-xylulose 5-phosphate synthase (DXS), 119, 120  
*Diacronema* sp., 33  
 diacylglycerol, 100  
 diadinoxanthin, 746  
 diadinoxanthin, 20, 22, 24, 25, 26, 30, 32, 34, 37, 39, 132, 135, 144, 260, 290, 447, 524, 748  
   changes with irradiance, 294  
   formation, 134  
   influence on PSII fluorescence, 518  
   slow-responding photoprotective carotenoid, 524  
   xanthophyll cycle, 450  
 diadinoxanthin de-epoxidase (DDE)  
   xanthophyll cycle, 451  
 diadinoxanthin xanthophyll cycle, 131  
 diatom, 9, 18, 19, 20, 22, 38, 133, 260, 458, 540, 617  
   abscisic acid, 139  
   Antarctic  
     mycosporine-like amino acids, 425  
   biomass, 299

- diatom, (cont.)  
 centric, 20  
 endosymbionts, 37  
   within foraminifera and dinoflagellates, 20  
 freshwater algae, 20  
 genome, 611  
 harmful algae, 565  
 low scattering chromophytes, 569  
 MEP pathway, 124  
 PDS genes, 125  
 pennate, 20  
 phytoene desaturase genes, 125, 126  
 phytoplankton functional types, 543  
 pigment markers, 259  
 pigment ratio  
   irradiance, 294  
 qE and xanthophyll cycle, 453, 454  
 sea ice, 20  
 seasonal succession  
   xanthophyll cycle, 455  
 transcriptomic and metabolomic  
   approaches, 614  
 tropical, 20  
 violaxanthin, 132  
 xanthophyll cycle, 131  
   *de novo* synthesis of diatoxanthin, 453  
   no UV effect, 457  
   UV inhibition, 457  
   UV-B stimulation, 456  
 zeaxanthin epoxidase, 132
- diatoxanthin, 20, 22, 24, 25, 26, 30, 32, 34, 37, 39,  
 132, 260, 290, 448, 524, 750  
 changes with irradiance, 294  
 co-elution problem, 202  
 daytime increase, 459  
 influence on PSII fluorescence, 518  
 potential antioxidant, 456  
 relationship with fluorescence quenching, 453  
 UV effects, 458  
 xanthophyll cycle, 450
- diatoxanthin accumulation  
 xanthophyll cycle  
   high light exposure, 452
- diatoxanthin epoxidase  
 UV-B stimulation, 457  
 xanthophyll cycle, 452
- Dictyocha* sp., 24
- Dictyochophyceae, 5, 22, 23,  
*See also* dictyochophyte
- Chl *c*-containing phytoplankton, 497
- dictyochophyte, 540  
 harmful algae, 566
- dihydrolutein, 134, 752
- dihydroxysterol, 32
- dilution method  
 assumptions, 477  
 combined with HPLC pigment analysis, 479  
 compared with carbon labelling, 481  
 drawbacks, 483  
 nonlinear model, 479
- dimethyl sulphide, 33, 617
- dimethyl sulphide producers  
 phytoplankton functional types, 543
- dimethylallyl diphosphate, 119
- dinoflagellate, 9, 35, 260, 540, 617  
 chlorophyll-specific absorption coefficient, 509  
 conversion of xanthophyll-cycle pigments, 134  
 cyst, 37  
 grazing impact on algal blooms, 482  
 green plastids, 9  
 ketocarotenoids, 137  
 mycosporine-like amino acids, 418  
 phytoplankton functional type, 543  
 pigment markers, 258, 259, 260  
 pigment types, 35  
 plastid replacements, 9  
 pyrrhoxanthin and peridinin, 133  
 qE and xanthophyll cycle, 453  
 symbiotic, 35  
 toxic algae  
   gyroxanthin esters, 56  
   pigment markers, 259
- toxic/harmful algae  
 mycosporine-like amino acids, 428  
 xanthophyll cycle, 131, 450  
 UV effect, 457
- dinoflagellate  
 pigment markers, 259
- Dinophyceae. *See also* dinoflagellate  
 Chl *c*-containing phytoplankton, 497
- Dinophysis norvegica*, 37, 565
- Dinophyta**, 35, 37  
 characteristics, 37
- dinoxanthin, 37, 135, 260, 754
- diode array detection (DAD)  
 analysis of mycosporine-like amino  
 acids, 431
- dithiothreitol  
 chlorophyll extraction  
   weakens cell walls, 370
- Ditylum brightwellii*  
 pigment ratios, 296
- divinyl chlorophyll (DVChl), 101  
 HPLC separation, 173
- divinyl chlorophyll *a*, 15, 170, 540, 700  
 co-elution problem, 202  
 spectrofluorometric methods, 356
- divinyl chlorophyll *a+b*-containing phytoplankton  
 functional types  
 optical discrimination, 569
- divinyl chlorophyll *b*, 170, 540, 702
- Dixonella* sp., 18
- dry ice  
 sample freezing and storage, 628



- Dunaliella salina*  
 $\beta$ , $\beta$ -carotene accumulation, 524  
*Dunaliella* sp., 39, 42  
*Dunaliella tertiolecta*  
 xanthophyll cycle  
 UV inhibition, 457
- echinenone, 13, 15, 127, 130, 136, 144, 756  
*Ectocarpus siliculosus*, 124  
 effective absorption cross section of PSII, 448  
 efficiency factor  
 for absorption ( $Q_a$ ), 500  
 for attenuation ( $Q_e$ ), 500  
 for scattering ( $Q_b$ ), 500  
 eicosapentaenoic acid, 26, 28  
*Emiliania huxleyi*, 121, 124, 569  
 19'-hexanoyloxy-4-ketofucocanthin, 170  
 diatoxanthin  
 UV-B-induced loss, 457  
 fucoxanthin esters  
 LC-MS/MS, 332  
 pigment markers, 259  
 satellite monitoring, 564  
 strains from Southern Ocean, 618  
 xanthophyll formation, 134  
 empirical algorithm  
 for chlorophyll determination from  
 remote-sensing, 552  
 endosymbiosis, 4, 9, 114, 124, 126  
 plastid evolution, 11  
*Euglena gracilis*, 88, 120, 125  
 photosynthesis inhibition by metals, 613  
*Euglena* sp.  
 Gauss-peak spectra method, 350  
 Euglenophyceae. *See also* euglenophyte  
 Chl *b*-containing phytoplankton, 497  
 euglenophyte, 9, 38, 39, 40, 540  
 ketocarotenoid, 136  
 pigment markers, 259  
 qE and xanthophyll cycle, 453  
*Euhalothece* sp.  
 mycosporine-like amino acids, 417  
 euhalothece-362, 417  
*Euphausia superba*  
 mycosporine-like amino acids  
 trophic transfer, 426  
 euphotic zone  
 apparent optical properties, 546  
 European Ferrybox sensor system, 561  
 Eustigmatophyceae, 18, 23, 24, 28,  
*See also* eustigmatophyte  
 eustigmatophyte, 24, 26, 29  
 conversion of xanthophyll-cycle  
 pigments, 134  
 pigment markers, 259  
 xanthophyll cycle, 131  
 UV-B stimulation, 456
- Eustigmatos* sp., 25  
 eutreptiellanone, 39, 259, 758  
*Exanthemachrysis gayraliae*  
 chlorophyll  $c_1$ -like, 170  
*Exanthemachrysis* sp., 33  
 Excavata, 5  
 extinction coefficient. *See* absorption coefficient  
 chlorophyll *a* and *b*, 366  
 extraction solvent, 628  
 acetone/water, 629  
 dimethyl formamide (DMF), 629  
 for periphyton, 629  
 methanol/acetone/DMF/water, 629  
 water dilution prior to injection, 629  
 eyespot, 24, 29, 32, 39, 42, 43, 44, 142  
 carotenoids accumulation, 524
- farnesol, 78, 99, 101, 325  
 fast repetition rate fluorometry (FRRF), 484, 485,  
 518, 566  
 comparison with  $^{14}\text{C}$ -uptake, 485  
 fatty acids, 28, 80, 100  
*Fibrocapsa japonica*, 28  
 filter  
 comparison between different types, 627  
 size categories, 628  
 filter extraction  
 grinding, 630  
 soaking, 630  
 sonication, 630  
 filtration  
 clogging, 627  
 maximum time, 627  
 positive pressure, 628  
 recommendations, 627  
 flash-freezing, 628  
*Flintiella* sp., 18  
*Florenziella parvula*, 24  
 flow cytometry, 508  
 FlowCAM, 300  
 Fluka, 659  
 fluorescence  
 excitation-emission matrices (EEM), 344  
 pigment analysis, 344  
*in situ*  
 detection with active sensors, 555  
 spectral signatures, 556  
 three-dimensional spectroscopy, 344  
 fluorescence excitation spectrum  
 chlorophyll *a*-specific PSII-scaled, 518  
*in situ* detection  
 best for Case II waters, 555  
 distinct signatures from different pigment  
 groups, 566  
*in vivo* detection  
 general set-up, 515  
 quantum correction, 516

- fluorescence excitation spectrum (cont.)  
 PSII-specific, 517  
 quantum correction, 515
- fluorescence line height, 555  
 in turbid waters, 556  
 limitations of the method, 555
- Fluoroprobe, 300
- fouling problems  
 in moorings, 558
- freeze-drying. *See* lyophilization
- freshwater algae, 23  
 chlorophytes, 42  
 cryptophytes, 34  
 cyanobacteria, 13, 14  
 diatoms, 20  
 dinoflagellates, 37  
 euglenophytes, 39  
 extraction problems, 369  
 Glaucocystophyta, 16  
 glaucocystophytes, 11, 16  
 harmful, 566  
 mesostigmatophytes, 11, 44  
 mycosporine-like amino acids, 417  
 Pavlovophyceae, 32  
 phaeothamniophytes, 11, 26  
 prasinophytes, 43  
 prochlorophytes, 14  
 raphidophytes, 28  
 silicoflagellates, 23  
 synurophytes, 29  
 Trebouxiophyceae, 43  
 xanthophytes, 30
- fucocanthin, 6, 20, 22, 23, 24, 25, 26, 28, 29, 32, 34,  
 37, 56, 133, 144, 259, 290, 448, 760  
 biosynthesis, 611  
 co-elution problem, 202  
 formation, 134, 135  
 LC-MS/MS  
 APCI and ESI, 332  
 ESI, 330
- fucocanthin esters, 314, 614
- fucocanthin-containing dinoflagellates, 563
- fucocanthinol  
 LC-MS/MS, 332
- gabaculine, 87
- Galdieria sulphuraria*, 121, 124, 130  
 phycobilisome pigmentation, 385
- gelbstoff, 519. *See* coloured (chromophoric)  
 dissolved organic matter (CDOM)
- genomics, 614
- geranial, 143
- geranylgeraniol, 78, 99, 101, 119
- geranylgeranyl diphosphate synthase (GGPS),  
 124
- GF/F filters  
 limitations, 627
- gilvin, 519. *See* coloured or chromophoric dissolved  
 organic matter (CDOM)
- Glaucocystis* sp., 16
- Glaucocystophyta, 11, 16, 45,  
*See also* glaucocystophyte
- glaucocystophyte, 9, 16  
 phycobiliproteins, 375  
 phycobilisome pigmentation, 385
- Glaucophyta, 4
- Glaucosphaera* sp., 18
- gliders, 559, 567, 617  
 bio-optical instruments, 558
- global ocean observation systems, 617
- Gloeobacter violaceus*, 121, 125, 159
- Gloeochara* sp., 16
- glucans  
 in *Chaetoceros muelleri*  
 using HR-MAS-NMR, 616  
 glutamyl-tRNA<sup>Glu</sup>-reductase, 88
- glycoside carotenoids  
 myxoxanthophyll, 56, 129  
 oscillaxanthin, 56
- golden-brown algae, 5, 32, 33
- grazing rate  
 coupling with growth, 482  
 pigment-based method, 472
- green algae, 4, 38, 114, 127, 130  
 abscisic acid, 139  
 genes involved in biosynthesis, 127  
 phytoene desaturase genes, 126  
 symbiosis, 38  
 xanthophyll cycle, 131  
 xanthophylls, 128  
 $\beta$ , $\epsilon$ -carotene, 126
- green fluorescent protein (GFP), 613
- green photosynthetic bacteria, 79, 81, 101
- Gymnodinium breve* (= *Karenia brevis*), 37, 259, 507
- Gymnodinium chlorophorum*, 38
- Gyrodinium dorsum*  
 induction of mycosporine-like amino acids, 425  
 mycosporine-like amino acids  
 motility, 417
- gyroxanthin diester, 25, 37, 259, 762  
 HPLC and CHEMTAX, 563  
 in haptophytes, 618  
 in pelagophytes and haptophytes, 563  
*in situ* detection of *Karenia brevis*, 562  
 LC-MS/MS, 332  
 mean cellular concentration in *Karenia brevis*, 563  
 toxic dinoflagellate, 299
- gyroxanthin-containing *K. brevis*  
*in vivo* absorption characteristics, 563
- Hacrobia, 35
- haem, 81, 88, 89, 92, 396
- Haematococcus pluvialis*, 130, 135
- Haematococcus* sp., 39, 42

- haptoneima, 31, 33, 34  
 Haptophyta, 5, 6, 22, 30, 32, 33, 56,  
   *See also* haptophyte  
   pigment groups, 449  
   xanthophyll cycle, 450  
 haptophyte, 9, 31, 32, 35, 260, 540, 617  
   conversion of xanthophyll-cycle  
     pigments, 134  
   endosymbionts, 37  
   gyroxanthin diester, 259  
   gyroxanthin esters, 56  
   ketocarotenoids, 136  
   mycosporine-like amino acids, 418, 425  
   pigment markers, 259  
   xanthophyll cycle, 131  
     UV-B stimulation, 456  
   zeaxanthin epoxidase, 132  
*Haramonas dimorpha*, 29  
 harmful algae  
   pigment signature and toxin information, 565  
 harmful algal blooms, 25, 26, 28, 582  
   detection using hyperspectral imagers, 561  
   *in vivo* absorption spectra  
     specific pigments, 563  
   optical monitoring, 538  
   phytoplankton species, pigments and toxins, 583  
   UV absorption, 428  
 harmful coccolithophytes  
   wavelength targeting  
     chlorophyll *c*<sub>3</sub>, 557  
 harmful dinoflagellates  
   wavelength targeting  
     chlorophyll *c*<sub>3</sub>, 557  
 heliobacteria, 81  
*Heliospirillum* sp., 89  
 19'-heptanoyloxyfucoxanthin, 170  
   LC-MS/MS, 333  
 19'-hexanoyloxy-4-ketofucoxanthin, 170, 260, 618, 766  
   LC-MS/MS, 332  
 19'-hexanoyloxyfucoxanthin, 32, 34, 37,  
   259, 764  
   co-elution problem, 202  
   formation, 134  
   LC-MS/MS, 332  
*Heterocapsa* sp.  
   pigment ratios, 296  
 Heterokontophyta, 18, 20, 22, 23, 24, 25, 26, 28, 29,  
   30, 35  
   xanthophyll cycle, 450  
 heteroxanthin, 26, 30, 259  
 high light stress  
   *bkt* genes, 135  
 high resolution magic angle spinning nuclear  
   magnetic resonance spectroscopy (HR-  
   MAS-NMR), 614  
   whole cell characterisation, 615  
 HPLC. *See also* liquid chromatography (LC)  
   HPLC analysis  
     performance metrics, 197  
     pigments  
       update on methods, 165  
   HPLC autosampler, 640  
   needle blockage, 642  
   needle height, 642  
   needle rinse option, 643  
   needle-in-loop design, 641  
   pull-to-fill design, 641  
   push-to-fill design, 641  
   syringe size, 641  
   temperature controlled sample tray, 643  
   HPLC calibration  
     detector  
       linear response, 645  
   HPLC column compartment  
     temperature-controlled, 647  
   HPLC detectors, 644  
     fluorescence, 644  
     temperature-controlled flow cell, 647  
     UV/visible, 644  
   HPLC hardware, 636  
   HPLC injector, 640  
     filled-loop mode, 640  
     partial-loop mode, 640  
   HPLC method  
     accuracy, 199, 220  
     accuracy assessment, 214  
     ammonium acetate buffer, 174  
     bacteriochlorophyll analysis, 182  
     C<sub>18</sub> column, 170, 182, 222  
       combined monomeric and polymeric, 181  
       polymeric, 175, 180  
     C<sub>30</sub> column, 170  
     C<sub>8</sub> column, 170, 173, 180, 222  
       divinyl chlorophylls, 180  
     calibration, 211, 249  
       multipoint method, 249  
       response factor, 249  
       single point method, 249  
     calibration accuracy, 231  
     carryover between injections, 202, 203, 229, 640  
       autosampler, 642  
     choice of method, 176  
     choice of stationary phase, 170  
     column polarity, 173  
     column strength, 173  
     column temperature, 170, 175  
     control limits (CL), 226  
     coupling to mass spectrometry (MS), 182  
     detector noise, 204, 233  
     filter water content, 234  
     injection contamination, 203  
     injection precision, 229  
     intercalibration, 196  
     internal standard, 215, 227, 231, 233, 234

- HPLC method (cont.)  
 ion-pairing, 174  
 limit of detection, 201  
 limit of quantitation, 201  
 microphytobenthos, 181  
 peak resolution, 202  
 peak retention time, 202  
 performance metrics, 197, 224  
 performance parameter, 201  
 pigment resolution, 202, 227  
 polymeric phases, 170  
 precision, 218  
 pyridine additive, 175  
 quality assessment (QA), 195, 226  
 quality assurance plan (QAP), 195, 226  
 quality control (QC), 195, 226  
 quaternary ammonium buffer, 174  
 repeatability precision, 216  
 reproducibility precision, 216  
 retention time precision, 227  
 reversed-phase, 165  
 role of particle pore size, 171  
 ruggedness, 216  
 specificity, 201  
 stationary phase  
 monomeric, 170  
 polymeric, 170  
 summary, **170**  
 symbology, 243  
 tetrabutylammonium acetate buffer, 175  
 validated method, 197  
 validation, 198  
 vial and cap combination, 217  
 warning limits (WL), 226  
 water retained on filters, 251  
 working and linear ranges, 206
- HPLC pump, 643  
 binary system, 643  
 compensation for solvent compression, 644  
 dwell time, 644  
 dwell volume, 644  
 gradient elution, 643  
 high-pressure mixer, 643  
 low-pressure mixer, 643  
 quaternary system, 643  
 solvent mixer, 643
- HPLC training resources, 648
- <sup>1</sup>H HR-MAS-NMR  
 to sort algal species, 616
- 2-hydroxymyxoxanthophyll, 138  
 3'-hydroxyechinenone, 135, 136
- Hydrolight software, 552
- hydroxymethylbilane (HMB), 90  
 1'-hydroxy- $\beta,\psi$ -carotene, 137  
 8<sup>1</sup>-hydroxy-chlorophyll *a*, 101
- Hyperion  
 hyperspectral imager, 561
- hyperspectral  
 imagers, 616, 617  
 optical sensors, 616  
 remote-sensing reflectance  
 best wavelengths, 568
- hyperspectral absorption data  
 regional algorithms, 557
- ice algae  
 PSII absorption, 512  
 xanthophyll cycle  
 UV effect, 457
- in situ* optical sensors, 554  
 Algae Online Analyser, 556
- incubation artifacts, 476
- Indian Ocean  
 mixing velocities  
 xanthophyll cycle, 460
- inherent optical properties (IOP), 545, 549
- integrating cavity absorption meter (ICAM), 505
- internal standard, 250, 251
- intracellular self-shading, 446
- ionone  
 formation, 126
- $\beta$ -ionone, 126, 130, 143  
 formation, 143
- $\epsilon$ -ionone, 126, 127, 130
- iron limited environments, 614
- irradiance reflectance, 549
- Isochrysis* sp.  
 ketocarotenoids, 136
- isopentenyl diphosphate, 119
- isoprene  
 formation, 113, 114  
 formation pathways, 119
- isoprenoid biosynthesis  
 MEP pathway, 119
- Joint Global Ocean Flux Study (JGOFS)  
 program, 218  
 protocols, 196
- Karenia brevis*  
 gyroxanthin diester, 299  
 nitrogen starvation  
 mycosporine-glycine, 426  
 similarity index, 507
- Karenia cristata*, 565
- Karenia* sp., 565
- Karlodinium* sp., 565  
 fucoxanthin-containing, 618
- ketocarotenoid  
 formation, 135  
 in cyanobacteria, 135  
 in dinoflagellates, 137  
 in euglenophytes, 136  
 in green algae, 135

- in haptophytes, 136
- Isochrysis* sp., 136
- Nannochloropsis* sp., 136
- protection from oxidative damage, 135
- ketolase
  - in chlorophytes, 137
  - in chromalveolate algae, 137
  - in cyanobacteria, 137
- 4-keto-19'-hexanoyloxyfucoxanthin, 137
- 4-keto-19'-hexanoyloxyfucoxanthin.
  - See 19'-hexanoyloxy-4-ketofucoxanthin
- 4-ketofucoxanthin, 34, 137, 260
- 4-ketolutein, 136
- 4-keto-myxoxanthophyll, 13, 259, 299
- 4-keto- $\alpha$ -carotene, 130
- LC-MS
  - aquatic environment
    - carotenoids, 334
    - chlorophylls, 328
  - atmospheric pressure chemical ionisation (APCI), 315
  - collision induced dissociation (CID), 330
  - electrospray ionisation (ESI), 316
  - fast atom bombardment (FAB), 315
  - mass analyser, 318
    - ion trap, 319
    - quadrupole, 318
    - time of flight (TOF), 319
    - triple quadrupole, 318
  - matrix-assisted laser desorption ionisation (MALDI), 317
  - methods for analysis of chlorophylls, 320
  - modes of ionisation, 315
  - sodiated molecule, 330, 332
- LC-NMR, 615
  - analysis of carotenoids, 614
- LC-tandem mass spectrometry, 315
- light absorbed by PSII
  - variation with photoacclimation, 515
- light energy transfer efficiency, 448
- light history
  - photoresponse dynamics, 455
- light-harvesting antenna, 101
- light-harvesting complexes, 446
  - apoproteins, 522
  - in algae, 522
  - in chromophytes, 447
  - variable composition, 523
  - water-soluble, 525
- light-harvesting pigments (LHP), 445, 497
- light-harvesting xanthophyll
  - formation, 133
- limit of detection (LOD), 201
  - determination, 204
- limit of quantitation (LOQ), 201
  - determination, 204
- linear-tetrapyrrolic bile pigments
  - phycobilins, 81
- Lingulodinium polyedra*
  - excretion of mycosporine-like amino acids, 427
  - harmful algal bloom
    - UV absorption, 428
- lipids
  - using time-domain NMR, 616
- liquid chromatography-mass spectrometry.
  - See LC-MS
- liquid chromatography-nuclear magnetic resonance. See LC-NMR
- liquid nitrogen, 628
- liquid waveguide capillary cell (LWCC), 505
- loroxanthin, 40, 42, 43, 56, 134, 768
  - dodecenoate, 40, 770
- lower limit of linearity (LLOL)
  - pigment calibration, 206
- lutein, 40, 42, 44, 127, 128, 130, 133, 134, 171, 259, 290, 772
  - co-elution problem, 202
  - eye-related health care, 619
  - HPLC separation, 173
  - LC-MS/MS, 330
  - slow-responding photoprotective carotenoid, 524
- lutein-epoxide, 134
  - xanthophyll cycle, 450
- lutein-epoxide cycle
  - xanthophyll cycle, 131
- lycopene, 44, 125, 126, 127, 137, 726
  - accumulation, 126
  - formation, 114, 124
- trans*-lycopene, 126
- lycopene cyclase, 127
- lyophilization (freeze-drying), 630
  - advantages, 630
  - sediment samples, 631
- magic angle spinning (MAS), 614, 615
- Mallomonas* sp., 29, 30
- Mamiellophyceae, 39, 43
- Mantoniella squamata*, 134
- mariculture, 25
- marker pigments
  - to distinguish algal classes, 540
- mass spectrometry
  - compatibility with HPLC methods, 320
  - in situ* methods, 545
  - instrument, 315
- Mastigocladus laminosus*
  - phycobilisome pigmentation
    - absorption spectrum, 385
- Matrix-Assisted Laser Desorption Ionisation – Time of Flight (MALDI-TOF), 614
  - whole cell characterisation, 615

- maximum quantum yield of PSII-fluorescence, 513
- Mediterranean Sea, 22, 286
- mixing velocities
- xanthophyll cycle, 460
- MEP pathway
- genes, 120, 124
- MERIS
- satellite sensor, 549
- mesobiliverdin (MBV)
- cryptophyte chromophore, 382
- Mesodinium rubrum*, 35, 258
- Mesostigmatophyceae, 38, 44, 45,
- See also* mesostigmatophyte
- mesostigmatophyte, 44, 45
- metabolomics, 614, 619
- methanol
- degradation effects, 629
- methylerythritol phosphate (MEP) pathway, 119
- 6-methyl-5-hepten-2-one, 143
- mevalonic acid (MVA)
- pathway, 119
- Mg<sup>2+</sup>
- enzymic insertion into proto IX, 92
- MGDG
- formation, 100
- MgDVP, 13, 15, 20, 24, 32, 33, 35, 37, 39, 42, 43, 95,
- 96, 259, 704
- formation of chlorophylls *c*, 95
- light harvesting, 95
- Mg-protoporphyrin IX, 88
- formation, 92, 93
- Mg-rhodochlorins
- formation from chlorophyll, 369
- micromonal, 43, 134, 258, 259, 774
- Micromonas pusilla*, 56, 259
- Micromonas* sp., 39, 119
- micromonol, 134, 144, 259, 776
- microphytobenthos
- HPLC method, 181
- microplankton
- pigment fraction, 248
- microscopy
- for cell identification, 618
- microzooplankton
- grazing rate
- dilution method, 477, 478
- role during algal blooms, 482
- Mie-Lorentz theory, 500
- mobile underwater platforms, 559
- moderate resolution imaging spectroradiometer (MODIS), 200, 484
- optically-based products, 561
- satellite sensor, 549
- monadoxanthin, 35, 778
- monogalactosyldiacylglyceride (MGDG), 80
- monovinyl chlorophyll *c*<sub>3</sub>, 170, 260, 706
- mooring
- platform for bio-optical measurements, 558
- profiling for bio-optical constituents, 558
- mucocyst, 28
- multivariate spectral method, 348
- classical least squares (CLS), 344
- non negative least squares (NNLS), 344
- parallel factor analysis (PARAFAC), 344
- partial least squares regression (PLS), 344
- principal component regression (PCR), 344
- spectral reconstruction method (SRC), 348
- Muriella (Chlorella) zofingiensis*, 136
- mutatoxanthin, 780
- mycosporine-2-glycine, 430
- mycosporine-glycine, 412, 417, 424
- antioxidant, 418
- mycosporine-like amino acids (MAAs), 412
- bacterial degradation, 429
- bio-optical studies, 428
- biosynthesis, 424
- detection, 430
- distribution, 418, 424
- electrospray ionization (ESI), 431
- extra-cellular release, 427
- extraction from filters, 429
- extraction from freshwater algae, 429
- filtration problems, 428
- HPLC methods, 430
- induction, 425
- interference with *in vivo* absorption, 504
- LC-MS, 431
- nitrogen limitation, 426
- osmotic stress, 426
- packaging, 418
- photodegradation, 427
- photoprotection, 417
- primary, 424
- roles, 417
- secondary, 424, 427
- stability of extracts, 429
- standards, 432
- storage of filters, 428
- symbiotic acquisition, 426
- trophic transfer, 426
- UV-absorbing interferences, 430
- mycosporine-aurine, 417
- antioxidant, 418
- Myrionecta rubrum*, 35
- myxol, 13, 127, 129
- myxoxanthophyll, 13, 56, 127, 129, 136, 137,
- 144, 782
- formation, 726, 137
- heat dissipation in cyanobacteria, 454
- Nannochloropsis oculata*, 25
- Nannochloropsis* sp.
- ketocarotenoids, 136

- Nannochloris atomis*  
 extraction problems, 369
- nanoplankton, 25, 30, 33  
 chemotaxonomic method, 297  
 pigment based size class, 261  
 pigment fraction, 248
- NASA Sensor Intercomparison and Merger  
 for Biological and Interdisciplinary  
 Oceanic Studies (SIMBIOS), 196
- natural colourant  
 carotenoids and phycobilins, 618
- 9'-*cis*-neochrome, 784  
 formation, 132  
 in chlorarachniophytes, 133  
 in euglenophytes, 133
- neoxanthin, 38, 39, 40, 42, 44, 135  
 co-elution problem, 202  
 genes encoding neoxanthin synthase, 133
- trans*-neoxanthin, 44, 663, 788  
 formation, 134
- 9'-*cis*-neoxanthin, 128, 133, 139, 786
- neoxanthin synthase, 133
- neurosporene, 134
- nine-*cis*-epoxy carotenoid dioxygenase (NCED), 139
- nitrogen fixation  
 phytoplankton functional types, 543
- nitrogen limitation  
*bkt* genes, 135
- Nodularia spumigena*  
 pigment markers, 259
- non-photochemical fluorescence quenching  
 (NPQ), 446, 450, 456, 513  
 energy-dependent (qE), 453, 513  
 photoinhibition (qI), 453, 513  
 role, 453  
 state transitions (qT), 453, 513  
 xanthophyll cycle, 453
- non-photochemical fluorescence quenching (q<sub>N</sub>), 513
- non-polar chlorophyll *c*, 259
- Nostoc (Anabaena)* sp., 129
- Nostoc flagelliforme*  
 UV-sensitivity, 418
- Nostoc* sp., 129  
 apocarotenoid cleavage oxygenase, 140  
 volatile isoprenoids formation, 144
- nostoxanthin, 13, 137, 138, 790
- nuclear magnetic resonance (NMR), 615, 616
- nutrients  
 pigment ratios, 295
- nylon membrane  
 for sample filtration, 627
- okenone, 128
- optical coefficients  
 of algal suspensions, 502
- optical detection of IOP and AOP  
*in situ* sensors, 554
- optical properties  
 absorption, 547  
 of particles, 497  
 of seawater, 545  
 phytoplankton functional types, 540  
 scattering, 547
- optically significant constituents (OSC), 545
- Orange Carotenoid Protein (OCP), 135, 136
- oscillaxanthin, 13, 56, 137, 792  
 formation, 137
- Ostreococcus lucimarinus*, 121, 124, 125  
 genome, 130
- Ostreococcus* sp., 119
- Ostreococcus tauri*, 121, 124, 125  
 genome, 130
- oxygen action spectrum, 515
- oxygenic gross photosynthetic rate (P<sup>Chl<sub>a</sub></sup>), 485
- ozone layer, 412
- P-457, 37
- Pacific Ocean, 22, 28  
 phosphorus limitation, 295
- package effect, 446, 503, 547  
 cell size, 503  
 photoacclimation state, 503
- palythene, 430
- palythenic acid, 427, 430
- palythine-serine, 430
- PARAFAC, 344, 355, 362  
 EEM fluorescence of pigment extracts, 355
- Paralytic Shellfish Poisoning (PSP), 565
- Parmales, 19, 22
- pathlength amplification effect ('β factor'), 504
- Pavlova gyrams*  
 chlorophyll *c*<sub>2</sub>-like, 170
- Pavlova* sp., 33  
 xanthophyll cycle  
 UV inhibition, 457
- Pavlovale, 33
- Pavlovophyceae, 5, 31, 32, 33  
 characteristics, 32  
 Chl *c*-containing phytoplankton, 497
- Pelagococcus subviridis*, 25
- Pelagomonas calceolata*  
 18S RNA, 300
- Pelagomonas* sp., 6, 25
- Pelagophyceae, 5, 22, 24, 25, *See also* pelagophyte
- pelagophyte, 18, 25  
 gyroxanthin diester, 259  
 gyroxanthin esters, 56  
 harmful algae, 566  
 pigment markers, 259  
 xanthophyll cycle, 131
- 19'-pentanoyloxyfucoxanthin, 170  
 LC-MS/MS, 332
- performance metrics  
 HPLC analysis, 197

- peridinin, 9, 35, 37, 38, 56, 133, 144, 258, 260, 448, 565, 794  
*Alexandrium* sp., 565  
 co-elution problem, 202  
 formation, 134  
 neoxanthin as intermediate, 135  
 peridinin-chlorophyll *a*-protein complexes (PCPs)  
 in dinoflagellates  
 water soluble, 525  
 peridininol, 37  
*Phaeocystis*  
 chlorophyll *c*<sub>3</sub>, 299  
*Phaeocystis antarctica*  
 mycosporine-like amino acids  
 trophic transfer, 426  
*Phaeodactylum tricorutum*, 20, 121, 124, 125, 611  
 genes encoding for violaxanthin de-epoxidase, 452  
 genome, 131  
 lycopene cyclase, 127  
 xanthophyll formation, 134  
*Phaeogloea* sp., 26  
*Phaeomonas* sp., 28  
*Phaeothamnion* sp., 26  
 Phaeothamniophyceae, 5, 22, 26, 28  
 pharmaceutical sector  
 microalgae, 618  
 pheophorbide  
 cyclic form, 182  
 formation, 99  
 pyro derivatives, 182  
 pheophorbide *a*, 708  
 co-elution problem, 202  
 pheophorbide oxygenase, 99  
 pheophytin, 101  
 partial least squares analysis, 352  
 pheophytin *a*, 710  
 pheophytin *b*, 712  
 photoacclimation, 445  
 bio-optical characteristics, 496  
 light history, 449  
 long-term, 446  
 pigment ratios, 295  
 photoacclimation index, 449  
 photoadaptive strategies  
 dinoflagellates  
 PCP, 525  
 photochemical activity of PSII, 485  
 photochemical efficiency (F<sub>v</sub>/F<sub>m</sub>)  
 relation with xanthophyll cycle, 456  
 photochemical fluorescence quenching (q<sub>p</sub>), 513  
 photo-damaged photosystem II  
 repair promoted by abscisic acid, 139  
 photodiode array HPLC detector (PDA), 644  
 photoprotection  
 xanthophyll cycle, 131  
 photoprotection pigments, 445  
 photoprotective state  
 pigment indicators, 459  
 photoreceptor  
 phototaxis regulation, 390  
 phytochrome, 378  
 synthesis of mycosporine-like amino acids, 425  
 photoreversible biliprotein, 613  
 photosynthetic electron transfer rates (ETR), 485  
 photosystem I (PSI)  
 chlorophyll *a* epimers, 101  
 phycobilin chromophore  
 absorption maxima, 393  
 attachment modes, 383  
 biosynthesis, 382  
 extinction coefficients, 393  
 extraction from biliproteins  
 procedure, 397  
 HPLC conditions following tryptic  
 digestion, 395  
 identification  
 acidic urea denaturation, 393  
 gel electrophoresis, 394  
 LC isolation and MS, 394  
 isolation procedure, 395  
 mass spectrometry, 395  
 quantitative analysis, 400  
 phycobilin chromophore attachment  
 lyases, 383  
 phycobiliprotein, 35, 375  
 absorption spectrum, 384  
 variation with solvent conditions, 388  
 algal groups containing, 497  
 chromophore identification, 388  
 complementary chromatic adaptation, 390  
 conditions for dissociation, 392  
 core-membrane linker, 383  
 fluorescence spectroscopy, 399  
 fluorescence spectrum  
 self-absorption, 392  
 future studies, 613  
 hexamers, 376  
 influence of light quality in marine species, 381  
 interference by fluorescence, 391  
 interference with phytoplankton  
 absorption, 505  
 light-harvesting function, 389  
 low phototoxicity, 390  
 monomers, 376  
 nitrogen source, 390  
 radiative excitation energy transfer, 525  
 reconstitution from chromophores and  
 apoproteins, 398  
 spectral fluorescence signature method, 556  
 spectrophotometric analysis, 399  
 spectral overlap with carotenoids, 399  
 spectroscopy tips, 391  
 structure, 376



- phycobiliprotein-containing algae
    - bio-optical discrimination, 540
    - energy regulation mechanisms, 448
    - imbalance between PSII and PSI, 515
    - optical discrimination of functional types, 569
    - state transitions, 515
  - phycobilisome, 13, 16, 17, 35, 376
    - assembly, 376
    - dissociation conditions, 392
    - isolation conditions, 392
    - stabilized with phosphate buffer, 392
  - phycobilisomes-containing algae
    - qE and zeaxanthin accumulation, 454
  - phytochrome, 613
  - phycocyanin, 14, 15, 16, 17, 35, 37, 525
    - absorption spectrum, 384, 399
    - complementary chromatic adaptation, 390
    - spectroscopy, 384
  - phycocyanin (PC), 378
  - phycocyanobilin (PCB), 381
    - isolation procedure, 395
  - phycoerythrin, 14, 15, 17, 35, 37, 377, 383, 525
    - absorption spectrum, 384, 400
    - complementary chromatic adaptation, 390
    - cyanobacteria, 378
    - for algal group discrimination
      - advanced laser fluorometer, 562
    - in situ*
      - detection with active sensors, 555
    - red algae, 378
    - spectroscopy, 384
  - phycoerythrin (PE), 378
  - phycoerythrin reflectance
    - used to detect *Trichodesmium* sp., 564
  - phycoerythrobilin (PEB), 378
    - isolation procedure, 395
  - phycoerythrocyanin
    - photochemistry, 390
  - phycoerythrocyanin (PEC), 378
  - $\alpha$ -phycoerythrocyanin (PEC)
    - in cyanobacteria, 378
  - phycourobilin (PUB), 378
    - isolation procedure, 396
  - phycoviolobin (PVB), 381
    - isolation procedure, 396
  - phytochlorin, 79, 80, 100, 101, 102
  - phytochrome, 378, 613
    - chromophore binding, 383
  - phytochromobilin (PΦB)
    - isolation procedure, 396
  - phytoene, 124
    - formation, 114, 124
    - 15-*cis*-phytoene, 124
  - phytoene dehydrogenase, 136
  - phytoene desaturase (PDS), 124, 125
  - phytoene synthase (PSY), 124
  - phytol chain, 99, 119
  - phytoplankton
    - absorption spectra
      - retrieval approach, 521
    - backscattering coefficient, 505
    - community structure
      - from patterns of optical properties, 521
    - dynamics, 461
    - food quality, 483
    - in situ* detection methods, 545
    - in vivo* absorption fingerprints, 555
    - scattering properties, 505, 547
    - size spectra
      - from semi-analytical optical approach, 522
  - phytoplankton blooms
    - in situ* monitoring and remote-sensing techniques, 553
  - phytoplankton functional types (PFT), 261, 301, 540, 617
    - relationship with pigment-specific algal groups, 543
  - phytoporphyrin, 79
  - picoeukaryote, 261
    - phytoplankton functional types, 543
  - pico-haptophytes
    - DNA sequences, 300
  - picoplankton, 12, 13, 14, 15, 19, 22, 24, 25, 32, 39, 40, 45
    - chemotaxonomic method, 297
    - molecular approaches, 300
    - pathlength amplification factor, 504
    - pigment based size class, 261
    - pigment fraction, 248
    - qE and xanthophyll cycle, 453
    - tropical, 15
    - UV absorption, 427
    - xanthophyll cycle, 455
  - pigment
    - ancillary, 200, 244
      - associated with harmful algal blooms, 582
    - breakdown products
      - in sediments, 182
    - changes with irradiance, 294
    - degradation products, 181
    - degradation rate, 479
    - diagnostic, 247, 260
    - diversity, 448
    - environmental factors affecting composition, 257
    - F<sub>p</sub> index, 260
    - HPLC analysis
      - update on methods, 165
    - identification criteria, 179
    - in situ* detection, 553
    - light harvesting (LHP), 294
    - microphytobenthos, 181
    - overlap in HPLC chromatogram, 652
    - precipitation, 629

- pigment (cont.)  
 primary, 200, 244  
 secondary, 200, 244  
 size classes, 260  
 standards, 653  
 tertiary, 200, 244  
 unambiguous markers for particular algal  
 groups, 258
- pigment calibration  
 accuracy and precision, 211  
 linear regression  
 residuals, 207  
 lower limit of linearity (LLOL), 206  
 single-point, 212  
 upper limit of linearity (ULOL), 206  
 working range, 206
- pigment extract  
 in acetone  
 degradation in autosampler, 631  
 in methanol  
 degradation in autosampler, 631  
 stability in acetone, 630  
 stability in methanol, 631
- pigment identification  
 co-chromatography, 651  
 minimum criteria, 650  
 molecular mass, 651  
 retention time matching with standard, 651
- pigment labelling method, 472, 473  
 application conditions, 475  
 carbon concentration, 473  
 carbon-specific growth rate, 473  
 carotenoids, 475  
 compared with dilution method, 481  
 in-line flow scintillation counting, 475  
 labelling kinetics of pigments, 475
- pigment ratios  
 fluctuating light, 294  
 freshwater algae, 296  
 high nutrient, low chlorophyll (HNLC), 295  
 irradiance, 294  
 nutrients, 295  
 photoacclimation, 295  
 Southern Ocean, 295  
 Western Equatorial Pacific, 296
- pigment reconstruction  
 compared with filter pad method, 509
- pigment-based growth rate  
 combined with CHEMTAX, 480
- pigment-based production rate  
 photoacclimation problems, 476
- pigment-protein complexes, 446, 522  
 in chlorophyll *c*-containing chromophytes, 522
- Pinguiochrysis* sp., 28
- Pinguiphyceae, 6, 26, 28, *See also* pinguiphyte
- pinguiphyte, 28  
 characteristics, 26
- plastoquinone, 523
- Pleurochloridella* sp., 26
- point source integrating cavity absorption meter  
 (PSICAM), 505
- polar chlorophyll *c*, 170
- polar region, 23, 29, 33, 37
- polyunsaturated fatty acids, 26
- porphobilinogen, 87, 89  
 formation, 89
- porphyrin-334, 418, 424
- Porphyridiophyceae, 18
- Porphyridium* sp., 17, 18
- porphyrin  
 cancer treatment, 619
- porphyrin oxidation products  
 fluorescence and absorption, 91
- potential efficiency of PSII  
 fluorescence measurements, 514
- Prasinophyceae, 38, 43, 45, 56,  
*See also* prasinophyte
- Chl *b*-containing phytoplankton, 497
- genome, 132
- pigment groups, 449
- prasinophyte, 9, 32, 40, 43, 144, 258, 259, 540  
 endosymbionts, 37  
 phytoene desaturase genes, 125  
 pigment markers, 258, 259  
 preprasinoxanthin, 133  
 uriolide, 133  
 xanthophylls, 128  
 zeaxanthin, 262
- prasinoxanthin, 38, 43, 144, 290, 448, 796  
 co-elution problem, 202  
 formation, 134
- preprasinoxanthin, 133
- primary productivity, 472  
 algorithms  
 major limitations, 484  
 spectral models, 522
- Prochlorococcus marinus*, 96, 121, 127
- Prochlorococcus* sp., 14, 101, 127  
 biliproteins, 377, 390  
 chlorophyll-specific absorption coefficient, 509  
 genes involved in biosynthesis, 127  
 LC-MS  
 ESI, 321  
 qE and zeaxanthin accumulation, 454
- Prochloron* sp., 14, 15
- Prochlorophyta, 13, *See also* prochlorophyte
- prochlorophyte, 13, 14, 15, 260, 540, 569  
 bio-optical discrimination, 540  
 bio-optical properties, 566  
 characteristics, 13  
 phycobiliprotein-containing phytoplankton,  
 497  
 pigment markers, 258
- Prochlorothrix* sp., 14, 15, 89

- Prochlorococcus marinus*  
 HPLC pigment separation, 180  
 production rate  
 pigment-based method, 472  
 productivity  
 role of pigments, 619  
 prokaryote, 11, 18, 79, 81, 95  
*Proocentrum minimum*  
 peridinin  
 PCP and ACP, 525  
 protein chromophore interactions  
 non-covalent mechanisms, 385  
 proteorhodopsin, 609, 610  
 protist, 4  
 protochlorophyll, 80  
 protochlorophyllide, 80, 88  
 protochlorophyllide *a*  
 formation, 96  
 protochlorophyllide *a* oxidoreductase (POR), 96  
 dark form (DPOR), 97  
 light-dependent (LPOR), 96  
 protochlorophyllide *b*, 100  
 protochlorophyllide reductase, 611  
 protoheme, 382  
 protoporphyrin IX, 78  
 biosynthesis, 81  
 formation, 91  
 protoporphyrinogen IX  
 formation, 91  
 provitamin A, 113  
 Prymnesiophyceae, 5, 31, 32, 33, 34,  
 See also prymnesiophyte  
 characteristics, 33  
 prymnesiophyte, 260  
*Pseudochattonella farcimen*. See *Verrucophora*  
*farcimen*  
*Pseudochattonella verruculosa*  
 aka *Verrucophora farcimen*, 545  
*Pseudo-nitzschia* sp.  
 toxin information, 565  
*Pseudopedinella* sp., 24  
 PSII photosynthetic unit size, 519  
 pulse amplitude modulated (PAM) fluorometry,  
 518, 566  
 purple photosynthetic bacteria, 81, 88  
 pyrenoid, 17, 20, 22, 24, 25, 26, 28, 29, 30, 32, 33,  
 35, 39, 40, 42, 44  
 pyridoxol, 120  
 pyropheophorbide *a*, 714  
 pyropheophytin *a*, 716  
 pyrrhoxanthin, 37, 133  
 quality assurance plan, 636  
 for pigment determination, 618  
 quantitative filter technique (QFT), 504  
 quantum correction  
 verification, 516  
 quantum yield for oxygenic photosynthesis  
 theoretical maximum value, 523  
 quantum yield of photosystem II (PSII)  
 fluorescence, 485  
 variation over the day, 555  
 Raphidophyceae, 26, 28, 30, See also raphidophyte  
 Chl *c*-containing phytoplankton, 497  
 raphidophyte, 26, 28, 540  
 characteristics, 26  
 conversion of xanthophyll-cycle pigments, 134  
 cyst, 29  
 mycosporine-like amino acids, 418  
 pigment markers, 259  
 xanthophyll cycle, 131  
 rapid photoprotective mechanisms, 450  
 reaction centers (RC)  
 photosynthesis, 445  
 reactive oxygen species (ROS), 92, 450, 456  
 effect on xanthophyll cycle pigments, 457  
 influence on mycosporine-like amino acids, 425  
 protection by mycosporine-like amino  
 acids, 418  
*Rebecca* sp., 33  
 red algae, 4, 16, 81, 101, 130, See also Rhodophyta  
 and rhodophyte  
 free phycobilin chromophores, 383  
 genome  
 lycopene cyclase, 127  
 MEP pathway, 124  
 phycobiliproteins, 375  
 radiative excitation energy transfer, 525  
 phycobilisome pigmentation, 385  
 phycourobilin, 384  
 phytoene desaturase genes, 126  
 xanthophyll, 128  
 xanthophyll cycle, 454  
 $\beta,\epsilon$ -carotene, 126  
 remote sensing, 619  
 influence of UV absorption, 428  
 ocean colour data, 559  
 recent improvements, 616  
 reflectance ( $R_{rs}$ ), 521, 546, 548  
 remotely operated vehicles (ROVs), 617  
 renierapurpurin, 128, 138  
 retinal, 138  
 formation, 140  
 reverse genetics, 615  
*Rhodella* sp., 18  
 Rhodellophyceae, 18  
*Rhodobacter sphaeroides*, 88  
*Rhodomonas marina*  
 pigment ratios, 296  
 Rhodophyta, 16, 17, 18, 35, 89, See also red algae,  
 rhodophyte  
 genes involved in biosynthesis, 127  
 state transitions, 447

- rhodophyte, 11, 127, 130, 132, 418, 454,  
*See also* Rhodophyta and red algae  
 qE and xanthophyll cycle, 453
- rhodopsin  
 eyespot  
*Chlamydomonas reinhardtii*, 142  
 photoreceptor  
*Nostoc* sp., 142  
 type I or archaeal, 140  
 type II  
 green algae, 140
- rhodopsin type I  
 in cryptophytes, 142  
 in dinoflagellates, 142  
 in euglenophytes, 142
- Rhodospirillum rubrum*, 88  
*Rhodospira* sp., 18  
 round robin, 244
- S-320 (mycosporine-like amino acid), 412
- safranal, 143
- salt stress  
*bkt* genes, 135
- sample storage, 628
- Sarcinochrysis* sp., 25
- Sargasso Sea  
 chlorophyll-specific absorption coefficient,  
 509  
 phosphorus limitation, 295
- satellite imagery  
 chlorophyll, 484
- satellite-based estimates of primary  
 productivity  
 advantages and problems, 484
- scattering coefficient  
 influence of absorption properties, 503  
 optical properties, 497
- scattering properties  
 used to extract pigment information, 508
- Scenedesmus obliquus*, 88, 119
- Scientific Committee on Oceanic Research  
 (SCOR), 3
- Scrippsiella* sp.  
 pigment ratios, 296
- scytonemin, 418
- SeaHARRE, 196  
 accuracy threshold for analysis of  
 chlorophyll, 200  
 calibration accuracy for chlorophyll *a*, 211  
 carryover between injections, 203  
 comparison between fluorometric,  
 spectrophotometric and HPLC analyses,  
 216  
 data collection error, 219  
 detectability problem, 204  
 detector noise, 233  
 extraction solvent, 215  
 extraction volume precision, 234  
 field sampling precision, 230  
 HPLC method accuracy, 220  
 HPLC method precision, 218  
 HPLC methods comparison, 218  
 injection precision, 217  
 injection solvent, 217  
 limits of detection and quantitation, 204  
 method performance comparison, 225  
 method validation, 221  
 overall method precision, 216  
 performance metrics, 197, 224  
 technical reports, 196
- SeaWiFS, 200  
 satellite sensor, 549
- SeaWiFS HPLC analysis round-robin experiment.  
*See* SeaHARRE
- SeaWiFS Ocean Optics Protocols, 196
- Sentinel-3 Ocean and Land Colour imager  
 (OLC), 568
- shikimate pathway, 424
- shinorine, 418, 424, 430
- shinorine methyl ester (M-333), 430
- shoot multiplication signal (SMS)  
 strigolactones, 142
- Sigma, 659
- silica frustule, 18
- silica scale, 23, 29
- siliceous skeleton, 24
- silicoflagellate. *See* Dictyochophyceae
- silicon uptake  
*Thalassiosira pseudonana*  
 HR-MAS-NMR, 615
- SIMBIOS round robin, 214  
 accuracies for the three SeaHARRE activities,  
 224  
 chlorophyll *a* accuracy, 220  
 comparison between fluorometry and  
 HPLC, 196  
 field sampling precision, 230  
 fluorometric and HPLC method comparison,  
 215  
 HPLC extraction procedures, 215  
 pigment accuracy, 200  
 quality control, 217  
 validated method, 197, 199
- similarity index, 261  
 for determination of *Karenia brevis*, 563
- singlet-state excitation, 449
- siphonaxanthin, 42, 43, 44, 56, 798  
 formation, 134
- siphonaxanthin dodecenoate, 800
- siphonaxanthin esters, 290, 614  
 LC-MS/MS, 332
- sirohaem, 81, 90
- Skeletonema costatum*  
 genome, 131

- sodium dithionite  
 to prevent oxidation, 369  
*Solieria chordalis*, 615  
 sonication  
 sediment samples, 631  
 Southern California Bight  
 chlorophyll-specific absorption  
 coefficient, 509  
 specific extinction coefficient  
 chlorophyll *a*, 367  
 chlorophyll *b*, 367  
 mycosporine-like amino acids, 431  
 spectral bands in satellite ocean-colour  
 sensors, 568  
 spectral decomposition, 343  
 spectral fluorescence  
 artificial light-stimulated, 556  
 spectral fluorescence signatures (SFS)  
 advantages and problems, 556  
 spectral reconstruction, 343  
 spectrofluorometry, 343, 352  
 analysis of chlorophylls and  
 pheopigments, 353  
 comparison between CLS and NNLS, 356  
 comparison with HPLC, 355  
 NNLS methods  
 comparison with HPLC, 359  
 spectrometric multivariate methods  
 comparison with traditional methods, 355  
 spectrophotometer  
 integrating sphere, 504  
 spectrophotometry, 343  
 absorption coefficient, 252  
 multivariate methods  
 Gauss-peak spectra method (GPS), 350  
 non negative least squares approximation  
 (NNLS), 350  
 partial least squares regression  
 (PLS), 351  
 pigment concentration calculation, 252  
 simultaneous equations, 366  
 chlorophylls *a* and *b*, 367  
 historical aspects, 366  
 trichromatic equations, 343  
 state transition, 447, 448  
 in chlorophyte, 515  
 in chromophytes, 515  
 in cyanobacteria, 515  
 redistribution of light-harvesting complexes,  
 524  
 sterol, 119  
 synthesis, 119  
 steryl chlorin esters  
 LC-MS/MS  
 zooplankton grazing, 328  
*Stichogloea* sp., 26  
 stramenopile, 6, 18  
 Streptophyta, 38, 44, 45  
 strigolactone, 138  
 formation, 142  
 stromatolite  
 chlorophyll *f*, 102  
 Stylommatophyceae, 18  
 sun-induced fluorescence  
 satellite sensor  
 MODIS, 485  
*Symbiodinium* sp.  
 mycosporine-like amino acids, 427  
 Synchronophyceae, 23  
*Synechococcus elongatus*, 121  
*Synechococcus* sp., 14, 89, 121, 126, 127  
 biliproteins  
 trichromatic R-type PC, 382  
 CHEMTAX, 299  
 lycopene cyclase genes, 126  
 phycobiliproteins  
 absorption maximum, 399  
 phycobilisome pigmentation  
 absorption spectrum, 385  
 pigment ratios, 296  
 renierapurpurin, 138  
 $\chi$ -ring formation, 128  
*Synechocystis* sp., 89, 121, 129  
 apocarotenoid cleavage oxygenase, 140  
 genes  
 chlorophyll biosynthesis, 95  
 retinal-binding opsins, 142  
 ketocarotenoids, 135  
 mycosporine-like amino acids, 417  
 myxoxanthophyll, 137  
 phycobilisome-associated carotenoid-protein,  
 390  
 $\chi$ -ring formation, 128  
 synechoxanthin, 128, 137  
 formation, 138  
*Synura mammillosa*, 29  
 Synurophyceae, 28, 29, 30, *See also*  
 synurophyte  
 synurophyte, 29  
 xanthophyll cycle, 131  
*Takayama tasmanica*, 565  
 terrestrial habitat, 13, 37  
 xanthophytes, 30  
 tetrapyrrole pigments  
 biosynthesis, 81, 92  
*Thalassiosira pseudonana*, 20, 121, 124, 125,  
 611, 615  
 genome, 130, 131  
 lycopene cyclase, 127  
*Thalassiosira* sp.  
 photoprotection  
 iron adaptation, 455  
*Thalassiosira weissflogii*, 134

- Thermosynechococcus elongatus* BP-1, 138  
 thiamine, 120  
 thylakoids, 447  
*Tolypothrix tenuis*, 390  
 total chlorophyll *a* (TChl *a*), 196  
 toxic dinoflagellates  
   pigment diversity, 565  
 toxin, 13, 37  
   associated with harmful algal blooms, 582  
   chemotaxonomical markers, 565  
   ELISA assays, 545  
   harmful algae, 565  
 transcriptomics, 614, 619  
*Trebouxia* sp., 43  
 Trebouxiophyceae, 38, 43  
*Tribonema* sp., 30  
*Trichodesmium* sp., 12, 13  
   blooms, 564  
   CHEMTAX, 299  
   extra-cellular release of mycosporine-like amino  
   acids, 427  
   gas vacuoles  
     scattering, 508  
   mycosporine-like amino acids, 418  
   satellite detection using phycobiliproteins,  
   564  
   spectrofluorometric methods, 356  
   stirring releases UV compounds, 428  
 triplet-state excitation, 449  
 tropical region, 29, 37  
 tunichlorin, 102  
 turnover of standing stock, 482
- ultra performance liquid chromatography (UPLC),  
 57, 614, 644
- Ulva lactuca*  
 zeaxanthin  
   UV-B induced loss, 457
- Ulvophyceae, 6, 38  
 upper limit of linearity (ULOL)  
   pigment calibration, 206  
 uriolide, 43, 133, 134, 144, 258, 802  
 urogen III. *See* uroporphyrinogen III  
 uroporphyrinogen co-synthase, 88  
 uroporphyrinogen III, 91  
   formation, 89  
   tetrapyrrole biosynthesis, 81  
 usujirene, 430  
 UV absorbing compounds, 412  
 UV absorption, 427  
 UV radiation  
   xanthophyll cycle  
     ecological relevance, 458  
 UV-A, 425  
   xanthophyll cycle, 457  
 UV-B, 412, 425  
   xanthophyll cycle, 457
- Vaucheria* sp., 30  
 vaucherixanthin, 24, 30, 44, 56, 144, 804  
 vaucherixanthin diester, 259  
 vaucherixanthin ethanoate octanoate, 806  
*Verrucophora farcimen*, 24, 545  
   toxic algal bloom  
     pigment signature not specific, 526  
 violaxanthin, 20, 23, 24, 28, 29, 38, 40, 42, 44, 128,  
 133, 134, 448, 524, 808  
   co-elution problem, 202  
   formation, 132  
   xanthophyll cycle, 131, 450  
 9-*cis*-violaxanthin, 139  
 violaxanthin de-epoxidase (VDE), 131  
   genes in prasinophytes, 132  
   UV-B inhibition, 457  
   xanthophyll cycle, 451  
*Vischeria* sp., 25  
 vitamin B<sub>12</sub>, 81, 94  
 volume scattering function, 506  
*Volvox carteri*, 121, 124  
   genome, 130
- wavelength targeting, 567  
   remote-sensing algorithms, 557
- Xanthophyceae, 5, 26, 28, 30, *See also*  
   xanthophyte  
   xanthophyll cycle, 450  
 xanthophyll  
   biosynthesis, 128  
   in cyanobacteria, 129  
   in prasinophytes and chromalveolates,  
   129  
   formation, 114  
   LC-MS/MS  
     ESI, 329  
   light-harvesting, 128  
   photoprotection, 128  
 xanthophyll cycle, 131, 446, 448  
   algae compared to terrestrial plants, 454  
   description, 450  
   diadinoxanthin/diatoxanthin cycle, 131  
   dynamics of water masses, 459  
   endosymbiotic gene transfer, 133  
   environmental modulation, 454  
   estuarine strains compared to oceanic, 455  
   fluctuating light, 455  
   fluorescence quenching, 513  
   lumen pH, 451  
   lutein-based, 450  
   lutein-epoxide/lutein cycle, 131  
   orthologous genes, 132  
   photoprotection, 131  
   physiological condition, 456  
   regulation, 451  
   role and regulation, 449

Cambridge University Press

978-1-107-00066-7 - Phytoplankton Pigments: Characterization, Chemotaxonomy and Applications in Oceanography

Edited by Suzanne Roy, Carole A. Llewellyn, Einar Skarstad Egeland and Geir Johnsen

Index

[More information](#)*Index*

845

- siphonaxanthin-based, 450
- size effect, 455
- stimulation by UV-B exposure, 456
- types of, 131
- UV inhibition, 457
- UV response, 456
- violaxanthin/antheraxanthin/zeaxanthin cycle, 131
- violaxanthin-based
  - in heterokonts, 450
  - water mixing rate, 459
- xanthophyll de-epoxidation
  - UV radiation
    - biological weighting function, 456
- xanthophyte, 30
  - conversion of xanthophyll-cycle pigments, 134
  - pigment markers, 259
  - xanthophyll cycle, 131
- xanthoxin, 139
- zeaxanthin, 13, 15, 16, 17, 20, 23, 24, 28, 29, 37, 40, 42, 127, 128, 129, 130, 131, 133, 134, 136, 138, 144, 171, 259, 262, 290, 524, 810
  - accumulation under high light, 450
  - changes with irradiance, 294
  - co-elution problem, 202
  - eye-related health care, 619
  - formation, 130
  - HPLC separation, 173
  - LC-MS/MS
    - loss of toluene, 330
  - relationship with fluorescence quenching, 453
  - slow-responding photoprotective carotenoid, 524
  - xanthophyll cycle, 450
- zeaxanthin epoxidase (ZEP), 131, 132
  - mutants, 133
  - xanthophyll cycle, 451
- Zn-bacteriochlorophyll *a*, 102
- zooxanthellae, 426