

# Index

---

- Adrenaline, 86  
 Affective disorder, 553–554  
 Aging  
   affective decision making, 644–645, 646  
   anatomical preservation, 636–637, 648–649  
   By-Product of Biological Decline Theory, 653–654, 655  
   Dynamic Integration Theory, 651–652  
   effects on emotional episodic memory, 642–643, 644  
   effects on emotional perception, 639, 641–642  
   effects on emotional regulation, 646–647, 648  
   functional compensation, 637–638, 649–650  
 Amygdala  
   autonomic activation of, 63–64  
   during development, 612  
   effects of aging, 636  
   emotional bias, 342–343, 345  
   fear conditioning, 420–421  
   lesions, 69, 178  
   link to trait anxiety, 577–579  
   in music, 289  
   olfaction, 244–245, 248–250  
 Amygdala, 63, 65, 69, 71, 72, 84, 144, 145, 178, 179, 180, 181, 420–421, 612, 636  
 Anger  
   angry faces, 184  
   autonomic response to, 90–92  
   sex differences, 597–598  
 Anterior cingulate cortex, 184, 185, 227, 229, 230–231, 612  
 Anterior cingulate cortex – in music, 295–296  
 Anterior insula, 181, 182  
 Anxiety  
   anxiety disorder, 554–556, 558  
   trait anxiety, 554–556, 560, 561, 562  
 Aphasia, 157  
 Arousal, 70  
   effects on encoding, 466–469, 470  
 Attention  
   attentional blink, 69, 333  
   attentional control, 380–382, 383  
   change blindness, 334  
   emotional biases in, 332–333, 334, 336–338, 345–347  
   in facial expression, 183  
   top-down processing, 357–359, 360, 361  
 Autonomic Nervous System  
   anatomy of, 83  
   autonomic control, 84  
   autonomic response, 84  
   central autonomic network, 83–85  
   functional architecture of, 86–88  
 Basal ganglia, 172  
 Basic prototype theory of emotion, 71  
 Beck Depression Inventory, 555  
 Blindsight, 347

## Bodily Expressions of Emotion

- body expression, 198, 199, 200, 201, 202, 203–205, 206, 215, 216
- body motion, 202–203, 204
- neural processing of, 206–207, 208, 209, 212–213, 214, 215
- visual cues, 202, 203–205, 206

BOLD. *See also* Functional Mri, 143, 144, 145

- negative BOLD, 143–144
- neural correlates, 142–143

## Brainstem, 84

## CBF PET, 135

## Childhood antisocial behavior, 622–623

## Childhood maltreatment, 625–626, 627–628

## Classical conditioning, 422

## Cognitive change, 383–384

## Communication, 171

## Compassion, 536–537

## Component Process Model of Emotion, 73

## Computed tomography, 159

## Corrugator supercilii, 100

## Dance, 200

## Default network, 76

## Depression, 156

## Development

- neural bases of affective processing, 613
  - childhood and adolescence, 614–615
  - infancy, 613–614
- neural circuitry, 617
  - childhood and adolescence, 618–620
  - infancy, 618

## Disgust

- autonomic response to, 91–93
- facial expression of, 181–182
- facial muscle activity, 60–61
- sex differences, 598–599

## Dopamine, 136, 446–448

- in impulsivity, 581–582
- in music, 291–293
- overview of dopaminergic system, 136–137
- reward, 446–448

## Dorsal ACC, 77

## Dynamic Integration Theory, 651–652

## EEG, 107, 108, 110, 112

## EEG – language, 315–317, 318, 319, 320–322

## Electro and Magneto-Encephalography

- history, 108–109
- neurophysiological underpinnings, 109–110
- recording process, 110–112
- source analysis, 120–122

## Electrodermal Activity, 63, 64, 92, 93

## Electromyography, 61, 62

## Emotion

- definitions of, 15–17
- facial expression of, 59, 60, 62, 171, 172, 174, 175, 178, 180, 181, 182, 183, 184, 185
- temporal response to emotional faces, 185
- taxonomies of, 9

- aesthetic emotions, 12–13
- counterfactual emotions, 13
- epistemic emotions, 14–15
- make believe emotions, 13
- moral emotions, 14
- social emotions, 13–14

## Emotion regulation, 375–377, 378, 379–380, 381, 382, 383, 384, 386, 387, 388, 389, 390–391, 393–394, 395

- distancing, 388–389
- psychopathology, 394–395
- reappraisal, 383, 384, 387–388
- sex differences, 599–601

## Emotional contagion, 535–536

## Emotional memory

- age related changes, 643, 644
- confidence of, 482–483
- consolidation and retention of, 473–474
- emotional enhancement of memory, 63, 653
- mood congruent memory, 477–478
- retrieval of, 474–477

## Emotionally salient cues, 334–336

## Empathy

- characteristics of empathizer, 542–543
- components of, 535–536
- definition of, 534
- empathic distress, 536
- for pain, 538–539, 540
- for touch, smell and taste, 543–544
- modulation of, 541–542
- relation to prosocial behavior, 538
- research on empathy, 537–538

## Endocannabinoids, 582

## Epigenetics, 518

## Episodic memory, 63, 465–466, 468, 469–470, 472, 473, 474

## Event related potentials, 109, 145

## Extinction, 391–392

## Extrastriate Body Area, 206, 207, 208, 210

## Facial processing

- Face neurons, 175
- Face perception, 175, 178, 179, 180, 185, 186, 192
- Face recognition, 175, 180
- Facial Action Coding System, 172

## FBA, 210

## FDG, 135

## FDG PET, 135

## Fear, 59, 89, 90, 172

- autonomic response to, 89–90
- extinction of, 432–433, 434
- fear conditioning, 420–422, 425–426
  - link to trait anxiety, 565–566
- fear learning, 391–392, 419, 420, 422, 423, 424–425, 426–427, 428, 429, 430, 431, 432
- fearful faces, 178, 183
- generalization of learned fears, 436–437
- indirect fear learning, 426–428
- lesion studies of fear acquisition, 423–425
- pathways in brain, 419–421
- reconsolidation of fear memories, 434–436
- Flashbulb memory, 481–482
- fMRI, 76, 134, 140, 143, 144, 154, 155
- Functional MRI
  - BOLD fMRI, 140–141
  - BOLD response, 141–142
  - physical basis of MRI, 138–140
  - studies of emotional language, 311–312, 314, 315
- Fusiform, 175, 183
- Fusiform body area, 206, 207, 210
- Fusiform face area, 206, 207, 210
- Gastric response, 99
- Gaze, 184, 192
- Guilt, 498
- Happiness
  - autonomic response to, 94–95
  - sex differences, 595–596
- HDR, 146
- Heart rate, 93
- Hemispheric asymmetry, 305–306, 307–308, 315
  - reduction in older adults, 638
- Hemodynamic response. *See* Bold
- HPA Axis, 509–510, 511, 624–625
- Huntington's disease, 181
- Hypothalamus, 172
- Impulsivity, 580–581, 582
- Insula, 61, 99, 181
  - in empathy, 540–542
  - in music, 295–296
- James-Lange theory, 97
- Language
  - as a symbol system for emotions, 304–305, 306–307, 309
  - hemodynamic studies of emotional language, 311–312, 313–315
  - lesion studies of emotional language, 309–310, 311
  - temporal dynamics in emotional language processing, 315–320
- Lateral prefrontal cortex, 77
- Lateral tegmentum, 84
- Laughter
  - perception of, 274–275
- Learning and Practice Theory, 653
- Lesion studies, 154, 155, 156, 158
  - lesion-symptom mapping, 160
  - studies of fear acquisition, 423
  - voxel based methods, 162–163
- Limbic cortex, 84
- Local field potentials, 143
- Locus coeruleus, 84
- Medial prefrontal cortex
  - in old age, 636–637
- Meditation, 392, 394
- Medulla oblongata, 172
- MEG, 107, 109, 110
- Memory. *See* Emotional memory
- Meta-awareness, 76
- Microneurography, 99
- Mimicry, 535. *See also* emotional contagion
- Mind wandering, 76, 77
- Mindfulness, 392, 394
- Mood and Anxiety Symptoms, 555
- Moral emotions, 14, 491–492, 494, 495–497, 499–500, 501–502, 505
  - moral cognition-emotion interaction, 499–501, 502
  - morality, 61
  - neuroanatomical basis of, 494–495, 497
  - neuroanatomical separation from selfish motivation, 502–503
  - psychopathology of, 494
- MRI, 159
- MUA, 143
- Multi-unit spiking activity, 143
- Music and emotion
  - as a tool of affective neuroscience, 286–288
  - effects on dopaminergic activity, 291–293
  - effects on insula and ACC, 295–296
  - electrophysiology of, 297–298
  - involvement of hippocampus, 293–294, 295
  - mechanisms, 288–289
  - musical expectancies, 296–297
  - neural correlates, 289–291, 292
- Neurophenomenology, 76, 77
- Neuroticism, 554–556
  - influence on attentional capture, 564–565
- NMR, 139
- Nociception, 224
  - nociceptive pathways, 225–227
- non-vasoconstrictor neurons, 86
- Noradrenaline, 86

- Obsessive compulsive disorder, 181
- Olfaction  
 anatomy, 243  
 link to emotion, 245–247  
 Odor hedonics, 253–254  
 odor memory, 258–259  
 olfactory hedonic plasticity, 254–255
- Orbitofrontal cortex  
 in face processing, 184  
 role in olfaction, 245, 251–252
- Oxytocin, 519–520, 521, 522, 525, 526–527
- Pain  
 brain imaging of, 227–228  
 emotional modulation of, 232–233  
 empathy for, 538–539, 540  
 facial expression of, 234, 235  
 neural correlates of, 233–234  
 non-verbal expression of, 234–235  
 self reports of, 229–230
- Panic disorder, 135
- Parasympathetic nervous system, 86
- Perception change, 380–382, 383. *See also*  
 Emotion Regulation
- Perceptual processing – emotional biases,  
 338–339, 342
- PET, 134, 146
- Physical basis of MRI, 140
- Piriform cortex  
 role in olfaction, 243–244, 247–248
- Pity, 498
- Pons, 172
- Positron Emission Tomography  
 CBF PET, 135  
 FDG PET, 135–136  
 Ligand PET, 136  
 physical basis of PET, 134–135
- posterior cingulate/precuneus, 76
- posterior-anterior shift in aging, 637–638
- Post-traumatic stress disorder, 148
- Prefrontal cortex  
 in affective processing, 612–613  
 in reward processing, 451–452
- Pride, 499
- Prosody  
 network, 266  
 prosody processing, 265–266, 267, 268–269, 270, 271  
 stimulus-driven activation in affective  
 prosody, 266–267  
 task dependent activation in affective prosody  
 processing, 268–269
- Pulvinar, 182
- Putamen  
 role in disgust, 181
- Pyramidal neuron, 109
- Respiration  
 as objective measure, 59, 60
- Reticular formation, 172
- Reward  
 neuroanatomy of reward processing, 444–445, 446  
 reward learning, 444–445, 446, 447–449, 450, 451, 452, 453  
 role of dopamine, 446–448  
 social reward, 453–454
- RIII-reflex, 230, 231, 232, 233
- Sadness  
 autonomic response to, 93–94  
 crying sadness, 93, 94  
 in music, 287–288  
 non-crying sadness, 93, 94
- ScanStress Test, 513–514
- Self-awareness, 392, 393
- Semantic processing, 306, 309–310
- Serotonin  
 overview of serotonergic system, 137–138  
 trait anxiety, 579–580
- Sex differences  
 affective development, 615–616  
 anger, 597–598  
 cognition, 601–602  
 contributing factors to, 602–604, 605  
 disgust, 598–599  
 emotional perception and expression, 592  
 fear, 592–593, 594  
 happiness, 595–596  
 sadness, 593–595
- Skin conductance response, 84, 92, 100  
 response to pain, 233
- Social anxiety disorder, 525–526
- Social approach, 518–519, 522–524
- Social memory, 522
- Social rewards  
 acquisition of social values, 458–459  
 social interactions, 454–455, 456–457, 458  
 social preferences, 453–454
- Socioemotional Selectivity Theory, 650–651
- Spatial frequency bands, 176, 177
- SPECT (single photon emission computer tomography), 134
- Spielberger State Trait Anxiety, 554
- SQUID, 111
- Stress, 509  
 hormones, 428  
 measurements of, 511–512, 513  
 Montreal Imaging Stress Test, 513

- Trier Social Stress Test, 511–513
  - psychobiology, 509–510, 511
  - psychopathology, 624–625
- Striatum
  - activation in gaze perception, 192
  - in old age, 636–637
  - role in affective learning, 450–451
  - role in reward processing, 450–451
- Subgenual cingulate, 85
- Superior temporal sulcus, 175, 183, 184, 208–209
- Suppression, 391
- Surprise, 172
- Sympathetic nervous system, 86
- Taylor Manifest Anxiety Scale, 555
- Temporoparietal cortex, 76
- Thalamus, 84
- Thermoreceptors, 86
- Two-dimensional model of affect, 70
- Ultimatum Game, 62
- Vagal activity, 92
- Valence, 70
  - effects on encoding, 470
- Values
  - action values, 407–409, 410
  - chosen values, 403–404, 406, 407
  - decision values, 407–409, 410
  - outcome values, 401–402, 403
  - value-based decision making, 401
- Vasoconstrictor neurons, 86
- Ventral ACC, 76
- Ventral forebrain, 172
- Ventral medial PFC, 144
- Ventral premotor cortex, 209
- Ventral striatum, 71
  - role in impulsivity, 580–581
- Ventromedial prefrontal cortex, 84, 184
- Visual cortex, 144
- Vocalizations
  - audiovisual integration, 275
  - nonverbal vocalizations, 273–274, 275
- Zygomaticus, 100, 172