

Index

- acoustic methods, active, 22, 23, 76, 77, 400, 401
- acoustic methods, bubble-detection, 30, 89, 92, 186, 227, 230, 263, 408
- acoustic methods, passive, 30, 49, 78, 82, 87, 92, 188, 253, 401, 408
- acoustic methods, spectrograms, 75, 81, 82, 85, 86, 89, 92, 253, 255, 256, 263
- air–sea interaction, 15, 30, 67, 97, 215, 217, 224, 265, 279, 302, 350, 414–416, 420, 424, 425
- asymmetry, 5–7, 21, 46, 61, 65, 67, 119, 124–128, 130, 131, 134, 135, 137–139, 148–151, 153, 155–161, 163, 169, 182, 258, 309, 348, 355, 375, 403, 423, 425
- boundary layer, atmospheric, 2, 11, 19, 50, 53, 54, 58, 123, 215, 280, 295, 297, 298, 319–322, 334, 349, 350, 352, 376, 378, 381, 385, 404, 406, 408, 412, 416, 417, 424, 425
- boundary layer, atmospheric wave, 351, 359, 361–363, 365, 368–371, 376, 378–380
- boundary layer, bottom, 355, 381, 382
- breaking in progress, 3, 14, 21, 22, 60, 64–66, 72, 94, 134, 141, 182, 233, 240, 241, 246, 313, 326, 413, 420
- bubble size, 30, 75–77, 86, 88, 90–92, 228, 229, 398, 401, 402
- bubbles, 1, 7, 10, 14, 18, 19, 29, 30, 40, 41, 49, 56, 57, 72, 75, 76, 86, 88, 90, 92–94, 96, 120, 210, 228, 229, 231, 238, 244, 262, 364, 374, 376, 384, 396, 406, 408, 413, 417, 420, 424
- buoyancy forces, 15, 72, 211, 231, 244, 262, 376, 392, 397, 399, 401, 402, 420
- collapsing breaking, 40
- Combi spectrum, 282, 284–287, 289, 292–294
- converging walls breaking, 70
- cumulative effect, 39, 63, 71, 97, 183, 184, 189, 193, 194, 230, 247, 260, 263, 265, 275, 293, 320, 406, 410, 413
- developing breaking, 15, 16, 19, 20, 339
- directional distribution of breaking/dissipation, 200, 227, 260, 269, 272, 275, 290, 291, 411, 413, 420
- directional distribution of breaking/dissipation, bimodal, 200, 270–272, 290, 413
- directional wave fields, 25, 32, 143, 199, 406, 411, 421, 423
- dispersion relationship, 27, 95, 154, 156, 303
- dissipation function, 28, 30, 33, 40, 41, 48, 94, 95, 183, 194, 196, 200, 216, 218, 219, 234, 235, 238, 244, 269, 270, 272, 333, 409, 410, 413, 414
- dissipation, non-breaking, 233, 295, 381, 414
- dissipation, viscous, 145, 244, 296
- distance to breaking, 132, 139, 145, 165, 182, 204, 222, 301, 410
- double-breaking, 155, 156, 158, 221, 223
- downshift of the spectral energy due to breaking, 37, 39, 57, 82, 159, 221, 229, 248–251, 295, 322, 323, 349, 351, 406, 415, 423
- duration of breaking, 15, 19–22, 52, 56, 65, 66, 78, 79, 92, 107, 128, 224, 231, 245, 340–342, 344, 401
- dynamic breaking criteria, 14, 42, 46, 74, 150, 152
- end of the breaking, 113, 175, 235, 295, 419
- equation, Alber, 119
- equation, kinetic (Hasselmann), 119
- equation, nonlinear Schrödinger, 119, 224, 323
- equation, Zakharov, 119
- equilibrium interval (tail) of the spectrum, 24, 38, 61, 62, 195, 217, 235, 236, 248, 266, 267, 276, 282, 323, 327, 329, 330, 332, 349, 373, 378, 410, 415, 423
- experiment, ASIST, 6, 143, 145, 220, 222, 309, 366
- experiment, Black Sea, 6, 15–17, 19–21, 32, 33, 43, 51, 98, 102–107, 109, 111, 170, 171, 174, 176, 177, 179–182, 184, 197, 205, 219
- experiment, Lake George, 15, 19–21, 51, 75, 79, 83, 84, 86, 101, 102, 104–107, 109, 111, 168, 170, 172–174, 179–181, 186, 188, 189, 192, 197, 209, 210, 213, 217, 229, 231, 262, 279, 290, 334, 336, 345, 348, 354, 355, 357–359, 419
- experiment, National Cheng Kung University, 169, 224
- experiment, University of Tokyo, 43, 201
- extreme conditions, 11, 48, 56, 77, 137, 147, 265, 276, 304, 329, 330, 337, 350, 351, 353, 355, 361, 362, 364–366, 368, 371, 397, 400, 404, 406, 413, 416, 417, 424

- finite depth, 7, 21, 45, 48, 103, 109, 110, 174, 180, 181, 183, 196, 210, 305, 418
- focusing, amplitude dispersion, 27, 32, 37, 70, 74, 207, 252, 406, 421–423
- focusing, directional, 200, 201, 206, 207, 421, 422
- focusing, frequency dispersion (superposition), 18, 32, 39, 44, 70, 71, 73, 74, 168, 204, 206, 220, 243, 249, 251, 252, 332, 406, 421, 422
- frequency distribution, breaking probability, 183–185, 188
- frequency distribution, breaking severity, 271, 413
- front steepness, 16, 43
- groups of waves, 24, 26, 28, 32–34, 36, 37, 45, 47, 61, 66, 70, 72, 74, 96, 108, 168, 172, 176, 186, 224, 235, 236, 243, 247, 251, 254, 323, 354, 410, 411, 420, 421, 423
- groups of waves, coherent, 186, 422, 423
- induced breaking, 38, 63, 71, 115, 116, 184, 192, 194, 198, 203, 217, 230, 263, 265, 293, 333, 349, 410, 415
- inherent breaking, 39, 192, 194, 195, 216, 260, 284, 285, 333, 349, 410
- instability of crest, 73, 143, 153, 251
- instability, modulational, 34, 36, 44, 46, 47, 61, 68, 73, 74, 95, 96, 114, 136, 143, 144, 149, 169, 170, 183, 199–201, 203, 206, 207, 218, 224, 227, 229, 243, 247, 250, 251, 260, 295, 309, 323, 325, 327, 332, 349, 375, 405, 406, 410, 411, 419, 421–423
- instability, second type, 251, 252
- JONSWAP spectrum, 23, 24, 185, 191, 196, 201, 203, 227, 251, 267, 281, 282, 304, 330
- kinematic breaking criteria, 14, 42–44, 47, 66, 73, 96, 114, 150, 152, 409
- kurtosis, 201, 258
- Langmuir circulation, turbulence, 56, 297, 301, 302, 383, 396
- length of breaking crests, 95, 206, 292, 365
- limiting steepness, 14, 18, 42, 44, 47, 60, 61, 112–115, 117, 119, 130, 131, 136, 138, 150, 165, 168, 169, 175, 207, 214, 224, 251, 324, 329, 405, 409, 410, 418, 419, 421
- methods analytical, phase-average, 346, 348
- methods analytical, wavelet, 15–20, 49, 99–103, 105, 107–109, 111, 112, 171, 207, 346, 422
- methods, remote-sensing, 30, 49, 53, 68, 70, 90, 93, 140, 148, 272, 397, 398, 407, 418, 420, 423
- micro-breaking, 4, 7, 10, 11, 40, 63, 69, 93, 98, 172, 184, 374, 375, 396, 416, 419
- mixed layer depth, 299, 302–304, 306, 307, 376, 382
- modelling, fully nonlinear, 46, 118, 152, 201, 241, 242, 387, 409, 413, 420
- modelling, Lagrangian, 119, 123, 139, 241, 409
- modelling, large-scale, 30, 352, 355, 362, 381, 390, 394, 414–416, 424
- modelling, non-potential, 120, 387, 389
- modelling, phase-resolvent, 120, 233, 238, 320, 413
- modelling, spectral, 66, 227, 233, 253, 254, 265, 272, 290, 412
- modelling, turbulence, 241, 388, 390, 396
- modelling, two-phase, 141, 233, 238, 240, 242, 245, 246, 320, 413, 419
- modelling, wave forecast, 142, 200, 219, 254, 272, 412, 414
- modelling, wave forecast, constraints, 116, 195, 279–282, 285, 287, 288, 292, 414
- modulation depth, 143, 148, 163, 224–227, 249, 411, 412
- modulational index, 25, 204, 247
- modulational index, directional, 144, 199, 203, 423
- nonlinear interactions, 2, 3, 48, 188, 216, 246, 249, 251, 255, 266, 321, 327, 349, 352, 415, 423
- obstacle breaking, 32, 39, 70, 246
- onset of breaking, 3, 11, 13, 15, 16, 21, 29, 32, 40, 42, 51, 60, 61, 65, 72, 73, 94, 114, 118, 126–128, 134, 136, 138–140, 143, 150, 163, 165, 168, 169, 181, 205, 207, 214, 218, 224, 235, 241–243, 245, 313, 329, 402, 407–411, 413, 418, 419
- phase of breaking, 11, 15, 18, 19, 66, 107, 108
- plunging breaking, 16, 21, 33, 37, 40, 44, 63, 65, 72, 74, 88, 90, 106, 140, 172, 220, 221, 232, 242, 243, 245, 247, 249, 250, 262, 363, 402, 419
- pre- and post-breaking conditions, 15, 36, 43, 46, 67, 118, 158, 164, 220, 221, 245, 248, 253, 327, 401, 407, 412
- probability of breaking, 11, 22, 28, 30, 34, 36, 38, 40, 50, 51, 54, 57, 59, 60, 64, 66, 69, 76, 78, 87, 92, 95, 96, 98, 112, 118, 142, 219, 222, 227, 228, 231, 258, 260, 263, 271, 272, 334, 348, 358, 375, 397, 401, 407, 409–412, 418
- radiative transfer equation, 47, 215, 249, 260, 323, 327, 335, 407
- rear steepness, 43, 345
- residual breaking, 15, 18, 21, 339
- saturation, asymmetry, 68, 375
- saturation, gas/water, 403
- saturation, sea drag, 56, 265, 269, 336, 365, 373, 375, 403, 416, 425
- saturation, sea drops, 351, 369
- saturation, spectrum, 189–192, 277, 284
- saturation, spectrum interval, 217, 233–236, 267, 268, 320, 328, 330, 353
- saturation, spectrum threshold, 191
- sea drag, 54–56, 68, 69, 217, 265, 269, 279, 281, 336, 350, 352, 361, 362, 365, 369, 371–373, 375, 378, 380, 403, 406, 411, 415, 416, 424, 425
- sea surface temperature, 306, 308, 355, 395
- severity of breaking, 11, 22, 28, 50, 59, 66, 69, 76, 88, 90, 91, 98, 113, 142, 148, 194, 218, 219, 243, 249, 263, 271, 272, 329, 342, 344, 360, 365, 398, 407, 408, 411–413, 420

- shallow water, 1, 7, 9, 10, 41, 98, 109, 140, 196, 245, 418, 419
- shear current, 178, 301, 302, 395
- short-crestedness, 44, 73, 143, 355, 423
- signature, breaking, 12, 42, 78, 80, 84, 85, 92, 94, 96, 98, 168, 341, 397, 400, 407
- signature, spectral dissipation, 246, 250, 322, 406, 413, 423
- skewness, 5–7, 46, 67, 119, 124–131, 134, 135, 137–139, 148–151, 153, 155, 157–160, 162, 163, 169, 258, 355, 423
- spectrum interval, 329
- spilling breaking, 16, 40, 44, 63, 74, 95, 220, 232, 242, 243, 246, 250, 262, 363, 402, 419
- spray, 2, 29, 233, 241, 266, 350, 351, 360, 373, 375, 376, 384, 397, 404, 406, 412, 416
- spume, 56, 361, 363–365, 367, 369–371, 373, 375, 416, 424
- steepness, definition, 5
- stratification, 58, 355, 357, 362, 369, 370, 376, 380, 395, 416
- stress, wave, 385, 386, 392, 414
- stress, wind breaking-induced, 337
- stress, wind normal, 215, 279, 297, 302, 379, 382, 414
- stress, wind spray, 361–363, 368, 370
- stress, wind tangential, 244, 279, 297, 299, 318, 380, 382, 414
- stress, wind total, 54, 58, 69, 215, 254, 279, 280, 304, 309, 328, 330, 351, 353, 354, 357, 365, 369, 373, 378, 381, 382
- stress, wind turbulent, 279, 368
- stress, wind viscous, 279, 281, 376, 378
- stress, wind wave-induced, 279, 280, 299, 351
- subsiding breaking, 15, 16, 18–20, 107, 130, 419
- surf zone, 7, 86, 183, 364, 398, 413
- surging breaking, 40
- swell, 7, 8, 36, 52, 102, 143, 185, 192, 199, 251, 276, 278, 295–300, 302, 304, 308, 313, 315–319, 321, 354, 358, 372, 396, 409, 414
- thermocline, 320, 378, 381, 383, 384, 395, 396
- threshold, breaking, 17, 47, 168, 189, 191, 243, 277, 338, 339, 342, 409, 410, 422
- threshold, hurricane, 265
- threshold, wind, 52–54, 207, 359, 371, 411
- transfer of momentum and energy across interface, 2, 15, 41, 54, 97, 123, 195, 215, 278, 279, 298, 300, 302, 309, 323, 350–352, 354, 356, 358, 363, 369, 376, 384, 403, 404, 414, 415, 417, 424
- transfer, gas, 2, 40, 41, 68, 97, 350, 376, 384, 396, 406, 417, 424
- transfer, gas, change of regime, 403
- transfer, heat, 2, 97, 299, 302, 304, 361, 376, 384, 416
- transition, f^{-4} to f^{-5} subintervals, 196, 282, 330, 332, 349, 415, 425
- transition, constant to varying saturation interval, 217
- transition, hydrodynamic to wind-dependent breaking/dissipation, 217
- transition, inherent to induced breaking, 38, 183, 195, 196, 415
- turbulence, breaking induced, 2, 7, 12, 18, 19, 21, 29, 40, 41, 77, 208, 211, 231, 233, 234, 241, 245, 246, 262, 350, 376, 378, 379, 383, 384, 397, 400, 401, 404, 406, 411, 414, 415, 417, 420
- turbulence, wave induced, 277, 278, 296, 299–301, 303–306, 308–311, 313, 315, 318, 319, 321, 380, 381, 384, 411, 414, 417
- turbulent kinetic energy, 207, 212, 316, 376, 385, 390, 392–394
- two-phase breaking, 20
- upper-ocean mixing, 19, 301, 302, 319, 321, 322, 375, 406, 414, 417
- upshifting of wave energy prior to breaking (wavelength reduction), 95, 114, 148, 156, 170, 205, 206, 423
- void fraction, 14, 15, 49, 69, 72, 77, 398, 400
- volumetric dissipation rate, 208, 209, 213, 260, 311–313, 316, 387–389
- wave age, 59, 62, 67, 83, 111, 171, 173, 176, 185, 217, 227, 281, 283, 287, 293, 332, 333, 349, 353, 355
- wave energy, kinetic, 31, 67, 77, 242, 245, 385
- wave energy, potential, 16, 30, 31, 47, 66, 222, 242, 245, 263
- wave height distribution, 113, 198
- wave height distribution, breaking, 196–198
- wave Reynolds number, 299, 301, 302, 304, 305, 309, 310, 313–315, 388, 389, 392, 394, 395
- wave, following the breaker, 150, 154–156, 158, 161, 164
- wave, freak, 123, 169, 170, 410
- wave, preceding the breaker, 150, 155, 156, 158, 160, 164, 335
- wave, standing, 153
- waves, Airy, 4
- waves, Stokes, 4, 7, 14, 45, 46, 65, 112, 113, 117, 120, 123, 125, 128, 136, 139, 144, 153, 235, 246, 409
- whitecap coverage, 23, 50, 114, 116, 168, 360, 398
- whitecaps, active and passive, 56, 57, 60, 400, 409
- width of the spectral peak, 24, 25
- width, directional spectral, 73, 144, 189, 201, 277, 284, 353, 413, 421
- wind influence, 66, 67, 123, 136, 142, 143, 161, 164, 178, 207, 216, 222–224, 226, 231, 266, 410, 412
- wind input, 1, 3, 12, 48, 52, 56, 67, 97, 127, 128, 175, 195, 202, 208, 211–213, 215–217, 224, 231, 232, 235, 236, 240, 249, 254, 255, 266, 268, 269, 275–282, 286–288, 292, 297, 300, 321–327, 330, 333, 335, 354, 371, 373, 382, 406, 413–415, 423
- wind input, enhancement due to breaking, 279, 323, 333, 351, 355, 365, 406, 415
- wind input, flow separation, 215, 279, 334, 336, 339, 348, 353, 355, 365, 373, 374, 416