

INDEX

Index of symbols

- $a^+, a^-, 64$
 $(a_1, \dots, a_n), 68$
 $(a_k)_{k=1}^n, 68$
 $(a_{m,n})_{m,n \in \mathbb{Z}^+}, 47$
 $A \in B, 23$
 $A \times B, 28$
- $B^A, 30$
 $B_\rho(c, \epsilon), 380$
 $B_\rho^\bullet(c, \epsilon), \text{closed ball}, 380$
 $B_\rho^*(c, \epsilon), \text{deleted ball}, 380$
 $\mathcal{B}[a, b], 167, 270$
 $\mathcal{B}(S), 270$
 $\mathcal{B}(S, \mathbb{R}), \text{or } \mathcal{B}(S), 167$
- $C^1, 462$
 $C^n, 68$
 $C^n(S), C^0(S), 214$
 $C^r, C^r(G), C^\infty, 480$
 $C[a, b], 270$
 $C(S), C^\infty(S), 214$
 $\text{Cl}(S), S', 137$
- $d_p, 386$
 $D_v f, \frac{df}{dv}, \mathbf{188}$
 $D_v^2 f, \frac{d^2 f}{dv^2}, \mathbf{188}$
 $\mathcal{D}(S), 214, 270$
- $e^x, 126$
 $f \in C^1(e), 462$
 $f \in C^1(G), 462$
 $f + g, fg, \text{and } \frac{f}{g}, 146$
 $f^+, f^-, 146$
 $f_+^+(u), f_-^-(u), \mathbf{188}$
- $f^{(n)}, D_v^n f, \frac{d^n f}{dv}, \frac{d^n y}{dx}, 213$
 $f^{(0)}, 213$
 $F_\sigma, 184$
 $F_u(v), \mathbf{188}$
 $\mathcal{F}[a, b], 270$
 $\mathcal{F}(A, B), 30$
- $G_\delta, 184$
 $\text{Int}(S) \text{ or } S^\circ, 135$
 $\infty\text{-norm}, 385$
 $\int_b^a f, 237$
 $\int_b^a f(x)dx, 237$
- $\mathcal{K}\text{-open topology}, 507$
- $\ell_\infty\text{-space}, 385$
 $\ell_p\text{-space}, 385$
 $l(X), 72$
 $L(f; P), 246$
- $\max\{x, y\}, \min\{x, y\}, 64$
 $m_k(f), 246$
 $M_k(f), 246$
 $M(\tau, \alpha, \beta), 445$
- $\text{ns}(X), \mu(c), \mu^*(c), 346$
 $n\text{th root}, 170$
 $n\text{-tuple}, 68$
 $N(c, \epsilon), 134$
 $N^*(c, \epsilon), 134$
 $\mathcal{N}(c), 336$
- $\mathcal{O}, 135$
- $p\text{-norm}, 386$
 $\text{pns}_\rho(S), 409$

558

$\mathcal{P}_a(I)$, 234
 $\mathcal{P}_\infty(I)$, 234
 $\mathcal{P}(S)$, power set, 26
 ${}^\sigma\mathbb{Q}$, ${}^\sigma\mathbb{R}$, ${}^\sigma\mathbb{V}$, 85
*r*th-order differential, 479
 $\mathcal{R}[a, b]$, 236
 \mathbb{R} , 56
 $S(f; P, T)$, 235
 ${}^\circ S(f; P, T)$, 237
 S° , $\text{Int}(S)$, $\text{Cl}(S)$, S' , ∂S , in topological space, 339
 S' , 137
 $S_1 \cup \dots \cup S_n$, 68
 $S_1 \times \dots \times S_n$, 68
 $\{S_1, S_2\}$, unordered pair, 27
 $\langle S_1, S_2 \rangle$, ordered pair, 27
 $S_{[a,b]}(f; P, T)$, 235
 $S_{(n)}$, 213
 $S|_C$, 28
 \mathcal{T}_c , 336
 $ul(\mathbb{R}^+)$, 72
 $ul(X)$, 72
 $U(f; P)$, 246

Index

$\bigcup_{k=1}^n S_k$, 68
 $w(X, \mathcal{H})$, 338
 ${}^\circ x$, 81
 $X \approx Y$, 445
 $y \simeq \infty$, $y \simeq -\infty$, 72
 $(0.s_1s_2s_3\dots)_b$, 530
 ${}^\sigma\mathbb{Z}^+$, ${}^\sigma\mathbb{Z}$, 85
 $\delta(S)$, 390
 ϵ -ball, 380
 ϵ -neighborhood, 134
 $\epsilon\delta$ -characterization of S-continuity, 382
 $\lambda(S)$, 250
 $\mu(0)$, $o(\mathbb{R})$, 73
 $\mu(x)$, $\mu(0)$, $\mu(\infty)$, $\mu(-\infty)$, 73
 $\mu^*(a)$, 142
 $\mu_\tau(c)$, 344
 $\pi(P)$, 235
 $\prod_{\alpha \in A} X_\alpha$, 35
 $\prod_{k=1}^n S_k$, 68
 $\rho(x, S)$, 392
 $\sum_{n=v}^\infty x_n$, 110
 ${}^\circ(\sum_{k=v}^\omega x_k)$, 110
 $\Omega_f(I_k)$, 246

Subject index

abbreviated notations, 8
 Abel
 summable series, 321, 329
 summation formula, 303
 test for uniform convergence, 307
 Abel's limit theorem, 321
 absolute
 maximum, **201**
 minimum, **201**
 uniform convergence of power series, 316
 value, 63
 absolutely convergent integral, 266
 accumulation point, 137
 additive inverse, 43
 adherent point in topological space, 339
 algebraic number, **543**
 appreciable elements, 72
 Archimedean property, 60
 Arzelà–Ascoli theorem, 518
 Ascoli theorem, 513
 associative laws, 43
 atomic formula, 18
 axiom
 choice, 35
 infinity, 34
 pairs, 27
 power set, 26
 regularity, 33
 replacement, 32
 separation, 32
 subsets, 32
 transfer, 35
 union, 26
b-adic expansion, **526**
b-adic representation, **526**
b-adic system, **524**
 Baire category theorem, 435
 Banach fixed point theorem, 441
 Banach space, 405
 Bartle, R. G., 233
 basic neighborhood, 336
 basis, usual, natural, or standard,
 522
 for a topology, 336
 for a vector space, 522
 Bell, John L., xiv, xviii
 Bernoulli inequality, 52, **205**
 bijection, 30
 binary
 operation, 30
 relation, 28
 internal, 28
 representation, **526**

- binomial
 - coefficient, 50
 - function, 326
 - series, 326
 - theorem, 52
- Bolzano–Weierstrass
 - property, 414
 - theorem, 104
 - for \mathbb{R}^n , 415
- bound
 - lower, 56
 - upper, 56
- bound variable, 550
- boundary point in topological space, 340
- bounded
 - above, 56
 - below, 56
 - function, 167, 390
 - sequence, 92, 390
 - set, 389
- Cantor intersection theorem, 430
- cardinality, 66, 67
- Cartesian product, 35
 - α th factor, 35
 - A -tuple, $(x_\alpha)_{\alpha \in A}$, 35
 - coordinate map, 35
 - of n copies of C , 68
 - of finitely many sets, 68
- Cartier, Pierre, 233
- Cauchy criterion
 - external, 112
 - of convergence, 86
 - of integrability, 236, 245
 - of uniform convergence, 276
- Cauchy–Hadamard theorem, 316
- Cauchy mean value theorem, **206**
- Cauchy principal value, 265
- Cauchy product
 - of two power series, 319
 - of two series, 318
- Cauchy–Schwarz inequality, 387
- chain rule, **194**, 466
- class, 5
 - image of, 28
 - indexing, 26
 - internal, 23
 - pre-standard, 36
 - proper, 21, 23
 - universal, 22
- class-forming operator, 550
- class terms, 24
- closed terms, **549**
- commutative laws, 43
- compact-open topology, 508
- compact points, 369
- complement, 25
- completeness, 404
- completion, 425
- component intervals of an open set, 136
- component of a topological space, 377
- compound formula, 546
- condition, 544, 546
- conditionally convergent integral, 266
- connective symbols, **548**
- connectives, 545
- constant, logical symbol, **546**
- continuity, 161
 - of composite functions, 166
 - of inverse functions, 181
 - of logarithmic functions, 166
 - of power functions, 166
 - sequential criterion for, 165
 - uniform, 170
- continuous extension, 172
- continuous functions, 161
 - almost everywhere, 250
- continuously differentiable function, **188**
- contraction, 441
- contrapositive formula, 548
- convergence
 - Abel test, 304
 - absolute, 116
 - Cauchy test, 120
 - conditional, 116
 - D’Alembert test, 119
 - Dirichlet test, 303
 - in topological space, 350
 - limit comparison test, 117
 - Raabe’s test, 121
 - ratio test, 119
 - root test, 120
- converse formula, 548
- coordinate map, 35, 339
- countably compact space, 377
- cross product of two classes, 28
- Daniell integral, 429
- Darboux sum, 246
- Darboux’s theorem, 227
- Dauben, J. W., xviii
- Davidson, K. R., 429
- decimal representation, **526**
- definition
 - by induction, 47
 - by recursion, 47
- deleted neighborhood in topological space, 336
- dense set, 166, 240
 - in topological space, 340, 353
- denumerable set, 70
- derivative, **188**, 462
- derivative function, **188**
- derived set in topological space, 339
- diameter of a set, 390
- Diener, Francine, 554
- Diener, Marc, 554
- difference class, 25
- difference of powers formula, 54
- difference quotient, **188**

differentiable function, **188**, 461
 external characterization, 190, 462
 differential, 462
 differential equation, 401
 Dini's theorem, 282, 283
 Dirichlet function, 152, 240
 Dirichlet test for uniform convergence, 306
 discontinuity, 177
 essential, 178
 oscillating, 178
 removable, 177
 discrete metric, 419
 disjoint classes, 25
 distance function, 379
 distributive law, 43
 division algorithm, **524**
 domain of a variable, 547
 Donsig, A. P., 429
 double sequence, 47
 dyadic representation, **526**

 embedding, 358
 equality
 of classes, 23
 of sets, 19
 equicontinuous spaces, 512
 uniformly, 520
 equinumerosity, 66
 equinumerous sets, 66, 67
 equivalence class, 29
 equivalence relation, 29
 Euclidean
 metric, 386
 norm, 386
 n -space, 339
 topology, 339
 Euler number, 99
 Euler's constant, 269
 evaluation map, 481
 even function, 256
 extended real number system $\overline{\mathbb{R}}$, 56
 extended language of IST, 22
 extension theorem, 173, 439
 external characterization
 of limits at infinity, 159
 of one-sided limits, 156
 of uniform continuity, 170
 external induction, 81
 external set, **10**
 extreme-value theorem, 167, 364

 factorial function, 50
 family of sets, 9
 indexed, 26
 internal, 25
 Fibonacci sequence, 49
 filter, 373
 filter base, 374
 fine partition, 234
 tagged, 235

finite
 intersection property, 362
 product, 49
 sequence, 68
 set, 67
 sum, 48
 first category (meager, or thin) in topological space, 434
 first-order differential, 479
 fixed point of a function, 170, 207
 Folland, G. B., 233
 forms (general nouns), **549**
 formula, 18, 546
 external, 20
 internal, 20
 pre-standard, 35
 solution class of, 21
 well-formed, 19
 ZFC, 20
 Fournier, J. J. F., 430
 Fréchet
 compactness, 414
 differentiable, 468
 derivative, 462
 Fredholm
 integral equation, 457
 integral operator, 457
 free ultrafilter, **7**, 10
 free variables, **550**
 function, 29
 bounded, 167, 390
 closed, 357
 continuous, 161
 continuous extension of, 172
 decreasing, 176
 discontinuous, 161
 exponential, 122, 129
 homogeneous, 469
 increasing, 176
 injective, 30
 internal, 29
 linear, 445
 locally bounded, 167
 locally positive, 169
 logarithmic, 122
 monotone, 176
 multilinear, 478
 of class C^1 at a point c , 462
 of class C^1 on a set G , 462
 one-to-one, 30
 onto, 30
 open, 357
 periodic, 170
 polynomial, 151
 power, 122
 rational, 151
 strictly monotone, 176
 function symbols, **547**
 fundamental theorem of calculus
 I, 258
 II, 259

- Gödel, Kurt, 13
- Gâteaux differentiable function, 468
- generalized binomial coefficient, 324
- generalized mean value theorem for integrals, 257
- geometric sum formula, 54
- globally monotone function, 199
- gradient, 470
- grouping symbols, **548**
- grouping the terms in a series, 308
- Hamel dimension, 522
- Hausdorff space, 336
- Hawkins, Thomas, 249
- Heine–Borel theorem, 144
for \mathbb{R}^n , 392
- Henstock–Kurzweil integral, 233
- Hessian matrix, 484
- Hewitt, Edwin, 6, 516
- higher-order differentials, 478
- Hilbert–Schmidt norm, 447
- Hölder continuous function, 419
- Hölder inequality, 427
- homeomorphic space, 358
- homeomorphism, 358
- Hurd, Albert, 8, 233
- hyperreal number system, 8
- idealization axiom, 83
- identity elements, 43
- image curve, 463
- image of a class, 28
- implicit function theorem, 496
- improper Riemann integral, 264
- incommensurable quantities, 55
- indeterminate form, 209
- indexed family, $\{A_x : x \in B\}$, 26
- indexing class, 26
- induction principle, 46
- inductive class, 45
- inductive proofs, 47
- inequality, geometric–mean–arithmetic–mean, 193
- infimum, 57
- infinite
limits
external characterization of, 157
one-sided, 158
sequence, 47
series, 109, 408
set, 70
sum, 109, 408
- infinitely close numbers
in \mathbb{R} , 72
in topological space, 346
- infinitely large numbers, 72
- infinitely small numbers, 72
- infinitesimal numbers, 72
- informal logical statement, 546
- initial segment, 45, 67
- initial value condition, 401
- initial value problem, 401
- injection, 67, 536
- integral
equation, 457
form of remainder in Taylor polynomial, 263
operator, 456
test for series, 267
- integrand, 237
- interior point, 135
in topological space, 339
- intermediate value property, 226
- intermediate value theorem, 168, 372
for derivatives, 227
- internal sequence, 47, 88
- internal set, **10**
- internal set theory (IST), **10**
- intersection, 25
- interval, 64
characterization of, 65
closed, 65
degenerate, 65
endpoint of, 64
half-closed, 65
half-open, 65
interior point of, 64
length of, 65
midpoint of, 64
nondegenerate, 65
of convergence, 317
open, 64
- inverse
elements, 43
function theorem, 196, 491
functions, continuity of, 181
- irrational numbers, 45
- isolated point, 137
in topological space, 340
- isometric, 425
- isometry, 425
- isomorphic vector spaces, 445
- isomorphism, 445
- iteration, 441
- Jacobian, 470
- Jacobian matrix, 469
- Jensen, Johan, 224
- Jensen inequality, 224, 225
- Kanovei, Vladimir, 87
- kernel
of a function, 399
of an operator, 457
- L'Hospital's rule, 209
- Lagrange's form of remainder, 217
- laws for exponents, 53
- Lawvere, F. W., xviii
- Lebesgue–Riemann theorem, 251
- left-hand derivative, **188**
- Leibniz–Newton integral, 233
- Leibniz test, 111

- limits, 148
 - algebra of, 155
 - at infinity, 159
 - external characterization of, 149
 - infinite, 157
 - internal definition of, 148
 - left-hand, 156
 - one-sided, 156
 - order properties of, 155
 - right-hand, 156
 - sequential criterion for, 153
 - squeeze theorem for, 154
- limit function, 271
- limit point, 137, 368
 - in topological space, 339
- limited numbers, 72
- Lindelöf space, 377
- line segment, 473
- linear
 - combination, 522
 - form, 445
 - function, 445
 - natural matrix of, 446
 - functional, 445
 - operator, 445
 - span, 522
 - transformation, 445
- linearly independent subset, 522
- Lipschitz
 - condition, 175
 - of order α , 175
 - at a point, 198
 - constant, 419
 - continuous function, 419
 - equivalent metrics, 419
 - equivalent norms, 420
- local
 - extreme points, **200**
 - extremum theorem, **201**
 - maximum, **201**
 - minimum, **201**
 - properties, 169
 - of continuous functions, 169
 - of differentiable functions, 199
- locally
 - bounded function, 167
 - connected space, 377
 - decreasing function, 199
 - increasing function, 199
 - integrable function, 263
 - invertible function, 491
 - monotone function, 199
- Loeb, Peter, 8, 10, 233
- Loeb integral, 233
- logarithm, 127
 - natural, 127
- logical symbols, 546, **547**
- Luxemburg, W. A. J., 6, 369, 373–375, 398
- manhattan norm, 386
- map, 29
- mapping, 29
- maximum and minimum, 57
- maximum
 - for integrals, 243
 - generalized, 257
 - function, 64
 - metric, 386
 - norm, 341
 - mean value theorem, **204**
 - multidimensional case, 472
- Meggison, Robert E., 405
- Mertense's theorem, 319
- mesh of a partition, 234
- metric space, 379
 - bounded subset of, 390
 - Cauchy sequence in, 404
 - complete, 404
 - limited element of, 387
 - precompact, 409
 - totally bounded, 409
 - unlimited element of, 387
- metric topology, 380
- minimum function, 64
- Minkowski inequality, 225
 - for integrals, 428
- Minkowski spacetime, 4
- mixed partial derivatives, 477
- monad
 - Euclidean, 343
 - for finite Cartesian product, 343
 - for product topology, 343
 - for weak topology, 343
 - in \mathbb{R} , 73
 - of a filter, 373
 - of a near-standard point, 346
 - of a point in topological space, 342
- monotone convergence theorem, 431
- multi-index notation, 488
- multilinear function, 478
- multiplicative inverse, 43
- Munkres, James R., 49, 414
- natural basis, 522
- near-standard number
 - in \mathbb{R} , 73
 - in topological space, 346
- negation symbol, 548
- negative
 - integers, 45
 - numbers, 45
 - part of a number, 64
- neighborhood, 134, 336
 - deleted, 137
 - in topological space, 336
- neighborhood basis, 336
- Nelson, Edward, xiv, 10, 17
- nested interval theorem, 101
- nested neighborhood basis, 336
- Newtonian space, 4
- Newtonian time, 4
- non-logical symbols, **546**

- nonstandard analysis, 5
- non-terminating b -adic expansion, **528**
- norm, 383
 - of a partition, 234
- nowhere-dense set in topological space, 353, 433
- nowhere-differentiable function, 288
- null space, 445
- nullity, 445
- numerals, **523**
- numeration system, **523**

- odd function, 256
- one-sided derivatives, 188
- one-sided limits, external characterization, 156
- one-to-one correspondence, 30
- open
 - and closed formulas, **551**
 - interval, 64
 - set in \mathbb{R} , 135
 - terms, **549**
- operator norm, 453
- orbit, 441
- order properties, 43
- ordered field axioms, 41
- ordered pair, 27
- oscillation, 182
 - at a point, 183

- pair
 - ordered, $\langle S_1, S_2 \rangle$, 27
 - unordered, $\{S_1, S_2\}$, 27
- parameters in formula, 24
- partial derivative, 468
- partial derivative function, 468
- partial sum, 109, 408
- partition of an interval, 234
- path in a topological space, 378
- path-connected topological space, 377
- Peano's existence theorem, 402
- periodic function, 175
- periodic expansion, **531**
- permanence principle, 94
- permutation, 485
- Perrin, Yvette, 233
- pesudo-metric space, 379
- pigeonhole principle, 67, 536
- point-open topology, 507
- pointwise bounded subset, 436
- pointwise bounded sequence of functions, 305
- pointwise convergence, 271, 406
- polynomial, 151
- positive
 - integers, 45
 - numbers, 45
 - part of a number, 64
- power series, 316
- power set, $\mathcal{P}(S)$, 26
- pre-near-standard point, 409
- pre-standard
 - class, 36
 - formula, 35
- precompact, 409
- predicate symbols, **547**
- preservation of intervals, 169
- principle of monotone convergence, 98, 100, 114
- product topology, 339
- Pythagorean theorem, 54

- quantifier, 545
- quantifier symbols, **547**
- quotient class of a relation, 29

- radius of convergence, 316
- Rana, Inder K., 227
- range
 - of a relation, 28
 - of an open term, 549
- rank, 445
- ratio test, 302
- rational numbers, 45
- real exponents, 122
- real number system, extended, $\overline{\mathbb{R}}$, 56
- real power series, 316
- rearrangement of series, 309
- recursive definition, 30
 - principle of, 48
- recursion principle generalized, 49
- Reeken, Michael, 87
- refinement of a partition, 234
- regular n -partition, 234
- relation
 - composite, 28
 - domain of, 28
 - extension of, 28
 - inverse of, 28
 - reflexive, 29
 - symmetric, 29
 - transitive, 29
- removable discontinuity, 177
- repeating expansion, **531**
- residual (or thick) in topological space, 434
- restriction of a relation, 28
- Riemann
 - criterion of integrability, 257
 - integrable function, 236
 - integral, 237
 - sum, 235
- Riesz lemma, 393
- right-hand derivative, **188**
- rings of real-valued continuous functions, 6
- Robinson, Abraham, 5
- Robinson's theorem, 362
- Rolle's theorem, **203**
- root test, 302
- roots, 534

- S-continuity, 161
 - $\epsilon\delta$ -characterization of, 382
 - in metric space, 382
- Schwarz inequality for integrals, 427
- second category in topological space, 434

second derivative, 188
 second-order differential, 479
 selecting function, 102
 semi-formal statement, 546
 semi-metric space, 379
 semi-metric topology, 380
 separating family of functions, 344
 separation of topological space, 371
 sequence, 47
 bounded, 92, 390
 contractive, 108
 decreasing, 97
 divergent, 89
 double, 47
 Fibonacci, 49
 increasing, 97
 infinite, 88
 internal, 47
 monotone, 97
 non-decreasing, 97
 non-increasing, 97
 range of, 88
 real, 88
 strictly decreasing, 97
 strictly increasing, 97
 strictly monotone, 97
 sequential Hilbert space, ℓ_2 , 385
 series, 109, 408
 alternating, 111
 Cauchy condensation test for, 132
 comparison test, 115
 convergence tests, 115
 double, 312
 geometric, 110
 harmonic, 114
 p -harmonic, 114
 infinite, 109
 iterated, 313
 telescoping, 110
 set, 21
 as class, 5
 F_σ , 184
 G_δ , 184
 closed, 138
 compact, 141
 convex, 473
 countable, 70
 countably infinite, 70
 dense, 166
 denumerable, 70
 infinite, 69
 interior of, 135
 limit point of, 137
 measure zero, 250
 open, 135
 partition of, 29
 uncountable, 70
 singleton, $\{S_1\}$, 27
 smooth function, 480
 Sobolev norm, 429

Sobolev space, 430
 solution class, **552**
 specifying formula of a class, 24
 standard class $\text{st}(A)$, 23
 standard
 integers, 45
 rational numbers, 45
 standard hull
 of a class, 397
 of a function, 398
 standard part of a point in topological space, 347
 standard-part map, 81
 standard set, **10**
 standardization axiom, 79
 statement, mathematical, 544, 546
 Stone, Marshall H., 516
 Stone–Weierstrass theorem, 514, 516
 strict maximum (minimum), 226
 Stromberg, Karl, 516
 strong induction, **531**
 subalgebra, 514
 subclass, 25
 strict, 25
 subsequence, 102
 summable sequence, 109, 408
 superclass, 25
 strict, 25
 superstructure, **9**
 support line, 223
 supremum, 56
 supremum norm on $\mathcal{B}(S, Y)$, 384
 supremum principle, 54, 57
 surjection, 30
 symmetry of differentials, 484
 syntax, 545

 tagged partition, 235
 Takagi, Teiji, 288
 tangent space, 464, 470
 taxicab metric, 386
 taxicab norm, 386
 Taylor formula, 488
 Taylor polynomial, 215
 integral form of remainder, 263
 Lagrange's form of remainder, 217
 Taylor series theorem, 325
 Taylor's theorem, 217
 telescoping product formula, 54
 telescoping sum formula, 53
 term-by-term
 differentiation of power series, 322
 integration, 285
 of power series, 322
 terminating b -adic expansion, **528**
 terms in mathematical language, **548**
 ternary expansion, 531
 Thomae function, 241
 Tietze extension theorem, 439
 topological invariant, 358

- topological space, 334
 - compact, 361
 - σ -compact, 368
 - component of, 377
 - connected, 371
 - countably compact, 377
 - disconnected, 371
 - first-countable, 336
 - Hausdorff, 336
 - limit point compact, 414
 - Lindelöf, 377
 - locally compact, 367
 - locally connected, 377
 - normal, 365
 - path-connected, 377
 - quasi-compact, 361
 - regular, 365
 - relatively compact, 361
 - second-countable, 336
 - separable, 352
 - sequentially compact, 414
 - T_1 , 353
 - T_2 , 336
 - T_3 , 365
 - T_4 , 365
 - totally disconnected, 377
- topological structure, 134
- topologically isomorphic vector spaces, 431
- topology, 134, 334
 - compact-open, 508
 - compatible semi-metric in, 385
 - discrete, 335
 - Euclidean, 339
 - finite complement, 335
 - induced by a metric, 380
 - indiscrete, 335
 - induced by a semi-metric, 380
 - metrizable, 385
 - of compact convergence, 503
 - of pointwise convergence, 503
 - of uniform convergence, 503
 - of \mathcal{K} -convergence, 503
 - \mathcal{K} -open, 507
 - point-open, 507
 - product, 339
 - semi-metrizable, 385
 - trivial, 335
 - Tychonoff, 339
 - usual, of \mathbb{R} , 135
 - weak, 338
- total derivative, 462
- totally bounded metric space, 409
- totally disconnected topological space, 377
- transformation, 29
- transitivity, 43
- transpose, 443
- trichotomy, 43
- twice differentiable, 188
- Tychonoff theorem, 364
- Tychonoff topology, 339
- ultrafilter, 7
- ultrapower, 7, 8
- uncountable sums, 131
- uniform
 - continuity, 170
 - external characterization of, 170
 - convergence, 406
 - Abel test, 307
 - Cauchy criterion for, 277
 - Dirichlet test, 306
 - of power series, 321
 - of trigonometric series, 307
 - Weierstrass M-test for, 277
 - equicontinuity, 520
 - metric on $\mathcal{B}(S, Y)$, 384
 - norm, 385
 - on $\mathcal{B}(S, Y)$, 384
 - topology on $\mathcal{B}(S, Y)$, 384
- uniform limit theorem, 407
- uniformly bounded, 436
 - family of functions, 315
 - sequence of functions, 305
 - subset of set in vector space, 388
- uniformly differentiable function, 230
- uniformly equivalent
 - metrics, 418
 - norms, 418
- union, 25
- unit ball, 380
- universe of mathematical theory, 546
- unlimited numbers, 72
- unordered pair, 27
- Urysohn lemma, 393
- usual topology of \mathbb{R} , 135
- vacuously true formula, 548
- Vakil, Nader, 283, 367, 430
- value of a variable, 547
- variable-binding operators, **550**
- variables in mathematical languages, **547**
- vector lattice, 514
- vector space, 521
 - finite-dimensional, 522
 - infinite-dimensional, 522
 - normed, 383
 - semi-normed, 383
 - subspace, 521
- Volterra, Vito, 227
- Volterra integral equation, 459
- Volterra integral operator, 458
- weak topology, 338
- Weierstrass M-test, 277
- well-ordering property, 61
- Willard, Stephen, 430
- Zermelo's axiom of separation, 32
- ZFC formula, 20