

Cambridge University Press

978-1-107-00249-4 - Probability for Finance

Ekkehard Kopp, Jan Malczak and Tomasz Zastawniak

Index

[More information](#)

---

## Index

---

- additivity, 2
- antiderivative, 15
- atom, 110
- binomial tree model, 56
- contingent claim, 46
- convergence
  - almost surely, 157
  - in distribution, 171
  - in  $L^1$ -norm, 157
  - in  $L^2$ -norm, 156
  - in probability, 160
  - weak, 176
- convolution, 86
- correlation coefficient, 96
- countable additivity, 6, 7
- covariance, 96
- covariance matrix, 98
- $d$ -system, 99
- density
  - bivariate normal, 75, 85
  - conditional, 127
  - Gaussian, 16
  - joint, 75, 82
  - log-normal, 17
  - marginal, 80
  - multivariate normal, 83
  - normal, 16
  - of a random variable, 50
  - probability, 42
- derivative security, 46
- distribution
  - binomial, 40
  - continuous, 42
  - discrete, 41
  - exponential, 43
  - function, 40, 49
  - geometric, 50
  - joint, 73, 82
  - log-normal, 43, 52
  - marginal, 74, 82
  - negative binomial, 50
  - normal, 42, 50
  - of a random variable, 48
- Poisson, 41
- probability, 40
- standard normal, 51
- event, 6
  - independence of, 87, 89
- expectation, 57
  - conditional, 112, 113, 120
- Fourier coefficients, 150
- Fourier representation, 150
- function
  - Borel measurable, 28
  - characteristic, 63
  - convex, 128
  - Haar, 151
  - indicator, 18
  - integrable, 22, 24
  - Lebesgue integrable, 28
  - measurable, 20
  - norm continuous, 133
  - simple, 18
- inequality
  - Bessel, 149
  - Chebyshev, 62
  - Jensen, 129
  - Markov, 61
  - Schwarz, 97
- inner product, 131
- integral, 21, 24
  - Lebesgue, 28
  - Riemann, 14
- inverse image, 19
- $L^1$ -norm, 138
- $L^2$ -norm, 132
- law of large numbers, 167
- lemma
  - Borel–Cantelli, first, 161
  - Borel–Cantelli, second, 162
  - Fatou, 30
- measure, 10
  - absolutely continuous, 140
  - change of, 26
  - counting, 11

- Dirac, 9
- finite, 10
- Lebesgue, on  $\mathbb{R}$ , 12
- Lebesgue, on  $\mathbb{R}^2$ , 72
- Lebesgue, on  $\mathbb{R}^n$ , 73
- outer, 33
- probability, 7
- product, 71
- restriction of, 71
- $\sigma$ -finite, 71
- space, 10
- tight sequence of, 179
- unit mass, 9
- moment, 62
  - central, 62
- moment generating function, 65
- Monte Carlo simulation, 53
- nearest point, 136
- option
  - arithmetic Asian call, 56
  - bottom straddle, 48
  - bull spread, 48
  - butterfly spread, 48
  - call, 47
  - European, 46
  - path-dependent, 56
  - put, 47
  - strangle, 48
- orthogonal projection, 137
- orthonormal basis, 150
- parallelogram law, 135
- Parseval identity, 151
- partition, 109
- probability
  - binomial, 3, 9
  - conditional, 88
  - density, 42
  - distribution, 40
  - equivalent, 142
  - geometric, 6
  - measure, 7
  - Poisson, 5
  - space, 6
  - uniform, 3, 13
- probability generating function, 65
- Radon–Nikodym derivative, 142
- random variable, 47
  - continuous, 49
  - discrete, 49
  - i.i.d., 167
- independence of, 84, 86
- jointly continuous, 75, 82
- orthogonal, 135
- square-integrable, 97
- uncorrelated, 96
- uniformly integrable family of, 164
- random vector, 73, 81
  - Gaussian, 83
  - independence of, 91
- set
  - Borel, 11, 68, 81
  - Cantor, 13
  - closed, 134
  - complete orthonormal, 150
  - orthonormal, 148
- $\sigma$ -field, 6
  - generated by a family of sets, 69
  - generated by a random variable, 47
  - independence of, 90, 92
  - product of, 68
- space
  - $L^1$ , 138
  - $L^2$ , 131
  - measure, 10
  - probability, 6
  - sample, 2
- standard deviation, 60
- theorem
  - Central Limit Theorem (CLT), 182
  - continuity, 180
  - de Moivre–Laplace, 184
  - dominated convergence, 31
  - Fubini, 77
  - Helly selection, 178
  - monotone convergence, 22
  - Prokhorov, 179
  - Pythagoras, 135
  - Radon–Nikodym, 140, 145
  - Skorohod representation, 177
- tower property, 118
- translation invariance, 13, 29
- variance, 60