

Cambridge University Press

978-1-107-00259-3 - Anaesthetic and Perioperative Complications

Edited by Kamen Valchanov, Stephen T. Webb and Jane Sturgess

Index

[More information](#)

# Index

- AABGI *see* Association of Anaesthetists of Great Britain and Ireland
- abdominal compartment syndrome (ACS) 112
- abdominal wall block, visceral perforation 150
- Academy of Experts 245
- accidental dural puncture (ADP) 84
- management 84
- acoustic loss 123–24
- Action against Medical Accidents (AvMA) 222
- active warming 161
- devices, comparison 161
- forced air warming (FAW) 161
- acute haemolytic transfusion reaction 72–73
- acute lung injury (ALI) 49–50
- management 49
- acute lung injury (TRALI), transfusion-related 73–74
- acute respiratory distress syndrome (ARDS) 49–50
- adrenaline, test dose 134
- adrenocortical insufficiency 117
- etomidate 185
- adverse events
- human error and equipment malfunction 166
- incidence 18
- air embolism 67–69
- associated with central venous catheters 68
- air supply, pressures 167
- airway complications 23–25
- aetiology 24–32
- oedema 32
- patient management 23, 42
- pre-operative anticipated 26–28
- secondary complications 32–33
- trauma 24
- see also* intubation
- airway devices
- and airway trauma 37–39
- complications 37
- damage 40
- airway emergencies
- fires 41–42
- rescue techniques 41–42
- airway obstruction 26–32
- anticipated 28
- pre-operative 26–34
- causes 26
- clinical features 26
- AKIN criteria, renal complications 114
- allergens, anaphylaxis 175–79
- allogeneic blood transfusion (ABT) 70
- alpha<sub>2</sub>-agonists 61
- anaesthesia, inadequate 31
- see also* awareness; local anaesthesia
- systemic toxicity (LAST); regional anaesthetic gas scavenging system (AGSS) 170
- anaesthetic gas supply 167–68
- automated pressure limiting (APL) valve 169
- disconnection 168
- high-pressure systems 167–68
- low-pressure systems 168
- misconnections 168
- pressures 167
- Anaesthetists Non-Technical Skills (ANTS) framework 20
- anaphylactoid reactions, cerebral oedema 79
- anaphylaxis 175–79
- AABGI guidelines 177–78
- diagnosis 176
- grading 177
- management 177–78
- mast cell tryptase 178
- neuromuscular blocking agents (NMBAs) 176
- obstetrics 89–90
- pathogenesis 176
- perioperative incidence 176
- prevention 178–79
- risk factors 176
- skin prick testing 178
- transfusion reactions 74
- anatomical factors 29–30
- abnormalities 28
- antibiotics
- renal complications 111
- renal replacement therapy 196
- routine use of 37
- anticoagulants 66
- anticonvulsants 94
- antifibrinolytics 113
- antiplatelet drugs 40
- obstetrics 86
- apnoea alarms 13
- arachnoiditis 144
- obstetrics 85
- ARDSNET trial 49
- arrhythmias *see* dysrhythmias
- arterial hypertension 56–57
- causative factors 56–57
- Cushing reflex 57
- treatment 57
- arterial line associated ischaemia 126
- arterial puncture, CVC insertion 126–27
- arytenoid cartilage
- damage 39
- dislocation 38
- aspiration 34–37
- obstetrics 88–89
- prevention 34, 89
- recognition 34
- risk factors 35
- aspiration pneumonitis 40
- assessment of risk *see* risk assessment
- assessment tools 6
- Association of Anaesthetists of Great Britain and Ireland (AAGBI)
- anaphylaxis guidelines 177–78
- minimum monitoring standards 20
- asthmatics, bronchospasm 47
- atelectasis 43–45
- prevention 45, 191–92
- atrial fibrillation 63, 191–92
- attitude (of anaesthetist) 5
- Australia, healthcare quality 18
- Australian Patient Safety Foundation 19
- autonomy *see* self-determination

Cambridge University Press

978-1-107-00259-3 - Anaesthetic and Perioperative Complications

Edited by Kamen Valchanov, Stephen T. Webb and Jane Sturgess

Index

[More information](#)

- aviation industry, errors 11–15
- awake intubation, airway  
complications 28
- awareness 100–04  
caesarean section 89  
incidence 100  
prevention 101  
to disrespectful conversation 101  
tracheal intubation 33  
axonotmesis 131
- bacterial contamination 75–76
- bar-coded identification, wrist  
band with labels 73
- barotrauma 48–49
- battery and negligence 202–04
- behaviour (of anaesthetist) 5–6
- benzodiazepines 31, 94
- beta-blockers 61
- 11-beta-hydroxylase 185
- bispectral index (BIS) monitor 101
- blame, medico-legal implications 214–15
- blood exposure incidents 127–28
- blood transfusion 70–71  
and AKI 111  
associated circulatory overload (TACO) 77  
associated sepsis (TAS) 75  
citrate toxicity 77  
delayed haemolytic transfusion reaction 73  
febrile non-haemolytic transfusion reaction 71–72  
hyperkalaemia 77  
hypothermia 77  
immune reactions 71–73  
infections, platelets 76  
iron overload 77  
massive blood transfusion 77  
related acute lung injury (TRALI) 73–74  
related graft versus host disease (TR-GVHD) 74  
related immunomodulation (TRIM) 75  
strategies to reduce risk 71  
blood-borne viruses (BBVs) 127  
incidence and seroconversion rates 128
- body morphology, and  
hypothermia 155
- body temperature  
*see* temperature
- Bolam v Friern Hospital Management Committee* [1957] 202–04
- Bolitho v City and Hackney Health Authority* [1997] 204
- brachial plexus blocks 48, 51, 122, 149–50
- brain injury  
hypoxia and ischaemia 31–33  
local anaesthetic systemic toxicity (LAST) 133  
*see also* cerebral hypoperfusion
- brainstem anaesthesia 152
- breathing systems 168–70
- Brewer–Luckhardt reflex 64
- British Medical Association (BMA) 244–45
- bronchodilator therapy 47
- bronchospasm 32, 47  
management 47  
risk/litigation 227
- bupivacaine 134  
obstetrics 85  
toxicity 87
- caesarean section, inadequate analgesia 82–83  
awareness 89  
complications of anaesthesia 88  
incidence and standards 82–83  
management 83–84  
pain following 91  
prevention 83  
spinal anaesthesia 83
- calcium channel blockers 61, 64
- cannulation injury 126–27  
internal jugular vein 127  
subclavian vein 126
- can't intubate, can't ventilate (CICV) 14–15, 40, 217
- capacity, Mental Health Act 2005 208
- capnography and OI 31
- cardiac arrest, obstetrics 90
- cardiac surgery 54  
AKI 112  
reducing risk of neurological injury 98–100
- cardioprotection, perioperative 61  
alpha<sub>1</sub>-agonists 61  
beta-blockers 61
- calcium antagonists 61
- opioids 61
- statins 61
- volatile anaesthetic agents 61
- cardiovascular collapse, local anaesthetic systemic toxicity (LAST) 133
- cardiovascular complications 54–69, 190–92  
atrial fibrillation 191–92  
cardiac output, primary pump failure 192  
cardiogenic shock 191  
commonest dysrhythmias 191–92  
distributive shock 191  
fluid infusion 191  
hypovolaemia 190  
Lee Revised Cardiac Risk Index (RCRI) 60  
low cardiac output 191  
obstructive shock 191  
shock management 190–91  
vasodilatation, inappropriate 192
- cardiovascular responses to anaesthesia and surgery 55
- MACE (major adverse) 54
- care  
doctor's duty of 202  
*see also* critical care unit
- carotid endarterectomy, and stroke 96
- cauda equina syndrome 144  
obstetrics 85
- caudal block, intrathecal block 150
- central neuraxial blockade (CNB) 130, 137–48  
back pain 137–48  
cardiovascular collapse and perioperative hypotension 146  
cauda equina syndrome and adhesive arachnoiditis 144  
direct nerve injury 145–46  
early hypotension 146  
incidence of permanent harm (NAP3) 130, 138  
late hypotension 146  
meningitis 144  
post-dural puncture headache 147  
spinal cord ischaemia 138–40  
vertebral canal abscess 142–44  
vertebral canal haematoma 140

Cambridge University Press

978-1-107-00259-3 - Anaesthetic and Perioperative Complications

Edited by Kamen Valchanov, Stephen T. Webb and Jane Sturgess

Index

[More information](#)

250

Index

- cerebral hypoperfusion
  - stroke 95
  - see also* brain injury
- cerebral hypoxia and ischaemia
  - 97–98, 99
- cerebral oedema 79
  - anaphylactoid reactions 79
  - coagulopathy 79–80
  - pruritus 79
  - renal dysfunction 80
- cerebral oximetry 99
- cervical spine fractures 40
- checklists 8
  - Emergency Action Checklist 15
- chemosis 150
- Child–Turcotte–Pugh score 109
- children, consent issues 208
- chylothorax 51
- circuit occlusion 32
- citrate toxicity 77
- CJD, vCJD cases 76
- Clinical Human Factors Group
  - 15
- closed claim project, ASA 19
- cognitive dysfunction 104–05
- colloids 78
  - renal complications 111
  - specific risks 79
- combined spinal epidural
  - injection (CSE) 82
- common law principle of necessity
  - 207
- common peroneal nerve injury
  - 122
- communication of information
  - 15, 206–07
- compartment syndrome 125
- competence 2, 4
  - critical incidents 15
  - development 4
  - and litigation 226–27
  - and risk factors for litigation
    - 226–27
- complaints and litigation 232–40
  - advice in dealing with
    - complaints 239
  - anaesthesia-related
    - complications 11
  - complainants' wishes 235
  - complaint management systems
    - 238
  - Coronial Service 236–37
  - distribution of medico-legal
    - claims 233
  - distribution of written
    - complaints 233
  - example 215–16
  - five most frequent written
    - complaints 234
  - General Medical Council
    - (GMC) 236
  - Independent Complaints
    - Advocacy Service (ICAS) 235
  - medical indemnity 238–40
  - NHS indemnity 238–40
  - NHS Litigation Authority
    - (NHSLA) 234–36, 237
  - NHS Trust services 236
  - Patient Advice and Liaison
    - Service (PALS) 235
  - proportion of anaesthetic
    - complaints 232–33
  - regional anaesthesia
    - complications 130–31
  - resolution of a complaint 237,
    - 238
  - settlements 18
  - see also* medico-legal issues; risk
    - factors for litigation
- complication management
  - see* management of
    - complications
- complications
  - defined 10
  - due to errors 10–11
  - evolving 13–14
  - impact of 11
  - litigation 11, 18
  - primary cause of 3
    - FCEs 1, 3
  - re-evaluation 21
- consent 201–08
  - children 208
  - disclosure of information
    - 203–04
  - ethical issues 205–06
  - issues with regional anaesthesia
    - 137
  - legal issues 201
  - management of complications
    - 211
  - medico-legal issues 201
  - obstetrics 92
  - in practice 206–08
  - validation 202
  - written vs. verbal 208
- contrast media, renal
  - complications 111
- contrast-induced nephropathy 112
- coroner's clot 32
- Coroner's Inquest 217–18
- Coronial Service 236–37
- corporate manslaughter 219–20
- corporate responsibility 8–9
- COSHH 9
- CPAP 27, 37
- cricoid pressure 36
- cricothyroidotomy 27
  - four techniques 41
- Critical Care Medicine, Surviving
  - Sepsis Campaign 199
- critical care unit 187–88
  - admission 188
  - and operating theatres 166
- critical incident
  - analysis 18–19
  - competencies 15
  - reporting 18
- Crown Prosecution Service 242–43
- crystalloids 78
- Cushing reflex 57
- cutaneous injury 125
- CVC insertion, arterial puncture
  - 126–27
- deafness 123–24
- deep vein thrombosis (DVT/PE)
  - 51–52
- definitions, equipment
  - malfunction 165–66
- delayed haemolytic transfusion
  - reaction 73
- delirium 101–04
  - emergence 103
  - ICU 103
  - prevention 103–04
- dementia 102
- dengue fever virus (DFV) 76
- dental trauma 39, 119–20
  - teeth 32
- department governance 7
- department responsibility 7–8
- diabetes mellitus 115
- diathermy ignition 41
- dibucaine number 184
- Difficult Airway Society (DAS)
  - guidelines 23
  - failed intubation guidelines 24
  - tracheal intubation 23–29
  - unanticipated difficult tracheal
    - intubation 30
- difficult facemask ventilation,
  - factors 29
- difficult intubation, indicators 29
- difficult laryngoscopy, defined 38–40
- disclosure of information 203–04
  - and consent 203–04
- doctor's duty of care 202

|   | Index | 251 |
|---|-------|-----|
| double lumen tubes (DLT) 40–41          |       |     |
| drug interactions 185                   |       |     |
| drug reactions 175–86                   |       |     |
| classification 175                      |       |     |
| drug-induced or idiopathic              |       |     |
| thrombocytopenia purpura 75             |       |     |
| drug-induced seizures 95                |       |     |
| duty                                    |       |     |
| breach of duty 224–23                   |       |     |
| core responsibilities of an             |       |     |
| anaesthetist 227                        |       |     |
| doctor's duty of care 202               |       |     |
| generic responsibilities of a           |       |     |
| doctor 225–27                           |       |     |
| dysphagia 24                            |       |     |
| dysrhythmias 62–64                      |       |     |
| air embolism 68                         |       |     |
| management 64                           |       |     |
| perioperative causes 54                 |       |     |
| prevention 63                           |       |     |
| dystonias 94                            |       |     |
| education 1–3                           |       |     |
| Medical Education, England              |       |     |
| (MEE) 2                                 |       |     |
| electromyographs (EMGs) 97              |       |     |
| electronic anaesthetic reporting        |       |     |
| form 19                                 |       |     |
| electronic switch selectors 169         |       |     |
| emergencies                             |       |     |
| airway fires 41–42                      |       |     |
| rescue techniques 41–42                 |       |     |
| can't intubate, can't ventilate         |       |     |
| (CICV) 14–15, 40, 217                   |       |     |
| Magpas Pre-Hospital                     |       |     |
| Emergency Medical Teams                 |       |     |
| 15, 16                                  |       |     |
| Emergency Action Checklists 15, 16      |       |     |
| Emergency Medical Retrieval             |       |     |
| Service, Scotland 15                    |       |     |
| emergency surgical airway 14            |       |     |
| endocrine complications 115–18          |       |     |
| endothelin inhibitor 67                 |       |     |
| endotracheal tube                       |       |     |
| disconnections 169                      |       |     |
| see also tracheal intubation            |       |     |
| enteral feeding, renal replacement      |       |     |
| therapy 198                             |       |     |
| Enterobacter spp 75                     |       |     |
| Entonox supply, pressures 167           |       |     |
| ephedrine 185                           |       |     |
| epidural anaesthesia 83                 |       |     |
| high epidural 147                       |       |     |
| labour 82                               |       |     |
| leg weakness 142                        |       |     |
| patient-controlled 82                   |       |     |
| re-siting 82                            |       |     |
| vertebral canal haematoma 86            |       |     |
| epilepsy 93–95                          |       |     |
| equipment failure prevention 173        |       |     |
| regional anaesthesia 172                |       |     |
| reporting associated incidents 172      |       |     |
| equipment malfunction 165–73            |       |     |
| contributory factors 173                |       |     |
| definitions 165–66                      |       |     |
| equipment monitoring 171–72             |       |     |
| errors 10–11                            |       |     |
| prevention strategy 1                   |       |     |
| ethical issues 210                      |       |     |
| consent 205–06                          |       |     |
| principles 211                          |       |     |
| etomidate 185                           |       |     |
| expert witness 241–47                   |       |     |
| definition 241                          |       |     |
| guidance by GMC 243–44                  |       |     |
| immunity from prosecution 246           |       |     |
| qualities 246                           |       |     |
| recommendations 247                     |       |     |
| regulation and advice 241–46            |       |     |
| Expect Witness Institute 245            |       |     |
| extubation 33                           |       |     |
| eye see ophthalmic RA                   |       |     |
| complications                           |       |     |
| facemask ventilation                    |       |     |
| difficult 29                            |       |     |
| difficulty, incidence of                |       |     |
| impossibility 29                        |       |     |
| trauma 37                               |       |     |
| FACTT trial 78                          |       |     |
| fasting guidelines 35                   |       |     |
| febrile non-haemolytic transfusion      |       |     |
| reaction 71–72                          |       |     |
| femoral venous catheterization 127      |       |     |
| fibreoptic intubation 29, 41            |       |     |
| attempted awake 28                      |       |     |
| finished consultant episodes            |       |     |
| (FCEs) 1, 3                             |       |     |
| and primary cause of                    |       |     |
| complications 4                         |       |     |
| fires                                   |       |     |
| airway emergencies 41–42                |       |     |
| surgical fires 41                       |       |     |
| tracheal intubation 41                  |       |     |
| fluid infusion 78–80                    |       |     |
| devices, problems 172                   |       |     |
| local adverse effects 78                |       |     |
| oedema 77                               |       |     |
| FOCUS (focused operative                |       |     |
| cardiovascular unified                  |       |     |
| systems) 20                             |       |     |
| foramen ovale 68                        |       |     |
| foreign bodies 31–32                    |       |     |
| in breathing system 169                 |       |     |
| foundation and specialist               |       |     |
| assessment tools 6                      |       |     |
| fresh frozen plasma (FFP) 74            |       |     |
| gastric rupture 41                      |       |     |
| General Medical Council (GMC)           |       |     |
| 243                                     |       |     |
| complaints and litigation 236           |       |     |
| doctors' assumptions 246                |       |     |
| <i>Good Medical Practice</i> (2006) 243 |       |     |
| referral 216–17                         |       |     |
| graft versus host disease (TR-          |       |     |
| GVHD), blood transfusion 74             |       |     |
| granulomas, vocal cords 40              |       |     |
| gum elastic bougies 39                  |       |     |
| H2 antagonists 36                       |       |     |
| haemorrhage 57–59                       |       |     |
| causative factors 58                    |       |     |
| management 58–59                        |       |     |
| prevention 58                           |       |     |
| pulmonary 52                            |       |     |
| recognition 58                          |       |     |
| retrobulbar 151                         |       |     |
| haemothorax 50–51                       |       |     |
| halothane, liver necrosis 184           |       |     |
| handover tools 8                        |       |     |
| Healthcare Error Proliferation          |       |     |
| Model (HEPM) 1                          |       |     |
| hearing loss 123–24                     |       |     |
| heart block 64                          |       |     |
| heparin 65                              |       |     |
| LMW, post-catheter removal 86           |       |     |
| hepatic complications 107–10            |       |     |
| anaesthesia-induced hepatitis           |       |     |
| 107–08                                  |       |     |
| Child-Turcotte-Pugh score 109           |       |     |
| de novo liver dysfunction 107           |       |     |
| investigation 108                       |       |     |
| management 109–10                       |       |     |
| MELD score 109                          |       |     |
| pre-existing disease 108                |       |     |
| risk prediction 108–09                  |       |     |
| see also liver dysfunction              |       |     |
| hepatitis, drug-induced 184             |       |     |
| hepatitis B 70, 76                      |       |     |
| blood exposure incidents                |       |     |
| 127–28                                  |       |     |
| incidence and seroconversion            |       |     |
| rates 128                               |       |     |
| hepatitis C 76                          |       |     |
| incidence and seroconversion            |       |     |
| rates 128                               |       |     |
| history of anaesthesia 10               |       |     |

| 252 | Index   |
|-----|---|
|     | <div>HIV infection/AIDS 76<ul style="list-style-type: none"><li>blood exposure incidents 127–28</li><li>incidence and seroconversion rates 128</li></ul></div> <div>HTLV 76</div> <div>11-beta-hydroxylase 185</div> <div>hyperchloraemic acidosis 79</div> <div>hypercoagulable state 80</div> <div>hyperglycaemia 98</div> <div>hyperkalaemia, blood transfusion 77</div> <div>hyperoxaemia 33</div> <div>hypertension<ul style="list-style-type: none"><li>intra-abdominal 112</li><li>rebound 57</li><li>response to laryngoscopy and intubation, obstetrics 90</li></ul></div> <div>hypertensive crisis 57<ul style="list-style-type: none"><li><i>see also</i> arterial hypertension</li></ul></div> <div>hyperthermia 98, 162–63<ul style="list-style-type: none"><li><i>see also</i> malignant hyperthermia</li></ul></div> <div>hyperthyroidism 116<ul style="list-style-type: none"><li>symptoms/signs 116</li></ul></div> <div>hyperventilation 98</div> <div>hypocapnoea 33</div> <div>hypoglossal nerve palsy 38</div> <div>hyponatraemia 78–79</div> <div>hypotension 54–57<ul style="list-style-type: none"><li>causative factors 55</li><li>defined 54</li><li>management 56</li><li>mechanisms 55</li><li>obstetrics 86</li><li>prevention 56</li><li>recognition 56</li><li>renal complications 112</li></ul></div> <div>hypothalamus 153</div> <div>hypothermia, inadvertent<ul style="list-style-type: none"><li>perioperative (IPH) 153, 155–56</li><li>active warming 161</li><li>blood transfusion 77</li><li>body morphology 155</li><li>cardiac complications 156</li><li>coagulation cascade 156</li><li>complications 156</li><li>general measures 160</li><li>haematological disorders 156</li><li>increased length of stay 157</li><li>intravenous fluid warming 160</li><li>passive insulation 161</li><li>pharmacological methods 160</li><li>pre-warming 159–60</li><li>prevention and treatment 159–62<ul style="list-style-type: none"><li>NICE guidelines 155, 158</li></ul></li><li>shivering 157</li><li>surgical site infections (SSI) 156–57</li><li>theatre temperature 156</li><li>tissue hypoxia 156</li></ul></div> <div>hypothermia, neuroprotection 98, 99</div> <div>hypothyroidism 116–17</div> <div>hypovolaemia, renal complications 111</div> <div>hypoxia and ischaemia 97–98, 99<ul style="list-style-type: none"><li>brain injury 31–33</li></ul></div> <div>ICU delirium 103<ul style="list-style-type: none"><li>screening 104</li></ul></div> <div>IgA deficiency 74</div> <div>iloprost 67</div> <div>immune transfusion reactions 71–73</div> <div>immunomodulation (TRIM), blood transfusion 75</div> <div>incident reporting 14</div> <div>Independent Complaints Advocacy Service (ICAS) 235</div> <div>induction agent 31</div> <div>infections<ul style="list-style-type: none"><li>platelets 76</li><li>surgical site infections (SSI) 156–57<ul style="list-style-type: none"><li><i>see also specific agents and disorders</i></li></ul></li></ul></div> <div>information<ul style="list-style-type: none"><li>communication 15, 206–07</li><li>disclosure 203–04</li><li>and consent 203–04</li></ul></div> <div>infusion devices, problems 172</div> <div>injury during anaesthesia 119–28<ul style="list-style-type: none"><li>cannulation injury 126–27<ul style="list-style-type: none"><li>resulting from airway management 120</li><li>vascular injury 126–27</li></ul></li></ul></div> <div>intermittent postoperative pressure ventilation (IPPV) 33</div> <div>internal jugular cannulation injury 127</div> <div>interthreshold range (ITR) 153, 154</div> <div>intradermal dilutional testing (IDT) 178</div> <div>intrathecal block, caudal block 150</div> <div>intravenous agents, IPH 156</div> <div>intravenous infusion devices 171</div> <div>intubation <i>see</i> tracheal intubation</div> <div>iron overload, blood transfusion 77</div> <div>Kidd or Rhesus systems 73<ul style="list-style-type: none"><li>knowledge 3–5</li></ul></div> <div>labour, inadequate analgesia 81–84<ul style="list-style-type: none"><li>CSE 82</li><li>management 82</li><li>opioids 82</li><li>second stage 88<ul style="list-style-type: none"><li>effect of regional anaesthesia 88</li></ul></li></ul></div> <div>laryngeal mask airway (LMA) 36–37<ul style="list-style-type: none"><li>incidence of minor morbidity 25</li><li><i>vs.</i> tracheal intubation 24</li></ul></div> <div>laryngeal tumour 27</div> <div>laryngoscopy<ul style="list-style-type: none"><li>direct, and tracheal intubation trauma 38–40</li><li>hypertensive response in obstetrics 90</li></ul></div> <div>laryngospasm 31</div> <div>laryngotracheal stenosis 40</div> <div>latent factors 19</div> <div>latex, anaphylaxis 176</div> <div>Lee Revised Cardiac Risk Index (RCRI) 60</div> <div>legal issues <i>see</i> medico-legal issues</div> <div>levobupivacaine, obstetrics 87</div> <div>lidocaine<ul style="list-style-type: none"><li>diagnostic bronchoscopy 28</li><li>obstetrics 32, 85</li><li>toxicity 28, 87</li></ul></div> <div>lingual tonsil 29</div> <div>lingular nerve palsy 38</div> <div>litigation <i>see</i> complaints and litigation</div> <div>liver dysfunction 107<ul style="list-style-type: none"><li>Child–Turcotte–Pugh score 109</li><li>end-stage liver disease score, model 109</li><li>laboratory investigations 109</li><li>MELD score, hepatic complications 109<ul style="list-style-type: none"><li><i>see also</i> hepatic complications</li></ul></li></ul></div> <div>liver necrosis, halothane 184</div> <div>local anaesthesia<ul style="list-style-type: none"><li>complications, direct cytotoxicity 131–32</li><li><i>see also</i> regional anaesthesia</li></ul></div> |

Cambridge University Press

978-1-107-00259-3 - Anaesthetic and Perioperative Complications

Edited by Kamen Valchanov, Stephen T. Webb and Jane Sturgess

Index

[More information](#)

- local anaesthetic systemic toxicity (LAST) 87, 132–37  
 cardiovascular toxicity 133  
 clinical features 133  
 CNS toxicity 133  
 prevention 133–34  
   maximum dose 133  
 logbook 6  
 long QT syndrome 63–64  
 lower oesophageal sphincter (LOS) 36  
 lungs  
   acute lung injury (ALI) 49–50  
   acute lung injury (TRALI),  
     transfusion-related 73–74  
   closing capacity (CC) 43  
   functional residual capacity (FRC) 43  
   oedema 77  
   residual volume (RV) 43  
 machines, monitoring 13  
 Magpas Pre-hospital Emergency  
   Medical Teams 15, 16  
 malignant hyperthermia 163, 179–81  
   causes 179  
   diagnosis 179–80  
   follow-up 180–81  
   management 180  
   pathogenesis 179  
   prevention 180  
 management of complications  
   10–17, 210–20  
   anticipating 5, 12  
   blame allocation 214–15  
   can't intubate, can't ventilate  
     emergency 14–15, 40, 217  
   clinical negligence claims 218  
   communication 15  
   complaint example 215–16  
   consent issues 211  
   Coroner's Inquest 217–18  
   corporate manslaughter  
     219–20  
   documentation 212–13  
   General Medical Council  
     referral 216–17  
   implications for hospital and  
     anaesthetist 215  
   incident investigation 213–14  
   individual manslaughter 220  
   information sources 214  
   informing the patient 212  
   involvement of external  
     statutory authority 216  
   manslaughter charges 219–20  
   media coverage 218  
   monitoring 12–13  
   patient follow-up 213  
   public enquiry 219  
   recognizing 12  
   serious untoward incident  
     investigation 217  
     timing 11  
   management systems 14  
 manslaughter 220  
   charges 219–20  
   and unlawful killing 226  
 mask ventilation, TIV 33  
 mast cell tryptase 178  
 mean arterial pressure (MAP) 115  
 medical ethics 210  
   consent 205–06  
   principles 211  
 medical paternalism 205  
 Medicines and Healthcare  
   Products Regulatory Agency  
   (MHRA) 165  
 medico-legal issues  
   awareness 100–04  
   blame 214–15  
   consent 201  
   obstetrics 91–92  
   *see also* complaints and  
     litigation  
 MELD score, liver dysfunction 109  
 meningitis 86  
   central neuraxial blockade  
     (CNB) 144  
 Mental Health Act 2005, capacity  
   208  
 mental status, perioperative  
   changes 100  
 metaraminol 185  
 methylprednisolone 97  
 midazolam, and muscle rigidity  
   185  
 Ministry of Justice  
   Civil Procedure Rules (CPR) 242  
   failure 246  
   duties of experts 242  
 monitoring  
   early management,  
     complications 12–13  
   equipment 171–72  
   *see also* temperature  
     measurement/monitoring  
 monoamine oxidase inhibitors  
   185–86  
 mortality, related to anaesthesia 10  
 motor evoked potentials  
   (MEPs) 97  
 muscle relaxants 100, 110  
   IPH 156  
   renal complications  
     110–11  
 muscle rigidity, opioids 185  
 muscular injury 125–26  
 myocardial infarction (MI) 59  
   prevention 60  
 myocardial ischaemia 59–61  
   biochemical markers 59–60  
   management 60–61  
   perioperative (PMI) 59  
   recognition 59–60  
 myoclonus 94  
 nasogastric tube insertion,  
   contraindications 36  
 nasotracheal intubation 40  
 National Audit Project of  
   the Royal College of  
   Anaesthetists (NAP3) 130  
   incidence of permanent harm  
     after CNB 138  
 National Patient Safety Agency  
   (NPSA) 14, 19, 165  
 National Reporting and Learning  
   System (NRLS) 19, 214  
 nausea and vomiting  
   hypotension 86  
   obstetrics 86  
 necessity, common law principle  
   207  
 neck, intravascular needle/  
   catheter placement 150  
 needle injuries 149  
 needlestick injury 127  
 negligence  
   claims 218  
   defined 223–24  
   manslaughter and unlawful  
     killing 226  
 nerve damage, obstetrics 84–86  
 neurapraxia 131  
 neuraxial drug complications  
   147–48  
   *see also* central neuraxial  
     blockade (CNB)  
 neuroleptic malignant syndrome  
   163  
 neurological complications 84–86,  
   93–105  
   cerebral hypoxia and ischaemia  
     97–98  
   obstetrics 84–86  
   seizures 93–95  
   stroke 95–97

Cambridge University Press

978-1-107-00259-3 - Anaesthetic and Perioperative Complications

Edited by Kamen Valchanov, Stephen T. Webb and Jane Sturgess

Index

[More information](#)

- neuromuscular blocking agents
  - (NMBAs) 176
  - opioid reactions 185
- neuropathic pain 105
- neuropaxia 38
- neuroprotection 98
- neurotomesis 131
- NHS Constitution 235
- NHS indemnity 238–40
- NHS Litigation Authority
  - (NHSLA) 234–36, 237
  - management of a complaint 237
  - receipt of a complaint 234–36
- NHS Trust services 236
- NICE guidelines, hypothermia 155, 158
- nifedipine 160
- nitric oxide, therapy 50
- nitric oxide donors 67
- nitrous oxide 33, 48, 68
  - gas supply, pressures 167
- non-interchangeable screw-threads (NIST) 167
- NSAIDs, renal complications 111
- obstetric palsies, nerve damage 84–85
- obstetrics 81–92
  - accidental dural puncture (ADP) 84
  - anaphylaxis 89–90
  - aspiration 88–89
  - caesarean section
    - awareness 89
    - complications of anaesthesia 88
    - inadequate analgesia 82–83
  - consent 92
  - failed intubation 88
  - high regional block 86–87
  - hypertensive response to laryngoscopy and intubation 90
  - hypotension 86
  - labour, inadequate analgesia 81–84
  - long-term back pain 88
  - maternal cardiac arrest 90
  - medico-legal issues 91–92
  - nausea and vomiting 86
  - nerve damage 84–86
    - arachnoiditis 85
    - cauda equina syndrome 85
    - incidence 85
    - needle/catheter trauma 85
  - opioids 84, 87
  - post-dural puncture headache (PDPH) 84
  - pressure ulceration 87
  - subdural block 87
  - transient neurological symptoms 85–86
  - vertebral canal abscess 86
  - vertebral canal haematoma 86
- oculocardiac reflex 64, 151
- oedema
  - following fluid infusion 77
  - see also* cerebral oedema; lungs, oedema
- oesophageal injury 120–21
  - rupture 36
- oesophageal intubation (OI) 31
  - capnography and frequency 31
  - extubation 31
  - unrecognized 12
- omeprazole 36
- operating theatres
  - and critical care 166
  - patient awareness to disrespectful conversation 101
- ophthalmic RA complications 150
  - bruising 150–51
  - chemosis 150
  - globe ischaemia 151
  - globe penetration 151–52
  - globe puncture 150
  - nerve/muscle damage 151
  - oculocardiac reflex 151
  - retrobulbar haemorrhage 151
- opioids 61, 185
  - morphine 148
  - muscle rigidity 185
- obstetrics 84, 87
- optic nerve damage 152
- organizational failures 20
- oropharyngeal airways (OPA), trauma 38
- overbody resistive heating 162
- oxygen administration 41
- oxygen demand, metabolic 54
- oxygen flush valve 169
- oxygen gas supply, pressures 167
- oxygen reservoir bag 169
- paravertebral blockade, epidural block 150
- parenteral nutrition, renal replacement therapy 198
- Patient Advice and Liaison Service (PALS) 235
- Paul Wynne Jones v Sue Kaney* [2010] 246
- perioperative period
  - airway problems, timing 25
  - renal injury
    - potential causes 193
    - reduction 193
- peripheral nerve blockade (PNB)
  - complications 148
  - infections 149
- peripheral nerve injury 121–22, 131–32, 148–49
  - investigation/management 149
  - prevention 148–49
- peroneal nerve injury 122
- pethidine 185
- phaeochromocytoma 118
- physiology of thermoregulation 153–54
- pleural cavity 50–51
  - lymph fluid 51
- pleural puncture 48
- pneumonia 45–46
- pneumothorax 47–49
  - barotrauma identification 48
  - causes of death 39
  - FiO<sub>2</sub> 49
  - iatrogenic 48–49
  - spontaneous 47
  - traumatic 47–48
- porphyrias 181–82
- positioning
  - AKI 113
  - neurological complications 93
- post-dural puncture headache (PDPH) 84, 147
- postoperative cognitive dysfunction (POCD) 104–05
- postoperative complications 187–98
  - see also specific headings*
- postoperative delirium (POD) 101–04
  - intervention 103
  - prevention 103–04
  - risk factors 102
- post-transfusion purpura (PTP) 75
- Postgraduate Medical Education Training Board (PMETB) 2
- pre-assessment 7
- pre-induction anaesthetic checklist 17
- pressure injury 124
- propofol 94



Cambridge University Press

978-1-107-00259-3 - Anaesthetic and Perioperative Complications

Edited by Kamen Valchanov, Stephen T. Webb and Jane Sturgess

Index

[More information](#)

- prostacyclin 67  
 pseudo-cholinesterase levels 183  
*Pseudomonas* spp 75  
 pulmonary embolism 51–52  
 pulmonary haemorrhage 52  
 pulmonary hypertension 66–67  
 pulmonary oedema 61–62  
   classification and causes 62–63  
   continuous positive airway pressure (CPAP) 62  
   management 62  
   negative pressure 32  
   PEEP 62–69  
   recognition 62  
 pulmonary vascular disorders 51–52  
  
 radial artery occlusion 126  
 radial nerve injury 122  
 radiocontrast media  
   contrast-induced nephropathy 112  
   renal complications 111  
 ranitidine 36  
 reactive airway disease 47  
 rebound hypertension 57  
 record keeping 14  
 recurrent laryngeal nerve  
   cuff pressure 40  
   palsy 38  
 red blood cell substitutes 80  
 refusal of treatment 206  
 regional anaesthesia complications 130–52  
   back pain 147–49  
   bleeding 136–37  
   cardiovascular toxicity 133  
   clinical features 133  
   consent issues 137  
   equipment failure 172  
   evidence-based protocol 135  
   frequency and severity 130  
   incremental dosing 134  
   injury secondary to insensate areas 136  
   litigation 130–31  
   local anaesthetic systemic toxicity (LAST) 87, 132–37  
   cardiovascular toxicity 133  
   clinical features 133  
   maximum dose 133  
   prevention 133–34  
   systemic toxicity 132–34  
 pathophysiology 131–32  
   ischaemia 132  
   mechanical damage 132  
  
   test dose 134  
   toxicity 87  
   treatment 134  
   use of less toxic local anaesthetic agents 134  
   wrong route errors 134–36  
   wrong-site/side 150  
   *see also* local anaesthetic systemic toxicity (LAST)  
 renal complications 110–15  
   AKIN criteria 114  
   contrast-induced nephropathy 112  
   critical care 192–95  
   direct factors 110–11  
   indirect factors 111–13  
   intra-operative 114  
   postoperative 111  
   prediction 110  
   prevention 114  
   radiocontrast media 111  
   recognition 113  
   RIFLE classification 113, 192  
   risk, injury, failure 192  
   treatment 114  
 renal dysfunction  
   causes 193  
   kidneys autoregulation 193  
 renal failure  
   pharmacological management 194  
   dopamine 194  
   fenoldopam mesylate 194  
   hypoalbuminaemia 194  
 renal replacement therapy 194–95  
   antibiotics 196  
   anticoagulation 195–96  
   blood product administration 197–98  
   dobutamine 197  
   fluid therapy 196  
   heparin 195  
   initial resuscitation 196  
   inotropic therapy 197  
   MAP target 197  
   nutritional complications 198  
   parenteral nutrition 198  
   platelets transfusion 197  
   sepsis 196–97  
   diagnosis and source identification 196  
   steroids 197  
   treatment goals 195  
   vasopressors 197  
 renal support 193–95  
  
 respiratory complications 43–52, 188–90  
   advanced respiratory support 188–90  
   basic support 188  
   continuous positive airway pressure (CPAP) 188  
   perioperative 44  
   respiratory depression 147–48  
 respiratory system blocks 149–50  
 resuscitation bags 8  
 retrobulbar haemorrhage 151  
 retropharyngeal abscess 38  
 retropharyngeal haematoma 40  
 RIFLE classification, renal complications 113, 192  
 right middle lobe syndrome 44  
 risk assessment 18–20, 201–08  
   active and latent failures 20  
   assessment tools 6  
 risk factors for litigation 221–30  
   Action against Medical Accidents (AvMA) 222  
   awareness during general anaesthesia 227–28  
   breach of duty 224  
   broader considerations 229  
   competence 226–27  
   core responsibilities of an anaesthetist 227  
   effectiveness vs. efficiency 225  
   generic responsibilities of a doctor 225–27  
   hypotension 227  
   invasive interventions 228–29  
   legal evaluation of a potential claim 222  
   negligence defined 223–24  
   manslaughter and unlawful killing 226  
   obstruction 227  
   professional standards 225  
   triggering factors 221–22  
   ultrasound guidance 225  
 risk identification/assessment 18–20  
 risk management 18–21  
 risk resolution 20–21  
 ropivacaine, obstetrics 87  
 Royal College of Anaesthetists (RCA) 245  
  
 Safe Anaesthesia Liaison Group (SALG) 19, 166  
 SaferSleep system 20



| 256 | Index   |
|-----|---|
|     | <div><div><div><div>safety<ul style="list-style-type: none"><li>corporate responsibility 8–9</li><li>department responsibility 7–8</li></ul></div><div><div>saline vs. albumin fluid evaluation (SAFE) study 78</div><div>SBAR 8<ul style="list-style-type: none"><li>handover tools 8</li></ul></div><div><div>scavenging systems 169</div><div>AGSS 170</div></div><div><div>sciatic nerve injury 122</div><div>Scotland, Emergency Medical Retrieval Service 15</div></div><div><div>sedation 28</div><div>seizures 93–95<ul style="list-style-type: none"><li>causes 94</li><li>drug-induced 95</li></ul></div></div><div><div>Selectatec interlocking system 171</div><div>self-determination 201, 206</div></div><div><div>sepsis<ul style="list-style-type: none"><li>blood transfusion-associated (TAS) 75</li><li>diagnosis and source identification 196</li><li>renal replacement therapy 196–97</li></ul></div><div>Serious Adverse Bloods Reactions and Events (SABRE) 71</div><div><div>Serious Hazards of Transfusion (SHOT) 71</div><div>annual report 72</div></div><div><div>serious untoward incident investigation 217</div><div>SHIFT 8</div></div><div><div><i>Sidaway v Board of Governors of Bethlem Royal Hospital</i> [1985] 201, 202, 203–04</div><div>sildenafil 67</div></div><div><div>simulation exercises 7, 15</div><div>sinus arrhythmias 64</div></div><div><div>Sjogren's syndrome 45</div><div>skeletal injury 126–28</div></div><div><div>Society of Expert Witnesses 245</div><div>somatosensory evoked potentials (SSEPs) 97</div></div><div><div>spinal anaesthesia<ul style="list-style-type: none"><li>caesarean section 83</li><li>combined spinal epidural injection (CSE) 82</li><li>high spinal 147</li></ul></div><div>spinal cord injury (SCI) 97</div><div>spinal cord ischaemia 138–40</div><div>spinal monitoring 97</div><div>spongiform encephalopathies 76</div><div>statins 61</div><div>stellate ganglion block 126</div></div></div><div><div>stroke 95–97<ul style="list-style-type: none"><li>causes 96</li><li>cerebral hypoperfusion 95</li><li>prevention 96–97</li><li>stroke 96–97</li></ul></div><div>subclavian cannulation injury 126</div><div>subdural block 147</div><div><div>succinylcholine apnoea 182–84</div><div>alleles 183</div><div>follow-up 184</div><div>management 184</div><div>pathogenesis 183</div></div><div><div>supervision failures 20</div><div>supraglottic airway (SGA) 29<ul style="list-style-type: none"><li>complications 38</li><li>trauma 38</li></ul></div></div><div><div>surgical fires 41</div><div>surgical stress response 112</div></div><div><div>Swiss cheese model 2</div><div>sympathomimetics 185</div></div><div><div>syringe labelling 20</div><div>systemic inflammatory response syndrome (SIRS) 49</div></div><div><div>temperature (body)<ul style="list-style-type: none"><li>complications 153–63</li><li>core temperature, drop<ul style="list-style-type: none"><li>following induction 154</li></ul></li><li>homeostasis, following induction 154</li><li>incidence of complications 153</li><li>variation, different sites 158</li></ul></div><div>temperature measurement/<ul style="list-style-type: none"><li>monitoring 155–56, 157–58</li><li>electronic digital oral thermometer 158</li><li>frequency 158</li><li>infrared aural thermometer 158</li><li>interthreshold range (ITR) 153, 154</li><li>invasive measurement 157</li><li>NICE guidelines 159</li><li>non-invasive measurement 158</li><li>pre-operative core temperature 155</li><li>site of measurement 157</li><li>temporal artery thermometer 158</li><li>variation, different sites 158</li></ul></div><div>temporo-mandibular joint (TMJ) injuries 39</div><div>thermoregulation 153–54<ul style="list-style-type: none"><li>physiology 153–54</li></ul></div><div>thiopentone 94</div><div><div>thoraco-abdominal aortic (TAAA) surgery, and SCI 97</div><div>throat pack 32</div></div><div><div>thrombocytopenia 58, 75</div><div>thrombocytopenic purpura, drug-induced or idiopathic 75</div></div><div><div>thrombolysis 66</div><div>thyroid storm 116, 163<ul style="list-style-type: none"><li>management 117</li></ul></div></div><div><div>total intravenous anaesthesia (TIV), and mask ventilation 33</div><div>trachea<ul style="list-style-type: none"><li>intrathoracic lesions 27</li><li>rupture 40</li></ul></div><div><div>tracheal intubation 24, 26, 27, 36–37</div><div>awareness at 33</div><div>complications 39</div><div>DAS guidelines 23–29</div><div>difficult intubation, indicators 29</div><div>disconnections 169</div><div>extubation 33</div><div>failed, obstetrics 88</div><div>fires 41</div><div>haemodynamic complications 40</div><div>hypertensive response in obstetrics 90</div><div>misplaced 31</div><div>prolonged 40</div><div>supraglottic airway 29</div></div><div><div>tracheostomy 27–27</div><div>for obstruction 40</div><div>percutaneous 41</div></div><div><div>training and clinical skills 6–7</div><div>transient ischaemic attack (TIA) 95</div></div><div><div>transoesophageal echocardiography (TOE) 121</div><div>turbinates, trauma 40</div></div><div><div>UK Register of Expert Witnesses 246</div><div>ulnar nerve injury 122</div></div><div><div>under-body circulating-water/ electrical mattresses 162</div><div>unidirectional valves 168</div><div>urapidil 160</div><div>urticarial transfusion reactions (UTRs) 75</div></div><div><div>vaporizers 171</div><div>vascular injury during anaesthesia 126–27</div><div>vasodilatation, inappropriate 192</div><div>vCJD cases 76</div></div></div></div></div><div data-bbox="44 2049 1131 2085" data-label="Page-Footer"><p>© in this web service Cambridge University Press <a href="http://www.cambridge.org">www.cambridge.org</a></p></div></div></div></div></div> |

|   |                                 |                                   |
|---|---------------------------------|-----------------------------------|
| venous air embolism 68                  | respiratory rate 189            | with DLT 41                       |
| venous thromboembolism 64–66            | settings 189                    | volatile anaesthetic agents 61    |
| deep vein thrombosis (DVT/<br>PE) 51–52 | tidal volume 189                | IPH 156                           |
| management 65–66                        | weaning from 190                | reactions to 184                  |
| prevention 64–65                        | vertebral canal abscess 86,     | renal complications 110           |
| recognition 65                          | 142–44                          |                                   |
| risk factors 65                         | vertebral canal haematoma 140   | warfarin 66                       |
| ventilation 170–71, 188–90              | obstetrics 86                   | warming <i>see</i> hypothermia,   |
| adverse effects 189–90                  | viral contamination 76          | inadvertent perioperative         |
| associated pneumonia (VAP) 46           | viruses, blood-borne viruses    | (IPH)                             |
| classification 189                      | (BBVs) 128, 130                 | West Nile virus (WNV) 76          |
| difficulty 28–29                        | visceral perforation, abdominal | wrist band, bar-coded             |
| inspiratory/expiratory ratio 189        | wall block 150                  | identification 73                 |
| PEEP 189                                | visual loss 122–23              |                                   |
|   | vocal cord injury 40            | <i>Yersinia enterocolitica</i> 75 |