

## Index

- 3*j*-coefficients, 406
  - orthogonality, 407
- 3*nj*-coefficients, 416
- 6*j*-coefficients, 409
- 9*j*-coefficients, 413
  - as a triple sum series, 415
  - as two-variable orthogonal polynomials, 414
  - orthogonality, 413
- A (in *A*-hypergeometric)
  - as matrix, 101
    - configuration matrix, 102
    - pointed, 106
  - as point set, 102
    - facet, 106
    - normal, 106
    - normalized volume, 106
    - positive cone, 106
    - primitive integral support function, 106
    - regular triangulation, 106
- (*A, β*) hypergeometric distribution, 118
  - normalizing constant, 118
  - partition function, 118
- A*-hypergeometric
  - D*-module, 102
  - ideal, 102, 115
  - initial ideal, 108
  - polynomial, 118
  - series, 107
    - in falling factorial form, 107
    - in gamma function form, 5, 108
  - system, 5, 102
- A*-multidegree, 115
- addition formula, 44
- admissible partial differential operator, 33
- affine
  - Dynkin diagram, 305, 308
  - Euclidean space, 301
  - linear endomorphism, 301
  - linear function, 302
    - gradient map, 302
    - nonisotropic, 302
  - affine root system, 7, 162, 266, 302
    - dual, 270
  - gradient root system, 303
  - irreducible, 303
    - basis, 304
    - chamber, 304
    - mixed type, 306
    - negative roots, 304
    - positive roots, 304
    - simple roots, 304
    - twisted type, 306
    - untwisted type, 306
  - nonreduced, 303
  - rank, 302
  - reduced, 303
  - reducible, 303
  - rescaling, 304
  - similarity, 303
    - classification, 306, 307
    - similarity transformation, 304
  - subsystem, 302
- affine toric ideal, 102
- affine Weyl group, 266, 302
  - extended, 269
    - dual, 270
    - reduced expression, 274
  - simple reflection, 304
- alternating polynomial, 322
- Appell biorthogonal polynomials
  - on simplex, 51
  - on triangle, 33
  - on unit ball, 48
  - on unit disk, 31
- Appell hypergeometric function, 3, 5, 80, 104
  - differential equations, 85
  - reduction formulas, 97
  - system, 85
- Askey scheme, 10
- Askey–Wilson integral, (*see q*-hypergeometric integral)
- Askey–Wilson polynomials, 262, 286
- asymptotically free, 234, 237

- basic hypergeometric series, (*see*  $q$ -hypergeometric series)
- Bernstein–Sato polynomial, 232
- Bernstein–Szegő weight function (of two variables), 41
- Bessel function
  - associated with root systems, 206
  - modified, 206
- beta integral, 10, 369
- Bethe ansatz method, 369, 376, 380, 383, 391
- Biedenharn–Elliott identity, 412
- binary coupling schemes, 411
- binomial coefficient, (*see*  $q$ -binomial coefficient), (*see* elliptic binomial coefficient)
- binomial theorem, *see also*  $q$ -binomial theorem
  - nonterminating, 1
- biorthogonal functions
  - elliptic, 10
  - elliptic  $BC_n$ -symmetric, 178
  - rational, 10
- biorthogonal polynomials, 11, *see also* Appell
  - biorthogonal polynomials
- block Jacobi matrix, 24
  - truncated, 26
- Bochner theorem (generalized), 10
- braid group, 265
  - double affine, 290
  - dual double affine, 292
  - duality anti-isomorphism, 292
  - extended affine, 272
- branching coefficient, 175
- Bruhat order, 276
- Calogero–Moser system, 234
- Cartan decomposition, 225
- Cartan matrix
  - affine, 266, 304
  - generalized, 265, 305
- Cartan subgroup, 225
- Catalan numbers, 331
  - $q, t$ -analogue, 331, 355
- Cauchy identity, 148, 180
- Cayley matrix, 105
- Cesàro mean, 59
- character
  - of finite group, 321
  - of symmetric group, 322
- characteristic ideal, 117
- characteristic variety, 117
- Charlier polynomials, 61
- Chebyshev polynomials, 30, 210
  - $A_2$ , 38
  - $A_d$ , 69
- Cherednik–Dunkl operator, 213
- Christoffel–Darboux formula, 29
- Christoffel function, 29
- circuit matrix, 93
- Clebsch–Gordan coefficients, 405
  - as  ${}_3F_2(1)$ , 406
  - orthogonality, 407
- completely integrable system
  - classical, 235
  - quantum, 234
- composition, 212, 350
  - diagram, (*see* Ferrers diagram)
- conformal blocks, 371, 376, 383
- connection matrix, 88
- constant term conjectures, 7, 144, 226
- contiguity relations, 4, 91, 114
- contiguous relations, 92
- continuous  $q$ -ultraspherical polynomials, 284, 385
- Coxeter diagram, 190
- Coxeter group, 188, 265, 304
  - Coxeter generator, 265, 304
  - fundamental degrees, 193
  - invariant polynomials, 193
  - length of an element, 189
  - primitive degrees, 193
  - simple reflection, 188, 265
- cross relations, 275
  - dual, 292
- cubature formula, 27
  - Gaussian, 27, 68, 69
- cycle (regularized), 83
- cycle type (of permutation), 322
- degenerate affine Hecke algebra, 223
  - Dunkl representation, 223
- Delta conjecture, 360
- diagonal harmonics, 330
- difference dynamical equation, 378
- difference Knizhnik–Zamolodchikov, (*see*  $qKZ$ )
- discriminant (of reduced root system), 189
- disk polynomials, 35
- distribution
  - generalized hypergeometric, 118
  - Poisson, 118
- divided difference, 56
- dominance order, 147, 213, 260, 261, 324
- double affine Hecke algebra, 291
  - dual intertwiners, 297
  - duality anti-isomorphism, 292
  - evaluation map, 293
  - intertwiners, 297
- double affine Weyl group, 291
- duality ( $\mathfrak{sl}(2), \mathfrak{sl}(2)$ ), 372, 373, 376, 387, 390
- Dunkl–Cherednik operator, 221
- Dunkl kernel, 205
  - asymptotics, 207
- Dunkl Laplacian, 46, 57, 195
- Dunkl operator, 46, 194, 231
  - trigonometric, 221, 231
- Dunkl transform, 208

Dyck path, 332, 356  
 bounce path, 356  
 dynamical equation, 372  
 dynamical symmetry algebra, 4

elementary symmetric polynomials, 67  
 elliptic binomial coefficient, 177  
 elliptic function, 160  
 elliptic hypergeometric integral, 6  
 $A_n$ , 163  
 $C_n$ , 163  
 beta, 8, 164, 165  
 mixed type, 164, 165  
 Selberg, 164, 165  
 type I, 8, 163  
 type II, 8, 163  
 elliptic hypergeometric integral transformation, 166  
 elliptic hypergeometric series, 1, 159  
 $A_n$ , 163  
 $C_n$ , 163  
 associated with root system, 9  
 elliptic hypergeometric series transformation, 171  
 Bailey, 171  
 Karlsson–Minton type, 173  
 elliptic hypergeometric summation, 169, 170  
 Frenkel–Turaev, 9  
 Jackson, 169, 170, 178  
 Karlsson–Minton type, 171  
 elliptic Jackson coefficient, 181  
 elliptic nome, 160  
 elliptic shifted factorial, 1, 161  
 indexed by partitions, 162  
 Euler–Koszul  
 complex, 116  
 homology, 116  
 Euler transformation, 138

fake exponent, 108  
 Favard-type theorem, 24, 25  
 Ferrers diagram, 161, 214, 315, 350  
 arm, 325, 350  
 augmented, 342, 350  
 coarm, 325  
 coleg, 325  
 filling, 342, 352  
 coinversion triple, 352  
 descent set, 342  
 inversion pair, 342  
 standardization, 343, 352  
 hook shape, 326  
 leg, 325, 350  
 skew shape, 317  
 Ferrers graph, (*see* Ferrers diagram)  
 Fourier orthogonal expansion, 28  
 partial sum, 29  
 Frobenius series, 322  
 bigraded, 329  
 Funk–Hecke formula, 44

gamma function, 2  
 basic, 2  
 elliptic, 2, 161  
 Gaudin model, 369  
 rational, 372  
 trigonometric, 378  
 Gauss hypergeometric, (*see* hypergeometric)  
 Gauss–Manin connection, 368, 374, 375, 379  
 Gaussian form, 197  
 Gegenbauer polynomials, 30, 210  
 generalized, 46, 57  
 generating function, 48, 49  
 Gröbner basis  
 reduced, 103  
 Gröbner cone, 108

$h$ -harmonics, 46, 57, 200  
 for  $\mathbb{R}^2$ , 210  
 $h$ -Laplacian, 195  
 Hahn polynomials, 61, 408  
 Hall–Littlewood polynomials, 319, 325  
 integral form, 325  
 modified, 347  
 Hall scalar product, 317  
 ( $q, t$ )-extension, 325  
 Hamiltonian  
 difference dynamical, 378, 380  
 dynamical, 372  
 elliptic Calogero–Moser, 382  
 Gaudin, 368, 372, 376  
 trigonometric dynamical, 387  
 trigonometric Gaudin, 380  
 Hankel transform, 209  
 Harish-Chandra  $c$ -function, 226  
 for general multiplicity parameters, 227  
 Harish-Chandra isomorphism, 236  
 harmonics, 323  
 Hartog’s theorem, 239  
 heat equation (generalized), 207  
 heat kernel (generalized), 207  
 hecatonicosahedroidal group, 192  
 Hecke algebra, 265  
 affine, 266  
 double affine, 291  
 extended affine, 272  
 basic representation, 272  
 Bernstein–Zelevinsky presentation, 275  
 Hermite polynomials, 30  
 Hilbert series, 322  
 bigraded, 329  
 holonomic rank, 115  
 hook length  
 generalized, 214  
 product, 214, 248, 250  
 hypergeometric equation  
 confluent, 392  
 Gauss, 4, 217, 224, 368, 393  
 hypergeometric function, *see also* hypergeometric series  
 $BC_n$ , 253

- Aomoto–Gel'fand, 113  
 Appell, 3, 5, 80, 104  
 associated with root system, 236, 239  
   as unique solution, 244  
   estimate, 246, 247  
   evaluation at  $e$ , 242  
   Fourier transform, 246  
   harmonic analysis, 246  
   missing Euler integral, 253  
   Paley–Wiener theorem, 247  
 confluent, 392  
 elliptic (solving the  $KZB$  heat equation), 383  
 for hyperplane arrangements, 105  
 Gauss, 3, 97, 103, 217, 392  
   Barnes integral representation, 390  
   Euler integral representation, 217, 253, 390  
 Horn, 3, 80  
 Lauricella, 49, 51, 80, 103  
 of matrix argument, 251  
    ${}_2F_1$ , 251  
 of type  $E(k, n)$ , 113  
 solving the  $KZ$  equation, 368, 374, 375, 380  
 solving the  $qKZ$  equation, 389  
 hypergeometric integral, 6  
   multidimensional Mellin–Barnes, 146, 395  
   Selberg, 7, 143  
   type I, 8  
   type II, 8  
 hypergeometric series, 1, 126, 159, *see also*  
   hypergeometric function  
    $A_n$ , 124  
    $C_n$ , 124  
   associated with root system, 9  
   bilateral, 126  
   of two variables, 3  
 hypergeometric summation  
   bilateral  ${}_5H_5$   
      $A_n$ , 134  
   Dixon, 200  
   Dougall's bilateral  ${}_2H_2$ , 132  
      $A_n$ , 132  
   Pfaff–Saalschütz ( $A_n$ ), 122  
 hypergeometric system  
    $E(k, n)$ , 113  
    $\Delta_k \times \Delta_{k'}$ , 102  
   Appell, 85  
   associated with root system, 224, 237  
     holonomic property, 241  
     regular singular property, 241  
     shift operator, 231  
    $GKZ$ , 102  
   Lauricella, 85, 109  
 hyperoctahedral group, 190, 261, 286  
  
 icosidodecahedron, 192  
 integrability condition, 88  
 integral representation  
   Barnes type, 84  
   Euler type, 82  
  
 interpolation function (elliptic), 174  
 interpolation polynomial (Macdonald  $BC_n$ ), 175  
 intersection form, 93  
 intersection number, 93  
 intertwining operator, 204  
 Iwasawa decomposition, 236  
  
 Jack functions, 249  
 Jack polynomials, 39, 249, 253  
    $C$ -normalized, 250  
   dual, 250  
   integral form, 349  
   nonsymmetric, 213  
 Jacobi polynomials, 30, 211  
    $A_2$ , 38  
    $A_{n-1}$ , 249  
    $BC_2$ , 36  
    $BC_n$ , 253  
   associated with root systems, 36, 225  
     as spherical functions, 226  
     nonsymmetric, 222, 225  
 Jacobi theta function, 382  
 Jacobi–Trudi identity, 318  
 Jordan–Pochhammer double loop, 83  
 Jucys graph, 417  
  
 Knizhnik–Zamolodchikov, (*see*  $KZ$ )  
 Knizhnik–Zamolodchikov–Bernard, (*see*  $KZB$ )  
 Koornwinder polynomials, 179, 274  
   symmetric, 262, 285  
 Kostka number, 317  
    $q$ -analogue, 318, 347  
    $(q, t)$ -analogue, 327  
   Schur coefficient, 319, 320, 347  
 Krawtchouk polynomials, 61  
 $KZ$  connection, 371  
   trigonometric, 240, 378  
 $KZ$  equation, 368, 371  
   solution by multidimensional contour integral, 368,  
     374, 375  
     master function, 368, 373  
     weight function, 368, 373  
   trigonometric, (*see* trigonometric  $KZ$  equation)  
 $KZ$  operators, 370  
   trigonometric, 377  
 $KZB$  connection, 381  
 $KZB$  equation, 381  
 $KZB$  heat equation, 381  
   solution by multidimensional contour integral, 382,  
     383  
   and modular group, 385  
   and Selberg integral, 384  
   elliptic master function, 382  
  
 Laguerre polynomials, 30, 201  
 Laplace–Beltrami operator, 45  
 Laurent monomial, 220

- Lauricella hypergeometric function, 49, 51, 80, 103  
contiguity relations, 91  
differential equations, 85  
Schwarz map, 96  
system, 85  
transformation formulas, 90
- Lie algebra (complex)  
\*-operation, 403  
real form, 403
- Lie algebra representation, 403  
completely reducible, 403  
irreducible, 403  
tensor product, 404  
unitary, 403
- LLT product, 335
- Macaulay2, 106
- Macdonald conjecture  
constant term, (*see* constant term conjectures)  
positivity, (*see* positivity conjecture)
- Macdonald–Koornwinder polynomials, 274  
initial data, 268  
dual, 270  
nonsymmetric, 277  
biorthogonality, 278  
duality, 294, 295  
evaluation, 295  
norm formula, 298  
normalized, 295  
polynomial Fourier transform, 296
- symmetric, 281  
evaluation, 299–301  
norm formula, 299–301  
normalized, 298  
orthogonality, 282
- Macdonald–Mehta conjecture, 232
- Macdonald–Mehta integral, 199
- Macdonald polynomials, 147, 175, 274  
nonsymmetric  $GL_n$ , 350, 352  
biorthogonality, 351  
combinatorial formula, 353  
integral form, 352
- symmetric  $GL_n$ , 261, 284, 325  
combinatorial formula, 348  
duality, 326, 331  
integral form, 326, 348  
modified, 329, 341
- Macdonald  $q$ -difference operator, 279
- Macdonald–Ruijsenaars  $q$ -difference operators, 283
- Markov basis, 103
- Markov process (càdlàg), 208
- Matsuo’s isomorphism, 241
- Maxwell’s representation, 44
- Mehler formula, 53
- Meixner polynomials, 61
- method of trees, 416
- moment functional, 21
- centrally symmetric, 25  
positive, 23  
positive definite, 22
- moment matrix, 21
- monodromy, 238  
group, 93, 117  
matrix, 93  
representation, 93
- monomial invariant function, 220  
for root system A, 260, 316  
for root system BC, 261, 286  
fundamental, 220
- multiplicity function, 193, 221, 265, 271
- multiplicity parameters, (*see* multiplicity function)
- $n!$  conjecture, 330
- nabla operator, 332
- Nassrallah–Rahman integral, 8
- order, *see also* partial order  
graded, 20  
graded lexicographic, 20  
graded reverse lexicographic, 103
- orthogonal group, 44
- orthogonal polynomials of complex variables, 35  
complex Hermite polynomials, 35  
disk polynomials, 35
- orthogonal polynomials of one variable  
Askey scheme, 10  
Askey–Wilson polynomials, 262, 286  
classical, 30  
Chebyshev, 30, 210  
Gegenbauer, 30, 210  
Hermite, 30  
Jacobi, 30, 211  
Laguerre, 30, 201
- classical discrete, 61  
Charlier, 61  
Hahn, 61, 408  
Krawtchouk, 61  
Meixner, 61  
generalized Hermite, 55  
 $q$ -Askey scheme, 10
- orthogonal polynomials of several variables, 11, 19  
 $A_d$ , 69  
biorthogonal basis, 11  
Christoffel–Darboux formula, 29  
Christoffel function, 29  
classical, 11  
classical discrete  
Hahn on parallelepiped, 63  
Hahn on simplex, 64  
Hahn on simplex-parallelepiped, 64  
Krawtchouk, 63  
Meixner, 62  
Racah, 66  
discrete, 61

- discrete product, 65
- Favard-type theorem, 24, 25
- for radial weight function, 72
- Gaussian cubature, 27
- monic basis, 11, 22, *see also* Appell biorthogonal polynomials
- monomial basis, (*see* monic basis)
- on classical domains
  - generalized Hermite, 54, 59
  - Hermite, 53, 61
  - Laguerre, 54, 59, 61
- limits between OPs on different domains, 59
- on simplex, 50, 58–60
- on sphere, 56, 59
- on unit ball, 47, 56, 58–60, 70
- orthogonal expansions, 59
- product Jacobi, 55, 60
- relations between OPs on different domains, 56
- orthogonal basis, 20
- orthogonality measure, 23
- orthonormal basis, 20
- recurrence relation, 26
- reproducing kernel, 28
- simple zeros, 26
- Sobolev, 70
- symmetrized products, 67
- three-term relation, 23
- weight function, 25
- with additional point masses, 71
- zeros, 26
- orthogonal polynomials of two variables, 29
  - $A_2$ , 38
  - $BC_2$ , 36
- antisymmetrized products, 37
- classical, 11
- constructed from one-variable polynomials, 40
- differential equation, 33
- discrete product orthogonal polynomials
  - Charlier–Charlier, 65
  - Charlier–Krawtchouk, 65
  - Charlier–Meixner, 65
  - Krawtchouk–Krawtchouk, 66
  - Meixner–Krawtchouk, 66
  - Meixner–Meixner, 65
- for Bernstein–Szegő weight function, 41
- for product Hermite weight function, 41
- for radial weight function, 41
- on parabolic domain, 40
- on triangle, 32, 40
- on unit disk, 31, 40, 41
- product Hermite–Laguerre polynomials, 31
- product Hermite polynomials, 30
- product Laguerre polynomials, 30
- product orthogonal polynomials, 30, 40
- symmetrized products, 37
- orthogonality measure, 19, 23
  - determinate, 23
- Paley–Wiener theorem, 247
- parabolic subgroup, 192
- parking function, 332
  - $(m, n)$ , 337
  - area statistic, 332
  - cars, 332
  - divv statistic, 332
- partial fraction decomposition, 126
- partial order
  - dominance, 147, 213, 260, 261, 286
  - on compositions, 213
  - on Macdonald–Koornwinder lattice, 277
  - on weight lattice, 220, 222
- partial sum, 29
- partition, 147, 161, 212, 315
  - conjugate, 161, 316
  - diagram, (*see* Ferrers diagram)
  - dominance order, 147, 324
  - length, 161, 315
  - staircase, 176
- Pieri rule, 318
- plethystic
  - brackets, 320
  - identities, 321
  - substitution, 320
- Pochhammer symbol, (*see* shifted factorial)
- Poincaré–Birkhoff–Witt property, 291
- Poisson distribution, 118
- Poisson kernel, 210
- Poisson summation kernel, 44
- polymake, 106
- positivity conjecture, 327
- power sum symmetric function, 149
- principal specialization formula, 176, 179
- $q$ -binomial coefficient, 127, 339
  - $A_n$ , 127
- $q$ -binomial theorem
  - nonterminating, 1, 127
    - $A_n$ , 123, 129
  - terminating, 127
    - $A_n$ , 128
- $q$ -hypergeometric integral, 6
  - Askey–Wilson, 144
    - $A_n$ , 144, 145
    - $C_n$ , 145
    - $G_2$ , 146
  - Nassrallah–Rahman, 8
    - type I, 8
    - type II, 8
- $q$ -hypergeometric series, 1, 126, 159
  - $A_n$ , 124
  - $C_n$ , 124
  - associated with root system, 9

- $q$ -hypergeometric series (Cont.)  
 base, 159  
 bilateral, 126  
 Karlsson–Minton type, 139  
 with Macdonald polynomial argument, 149  
   bilateral, 150  
   Euler transformation, 150  
   Heine transformation, 149  
    $q$ -binomial theorem, 149  
    $q$ -Gauss summation, 149  
    $q$ -Pfaff–Saalschütz summation, 150  
   Ramanujan's  ${}_1\psi_1$  summation, 151  
   Sears' transformation, 150
- $q$ -hypergeometric series transformation  
 Bailey's four-term, 140  
    $C_n$ , 141  
 Heine  ${}_2\phi_1$ , 138  
 multiterm, 140  
 $q$ -Euler, 138  
    $A_n \leftrightarrow A_m$ , 138  
 reduction for multilateral Karlsson–Minton  
    $A_n$ , 139  
    $C_n$ , 140  
 Sears, 139  
    $A_n \leftrightarrow A_m$ , 139  
 Watson nonterminating, 142  
    $A_n$ , 142  
 Watson terminating, 137  
    $A_n$ , 137  
    $C_n \leftrightarrow A_{n-1}$ , 137
- $q$ -hypergeometric summation  
 $A_n$ , 9  
 Bailey's very-well-poised  ${}_6\psi_6$ , 134  
    $A_n$ , 134, 135  
    $B_n^*$ , 135  
    $C_n$ , 135, 136  
 fundamental theorem of  $A_n$  series, 122  
 Jackson, 130  
    $A_n$ , 130  
 Pfaff–Saalschütz, 129  
 Ramanujan's  ${}_1\psi_1$ , 132  
    $A_n$ , 133  
 terminating  $A_n$   ${}_6\phi_5$ , 123  
 terminating balanced  ${}_3\phi_2$ , 129  
    $A_n$ , 129  
 terminating balanced very-well-poised  ${}_8\phi_7$ , 130  
 $q$ -shifted factorial, 1, 125, 278, 320  
 $qKZ$  connection, 386  
 $qKZ$  equation, 386  
   limit to  $KZ$  equation, 390  
   solution by multidimensional contour integral, 388,  
   389  
   master function, 388  
   weight function, 388  
 $qKZ$  operators, 386  
 quantized Knizhnik–Zamolodchikov, (*see*  $qKZ$ )  
 quasi-degree, 116
- quasisymmetric functions, 321  
 fundamental, 321
- $R$ -matrix (rational), 385  
 $r$ -matrix (trigonometric classical), 377  
 Racah coefficients, 409  
   as  ${}_4F_3(1)$ , 410  
   orthogonality, 409  
 Racah polynomials, 411  
 radical, 203  
 rank function, 212  
 rational Cherednik algebra, 204  
 reading word, 319, 332, 335, 337, 342, 347, 352  
 recurrence relation, 26  
 reducibility, 117  
 reflection, 188, 219  
   finite reflection group, 188  
   simple, 188, 220  
 Regge array, 407, 409  
 regular set, 204  
 reproducing kernel, 28, 44, 47, 50, 52, 56, 57, 72  
 resonant parameters, 117  
 ridge polynomials on unit disk, 32  
 Riemann scheme, 217, 218  
 Riemannian symmetric space, 225, 246  
 Riesz mean, 61  
 ring of symmetric functions, 147  
 Rodrigues-type formula, 31, 33, 49, 51  
 root system, *see also* affine root system, 188, 219  
   alternating polynomial, 189  
   chamber, 189  
   coroot lattice, 219  
   coroot system, 219  
   crystallographic condition, 189, 219  
   decomposable, 189  
   dihedral, 191  
   discriminant, 189  
   fundamental chamber, 189  
   indecomposable, 189  
   irreducible, 189  
   of various types, 190–192  
   positive roots, 188, 220  
   rank, 188  
   reduced, 188, 219  
   restricted  
     of noncompact real semisimple Lie group, 225  
   root lattice, 219  
   simple coroots, 220  
   simple roots, 188, 220  
   weight, 219  
   weight lattice, 219
- saturated set, 277  
 Schrödinger operator, 234  
 Schur functions, 69, 318  
 Schwarz map, 96

- Selberg integral, 7, 143, 369, 394  
 semi-standard Young tableau, (*see* SSYT)  
 semisimple Lie group, 225  
 shift operator, 231  
 shifted factorial, 1, 125, 250  
   elliptic, (*see* elliptic shifted factorial)  
   generalized, 214, 250  
    $q$ -, (*see*  $q$ -shifted factorial)  
 shuffle, 333  
 shuffle conjecture, 333  
   compositional, 336, 359  
   rational, 339  
 singular locus, 117  
 singular set, 204  
 $\mathfrak{sl}(2)$ , 370, 403  
   Casimir element, 370, 403  
 $\mathfrak{sl}(2)$ – $\mathfrak{sl}(2)$  duality, (*see* duality ( $\mathfrak{sl}(2)$ ,  $\mathfrak{sl}(2)$ ))  
 $\mathfrak{sl}(2)$ -module, 370  
   locally finite, 378  
   weight decomposition, 370  
   weight subspace, 370  
 Sobolev orthogonal polynomials, 70  
 spherical function  
   on compact Riemannian symmetric space, 225  
   on noncompact Riemannian symmetric space, 236  
 spherical  $h$ -harmonics, 46  
 spherical harmonics, 42  
   addition formula, 44  
   zonal, 44  
 spherical polar coordinates, 43  
 SSYT, 317  
   charge, 319  
   cocharge, 319, 347  
   horizontal strip, 318  
   Kostka number, 317  
   shape, 317  
   skew shape, 318  
   standard, (*see* SYT)  
   weight, 317  
 stair, 109  
 Steiner's hypocycloid, 38  
 $\mathfrak{su}(2)$ , 403  
   irreducible representations, 404  
   tensor product, 404  
 superpolynomial knot invariant, 339  
 symmetric functions, 315  
   completely homogeneous, 316  
   elementary, 316  
   power-sum, 316  
   ring of, 316  
     Hall scalar product, 317  
     involution, 317  
 symmetric polynomials, 315  
   ring of coinvariants, 323  
   ring of invariants, 323
- system of differential equations  
   local solution space, 86, 87, 89  
   Pfaffian system, 87  
   rank, 85  
   singular locus, 86  
   singular point, 86  
 SYT, 318  
   descent, 320
- Tesler matrix, 340  
 theta function (modified), 1, 161  
 three-term relation, 23  
   block Jacobi matrix, 24  
   commutativity conditions, 24  
 torus  
   complex, 219  
   real compact, 219  
   toric mirror, 220  
 transposition, 190  
 trigonometric dynamical equation, 387  
   limit to dynamical equation, 390  
   solution by multidimensional contour integral, 388, 389  
 trigonometric KZ equation  
   solution by multidimensional contour integral, 379  
   master function, 379  
 twisted period relations, 95
- Vandermonde determinant, 323, 329  
   type A, 128  
 Verma module, 370
- Weierstrass  $\wp$ -function, 382  
 weight (for root system), 219  
   dominant, 220  
   fundamental, 220  
   highest, 220  
   minuscule, 279  
   quasi-minuscule, 280  
   weight lattice, 219  
 weight function, 25  
   centrally symmetric, 25  
   radial, 41, 72  
    $S$ -symmetric, 56  
 well-poised Macdonald functions, 181  
 Weyl denominator, 9, 124  
   of affine root system, 9, 162  
 Weyl group, 189, 219, *see also* affine Weyl group,  
   double affine Weyl group  
   length of an element, 223  
   simple reflection, 220  
 Weyl vector, 221
- Yang–Baxter equation, 385
- Zernike polynomials, 36  
 zonal harmonic polynomial, 44