

Index

- abstract words, 272
- across-the-board generalization, 350–351
- affective content, 251–253
 - Affective Distributional Hypothesis, 251
 - centroid vector model, 252
 - emotion, 251
 - semantic orientation score, 252
 - sentiment embedding, 253
 - valence, 251
- algebraic hypothesis of human mind, 349–350
- amodal representation, 217
- analogical generalization, 350–351
- analogy, 182, 185
 - 3CosAdd, 184
 - 3CosMult, 184
 - offset method, 183–185
- parallelogram model, *see* offset method
- anisotropy, 336–337
- antonymy detection, 240–243
 - antonymy-specific embedding, 242
 - APAnt, 241
 - ATTRACT-REPEL, 242
 - counterfitting, 241
 - PairClass, 241
 - pattern-based approach, 240
 - Co-occurrence Hypothesis, 240
 - Polarity Inducing LSA, 242
 - SGNS with lexical contrast objective, 242
 - vector-based approach, 241–243
- artificial neural network, 21, 96, 140–141, 143–148
 - backpropagation, 147
 - feed-forward network, 144
 - gradient descent, 147–148
 - hyperparameters, 146
 - learning rate, 141, 148
- loss (cost) function, 147
 - categorial cross-entropy, 147
 - margin (ranking) loss, 147
- multi-layer perceptron, 145
- nonlinear activation functions, 145
- parameters, 146
- perceptron, 145
- softmax function, 146
- weight matrix, 144
- bag-of-words model, 44, 48, 115, 135
 - continuous bag-of-words, 155, 296
- black box representation, *see* distributed representation
- Bloomfield, Leonard, 5–7
- C-PHRASE, 163
- categorical representation, 217
- co-occurrence matrix, 48–50, 97
 - pair-by-pattern, 106, 112
 - term-document, *see* word-by-document
 - word-by-document, 19, 50, 101, 113
 - word-by-word, 50, 111, 123
- co-occurrence weighting function, 50–59
 - co-occurrence frequency, 50
 - conditional probability, 52
 - dynamic weighting scheme, 133
 - entropy, 57–59
 - log-likelihood ratios, 104
 - logarithmic transformation, 52
- Pearson correlation, 100
- pointwise mutual information (PMI), 53–55
- positive local mutual information (PLMI), 55
- positive pointwise mutual information (PPMI), 54

- t-test, 55
- tf-idf, 57–59
- co-occurrences, *see* linguistic context
- coercion, 293, 345
 - logical metonymy, 293, 345–347
 - probabilistic model, 345
 - thematic fit model, 346
- selectional polysemy, 293
- cognitive science, 18, 270–282,
 - behaviorist psychology, 14
 - blindness, 275
 - cognitive psychology, 15
 - concept, 18, 270–282
 - exemplar model, 324, 335
 - prototype model, 324, 341
 - embodied cognition, 271
 - embodiment, *see* grounding
 - estimating semantic similarity, 270
 - extrapolating normed data, 270
 - functional Magnetic Resonance Imaging (fMRI), 188, 279–281
 - generalized event knowledge, 339, 343, 345
 - grounding, 22
 - Chinese room argument, 262
 - cline of embodiment, 276
 - direct and indirect grounding, 274
 - linguistic embodiment hypothesis, 272
 - propagation of grounding, 276
 - reference problem, 268–269
 - symbol grounding problem, 262, 359
 - Symbol Interdependency Hypothesis, 273
 - ungrounded representation, 262
 - linguistic and sensory-motor experience, 18, 272–276
 - neurosemantic decoding, 279–282
 - representational pluralism, 272
 - semantic memory, 18, 270–282
 - semantic priming, 187
 - Syntactic Bootstrapping Hypothesis, 274
 - word associations, 14, 188
- cognitive semantics, 22
- collocation, 13, 53
- compositional distributional semantics, 285–353
 - extrinsic evaluation, 316–317
 - natural language inference (NLI), 316
 - intrinsic evaluation, 314–317
 - cross-level semantic similarity, 315–317
- phrase and sentence similarity, 315
- compositional DSM, 294–314
 - Distributional Functional Model (DFM), 302–307, 348
 - distributional function, 302
 - linear regression, 305
 - Matrix-Vector Recursive Neural Network (MV-RNN), 307–308, 348
 - Practical Lexical Function (PLF), 306–307
 - vector composition functions, 294–300
- compositionality, 285, 347–353
 - co-compositionality, 292
 - enriched composition, 293
- Fregean Compositionality, *see* Principle of Compositionality
- Principle of Compositionality, 286, 291, 302, 305, 308, 318, 347–353
- Conceptual Semantics, 215, 290
- conceptual space, 218
- connectionism, *see* artificial neural network
- connotative meaning, 251
- context-sensitive distributional representation, 318–339
 - contextual DSM, 325–339
 - exemplar DSM, 323–325
 - lexical substitution, 320
 - vector contextualization, 320–323
 - word similarity in context, 319–320
- contextual DSM, 96, 325–339, 351
 - BabyBERTa, 337
 - BART, 357
 - Bidirectional Encoder Representations from Transformers (BERT), 331–333
 - BERTology, 338
 - CLIP, 334
 - Contextual Vector (CoVe), 326
 - DALL-E, 360
 - DeBERTa, 334
 - DistilBERT, 337
 - ELECTRA, 334
 - Embeddings from Language Models (ELMo), 326–327
 - Generative Pre-trained Transformer (GPT), 330, 357
 - LaMDA, 361
 - mBERT, 334
 - Megatron-Turing NLG, 357
 - PaLM, 357
 - RoBERTa, 334
 - T5, 357
 - ViLBERT, 334

- XLM, 334
- XLNet, 334
- contextual hypothesis, *see* Distributional Hypothesis
- contextual representation, 16
- contextual view of meaning, 13, 15
- continuous representation, 219
- Convolutional Neural Network (CNN), 266, 310–311
- corpus
 - balanced corpus, 32
 - corpus annotation, 34–38
 - chunking, 37
 - lemmatization, 36
 - part-of-speech (POS) tagging, 36
 - syntactic parsing, 37–38
 - tokenization and normalization, 34–35
 - corpus selection, 31–34
 - corpus size, 32–34
 - corpus vocabulary, 38
 - diachronic corpus, 258
 - frequency distribution, 27–31
 - parallel and comparable corpus, 244
 - corpus linguistics, 12–14
 - cross-lingual DSM, 243–251
 - cross-lingual contextual DSM, 334
 - bilingual lexicon induction, 244
 - cross-lingual semantic similarity, 244
 - joint models, 248–251
 - BilBOWA, 249
 - BiSkip, 250
 - cross-lingual co-occurrence matrix, 248
 - cross-lingual neural DSM, 249–250
 - cross-lingual SGNS, 249–250
 - multilingual Topic Model, 248
 - pseudo-bilingual corpus, 250
 - Trans-gram, 250
 - mapping models, 244–248
 - canonical correlation analysis (CCA), 247
 - Cross-domain Similarity Local Scaling (CSLS), 246
 - orthogonal transformation, 246
 - regression, 245–246
 - seed bilingual lexicon, 247
 - cultural stereotype, 253
 - gender bias, 254
 - curse of dimensionality, 64
 - hubness, 64, 246
 - data sparseness, 30, 64–65, 105
 - datasets
 - Almuhareb-Poesio (AP), 181
 - BATS, 186
 - Battig (Battig-2010), 181
 - Bicknell et al. (2010) (Bicknell), 344
 - BIG-bench, 362
 - BLESS, 186
 - BrainBench, 188
 - CogniVal, 188
 - CoInCo, 320
 - CoNLL-2003 shared task, 194
 - CoSimLex, 320
 - DiffVec, 187
 - DTFit, 344
 - ESL, 177
 - ESPGame, 264
 - ESSLLI-2008, 181
 - EVALution (EVAL), 186
 - FAST, 188
 - Ferretti et al. (2001) (Ferretti), 344
 - GLUE, 317
 - GOOGLE, 182
 - Grefenstette and Sadrzadeh (2011) (GS2011), 315
 - HyperLex, 187
 - ImageNet, 266
 - Kartsaklis and Sadrzadeh (2014) (KS2014), 315
 - McRae et al. (1998) (McRae), 344
 - MEN, 180
 - Miller and Charles (MC), 178
 - Mitchell and Lapata (2008) (ML2008), 315
 - Mitchell and Lapata (2010) (ML2010), 315
 - Movie Reviews (MR), 194
 - MSR, 182
 - MTurk-287 (MTurk-771), 180
 - MultiNLI, 317
 - oLMpics, 338
 - Padó (2007) (Padó), 344
 - Rare Words (RW), 178
 - RELPRON, 315
 - Rubenstein and Goodenough (RG65), 178
 - SAT, 182
 - SCWS, 319
 - Semantic Priming Project, 188
 - SemEval 2007, 320
 - SemEval-2 2010, task 8, 194
 - SemEval-2012, 187
 - SentEval, 317
 - SICK, 316

- SimLex-999 (SL-999), 179
- SimVerb-3500 (SV-3500), 180
- SNLI, 195, 317
- SP-10K, 344
- Stanford IMDB, 195
- SuperGLUE, 317
- SWAG, 317
- TOEFL, 176
- TR9856, 180
- Turney (2012) (T2012), 315
- TWSI, 320
- USF, 188
- USim, 319
- Visa, 268
- Visual Genome, 264
- Wang et al. (2018) (Wang2018), 344
- WiC, 320
- WinoGrande, 317
- WordRep, 185
- WordSim-353 (WS-353), 180
- decompositional (componential) semantic model, 215–216
- deep learning, *see* artificial neural network
- denotative meaning, 251
- diachronic distributional semantics, 256–261
 - diachronic SGNS, 259
 - diachronic vector (embedding), 258
 - global measure of semantic change, 258
 - laws of semantic change, 261
 - local neighborhood distance, 258
 - offline (mapping) methods, 259–260
 - online methods, 259
 - semantic density, 260
 - Temporal Random Indexing (TRI), 259
 - vector alignment, 259–260
 - word sense change, 260–261
 - Topic Models (TMs), 260
- dimensionality reduction, 65
 - Non-negative Matrix Factorization (NMF), 76–77
 - Non-negative Tensor Factorization (NTF), 342
- Principle Component Analysis (PCA), 74–76
 - Hellinger PCA, 76
 - Random Projection, 128–130, 134–135
 - Singular Value Decomposition (SVD), 21, 67–73
 - inverse truncated SVD, 73, 337
 - truncated SVD, 69
- Discourse Representation Theory, 215, 352
- distant supervision, 253
- distributed representation, 219–221, 349–350
- Distributional Hypothesis, 3–16, 26
 - Strong Distributional Hypothesis, 18, 254, 271–276
 - Weak Distributional Hypothesis, 16, 271
- distributional representation, 26, 62
 - context-sensitive representation, 318–339
 - grounded distributional representation, 261–270
- distributional semantic model (DSM), 91–96
 - contextual DSM, 96, 325–339, 351
 - count models, 92
 - matrix models, 92, 97–125, 190
 - random encoding models, 94, 126–142, 191
 - cross-lingual DSM, 243–251
 - document DSM, 101, 113, 132, 192
 - exemplar DSM, 323–325, 333
 - hybrid DSM, 352
 - multi-prototype DSM, 225–226, 323, 336
 - multimodal DSM, 264–270
 - predict models, 96, 143–168, 191
 - static DSM, 96–168, 333, 338
 - syntax-based DSM, 103, 163, 191
 - window-based DSM, 98, 99, 132, 157, 191
- distributional similarity, 77
- distributional vector, 26, 61–67
 - explicit vector, 63–64
 - holistic vector, 185, 284, 301
 - implicit vector, *see* embedding
- instability, 212
- phrase and sentence vector, 285
- prototype vector, 340
- substitute vector, 324
- token vector, 96, 225, 324
- type vector, 63, 223, 336
- word-in-context vector, 320
- distributionalism, 4–10
- DSM evaluation, 171–189
 - extrinsic evaluation, 171, 188–189, 193–195
 - document sentiment classification, 195
 - natural language inference (NLI), 195
 - semantic relation classification, 194
 - sentence sentiment classification, 194
 - sequence labeling (POS tagging, chunking, and NER), 194
 - subjectivity classification, 195
 - intrinsic evaluation, 171, 176–188, 193
 - analogy tests, 182–186

- categorization tests, 181–182
- psycholinguistic tasks, 187–188
- relation tests, 186–187
- similarity and relatedness tests, 178–181
- synonym tests, 176–178
- efficiency, 94
- ELIZA, 361
- embedding
 - anisotropy, 336–337
 - pretrained embedding, 22, 154, 189, 333
 - sentence embedding, 308–309, 348, 351
 - word embedding, 21, 26, 64–67
 - contextual embedding, 21, 96, 226, 325–339
 - cross-lingual contextual embedding, 334
 - cross-lingual embedding, 243–251
 - diachronic embedding, 256–261
 - multimodal contextual embedding, 334
 - multimodal embedding, 264–270
 - static embedding, 96–168, 325–335
 - encoder-decoder model, 311–314, 327
 - explainability, 218
 - Extended Distributional Hypothesis, *see* Latent Relational Analysis
 - fairness, *see* word embedding debiasing
 - fast mapping, 267
 - feature, 22, 61
 - feature extraction, *see* dimensionality reduction
 - latent feature (dimension), 65–68, 113, 121
 - Firth, John R., 12–14
 - formal (model-theoretic) semantics, 23, 287–290, 352
 - denotation, *see* reference
 - extension, 234, 288
 - intension, 235, 288
 - logical form, 288, 352
 - model, 288
 - reference, 23
 - truth-conditions, 23, 287
 - Frame Semantics, 217, 290
 - Frege, Gottlob, 23, 286
 - function-argument structure, 286
 - function, 287, 350
 - function application, 287, 347
 - typed function application, 289
 - variable, 287, 350
 - Garvin, Paul L., 3, 19
 - Gated Recurrent Unit (GRU) network, 312
 - Generative Lexicon, 215, 293, 341, 345
 - Qualia Structure, 216, 345
 - grounded distributional representation, 261–270
 - denotational similarity, 264
 - experiential data, 263
 - perceptual vector, 263
 - Topic Models (TMs), 263
 - Harris, Zellig S., 4–8, 13–16, 19–21, 23
 - Hearst pattern, *see* lexico-syntactic pattern
 - hierarchical softmax, 154, 160
 - holistic representation, 221
 - hybrid DSM, 352
 - Structured Distributional Model (SDM), 352
 - hyponymy detection and prediction, 232–239
 - directional similarity measure, 233–235
 - APinc, 234
 - CL, 234
 - invCL, 234
 - WeedsPrec, 234
 - Distributional Inclusion Hypothesis (DIH), 233
 - graded entailment, 232
 - hyponymy-specific embedding, 237–239
 - HyperScore, 239
 - LEAR, 237
 - pattern-based models, 232–233
 - semantic generality, 235–236
 - SLQS, 235
 - supervised models, 236–237
 - lexical memorization, 237
 - vector combination, 236
 - incrementality, 94, 134, 365
 - information retrieval, 57, 173
 - Latent Semantic Indexing (LSI), *see* Latent Semantic Analysis (LSA)
 - Vector Space Model, 19–20, 48, 92, 97, 100, 113
 - interpretability, 218, 276, 337
 - Jakobson, Roman, 8–9
 - Johnson-Lindenstrauss lemma, 126–128
 - Kanerva, Pentti, 130
 - landmark method, 321

- latent semantic space, *see* latent feature (dimension)
- lexical ambiguity, 221
 - homonymy, 221
 - polysemy, 221, 293, 335
- lexical entailment, *see* hypernymy
- lexical semantic competence, 214
 - inferential competence, 261
 - referential competence, 261
- lexico-syntactic pattern, 105, 232
- linear algebra, 20
 - cosine, 82
 - covariance matrix, 74
 - eigenvalue, 74
 - eigenvector, 74
 - linear transformation (map), 74
 - orthogonal transformation, 246
 - matrix, 49
 - factorization, 67
 - orthogonal, 246
 - product, 68
 - transpose, 68
 - orthogonal decomposition, 83
- Procrustes problem, *see* orthogonal transformation
- tensor, 108, 303
 - tensor dimensionality reduction, 110
 - matricization, 110–111
- vector, 49
 - addition (sum), 294
 - centroid, 224
 - circular convolution, 136, 299
 - circular correlation, 137
 - difference, 123, 183–184
 - dot (inner) product, 68
 - elementwise multiplication, 297
 - length (Euclidean norm), 61
 - normalization, 81
 - parallelogram law, 183
 - projection, 83
 - tensor product, 298
 - vector-matrix multiplication, 74, 145
- vector space, 61
- linguistic context, 5, 38–48, 91–92
 - collocate, 13, 39
 - syntactic collocate, 44–46
 - window-based collocate, 40–44
 - construction, 46–47
 - context lexeme, 39
 - context selection, 59–60
 - context window, 40–43
- document, 47–48
- linguistic distribution, 5–8, 38
- Long Short-Term Memory network (LSTM), 311–312
 - bilSTM, 326
- meaning postulate, 216
- metaphor, 292
- metonymy, 292
- Miller, George A., 15–16
- Montague Semantics, 288–289, 302–304
 - rule-by-rule interpretation, 289
 - semantic type, 288
 - typed function application, 289
- Montague, Richard, 23, 288
- multi-prototype DSM, 225–226, 323, 336
 - multi-prototype similarity measure, 226
- multimodal DSM, 264–270
 - multimodal contextual DSM, 334
 - cross-modal mapping, 268
 - grounded visual attribute, 268
 - image dispersion, 276
 - image vector, 266
 - Bag-of-Visual-Words (BoVW), 266
 - Convolutional Neural Network (CNN), 266, 310–311
- Multimodal Skip-Gram (MMSG), 267
- multimodal vector (embedding), 265
 - visual semantic generality, 236
- multimodal representation, 220
- multiword expressions, 35, 300–302
 - compositionality prediction, 300–302
- nearest neighbor, 78
 - paradigmatic neighbor, 229
 - syntagmatic neighbor, 229
- negation, 243
- negative sampling, 160–161
- neural language model, 148–156, 326–333
 - autoregressive (causal) model, 330
 - bidirectional model, 331
 - denoising autoencoding, 268, 331
 - discriminative model, 154
 - masked language modeling, 331
 - masked multimodal learning, 334
 - multilingual masked language modeling, 334
 - multimodal alignment prediction, 334
- neurosemantic decoding, 279–282
- neural decoding mapping (decoder), 280
- voxel, 280
- one-hot vector, 130, 147, 149

- paradox of simultaneous difference and similarity, *see* antonymy
- Parallel Distributed Processing, *see* artificial neural network
- Plato's problem, 362
- probing task, 277, 317
- edge probing, 318
 - SemRole, 318
- productivity, 284, 347–353
- partial productivity, 351
- prompting, 338, 358
- relational semantic model, 216–217
- reporting bias, 273, 364
- representation degeneration problem, *see* anisotropy
- representation learning, 148, 358
- Representational Similarity Analysis (RSA), 205–206, 281
- second-order isomorphism, 206
- Rescorla-Wagner model, 167
- Sapir, Edward, 5
- Saussure, Ferdinand de, 8–10
- scalability, 94
- selectional preferences, 289, 293, 321, 339–345
- clustering, 340
 - exemplar model (EPP), 341
 - inverse preferences, 321, 341
 - multi-way selectional preferences, 342
 - neural models, 343
 - prototype model, 342
 - pseudo-disambiguation task, 343
 - selectional polysemy, 293
 - thematic fit, 339, 344
 - Topic Models (TMs), 342
- selectional restrictions, *see* selectional preferences
- self-similarity measure, 335
- self-supervised learning, 149, 326
- semantic change, *see* diachronic distributional semantics
- semantic differential, 15
- semantic feature, 10, 215, 276–278
- feature (property) norm, 219, 263
 - feature mapping, 277
 - semantic feature vector, 218
- semantic field, 10
- semantic network, 216
- semantic relation, 174
- detection (classification), 186, 230
- paradigmatic, 10, 19, 174, 229–243
- antonymy, 10, 174, 239–240
 - co-hyponymy, 10, 174, 231
 - hypernymy, 10, 174, 231–239
 - synonymy, 10, 174
- semantic role, 174, 216
- semantic similarity, 15, 172–176
- attributional (taxonomic) similarity, 172–173
 - cross-lingual similarity, 244
 - relational (analogical) similarity, 105, 172–173
- semantic relatedness, 173
- thematic relatedness, 173
- topical relatedness, 173
- semantic space, 15, 62
- semantic specialization, 237–239, 242
- semantic type, 288, 290, 339–340
- sentence embedding, 308–314, 348, 351
- Convolutional Neural Network (CNN), 310–311
 - encoder-decoder model, 311–314
 - autoencoder, 311
 - DisSent, 311
 - FastSent, 311
 - InferSent, 311
 - Paragram, 311
 - Sentence-BERT, 335
 - SkipThought, 313
 - Universal Sentence Encoder, 313
- Paragraph Vector (doc2vec), 309
- Sent2Vec, 310
- seq2seq model, *see* encoder-decoder model
- similarity, 91, 172, 350
- Simple Recurrent Network (SRN), 149–151, 311
- vanishing gradient, 311
- Sinclair, John M., 13
- singleton fallacy, 360
- sparse distributed memory, *see* Random Indexing (RI)
- static DSM, 96–168, 333, 338
- Bound Encoding of the Aggregate Language Environment (BEAGLE), 135–138
 - context2vec, 164
 - Correlated Occurrence Analogue to Lexical Semantics (COALS), 100
 - Dependency Vectors (DV), 103–104
 - Distributional Memory (DM), 107–113
 - weighted tuple, 108

- Explicit Semantic Analysis (ESA), 102
- FastText, 164–165
- GBOW, 163
- Global Vectors (GloVe), 122–124
 - probability ratio, 123
 - weighted regression, 124
- Hierarchical Log-BiLinear model (HLBL), 154
 - hierarchical softmax, 154
- High Dimensional Explorer (HiDEX), 100
- Hyperspace Analogue to Language (HAL), 99–100
- Latent Relational Analysis (LRA), 104–107
- Latent Semantic Analysis (LSA), 21, 100–103
- Log-BiLinear model (LBL), 153
- Neural Network Language Model (NNLM), 152
 - embedding layer, 152
- Random Indexing (RI), 130–135
 - RI with random permutations, 138–140
- Self-Organizing Maps (SOM), 140–142
- Topic Models (TMs), 113–122
 - Bayesian inference, 113
 - Latent Dirichlet Allocation (LDA), 115
 - latent topic, 113
 - probabilistic Latent Semantic Analysis (pLSA), 115
 - topic vector, 120–122
- vLBL and ivLBL, 155
 - noise-contrastive estimation, 155
- word2vec, 156–163
 - Continuous Bag-Of-Words (CBOW), 158–160
 - dynamic window, 162
 - hierarchical softmax, 160
 - Skip-Gram (SG), 157–158
 - Skip-Gram with Negative Sampling (SGNS), 160–161
 - subsampling, 163
 - word2vecf, 163
- stop words, 40
- structural linguistics, 5–10
- symbolic models, 215–218, 286–291, 349–350
- syntactic dependency, 37, 44, 103
- syntagmatic and paradigmatic relations, 9–10, 13–15
- systematicity, 349
- target lexemes, 38
- thesaurus, 19–20
- training corpus, *see* corpus
- transfer learning, 189, 333–334
 - cross-lingual transfer learning, 244
 - fine-tuning, 22, 333, 358
- pretrained embedding, 22, 154, 189, 333
 - pretrained feature, *see* pretrained embedding
- Transformer, 327–330
 - attention, 327–328
 - multi-head self-attention, 328–330
 - positional embedding, 328
- Turing test, 361
- usage-based theory, 11, 22, 340
- vagueness, 221, 292
- vector (dis)similarity measure, 77–87
 - cosine similarity, 81
 - Dice similarity, 85
 - Euclidean distance, 80
 - Jaccard measure, 85
 - Jensen-Shannon (JS) divergence, 87
 - Kullback-Leibler (KL) divergence, 86
 - Lin measure, 85
 - Manhattan distance, 80
- vector composition functions, 294–300, 348
 - additive model, 294–297
 - circular convolution, 298
 - multiplicative model, 297–298
 - tensor product, 298–300
- vector contextualization
 - combination with selectional preferences, 321–322
 - multi-prototype DSM, 323
- Topic Models (TMs), 322
- vector component re-weighting, 322
- word-in-context vector, 320
- weight-tying trick, 332, 337
- Wittgenstein, Ludwig, 11–12
 - language game, 12
- word embedding bias, 254–255
 - Word-Embedding Association Test (WEAT), 254
- word embedding debiasing, 255–256
 - learning debiased embeddings, 256
 - post-processing approach, 255
- word sense, 221–229, 335
 - context clustering, 224–227
 - context vector, 224

- multi-prototype DSM, 225–226, 323, 336
- sense vector (embedding), 224
- neighbor clustering, 227–229
 - Clustering by Committee (CBC), 227
 - graph-based clustering, 228
 - syntagmatically labeled partitioning, 228
- sense cluster, 224
- Topic Models (TMs), 226
- word sense disambiguation (WSD), 222
 - word sense induction (WSI), 223
- WordNet, 216
- zero-shot learning, 245, 269, 278, 280, 338, 358
- Zipf’s law, 28–31