

## Index

- $\varepsilon$ -neighborhood, 939
- $\sigma$ -additivity, 239
- $\sigma$ -algebra, 239, 344
  - cylinder set(s), 239, 538
- action, 44, 305, 520
  - mixed, 272
- affine
  - dependence, 917
  - independence, 917
- Akerlof, G. A., 368
- algorithm
  - computing the nucleolus, 815
  - men's courtship, 888, 890
  - women's courtship, 890, 891
- allocation, 703
- alternative, 856
  - efficient, 640
  - individually rational, 640
- Altman, E., 194
- Anscombe, F., 27, 321
- approval voting, 882
- Arrow, K., 31, 859
- Arrow–Pratt measure of risk aversion, 37
- assessment, 278
  - consistent, 278, 295, 296
  - sequentially rational, 296
- assumption
  - completeness, 27
  - rational player, 86
  - transitivity, 28
- auction
  - all-pay, 465
  - Dutch, 464
  - efficiency property, 484
  - efficient, 478
  - English, 464, 467, 470
  - first-price, 133, 412
    - with a reserve price, 486
  - open-bid, 462
    - ascending, 464, 467, 470
    - descending, 464, 468
  - sealed-bid, 412, 462, 466, 472, 478, 479
    - all-pay, 481
    - first-price, 465, 468, 472, 473, 475, 477, 480, 481, 486, 490, 492, 494, 496
    - second-price, 91, 465, 467, 469, 470, 473, 477, 489, 492, 494
    - third-price, 511
      - with a reserve price, 507
      - with entry fee, 482
    - second-price
      - with a reserve price, 507
      - with entry fee, 482
    - symmetric with independent private values, 471
    - Vickery, 465
      - with a reserve price, 465
      - with entry fee, 465
- Aumann, R. J., 27, 313, 321, 339, 367, 456, 531, 555, 590, 591, 607, 608, 735, 774, 798, 843
- Avenhaus, R., 194
- axiom, 14
  - utility
    - continuity, 17
    - independence, 18, 21
    - monotonicity, 17, 21
    - replacement, 18
    - simplification, 18, 21, 22, 29
    - von Neumann–Morgenstern, 76, 145, 441, 489
- axiomatic approach, 625, 858
- backward induction, 138, 257, 258, 260
- balanced collection of coalitions, 693, 816, 819, 821
  - weakly, 694, 821
- balanced cover, 708
- balancing coefficients, 693
  - weak, 694
- Banks, J. S., 284
- barycentric coordinates, 677, 920
- Bayes, T., 322
- Bayesian approach, 322
- belief, 392

- coherent, 445
- common, 393
- hierarchy
  - coherent, 445
  - order  $k$ , 442
- inconsistent, 367
- operator, 392
- player, 334, 387
- space, 387
  - of a player, 403
- subspace, 400
  - consistent, 416
  - minimal, 401
  - of a player, 403
- belief system
  - complete, 275
  - consistent, 399
  - partial, 273, 275
    - induced, 275
- Benoit, J. P., 531, 555
- best reply, 97
- bid, 465
- Billingsley, P., 448, 452, 456
- Biran, D., 194
- Bird, C. G., 678, 735
- Blackwell, D., 555, 569, 573, 579
- board position, 2
- Bohnenblust, H. F., 941
- Bollobás, B., 368
- Bondareva, O., 695, 701, 735
- Borda
  - Method, 875
  - ranking, 875
  - winner, 875
- Borda, J. C., 853
- Border, K. C., 916
- Bouton, C. L., 62
- Braess paradox, 140
- Braess, D., 128, 140
- Branch, J., 31
  
- Camerer, C., 284
- capacity, 724
  - cut, 728
- Cesa-Bianchi, N., 607
- chance move, 49, 50
- child, 44
- Cho, I. K., 284
- Claus, A., 678
- coalition, 660, 860
  - decisive, 860–2
  - essential, 738
  - excess, 802
  - inessential, 738
  - losing, 663, 764, 826
  - winning, 663, 764, 826
    - minimal, 680, 826
  - worth, 660
- coalitional structure, 673
- coloring, 925
  - proper, 925
- common
  - belief, 393
  - knowledge, 87, 304, 321, 331, 471
    - among players, 333
  - prior, 334, 416
- comprehensiveness, 644, 652
- condition
  - balancing, 696
  - Bondareva–Shapley, 696
  - coherency, 444
  - efficiency, 478
  - Slater, 213
- Condorcet, 28, 881
  - component, 876
  - Method, 875
  - paradox, 28
  - winner, 854
- Condorcet, M. C., 854
- consistency, 823
- consistent
  - belief subspace, 416
  - belief system, 399
  - distribution, 399, 416
  - state of the world, 399, 416
- convex
  - combination, 917
  - hull, 203, 917
  - set, 687, 808, 917
- Conway, J. B., 442, 456
- coordinates
  - barycentric, 920
- core, 767, 786, 789, 802, 813
  - $\varepsilon$ -core, 740, 847
  - for a coalitional structure, 732
  - least, 740
  - minimal, 847
- correspondence, 158, 939
  - graph, 939
  - upper semi-continuous, 316
- counterobjection, 785
- Cournot competition, 99, 358, 435, 561
- Cournot, A. A., 99
- covariance under strategic equivalence, 690

- cover
  - balanced, 708
  - monotonic, 684, 744
  - superadditive, 683, 732
  - totally balanced, 709, 740
- Curiel, I., 678
- cut, 728
  - capacity, 728
- Darwin, C., 101
- Davis, M., 735, 798, 844
- Dawkins, R., 187
- decision maker, 44, 601
- dictator, 828, 858, 864, 865
- Diekmann, A., 194
- direct market, 712
- discount factor, 543
- discounted
  - equilibrium, 544
  - payoff, 543
  - repeated game, 544
- distribution
  - consistent, 399, 416
  - probability, 239
- Dresher, M., 128
- Drèze, J. H., 735
- Dubey, P., 779
- Dubins, L. E., 905
- Dunford, N., 408, 452, 453, 456, 941
- dynamic programming, 258
- edge, 41
  - public, 746
- endowment, 703
- equilibrium
  - $\varepsilon$ -equilibrium, 541
  - Bayesian, 408, 469, 495
  - correlated, 300, 307, 384
    - strict, 317
  - discounted, 544
  - evolutionarily stable, 189
  - in completely mixed strategies, 267
  - in mixed strategies, 147
  - Nash, 95–7, 110, 118, 134, 138, 235, 254, 266, 278, 353, 528, 539
  - path, 252
  - payoff, 96, 528, 539
  - perfect, 262, 266, 267, 271, 275
    - extensive-form, 268, 269, 271, 280
    - strategic-form, 268
  - refinements, 251
  - sequential, 271, 275, 278, 280
- strategy
  - symmetric, 472
- strict, 132, 191
- subgame perfect, 252, 254, 257, 261–3, 269, 271, 555
- symmetric, 134, 203, 472, 475, 477
  - differentiable, 485
  - increasing, 480, 481, 489, 490
  - monotonically increasing, 474
  - strategy, 472
- uniform
  - for discounted games, 546
  - for finite games, 549
- uniform payoff
  - for discounted games, 546
  - for finite games, 549
- event, 325
  - occurrence, 325
  - public, 321
  - tail, 210
- excess, 787
  - coalition, 802
  - vector, 802
- extreme point, 312, 917
- Felsenthal, D. S., 774
- Ferguson, T. S., 555
- Fibich, G., 508
- Filar, J. A., 520, 555
- Fisher, I., 843
- fixed point, 936, 938, 939, 941
- Flood, M., 128
- flow, 725
  - game, 724, 726
  - magnitude, 725
  - maximal, 725
- folding, 257
- Ford, L. K., 728
- Forges, F., 243, 607
- forward induction, 121, 261
- Foster, D., 607
- free rider, 722
- Freedman, D. A., 905
- Fudenberg, D., 555, 607
- Fulkerson, D. R., 728
- function
  - bilinear, 148, 570, 944
  - characteristic, 660
  - choice
    - nonmanipulable, 882
  - coalitional, 660
  - concave, 26
  - convex, 26

- correspondence, 158
- cumulative distribution, 464
- density, 464
- differentiable, 485
- distance, 571
  - linear, 26
- measurable, 467, 495
- objective, 946
- payoff, 112
- potential, 780
- production, 703
- quasi-concave, 953
- set-valued, 158, 939
  - upper semi-continuous, 316
- social choice, 864
  - dictatorial, 865, 872, 873
  - majority rule, 865
  - manipulable, 871
  - monotonic, 865, 867, 872, 873, 882
  - nonmanipulable, 871, 872
  - unanimity, 865
- social welfare, 857
  - dictatorship, 858
  - independence of irrelevant alternatives, 859
  - majority rule, 858
  - monotonic, 878
  - unanimity, 859
- uniformly continuous, 936
- utility, 11, 14, 16
  - linear, 14, 19, 626
  - ordinal, 11
- Gaifman, H., 423
- Gale, D., 47, 885, 888, 905
- gamble, 27
- game
  - 0-monotonic, 683, 789, 822, 825
  - 0-normalization, 683, 822
  - 0-normalized, 822
  - 0-(−1) normalized, 670, 701
  - 0-0 normalized, 670, 700
  - 0-1 normalized, 670
  - $\varepsilon$ -perturbed, 264
  - Absent-Minded Driver, 225, 283
  - additive, 712, 775, 781
  - agent-form, 143, 354, 411
  - Airport, 777
  - Alternating Offers, 289, 562
  - And-Or, 65
  - balanced, 696
  - bargaining, 625, 650, 759
    - solution, 651
    - symmetric, 627, 651
  - Battle of the Sexes, 61, 98, 158, 301, 313
  - Big Match, 567
  - bimatrix, 78
  - buyer-seller, 737
  - carrier, 757, 769
  - Cartel, 561
  - Centipede, 61, 259, 260
  - chess, 1, 81, 114, 115
  - Chicken, 303, 305, 384, 531
  - Chomp, 47, 63
  - coalitional, 660
  - constant-sum, 826
  - convex, 717, 767, 794, 822
    - cost, 717, 780
  - cooperative, 659
  - coordination, 98, 117
  - cost, 661, 662, 671, 687
    - convex, 717, 780
  - cost-sharing, 667
  - Cournot, 99, 358, 435, 561
  - David Gale's, 47, 63
  - Davis–Maschler reduced, 768
  - depth, 240
  - derived from a market, 704
  - dictator, 828
  - dictatorship, 764
  - dual, 737, 776, 781
  - Electronic Mail, 380
  - exact, 738
  - extensive-form, 39, 41, 43, 50, 54, 82, 115, 118, 219, 251, 257, 267, 349
  - finite, 77
  - flow, 724, 726
  - form, 467
  - gloves, 690, 759, 799, 803
  - guessing, 139
  - Harsanyi, 347, 467
    - ex ante stage, 349
    - interim stage, 349
  - Hart–Mas–Colell reduced, 768
  - Hex, 64
  - homogeneous, 827
  - incomplete information
    - ex ante stage, 349
    - interim stage, 349
  - inessential, 712
  - Lemon Market, 379
  - location, 142
  - majority, 673, 764
    - simple, 690, 759
  - market, 665, 681, 696, 705, 800
  - Matching Pennies, 52, 63, 112, 113, 320, 322
  - matrix, 78

- game (*cont.*)  
 maximum, 778  
 minimum, 778  
 monotonic, 672, 763, 826  
 monotonic cover, 684, 744, 795  
 My Aunt and I, 846  
 Nim, 62, 63  
 normal-form, 77  
 on the unit square, 121, 138, 139  
 partnership, 139  
 perfect information, 115, 118  
 perfect recall, 525  
 Principal-Agent, 288  
 Prisoner's Dilemma, 88, 97, 128  
   repeated, 259, 260, 521, 523, 525–7, 537,  
   539–41  
 profit, 661  
 projective, 680, 826  
 property  
   Davis–Maschler converse reduced, 716  
   Davis–Maschler reduced, 716  
 reduced  
   Davis–Maschler, 715, 823  
   Hart–Mas-Colell, 823  
   strategic form, 80  
 repeated, 519  
   *T*-stage, 528  
   discounted, 544  
   infinite, 539  
   with vector payoffs, 572  
 road network, 777  
 Rock, Paper, Scissors, 74, 78, 193  
 Security Dilemma, 98  
 sequencing, 665  
 signaling, 298, 378  
 simple, 663, 763, 826  
   majority, 690, 759  
   strong, 826  
 situation, 2, 42  
   terminal, 4  
 spanning tree, 666, 679, 846  
 state, 346  
 strategic equivalence, 174  
 strategic-form, 75, 77, 82, 118, 219,  
   251  
 subgame, 4, 45, 55  
 superadditive, 671, 822  
   cover, 683  
 superadditive cover, 732  
 symmetric, 134, 203, 736  
 Tic-Tac-Toe, 59  
 totally balanced, 708  
 transferable utility, 660  
 tree, 4, 41, 43, 50, 54  
 Ultimatum, 285  
 unanimity, 764  
 value, 114  
 Volunteer's Dilemma, 203  
 weighted majority, 664, 826  
   quota, 664  
   weight, 664  
 with chance moves, 49, 50  
 with constraints, 213  
 with imperfect information, 52, 55  
 with incomplete information, 347, 407, 467,  
   469, 494  
 with perfect information, 44–6, 256, 257  
 with perfect recall, 232, 271, 280,  
   299  
 without nontrivial subgames, 254  
 without perfect information, 55  
 zero-sum, 110, 111, 138, 164, 174  
 Gavious, A., 508  
 Geanakoplos, J., 367, 368  
 Gibbard, A., 872  
 Gilboa, I., 309  
 Gillette, D., 555  
 Glazer, J., 284  
 Glicksberg, T. L., 941  
 Gossner, O., 555  
 Granot, D., 735  
 graph, 41, 721, 724  
   closed component, 406  
   connected component, 332  
   correspondence, 939  
   directed, 41  
   edge, 41  
   undirected, 721  
   vertex, 41  
 Gusfield, D., 892, 905  
 half-space, 308, 577, 740, 943  
 Halpern, J. Y., 368  
 Hannan, J., 607  
 Hardy, G. H., 551  
 Harris, C., 284  
 Harsanyi, J., 345, 355, 367, 368, 776  
 Hart, S., 607, 768, 774  
 Heifetz, A., 456  
 Hein, P., 64  
 hierarchy  
   belief  
     coherent, 445  
     order *k*, 442  
 history, 525  
 Hofbauer, J., 193

- Holt, C., 508  
 homeomorphism, 452  
 homogeneous  
   representation, 680  
   weights, 680  
 Hosokawa, Y., 128  
 Hou, T. F., 606  
 Huberman, G., 735  
 Hurwicz, L., 508  
 hyperplane, 577, 579, 943  
   separating, 578, 943  
   strictly separating, 944
- imperfect information, 180  
 imputation, 674  
   set, 805  
 incentives, 508  
 independence  
   affine, 917  
   linear, 918  
 index  
   Arrow–Pratt risk aversion, 655  
   Shapley–Shubik power, 763  
 individual, 856  
 inequality  
   Cauchy–Schwartz, 571  
   Markov, 582, 608  
   triangle, 571  
 information  
   perfect, 44, 45  
   set, 52, 54, 55  
   preceding, 247  
 initial endowment, 681  
 initial position, 42  
 inner product, 570, 943  
 Irving, R. W., 892, 905  
 Isbell, J. R., 843  
 iterated elimination of strictly dominated  
   strategies, 88
- Kahan, J. P., 783  
 Kakutani, S., 938–9  
 Kalai, E., 642, 645, 648, 735  
 Kameda, H., 128  
 Kaminski, M. M., 843  
 Kaplan, T., 508  
 Karlin, S., 941  
 Kihlstrom, R. E., 653  
 Kleitman, D. J., 678  
 Klemperer, P., 508  
 Knaster, B., 941  
 knowledge  
   common, 87, 304, 321, 331  
   among players, 333  
   operator, 325, 327  
 Kohlberg, E., 260, 284, 607, 821, 843  
 Kolmogorov’s 0-1 Law, 210  
 Kopelowitz, A., 843  
 Korevaar, J., 555  
 Krasucki, P., 367  
 Kreps, D. M., 284  
 Kripke, S., 327, 367  
 Krishna, V., 508, 531, 555  
 Kuhn, H., 118, 232, 950  
 Kuratowski, K., 408, 941
- lattice, 898  
 leaf, 42  
 Lebrun, B., 508  
 Ledoux, A., 128  
 Lehrer, E., 194, 313, 555, 606–8  
 lemma  
   Farkas, 955  
   Sperner, 926  
 Lensberg, T., 652  
 Levine, D., 607  
 Lewis, D. K., 367  
 lexicographic order, 803  
 Liggett, T. M., 555  
 limit  
   inverse, 450  
   projective, 450  
 limited monotonicity, 649  
 linear  
   independence, 918  
   program, 946  
   constraints, 946  
   dual, 946, 948  
   primal, 946, 948  
   programming, 164, 215, 701, 815, 945  
   utility function, 14  
 Lippman, S. A., 555  
 Littlewood, J. E., 551  
 lottery, 13  
   compound, 14  
   simple, 15  
 lower envelope, 153  
 Luce, R. D., 30, 641  
 Lugosi, G., 607
- Ma, A., 284  
 Machover, M., 774  
 Mailath, G. J., 555  
 Mannor, S., 607  
 marginal contribution, 779  
 market, 703

- Marschak, J., 31  
 Mas-Colell, A., 607, 768, 774  
 Maschler, M., 194, 555, 590, 591, 607, 608, 653, 735, 783, 798, 843, 844  
 Maskin, E., 508, 555  
 matching, 884, 886, 898, 901, 904  
   polygamous, 903  
   problem, 886, 901  
   stable, 887, 901, 904  
 matrix game, 78  
 maximum, 897  
 maxmin  
   mixed strategies, 176  
   strategy, 103, 113  
   value, 102, 103, 112, 113  
 Maynard Smith, J., 186, 193  
 Mazurkiewicz, S., 941  
 McKelvey, R. D., 367  
 mechanism  
   design, 492  
   selling, 493, 496  
     direct, 495–502, 504, 507  
     incentive compatible, 495, 496, 498–504, 507  
     individually rational, 500–2, 504  
     optimal, 501  
 Megiddo, N., 555  
 Mertens, J. F., 260, 284, 423, 456  
 Milgrom, P. R., 423, 463, 508  
 Milnor, J. W., 735  
 minimum, 898  
 minmax  
   mixed strategies, 177, 183  
   strategy, 113  
   value, 113, 529  
 mixed extension, 147  
 model  
   Aumann model of incomplete information, 323  
     with beliefs, 334, 387, 388, 416, 422  
   Harsanyi model of incomplete information, 345, 348, 349, 350, 388, 422  
 Monderer, D., 367, 423  
 monopoly, 509  
 Morgenstern, O., 13, 678, 843  
 Mycielski, J., 47, 258  
 Myerson, R. B., 496, 508  
  
 Nagel, R., 128  
 Nash  
   agreement point, 630  
   equilibrium, 95–7, 110, 118, 134, 138, 235, 254, 266, 278, 353, 528, 539  
   product, 631  
     solution, 630, 635, 641  
 Nash, J., 31, 64, 96, 117, 128, 151, 622, 627  
 Neyman, A., 520, 555, 607, 774  
 norm, 570  
   maximum, 531, 546  
   sup, 936  
 normative approach, 858  
 nucleolus, 804, 805, 809, 811  
   characterization, 816  
   computation, 815  
   for a coalitional structure, 805–7, 809, 813  
   relative to a set, 804  
  
 O'Neill, B., 745  
 objection, 785, 887, 901, 904  
   counterobjection, 785  
   justified, 786  
 operator  
   belief, 392  
   knowledge, 325, 327  
 Orshan, G., 842  
 outcome, 13, 43, 50, 54  
  
 Page, T., 367  
 paradox  
   Braess, 128  
   Condorcet, 28  
 Pareto optimum, 627  
 Pareto, V., 627  
 Parikh, R., 367  
 partition, 43, 323, 673  
   meet, 334  
 path, 41  
   cyclic, 41  
   end points, 41  
   length, 41  
 payoff, 112, 408  
   average, 572  
   discounted, 543  
   equilibrium, 528, 539  
     uniform for discounted games, 546  
     uniform for finite games, 549  
   function, 112  
   relevant parameter, 346  
 Pederzoli, G., 678  
 Peleg, B., 194, 735, 798, 843, 844  
 perfect recall, 232  
 Perles, M. A., 653  
 Piccione, M., 243  
 play, 2

- player, 43, 660  
 belief, 334, 387  
 dummy, 752, 845  
 knowledge, 325  
 null, 736, 750, 811  
 pivot, 764  
 rational, 86  
 risk averse, 23–5, 37, 488, 489, 492, 655  
 risk neutral, 23–5, 471, 489  
 risk seeking, 23–5, 489  
 symmetric players, 736, 749, 810  
 value, 749  
 veto, 737, 800
- point  
 accumulation, 209  
 agreement  
 Kalai–Smorodinsky, 648  
 Nash, 630  
 conflict, 625  
 disagreement, 623–5, 627, 650, 651  
 efficient, 627  
 weakly, 627  
 extreme, 151, 312, 917  
 fixed, 166, 167, 169, 170, 936  
 individually rational, 630  
 saddle, 117, 118  
 solution, 673  
 utopia, 643
- Polemarchakis, H. M., 367, 368
- polytope, 170, 308, 687, 740, 830
- Pratt, J., 31
- preference  
 profile, 857  
 relation, 10, 14, 857, 886  
 anti-symmetric, 31  
 symmetric, 31  
 single-peaked, 874  
 strict, 857  
 two-leveled, 882
- preimputation  
 set, 805
- prenucleolus, 805, 809, 811  
 for a coalitional structure, 805, 807, 809, 813
- Price, G. R., 186
- principle  
 approachability, 607, 613  
 consistency, 835, 836  
 efficiency, 624  
 indifference, 159  
 one-stage deviation, 287, 299  
 revelation, 496  
 stability, 95
- sure-thing, 33  
 symmetry, 624  
 trembling hand, 90, 263, 275, 277
- prize, 13
- probability  
 subjective, 26
- probability distribution, 239
- problem  
 bankruptcy, 745, 833, 843  
 corporate, 851  
 bargaining, 85  
 decision problem, 112  
 with experts, 601  
 flow, 724  
 matching, 886, 901  
 polygamous, 903
- producer, 703
- profit, 464
- profitable deviation, 96
- property  
 additivity, 751, 754, 755  
 anonymity, 652  
 consistency, 651, 652  
 covariance under changes in the units of measurement, 628  
 covariance under multiplication by a constant, 629  
 covariance under positive affine transformations, 629, 630, 632, 633, 640, 641, 651, 652  
 covariance under strategic equivalence, 750, 771, 810  
 covariance under translations, 628  
 Davis–Maschler converse reduced game, 716  
 Davis–Maschler reduced game, 716, 823  
 efficiency, 92, 627, 630, 632, 633, 640, 641, 645, 648, 651–4, 754, 755, 758, 761, 771  
 weak, 628  
 full monotonicity, 643, 645  
 homogeneity, 644, 645  
 independence of irrelevant alternatives, 630, 632, 633, 640, 641, 643, 651, 654, 859, 861, 869, 873  
 independence of units of measurement, 644, 648, 649, 653, 654  
 individual rationality  
 strict, 644, 645  
 limited monotonicity, 643, 648  
 marginality, 760, 761  
 monotonicity of marginal contributions, 760



- property (*cont.*)  
 nondictatorship, 859  
 nonmanipulability, 495  
 null player, 750, 754, 755, 758, 761  
 strong symmetry, 736  
 symmetry, 627, 630, 632, 633, 640, 641, 645,  
 648, 651–4, 750, 754, 755, 758, 761,  
 771  
 unanimity, 859, 861–3, 865, 869, 873  
 valuation, 779  
 public event, 321
- quadratic programming, 165  
 quota, 664, 826
- Raiffa, H., 30, 641  
 Ramey, G., 284  
 random variable, 464  
 Rapoport, A., 783  
 rationality, 260  
 rationalizability, 90, 95  
 recommendation, 305  
 region  
   feasible, 946  
 relation  
   acyclic, 791  
   anti-symmetric, 31  
   asymmetric, 886  
   binary, 10  
   complete, 10, 803, 886  
   continuous, 803  
   equivalence, 669  
   indifference, 10, 897  
   irreflexive, 886  
   lexicographic, 803  
   ordering  
     irreflexive, 897  
     partial, 897  
     transitive, 897  
   preference, 10, 857, 886  
     weak, 10  
   reflexive, 10, 669, 803  
   symmetric, 31  
   symmetry, 669  
   transitive, 10, 669, 803, 886  
 Reny, P., 284, 508  
 representation, 826  
   homogeneous, 827  
   normalized, 827  
 Riley, J., 508  
 risk  
   aversion, 23–5  
     Arrow–Pratt, 37  
     neutrality, 23–5  
     seeking, 23–5  
   risk aversion, 37  
 Roberts, J., 423  
 Robson, A., 284  
 root, 42  
 Rosenthal, R., 61  
 Roth, A. E., 653, 905  
 Rothschild, M., 31  
 Rubinstein, A., 243, 284, 368, 555  
 Rustichini, A., 607  
 Ryll-Nardzewski, C., 408
- Samet, D., 367, 423, 456  
 Samuelson, L., 555  
 Satterthwaite, M., 872  
 Savage, L., 26, 31, 321  
 Schauder, J., 941  
 Schmeidler, D., 653, 735, 801  
 Schuster, K., 844  
 Schwartz, J. T., 408, 452, 453, 456, 941  
 Sebenius, J., 367, 368  
 security level, 103  
 Sela, A., 508  
 Selten, R., 29, 90, 128, 253, 284, 844  
 sequential rationality, 274  
 set  
   *B*-Set, 579  
   approachable, 573  
   bargaining, 813  
   closed, 405, 566  
   convex, 687, 808, 917  
   convex hull, 917  
   cylinder, 538  
   decision vertices, 43  
   excludable, 573  
   feasible payoffs, 531  
   histories in stage  $t$ , 601  
   imputation, 805  
   individually rational payoffs, 530  
   information, 52, 54, 55  
   measurable, 387  
   of alternatives, 625, 650  
   open, 405  
   partially ordered, 898  
   preimputation, 805  
   relatively open, 344  
   solution, 654, 673  
   weakly approachable, 606  
   weakly excludable, 606  
   Weber, 720  
 Shapley value, 85, 755, 812, 823,  
 842

- Shapley, L. S., 194, 531, 555, 637, 678, 695, 701, 705, 708, 717, 735, 748, 754, 774, 844, 885, 888
- Shapley–Shubik power index, 764
- Shiryayev, A. N., 453
- Shubik, M., 678, 705, 708, 735
- Sigmund, K., 193
- Simon, R. S., 354, 607
- simple majority rule, 858
- simplex, 146, 920
  - boundary, 921
  - diameter, 929
  - face, 921
  - perfectly colored, 926
  - simplicial partition, 921
    - diameter, 930
  - standard, 935
  - subsimplex, 921
- sink, 724
- situation
  - Aumann
    - incomplete information, 324
    - incomplete information with beliefs, 337
- Slater condition, 213
- Smorodinsky, M., 642, 648
- Sobel, J., 284
- Sobolev, A. I., 842
- Solan, E., 194, 607, 608
- solution, 88, 626, 638, 833
  - bargaining game, 651
  - concept, 624
    - efficient, 749
    - linear, 770
    - single-valued, 749
  - consistent, 843
  - containers, 837
  - dominant strategies, 88
  - Hart–Mas–Colell consistent, 770, 771
  - Kalai–Smorodinsky, 648, 657
  - Nash, 630, 635, 641
  - optimal, 946
  - point, 673
  - Rabbi Nathan, 836
  - reasonable, 737
  - set, 673
  - standard, 811
  - utilitarian, 640
- Solymosi, T., 798
- Sorin, S., 423, 520, 555, 607
- Sotomayer, M. A. O., 905
- source, 721, 724
- space
  - belief, 387
  - belief hierarchies, 445
    - coherent, 445
  - half-space, 308
  - Hausdorff, 453, 460
  - measurable, 239, 344, 387, 493
  - topological, 405
  - type, 394
  - universal belief, 453
  - universal type, 450
- Spież, S., 607
- Spinat, X., 606
- state
  - game, 346
  - of mind, 450
  - of nature, 323, 346, 453, 600
  - of the world, 323, 453
    - consistent, 399, 416
- status quo
  - line, 639
  - region, 639
- Stearns, R. E., 797
- Stiglitz, J., 31
- Stoltz, G., 607
- strategic equivalence, 174, 668, 670, 690
- strategy, 2, 45, 56, 305, 525, 601
  - approaching, 573
  - behavior, 219, 221, 278, 408, 525, 538, 572
    - completely mixed, 256
  - best reply, 97
  - completely mixed, 161, 256, 276, 278
  - dominated, 95
  - equalizing, 198
  - equivalent, 223
  - evolutionarily stable, 189
  - finite memory, 563
  - Grim-Trigger, 538, 563
  - guaranteeing, 198, 592
  - guaranteeing at least a draw, 3, 5, 46
  - maxmin, 103
  - measurable, 467
  - mixed, 144, 146, 352, 525, 576
  - no-regret, 602, 619
  - optimal, 114, 592
  - punishment, 529
    - vector, 529
  - pure, 146, 219, 257, 351, 467, 495, 525, 538
  - reduced, 59
  - stationary, 587
  - strictly dominant, 86
  - strictly dominated, 86, 110
  - symmetric equilibrium
    - monotonically increasing, 474
  - threshold, 363

- strategy (*cont.*)  
 Tit-for-Tat, 564  
 vector, 45, 526  
   mixed/behavior, 222  
   rational, 90, 276  
   sequentially rational, 276  
 weakly dominant, 90, 469  
 weakly dominated, 90, 265  
   by a mixed strategy, 196, 292  
   winning, 3, 5, 46–8  
 subgame, 4, 45, 55  
 subspace  
   belief, 400  
 subtree, 4  
 Sudhölter, P., 798, 843  
 support, 203, 206, 925  
 supporting line, 635, 653  
 Suslin, M., 345  
 system  
   spanning tree, 721, 745
- Tamir, A., 678, 735  
 Tauman, Y., 194  
 terminal point, 42  
 theorem  
   Arrow, 859, 870, 873  
   Bondareva–Shapley, 701  
   Brouwer’s Fixed Point, 166, 935, 936, 941, 953  
   Duality, 215, 817, 818  
   envelope, 484, 485  
   fixed point, 166, 916  
   Folk, 531, 539, 545, 549  
   Ford–Fulkerson, 728  
   Gibbard–Satterthwaite, 872  
   Hardy–Littlewood, 551  
   Kakutani’s Fixed Point, 214, 939, 941, 953  
   KKM, 941, 953  
   Kohlberg, 821, 823, 824  
   Kolmogorov extension, 453  
   Kuhn, 118, 525  
   Minmax, 151, 699  
   Nash, 192  
   Nash equilibrium, 151  
   Revenue Equivalence, 474, 478, 479, 492, 497  
   Riesz representation, 441, 442  
   Separating Hyperplane, 944  
   Shapley–Shubik, 705  
   Strong Duality, 949  
   Tychonoff, 452  
   von Neumann, 46, 49, 59, 63, 215  
   Weak Duality, 949  
 Thompson, F. B., 84
- tight system, 816  
 Tijs, S., 678  
 Tomala, T., 555  
 topology  
   weak-\*, 441  
 Toruńczyk, H., 607  
 totally balanced cover, 709  
 transformation  
   affine, 22  
 tree, 4, 42  
   game, 4, 41, 43, 50, 54  
   root, 42  
   subtree, 4  
 trembling hand, 90  
 Tucker, A., 128  
 type, 394, 450, 467  
   space, 394  
   universal type space, 450
- upper envelope, 154, 485  
 utility  
   function, 11, 14, 16  
   linear, 14, 19  
   ordinal, 11  
   von Neumann–Morgenstern, 14  
 utility theory, 489, 569
- value, 114, 137  
   Banzhaf, 780  
   common, 462  
   in behavior strategies, 238  
   in mixed strategies, 147, 151  
   information, 180  
   maxmin, 102, 103, 112, 113  
     mixed strategies, 176  
   minmax, 113, 529  
     mixed strategies, 177, 183  
   private, 91, 462, 466, 471, 500  
   Shapley, 755, 812  
   uniform  
     for finite games, 565, 592  
 van Damme, E., 284  
 van Rijswijck, J., 64  
 van Zandt, T., 423  
 Vanderbei, R. J., 950  
 Vassilakis, S., 367  
 vector  
   coalitionally rational, 687  
   division, 833  
   efficient, 674  
   excess, 802  
   feasible, 946  
   imputation, 674

- incidence, 816
- individually rational, 674
- payoff, 674
- perturbation, 264
- socially rational, 674
- strategy, 45
  - rational, 90, 276
- unit, 918
- vertex, 41, 721
  - chance, 252
  - child, 4, 44
  - decision, 43
  - depth, 240
  - descendant, 4
  - initial, 721
  - leaf, 4, 42
  - root, 4, 42
  - terminal point, 42
- Vickrey, W., 469, 508
- Vieille, N., 607
- Viossat, Y., 194, 313
- Vives, X., 423
- Vohra, R. V., 607
- von Neumann, J., xxiii, 13, 46, 151, 678, 843
- von Neumann–Morgenstern
  - Axioms, 14
- von Stengel, B., 194, 243
- Vrieze, K., 520, 555
- Weber, R. J., 463, 508, 735
- Weigelt, K., 284
- weight, 664, 826
  - homogeneous, 680
- Wilson, R. B., 284
- Wolfstetter, E., 509
- Young, H. P., 761
- Zamir, S., 194, 367, 423, 456, 508, 593, 607, 608
- Zeeman, E. C., 193
- Zemel, E., 309, 735