

Index

- acceleration, 32
 - angular, 30
 - Coriolis, 36
 - of one point moving on a rigid body, 35
 - partial, 57
 - and partial velocities, 60
 - of two points fixed on a rigid body, 34
- action and reaction, law of, 108
- addition theorem for angular velocities, 28
- amplification factor, 464
- amplitude, 460
 - steady-state, 461
- angles
 - body-three, 6, 321, 337, 483, 488
 - body-two, 6, 321, 337, 339, 483, 488
 - orientation, 6, 317, 336
 - space-three, 321, 337, 339, 483, 488
 - space-two, 321, 337, 483, 488
- angular acceleration, 30
 - partial, 57
 - scalar, 31
- angular momentum, 79, 228, 254, 385
 - central, 27, 79, 266, 385, 417, 437, 451
 - principle of, 228, 255
- angular speed, 24
- angular velocity, 19, 20
 - addition theorem for, 28
 - definition of, 20
 - and direction cosines, 334
 - and Euler parameters, 341
 - holonomic partial, 51
 - matrix, 334
 - nonholonomic partial, 51
 - and orientation angles, 336
 - partial, 39, 51
 - simple, 24, 25
 - simplification of expressions for, 47
 - and Wiener-Milenković parameters, 345
- antenna, 308
- approximations, 292
- astatic center, 391
- astronomical reference frame, 192
- attitude, 247, 361
- auxiliary reference frames, 28
- axis of rotation, 306
- balancing, static, 68
- ball-and-socket joint, 374
- beams, elastic, 396
- beats, 462
- bevel gear, 366, 397
- binormal, vector, 357
- body-three angles, 6, 321, 337, 483, 488
- body-two angles, 6, 321, 337, 339, 483, 488
- bouncing, 237
- bound vector, 100
- buoyancy forces, 410
- Cartesian coordinates, 39
- cavity, spherical, 247, 397
- central angular momentum, 27, 79, 266, 385, 417, 437, 451
- central axis, 390, 391
- central inertia dyadic, 80, 81
- central inertia scalars, 81, 401
- central principal axes, 87
- central principal moments of inertia, 87
- central principal planes, 87
- central principal radii of gyration, 87
- centroid, 70
- characteristic equation, 88, 469
- checking function, 246
- circular frequency, 289, 460
- circular orbit, 247, 360
- circular wire, 406
- closed-form solutions, 261
- coefficient
 - inertia, 182, 419
 - of kinetic friction, 122, 231
 - of restitution, 230
 - of static friction, 122, 230
- collisions
 - inelastic, 230
 - perfectly elastic, 230
- component of a vector, 8
- cone
 - right-circular, 217, 368
 - truncated, 366
- configuration, 39

- configuration constraints, 39
- conservation
 - of angular momentum, 228
 - of energy, 228
 - of mechanical energy, 244
 - principle of, 228, 244
- constant
 - damping, 116, 249, 398
 - gravitational, 103, 454
 - spring, 111, 174, 435
- constraint equations
 - holonomic, 39, 136
 - nonholonomic, 48, 240
 - linear, 48, 138
 - nonlinear, 55, 140
 - rheonomic, 40
 - scleronomic, 40
- constraint forces, 134, 142, 277
 - identification of, 135, 143
- constraint torques, 142, 277
 - identification of, 143
- contact forces, 109
- continuation method, 285
- contributing interaction forces, 116
- contributions, potential energy, 173, 418
- control laws, 447
- coordinates
 - Cartesian, 39
 - curvilinear, 64
 - cyclic, 255
 - generalized (*see* generalized coordinates)
 - ignorable, 255, 442
 - normal, 291
 - orthogonal curvilinear, 64
 - pseudo-generalized, 395, 434
- Coriolis acceleration, 36
- Coulomb friction forces, 122
- couple, 104
 - simple, 104
 - torque of, 104
- coupling, dynamic, 419
- critical damping, fraction of, 289
- critically damped free vibrations, 458
- cube, 415
- curvature, principal radius of, 357
- curvilinear coordinates, 64
 - orthogonal, 64
- cyclic coordinates, 255
- cylinder, 407, 425
 - and piston, 407, 425
- damped harmonically forced vibrations, 460
- damper
 - magnetic, 247
 - nutating, 266
 - viscous fluid, 116, 247, 397, 428
- damping constant, 116, 249, 398
- damping factor, 284
- damping, critical, 289
- dashpot, 266, 415
- degrees of freedom, 48, 56
- derivative
 - first, 9
 - notation for, 12
 - ordinary, 10, 14–17
 - of products, 13
 - representations of, 11
 - second, 14
 - of sums, 13
 - total, 15
- differential equations
 - dynamical, 240
 - kinematical, 45, 240, 339, 360, 488
 - linear, 289
 - of motion, 265
 - numerical integration of, 265
- differentiation
 - ordinary, 13
 - successive, 14, 15
 - of sums, 13
 - in two reference frames, 27
 - of vectors, 1
- direction cosine matrix, 2, 3, 309, 316, 327, 334, 346, 384, 483
- direction cosines, 2, 309
 - angular velocity and, 334
- disk, sharp-edged circular, 48, 140, 392
- displacement amplification factor, 464
- dissipation functions, 178, 415, 416
- distance forces, 109
- door, 22
- double pendulum, 116, 372
- dyadic, 77
 - central inertia, 80, 81
 - inertia, 78–81
 - scalar postmultiplication of, 78
 - scalar premultiplication of, 77
 - symmetric, 252
 - time derivative of, 252, 385
 - unit, 78, 307
 - zero, 252
- dynamic coupling, 419
- dynamical differential equations, 240
- dynamical equations, 191, 424
 - additional, 202
 - Euler’s, 427
 - Kane’s, 191
 - linearization of, 205
- eigenvalues of a symmetric matrix, 89, 290
- eigenvectors of a symmetric matrix, 89, 290
- ellipsoid, inertia, 97, 388
- energy
 - conservation of, 228

- kinetic (*see* kinetic energy)
- mechanical, 244
 - conservation of, 244
- potential, 163, 214
- energy integrals, 243, 441
- engine, reciprocating, 425
- equivalence, 105, 147
- Euclidean norm, 284
- Euler parameters, 326
 - angular velocity and, 341
- Euler rotation, 306
- Euler theorem on rotations, 328
- Euler vector, 326
- Euler’s dynamical equations, 427
- Euler’s first law, 427, 451
- Euler’s second law, 427, 451
- exact closed-form solutions, 261
- extension of a spring, 174
- feedback control laws, 447
- first derivatives, 9
- fluid damper, viscous, 116, 247, 397, 428
- force amplification factor, 464
- forces
 - acting on a rigid body, 113
 - buoyancy, 410
 - constraint, 134, 142, 277
 - contact, 109
 - contributing interaction, 116
 - Coulomb friction, 122
 - distance, 109
 - gravitational, 412
 - inertia, 128, 129
 - generalized (*see* generalized inertia forces)
 - noncontributing, 148, 158
 - terrestrial gravitational, 118
- forcing function, 289
- formulation of equations of motion, 191
- Foucault pendulum, 192, 206
- fraction of critical damping, 289
- free vector, 100
- free vibrations (*see* vibrations)
- freedom, degrees of, 48, 56
- frequency
 - circular, 289, 460
 - natural, 289
- friction, coefficients of, 122, 230, 231
- gains, 447
- gear, 366
 - bevel, 366, 397
 - pinion, 398
 - reduction, 397
 - train, 225
- generalized active forces, 109
 - contribution of a rigid body to, 113
 - holonomic, 109
 - nonholonomic, 110
- generalized coordinates, 42
 - number of, 44, 374
- generalized impulse, 223, 437
- generalized inertia forces
 - contribution of a rigid body to, 129, 401
 - and Gibbs function, 403
 - holonomic, 128
 - and kinetic energy, 184
 - nonholonomic, 128
- generalized momentum, 223, 437
- generalized velocities, 48
- Gibbs function, 389, 403
 - contribution of rigid body to, 389
 - and generalized inertia forces, 403
- gimbal, 25, 317, 430
- gimbal lock, 325
- gimbal ring, 7, 25, 444
- gradient, 388
- gravitation
 - law of, 103
- gravitational constant, 103, 454
- gravitational force per unit mass, local, 111
- gravitational forces, 412
 - terrestrial, 118
- gravitational torque, 412
- Guldin’s rules, 381
- gyration, radius of (*see* radius, of gyration)
- gyroscope, 7, 8, 25, 317, 430
- gyrostat, 256
- Hamiltonian, 243, 440, 441
- harmonic oscillator, 242
- helix, 382
- holonomic
 - constraint equation, 39, 136
 - partial angular velocity, 51
 - partial velocity, 51
 - system, 48
- homogeneous kinetic energy functions, 182
- Hooke’s joint, 105, 405
- ignorable coordinates, 255, 442
- impulse
 - generalized, 223, 437
 - normal, 230
 - tangential, 230
- inelastic collision, 230
- inertia
 - maximum moment of, 97, 383
 - minimum moment of, 97, 383
 - moment of, 72
 - principal moments of, 87
 - product of, 72, 382, 387
- inertia coefficient, 182, 419
- inertia dyadic, 78–81
- inertia ellipsoid, 97, 388
- inertia forces, 128, 129
 - generalized (*see* generalized inertia forces)

- inertia scalars, 72
 - central, 81, 401
 - evaluation of, 83
- inertia torque, 129, 400, 401
 - and angular momentum, 400
- inertia vector, 71
- initial perturbations, 275
- integrals
 - energy, 243, 441
 - of equations of motion, 163, 240, 241
 - momentum, 254
- integration, numerical, 265
- interaction forces, 116
- Jacobian, 284
- Kane's dynamical equations, 191
- Kepler's first law, 404, 454
- Kepler's second law, 404, 454
- Kepler's third law, 454
- kinematical differential equations, 45, 240, 339, 360, 488
- kinetic energy, 179
 - and generalized inertia forces, 184
 - relative, 418
 - of a rigid body, 179, 416
 - of a robot arm, 418
 - rotational, 179, 417
 - translational, 179
 - of a triangular plate, 416
- kinetic energy functions, 182
- kinetic friction, coefficient of, 122, 231
- kinetic potential, 255, 427, 442
- Lagrange's equations, 62
 - of the first kind, 427
 - of the second kind, 428
- Lagrangian, 427, 440
- law of action and reaction, 108, 135
- limit, 10, 19
- line of action, 100
- linear differential equations, 289
- linear momentum, 102, 254, 437
 - principle of, 255
- linear spring, 174
- linearization of dynamical equations, 205
- linkage
 - planar, 361, 373, 374, 394, 451, 452
 - motion analysis of, 361
- local gravitational force per unit mass, 111
- logarithmic decrement, 457
- lumped-mass model, 296
- magnetic damper, 247
- mass center, 67, 69
 - of a uniform body, 70
- mass distribution, 67
- mass matrix, 290
- matrix
 - angular velocity, 334
 - direction cosine, 2, 3, 309, 316, 327, 334, 346, 384, 483
 - mass, 290
 - modal, 290
 - skew-symmetric, 327
 - stiffness, 290
 - symmetric, 89, 290
 - unit, 311
- maximum moment of inertia, 97, 383
- mean solar time, 192
- measure number of a vector, 8
- mechanical energy, 244
 - conservation of, 244
- minimum moment of inertia, 97, 383
- modal matrix, 290
- modal truncation, 292
- mode, normal, 291
- moment
 - about a point, 101
 - of inertia, 72
 - bounds, 387
 - maximum value of, 97, 383
 - minimum value of, 97, 383
 - principal, 87
 - of minimum magnitude, 390, 391
- momentum
 - angular (*see* angular momentum)
 - generalized, 223, 437
 - linear, 102, 254, 437
- momentum integrals, 254
- motion constraints, 48
- motion variables, 39, 45, 428
- motions resembling states of rest, 220
- natural frequency, 289
- Newton's law of gravitation, 103
- Newton's second law, 135, 192
- Newton-Euler method, 451, 452
- Newton-Raphson method, 283
- Newtonian reference frame, 191, 192, 421
 - secondary, 199
 - systems at rest in a, 213
- noncontributing forces, 148, 158
- nonholonomic
 - constraint equations, 48, 240
 - linear, 48, 138
 - nonintegrable, 51
 - nonlinear, 55, 140
 - partial acceleration, 58
 - partial angular acceleration, 58
 - partial angular velocity, 51
 - partial velocity, 51
 - system, 48
 - complex, 56
 - simple, 48, 61, 138

- nonlinear, algebraic equations, 282
- normal coordinates, 291
- normal impulse, 230
- normal mode, 291
- numerical integration, 265
- nutation damper, 266
- nutation generator, 275
- orbit
 - circular, 247, 360
 - of a satellite, 21
- ordinary derivative, 10, 14–16
 - evaluation of, 17
- orientation angles, 6, 317, 336
 - angular velocity and, 336
- orthogonal curvilinear coordinates, 64
- orthogonality, 294
- oscillator, harmonic, 242
- overdamped free vibrations, 459
- Pappus, theorems of, 381
- parallel axes theorems, 81
- parallelepipeds, 4
- partial acceleration, 57
 - nonholonomic, 58
- partial angular acceleration, 57
 - nonholonomic, 58
- partial angular velocity, 39, 51
 - holonomic, 51
 - nonholonomic, 51
- partial derivatives
 - first, 9
 - second, 14
- partial differentiation, 9
 - successive, 14
- partial velocity, 39, 51
 - acceleration and, 60
 - holonomic, 51
 - nonholonomic, 51
- Passerello-Huston equations, 62, 427
- path point, 359
- pendulum
 - double, 116, 372
 - Foucault, 192, 206
 - simple, 413
- perfectly elastic collision, 230
- period, 456
- perturbations, 205
 - initial, 275
- phase angle, 460
- pinion gears, 398
- piston, 407, 425
- piston rings, 407
- planar linkages, 361, 373, 374, 394, 451, 452
- Poisson’s kinematical equations, 335
- postmultiplication, scalar, 78
- potential energy, 163
 - principle of stationary, 214
- potential energy contributions, 173, 418
- precession, 436
- premultiplication, scalar, 77
- pressure, 123
- principal axis, 87, 386
 - central, 87
- principal moments of inertia, 87
- principal normal, vector, 357
- principal plane, 87
- principal radius
 - of curvature, 357
 - of gyration, 87
- principle
 - angular momentum, 228, 255
 - of conservation of mechanical energy, 244
 - energy conservation, 228
 - linear momentum, 255
 - of stationary potential energy, 214
- product of inertia, 72, 382
 - bounds, 387
- pseudo-generalized coordinates, 395, 434
- pseudo-motion variables, 395, 434
- pure rolling, 365
- rack-and-pinion drive, 369, 398
- radius
 - of curvature, 357
 - of gyration, 72, 382
 - minimum, 386, 388
 - principal, 87
 - of a shell, 386
- reciprocating engine, 425
- reduction gear, 397
- reference frames, 1
 - astronomical, 192
 - auxiliary, 28
 - inertial, 191
 - Newtonian, 191, 192, 421
 - secondary, 199
 - systems at rest in a, 213
- relative velocity, 418
- replacement, 105
- rest
 - motions resembling states of, 220
 - in a Newtonian reference frame, 213
- resultant, 100
- rheonomic constraint equation, 40
- rigid body, 1
 - acceleration of one point moving on a, 35
 - acceleration of two points fixed on a, 34
 - angular acceleration of a, 30
 - angular velocity of a, 19
 - constraint forces acting on a, 142
 - forces acting on a, 113
 - kinetic energy of a, 179, 416
 - rotational motion of a, 19
 - time derivative of vector fixed in a, 20

- rigid body (*cont.*)
 - velocity of one point moving on a, 35
 - velocity of two points fixed on a, 34
- robot arm, 369, 378, 398, 401, 402
 - dynamical equations for, 424
 - feedback control laws, 447
 - kinetic energy of, 418
 - potential energy contribution of, 418
- rolling, 138, 365, 397, 423
 - cone, 368
 - pure, 365
 - without slipping, 148, 365
- rotation
 - axis of, 306
 - Euler, 306
 - simple, 2, 306, 308, 311, 317, 328, 331, 336
 - successive, 3, 317, 321–323
- rotational motion of a rigid body, 19
- rotor, 7
 - of a gyroscope, 25, 317
- Routhian, 442, 443
- satellite, 21, 348, 421, 476
- scalar angular acceleration, 31
- scalar postmultiplication, 78
- scalar premultiplication, 77
- scalar triple product, 354
- scanning platform, 315
- scleronomic constraint equation, 40
- second derivatives, 14
- Serret-Fr net formulas, 357
- shear, 123
- sidereal
 - day, 192
 - time, 192
- simple angular velocity, 24, 25
- simple couple, 104
- simple nonholonomic system, 48, 61, 138
- simple pendulum, 413
- simple rotation, 2, 306, 308, 311, 317, 328, 331, 336
- skew-symmetric matrix, 327
- slipping, 148, 365
- smooth surfaces, 148
- solar time, 192
- space curve, 357, 363
- space-three angles, 321, 337, 339, 483, 488
- space-two angles, 321, 337, 483, 488
- spacecraft, 247, 266, 308, 315, 348, 404, 408
 - formation flying, 404
- spherical cavity, 247, 397
- spin-up, 348
- spring
 - extension of, 174
 - linear, 174
 - torsion, 116, 174
- spring constant, 111, 174, 435
- spring modulus, 116, 174
- square of a vector, 13
- static balancing, 68
- static friction, coefficient of, 122, 230
- stationary potential energy, principle of, 214
- steady motion, 217, 436, 455
- steady precession, 436
- steady-state amplitude, 461
- steady-state response, 460
- stiffness matrix, 290
- successive differentiation, 14
 - in various reference frames, 15
- successive rotations, 3, 317, 321–323
- symmetric dyadic, 252
- symmetric matrix
 - eigenvalues of, 89, 290
 - eigenvectors of, 89, 290
- symmetry considerations, 88
- tangent, vector, 357
- tangential impulse, 230
- terrestrial gravitational forces, 118
- thrust bearing, 366
- time derivative
 - of a dyadic, 252, 385
 - of a vector fixed in a rigid body, 20
- topspin, 237
- torque, 104
 - constraint, 142, 277
 - gravitational, 412
 - inertia, 129, 400, 401
- torsion, 357
- torsion spring, 116, 174
- total derivative, 15
- transient response, 460
- translational motion of a point, 19
- triple product, scalar, 354
- truncation, modal, 292
- truss, 296
- tumbling, 348
- undamped free vibrations, 456
- undamped harmonically forced vibrations, 462
- underdamped free vibrations, 457
- unit dyadic, 78, 307
- unit matrix, 311
- unit vectors, mutually perpendicular, 2, 8
- universal gravitational constant, 103, 454
- variable-speed motor, 463
- vector
 - bound, 100
 - Euler, 326
 - free, 100
 - measure number of a, 8
 - square of, 13
 - unit, 2
 - Wiener-Milenkovi , 331
- vector binormal, 357
- vector functions, 6, 14

vector principal normal, 357
vector tangent, 357
velocity
 angular (*see* angular velocity)
 of approach, 229
 holonomic partial, 51
 nonholonomic partial, 51
 of one point moving on a rigid body, 35
 partial, 39, 51
 relative, 418
 of separation, 230
 of two points fixed on a rigid body, 34
vibrations
 critically damped free, 458
 damped harmonically forced, 460
 overdamped free, 459
 undamped free, 456
 undamped harmonically forced, 462
 underdamped free, 457
viscous fluid damper, 116, 247, 397, 428
Wiener-Milenković parameters, 331
 angular velocity and, 345
Wiener-Milenković vector, 331
wrench, 390
zero dyadic, 252