

## Index of notation

- $(Q, e)$  (Brauer pair), 38  
 $(Q, f) \leq (R, e)$ , 39  
 $(Q, f) \leq (R, e)$  (generalized Brauer pairs), 337  
 $(Q, f) \triangleleft (R, e)$ , 39  
 $(X \times Y)_{\Delta}$ , 257  
 $(kG)^P$ , 34  
 $(kX)_H^G$ , 35  
 $Q \triangleleft \mathcal{F}$ , 148  
 $X \amalg Y$ , 253  
 $X \times Y$  (simplicial sets), 61  
 $X^* \times \Delta^n$ , 77  
 $X^H$  (stable elements), 34  
 $X_p^{\wedge}$ , 80  
 $X|_{(K,L)}$ , 254  
 $X|_{(\phi,H)}$ ,  $X|_{(G,\phi)}$ , 254  
 $[H, K; i]$ , 350  
 $[n]$ , 57  
 $\langle \mathcal{C} \rangle$ , 95  
 $\mathcal{E} \prec \mathcal{F}$ , 151  
 $\mathcal{E} \triangleleft \mathcal{F}$ , 272  
 $\mathcal{E}_1 \cap \mathcal{E}_2$ , 95  
 $\mathcal{E}_1 \wedge \mathcal{E}_2$ , 281, 284  
 $\mathcal{E}_1 \wedge \mathcal{E}_2$  (subnormal), 287  
 $\mathcal{E}_1 \wedge \mathcal{E}_2$ , 281, 285  
 $\mathcal{F}_1 \times \mathcal{F}_2$ , 211  
 $\mathcal{F}_1 \times_Z \mathcal{F}_2$ , 297  
 $\psi^{\phi}$ , 135  
 $|X|$  (simplicial set), 64  
 $A_p(G)$ , 120  
 $\text{Aut}(\mathcal{F})$ , 147  
 $\text{Aut}_{\mathcal{F}}(Q)$ , 20  
 $\text{Aut}_H(K)$ , 3  
 $\text{Aut}_{\mathcal{F}}^K(Q)$ ,  $\text{Aut}_P^K(Q)$ , 110  
 $\text{Aut}_{\mathcal{F}}(Q \leq R)$ ,  $\text{Aut}_P(Q \leq R)$ , 190  
 $BG$ , 67  
 $\mathcal{B}(G)$ , 67  
 $\mathcal{B}(Q)$ , 38  
 $\text{Br}$ , 34  
 Cat, 60  
 $c_{\mathcal{C}}$ , 75  
 $C'_G(Q)$ , 84  
 $C_P(\mathcal{E})$ , 306  
 $C_{\mathcal{F}}(Q)$ , 108  
 $C_{\mathcal{F}}(\mathcal{E})$ , 306  
 $c_g$ , 3  
 $c_H$ , 3  
 $H \text{ char } G$ , 130  
 $\mathcal{E} \text{ char } \mathcal{F}$ , 294  
 $\text{Comp}(\mathcal{F})$ , 299  
 $\text{csSet}$ , 75  
 $\Delta$ , 57  
 $\delta_Q$  (centric linking systems), 343  
 $\Delta^n$ , 61  
 $\mathcal{D}(U)$ , 292  
 $\mathcal{E}(U)$ , 292  
 $E(\mathcal{F})$ , 304  
 $E(G)$ , 183  
 $EG$ , 67  
 $\mathcal{E}(G)$ , 67  
 $\eta(\mathcal{F})$ , 348  
 $\exp(G)$ , 4  
 $\mathcal{F}^c$ , 343  
 $\mathcal{F}_{(D,e_D)}(G, N, e)$ , 337  
 $\mathcal{F}_{(D,e_D)}(G, b)$ , 47  
 $F(G)$ , 183  
 $F^*(G)$ , 183

*Index of notation*

- |  |   |
|--|---|
| $F^*(\mathcal{F})$ , 306   | $Q C_{\mathcal{F}}(Q)$ , 115                      |
| $\mathcal{F}/Q$ , 138  | $Qd(p)$ , 11                                      |
| $\text{foc}(\mathcal{F})$ , 238  |   |
| $\mathcal{F}_P(G)$ , 7   | $R \cdot X$ , <b>80</b>                           |
| $\bar{\mathcal{F}}_Q$ , 137  | $\mathcal{R}^{\mathcal{F}}(T)$ , 284              |
| $\mathcal{F}_{\text{Sol}}(r)$ , 329  | $\mathcal{R}_{\mathcal{F}}(T)$ , 283              |
|  | $\overline{\mathcal{R}}^{\mathcal{F}}(T)$ , 285   |
| $\Gamma_{\mathcal{F}, \mathcal{E}}(T)$ , 272   | $\overline{\mathcal{R}}_{\mathcal{F}}(T)$ , 285   |
|  | $R_{\infty} X$ , 80                               |
| $\text{hyp}(\mathcal{F})$ , 236  | $R \otimes X$ , 78                                |
| $\text{Inn}(G)$ , 3  | $RX$ , 78   |
|  |   |
| $J(P)$ (Thompson subgroup),<br>10  | $s\mathcal{C}$ , 75                               |
| $J(R)$ (Jacobson radical), 29  | $\text{Set}$ , 58                                 |
|  | $\text{Sing}(X)$ , 66                             |
| $k(B)$ , 50  | $s\text{Set}$ , 59                                |
| $K_{\infty}, K^{\infty}$ , 223   | $\text{Syl}_p(G)$ , 4                             |
| $\Lambda_k^n$ , 69   |   |
| $L^{\mathcal{F}}$ , 88   | $T(e)$ (inertia group), 336                       |
| $\mathcal{L}_P^{\mathcal{F}}(G)$ , 84  | $T_G(Q, R)$ , 84                                  |
|  | $\text{Tot}(X^*)$ , 77                            |
| $\text{Map}(X, Y)$ (space), 63   | $\mathcal{T}_P(G)$ , 84                           |
| $\text{Map}(X^*, Y^*)$ (cosimplicial space),<br>77                                   | $\text{Tr}$ , 35                                  |
| $M(G), M(\mathcal{F})$ , 170   | $\mathcal{U}(P)$ , 95                             |
|  |   |
| $\mathcal{N}\mathcal{C}$ , 60  | $\mathfrak{X}(P)$ , 351                           |
| $N_{\mathcal{F}}(Q)$ , 108   |   |
| $N_G(Q, e)$ , 38   | $\mathcal{Z}_{\mathcal{F}}$ , 346                 |
| $N_{\mathcal{F}}^K(Q)$ , 110   | $Z(\mathcal{F}), \mathcal{Z}(\mathcal{F})$ , 161  |
| $N_{\phi}$ , 21  | $Z_i(\mathcal{F}), Z_{\infty}(\mathcal{F})$ , 165 |
| $N_P(Q) C_{\mathcal{F}}(Q)$ , 115  |   |
| $N_{\mathcal{F}}(Q, R), N_P(Q, R)$ , 116   |   |
|  |   |
| $\mathcal{O}(\mathcal{F})$ , 345   |   |
| $\mathcal{O}(\mathcal{F}^c)$ , 346   |   |
| $\mathcal{O}_p^{(i)}(\mathcal{F})$ , 181   |   |
| $\mathcal{O}^p(\mathcal{F})$ , 243   |   |
| $\mathcal{O}^{p'}(\mathcal{F})$ , 247  |   |
| $\mathcal{O}_p(\mathcal{F}), \mathcal{O}_p(\mathcal{F})$ , 149                       |   |
| $\mathcal{O}_p(G), \mathcal{O}_{\pi}(G), \mathcal{O}^p(G), \mathcal{O}^{\pi}(G)$ , 4 |   |
| $\text{Out}(G), \text{Out}_G(H)$ , 3   |   |
|  |   |
| $\text{PGL}_n(q)$ , 335  |   |
| $\pi$ (centric linking systems),<br>343  |   |
| $\pi(X, *)$ (simplicial sets), 71  |   |
| $\text{P}\Sigma\text{L}_n(q)$ , 335  |   |

## Index

- Alperin's fusion theorem, 9, 15
  - for finite groups, **13**, 14
  - for fusion systems, **121**, 123
- augmentation
  - of a cosimplicial space, **80**
  - in a  $k$ -algebra, **51**
- augmentation ideal, **51**
- automizer, **3**
- automorphism of a fusion system, **147**
  
- bad space, 81
- balance, 309
- belong (module to a block), **31**
- biset, **252**
  - bifree, 257
  - characteristic, 254
  - stable, 256
- block, **27**
  - bijection between  $\mathcal{O}G$  and  $kG$ , 33
  - Clifford theory for, 336
  - cover another, 336
  - defect group of, 41
  - fusion system is saturated, 49
  - and idempotents, 28, 29
  - module belongs to it, 31
  - nilpotent, 53
  - with trivial defect group, 50
- block fusion system, **47**
  - is saturated, 49
  - of sporadic groups, 333
- block idempotent, **29**
- Brauer morphism, **34**
- Brauer pair, **38**
  - $b$ -Brauer pair, **41**
  - generalized, 337
  - inclusion of, 39
  - maximal  $b$ -Brauer pair, **41**
  - uniqueness of inclusion, 40
- Brauer's  $k(B)$  conjecture, **50**
- Brauer's first main theorem, 45
- Burnside's normal  $p$ -complement theorem, **9**
  
- central product, **297**
  - and finite groups, 315
  - and normal subsystems, 298
- centralizer subgroup of a subsystem, **306**
- centralizer subsystem, **108**
  - for finite groups, 108
  - is saturated, 109
- centre, **161**
  - fusion systems without centre on
  - 2-groups of 2-rank 2, 178
  - and normal subsystems, 295
- centre functor, **346**
- centric, **117**, 129
  - for finite groups, **83**, 117
- centric linking system, **343**
  - and classifying spaces, 84
  - for finite groups, **84**, 344
  - and higher limits, 346
  - uniqueness for finite groups, 86
- characteristic biset, **254**
- characteristic element of the double Burnside ring, **256**
- characteristic subsystem, **294**
- classifying space, **66**
  - and centric linking systems, 84
  - is fibrant, 70
  - homotopy groups of, 72
  - of a  $p$ -local finite group, **349**

- Clifford theory of blocks, 336  
 codegeneracy map, **75**  
 coface map, **75**  
 $R$ -complete space, **81**  
 $R$ -completion, **80**  
 component  
   for finite groups, **183**  
   for fusion systems, **299**  
 $H$ -conjugate, **3**  
 conjugate in a fusion system, 21, **94**  
 conjugation family, **14**  
   fusion systems, **225**  
 $p$ -constrained finite group, **86**  
 constrained fusion system, **87**  
   bijection for normal subsystems, 291  
   has a model, 87  
 control constrained transfer, **264**  
 control fusion, **215**  
   control  $G$ -fusion in  $H$ , **5**  
   control weak fusion in  $H$  with respect  
   to  $G$ , **5**  
   in groups with abelian Sylows, 6  
 control transfer, **264**  
 core of a finite group, 309  
 cosimplicial object, **75**  
 cosimplicial simplex, **76**  
 cosimplicial space, **75**  
    $R \cdot X$ , 80  
 cover for blocks, **336**
- defect group, **41**  
 defect of a subnormal subsystem,  
   **286**  
 defined (a subsystem on a subgroup),  
   **95**  
 degeneracy map, **58**  
 degenerate simplex, **58**  
 detecting subgroup, **275**  
 direct product, **211**  
   of normal subsystems, 296  
 disjoint union of two bisets, 253  
 double Burnside ring, **255**  
   characteristic element, 256  
 double normalizer, **116**
- essential, **119**, 129  
 exotic fusion system, **24**  
   over  $p_+^{1+2}$ , 324  
 exponent of a finite group, **4**  
 extensions of morphisms, 98, 103  
 extremal, **15**
- $F$ -module, **353**  
 face map, **58**  
 factor system, **138**  
 failure of factorization module, **353**  
 family, **13**  
   conjugation, 14  
   weak conjugation, 14  
 fibrant, **68**  
   simplicial groups are, 75  
 fibrant replacement, **73**  
 filling, **69**  
 first isomorphism theorem, 143  
 Fitting subgroup, **183**  
 focal subgroup  
   for finite groups, **16**  
   for fusion systems, 187, **238**  
 focal subgroup theorem, **16**  
 $\mathcal{F}$ -Frattni subsystem, **154**  
   and weakly normal subsystems, 156  
 $H$ -free for fusion systems, **227**  
 Frobenius reciprocity, 257  
 Frobenius's normal  $p$ -complement  
   theorem, 9, 18, 20, 133  
 fully automized, **97**  
 fully centralized, 21, **101**  
   and receptive, 103–105  
   for finite groups, 22  
 fully  $K$ -normalized, **110**  
 fully normalized, 21, **101**  
   for finite groups, 22  
   proper pairs, **194**  
   and receptive/fully automized, 103,  
   105  
 function space, **63**  
   adjunction with product, 63, 77  
   cosimplicial spaces, **77**  
 fused  
   elements of a group, **4**  
 fusion system, 20, **94**  
   of a block, **47**  
   centralizer, 108  
   constrained have models, 87  
   on dihedral 2-groups, 125  
   exotic, 24  
   generated by morphisms, **95**  
   of  $GL_3(2)$ , 7  
   for groups, **7**  
   of a group is saturated, 100  
   group fusion systems are saturated,  
   22  
    $H$ -free, 227

368

- $\mathcal{H}$ -generated, 193
- normalizer, 108
- on  $p_+^{1+2}$ , 326
- of a  $p$ -soluble group, 185
- on quaternion 2-groups, 125
- saturated, 22, 100
- on semidihedral 2-groups, 125
- simple, 160
- soluble, 181
- on Sylow 2-subgroup of  $CO_3$ , 328
- universal, 95
- on wreathed 2-groups, 180
  
- generalized Brauer pair, **337**
- generalized Fitting subgroup, **183**
- generalized Fitting subsystem, **306**
- generalized fusion system (of a block), **337**
- $\mathcal{H}$ -generated, **193**
- generated (as a fusion system), **95**
- generated by an invariant map, **202**
- geometric realization, **64**
  - and singular simplices functor, 66
- Glauberman functor, **222**
  - $K^\infty$  and  $K_\infty$  are, 224
  - for the prime 2, 222
  - $ZJ$  is, 222
- Glauberman's  $Z^*$ -theorem, 167
- Glauberman's  $ZJ$ -theorem, 12, 222
- Glauberman–Thompson normal
  - $p$ -complement theorem
  - for finite groups, **11**
  - for fusion systems, **235**
- Goldschmidt
  - simple groups with strongly closed abelian subgroups, 185
- Goldschmidt group, **185**
- good space, 81
- group fusion system
  - centric, 117
  - fully centralized, 22
  - fully normalized, 22
  - is saturated, 22
- Grün
  - first theorem, 9, **24**
  - second theorem, **132**
  
- homocyclic, **175**
- homology groups of a simplicial set, **79**
- homotopy (simplicial sets), **70**

*Index*

- homotopy category, 74
- homotopy equivalence for simplicial sets, **74**
- homotopy groups for simplicial sets, **71**
- horn, **69**
  - filling of, 69
  - inner, outer, 89
- hypercentral subgroup theorem, 165
- hypercentre, **165**
- hyperfocal subgroup
  - for finite groups, **19**
  - for fusion systems, **236**
- hyperfocal subgroup theorem, **19**
- hyperfocal subsystem, **243**
  
- idempotent, **27**
  - and blocks, 28, 29
  - of a block, 29
  - lifting of, 33
- inclusion of Brauer pairs, **39**
  - uniqueness, 40
- indecomposable ideal of  $k$ -algebra, **27**
- induces a morphism of fusion systems, **135**
- inductively saturated, **191**
- inertia group of a block, **336**
- injective morphism of fusion systems, 136
- inner horn, **89**
- intersection
  - of normal subsystems, 281
  - of weakly normal subsystems, 281
- intersection subsystem, **95**
- invariant map, **202**
- invariant subsystem, **151**
- involution, **5**
- isomorphic
  - bisets, 252
  - in a fusion system, 20, **94**
- isomorphism theorems
  - first, 143
  - second, 143
  - third, 144
  
- Jacobson radical, **29**
  
- Kan complex, *see* fibrant
- Kelley product, **61**
- kernel of a morphism of fusion systems, 136

- layer, **304**  
 is a central product, 304  
 for finite groups, **183**  
 and normalizers, 309  
 $p$ -local subgroup, 4
- map  
 codegeneracy, 75  
 coface, 75  
 Martino–Priddy conjecture, 55, 317  
 Maschke’s theorem, 30  
 metacyclic, **217**  
 model, **87**  
 model category, 74  
 $p$ -modular system, 32  
 morphism (extensions of), 98, 103  
 morphism of fusion systems, **135**  
 $\bar{\mathcal{F}}_Q$ , 137  
 injective, 136  
 kernel, 136  
 kernels are strongly closed, 136  
 surjective, 136  
 when  $\mathcal{F} = N_{\mathcal{F}}(Q)$ , 138
- nerve, **60**  
 products of, 61  
 $p$ -nilpotent, **9**  
 nilpotent block, **53**  
 non-degenerate simplex, **58**  
 normal  $p$ -complement, **9**  
 normal map, **275**  
 normal subgroup, 87, **148**  
 equivalent conditions, 129, 130, 150,  
 153, **153**  
 normal subsystem, **272**  
 and central products, 298  
 and constrained fusion systems, 291  
 and direct products, 296  
 intersection of, 281  
 and normal subgroups of fusion  
 systems, 273  
 and normal subgroups of groups, 273,  
 291  
 and normalizers, 274  
 and quotients, 274  
 quotient by central subgroups, 295  
 transitivity, 293  
 and weakly normal subsystems, 279  
 $K$ -normalizer subgroup, **110**  
 normalizer subsystem, **108**  
 for finite groups, 108  
 is saturated, 109  
 $K$ -normalizer subsystem, **111**  
 is saturated, 111
- offender, **353**  
 Oliver conjecture, **351**  
 Oliver subgroup, **351**  
 orbit category, **345**  
 orbit of a biset, **253**  
 orthogonal idempotent, **28**  
 outer horn, **89**
- $p$ -complement theorems for fusion  
 systems, 235  
 $p$ -local finite group, **349**  
 $p$ -modular system, 32  
 $p$ -nilpotent, **9**  
 $p$ -perfect finite group, **168**  
 $p$ -power index, **239**  
 path connected simplicial set, 89  
 perfect fusion system, **168**  
 positive characteristic  $p$ -functor, **222**  
 $K^\infty$ ,  $K_\infty$ , **223**  
 primitive idempotent, **28**  
 principal block, **33**  
 fusion system of, 53  
 product  
 adjunction with function space, 63, 77  
 of simplicial sets, 61  
 proper  $Q$ -pair, **194**
- $Q$ -series, **350**  
 $Qd(p)$ -free fusion system, 227  
 is soluble, 227  
 quasisimple fusion system, **299**  
 Quillen equivalence, 74  
 quotient  
 $\bar{\mathcal{F}}_Q$ , 137  
 $\mathcal{F}/Q$ , 138  
 $\mathcal{F}/Q$  is saturated, 139  
 $\mathcal{F}/Q = \bar{\mathcal{F}}_Q$ , 141  
 for finite groups, 145
- $R$ -bad, **81**  
 $R$ -completion, **80**  
 $R$ -good, **81**  
 radical, **118**, 129  
 receptive, **99**  
 for finite groups, 99  
 and fully centralized, 103–105  
 $R$ -receptive, **189**

370

$\pi$ -reduced, 88  
 reduction modulo  $p$ , **32**  
 relative trace, 35  
 residual subsystem, **247**  
   automorphisms in subsystem, 252  
 resistant, **216**  
   abelian groups are, 25  
    $\text{PSU}_3(2^n)$ , 221  
   Suzuki 2-groups are, 220  
   Suzuki simple groups, 220  
 restriction of a biset, **254**  
 Rosenberg's lemma, 30

satisfies Frobenius reciprocity, 257  
 saturated, 22, **100**  
   for finite groups, 100  
   other definitions, 106, 107  
 saturated  $\mathcal{F}$ -conjugacy class, **103**  
 Schur multiplier, **170**  
 second isomorphism theorem, 143  
 simple fusion system, **160**  
   and normal subsystems, 279  
   on 2-groups of 2-rank 2, 180  
 simple groups with strongly closed  
   abelian subgroups, 185  
 simplex, **58**  
   degenerate, 58  
   non-degenerate, 58  
 simplicial groups are fibrant, 75  
 simplicial map, **59**  
 simplicial object, **75**  
 simplicial  $R$ -module  
    $R \otimes X$ , 78  
    $RX$ , 78  
 simplicial set, **58**  
   category, **59**  
   path connected, 89  
   from poset, 60  
   from simplicial complex, 58  
 singular simplex, **66**  
 singular simplices functor, **66**  
   and geometric realization, 66  
 Solomon fusion system, 171  
   and blocks of finite groups, 343  
 soluble fusion system, **181**  
   is constrained, 183  
   and  $p$ -soluble groups, 185  
 sparse fusion system, **232**  
 stabilizer of a biset, **253**  
 stable  
   biset, 256

*Index*

  under a group action, **34**  
 strongly closed, **127**  
   abelian subgroup, 153  
   for finite groups, 127  
   and intersections, 128  
   and products, 129, 147  
   under quotients, 145  
 strongly  $p$ -embedded, 14, **119**  
   classification for  $p = 2$ , 120  
 subgroup  
   essential, 119  
   fully automized, 97  
   fully centralized, 101  
   fully normalized, 101  
   normal in a fusion system, 148  
   radical, 118  
   receptive, 99  
   strongly closed, 127  
   strongly  $p$ -embedded, 119  
   weakly closed, 127  
 subnormal, **286**  
 subsystem, **95**  
   be defined on, 95  
   generated by an invariant map, 202  
   normal, 272  
    $N_P(Q) C_{\mathcal{F}}(Q)$ , **115**  
    $Q C_{\mathcal{F}}(Q)$ , **115**  
 surjective morphism of fusion systems,  
   136  
 surjectivity property, **190**, 202  
 Suzuki 2-group, 175, **220**

tame intersection, **13**  
 third isomorphism theorem, 144  
 Thompson subgroup, **10**  
 Thompson's  $A \times B$  lemma, 310  
 Thompson's normal  $p$ -complement  
   theorem  
   for finite groups, **11**  
   for fusion systems, **235**  
 three subgroup lemma, 302, 310  
 TI subgroup, **24**  
 total space, **77**  
 transfer  
   control of, 264  
   control of constrained, 264  
   for fusion systems, **261**  
 transitive biset, **253**  
 transitive factor of a biset, **253**  
 transporter, **84**  
 transporter system, **84**

- trivial fusion system, **232**
- trivial intersection, **24**
  
- universal fusion system, **95**
- universally weakly closed, **357**
  
- weak conjugation family, **14**
- weak equivalence
  - for fibrant spaces, 74
  - simplicial sets, **70**
- weak homotopy equivalence, **56**
- weak intersection, **281**
  - of subnormal subsystems, **287**
- weakly characteristic subsystem, **159**
- weakly closed, **127**
  - for finite groups, 127
  - and products, 128
  - under quotients, 145
- weakly normal map, **205**
- weakly normal subsystem, **151**
  - equivalent conditions, 156
  - generated by a weakly normal map, 207
  - intersection of, 281
  - and normal subgroups of fusion systems, 158
  - and normal subsystems, 279
  - not normal, 271
  - transitivity, 157
- weakly subnormal, **286**
- well placed, **224**
- wreathed 2-group, **176**