

Index

- action gap 10, 11
- activity rate 248–249, 262
- adaptation 164, 171, 173–174
- agent 21
- aleatory uncertainty 19, 40–41, 45, 60, 65, 193, 202–205, 243, 255, 380, 420–421, 491, 517
- anthropogenic 112–113, 151, 154–155, 164, 171–172, 174, 283, 284, 398, 400, 415
- approximate Bayesian computation (ABC) 58
- auditor 41
- axioms of probability 20, 86
- Bayesian Belief Network 342
 - Event Tree 378–379
 - hierarchical modelling 46–47
 - statistical framework 45–47, 67, 166
- block maxima 119, 124, 128
- blocking 151–152
- blue ribbon panels 68
- bootstrapping 32, 122, 128
- boundary conditions 114–115, 153–154, 164–165, 202, 204, 289
- calibration 118, 156, 158, 202–205, 216, 289, 378
 - score 75–76, 78–79, 83, 90
- canopy fires 402
- cascading effects 2, 7
- catalogue augmentation 46
- catastrophe model (cat model) 119–121, 125, 132–133, 152, 162
- chaos 112–113, 153
- citation-based weights 72
- classical model 74–79, 82–85, 89
- climate change 195, 205–209, 296, 413, 415, 431
 - model 155–158, 164–166, 168–170, 173
- clumping 54–55
- clustering 124
- coastal flooding 197
- cognitive dissonance 553–554, 562
- ComMIT 338
- communication 85–86, 133–137, 152, 174–177, 265–266, 303–304, 306, 328, 344, 348–349, 376–377, 384–389, 429–430, 470, 515, 525–529, 533, 535
- community and place attachment 551–552, 562
- completion gap 10, 11–12
- composite distribution model (CDM) 256
- conditional exceedance probability curve 43–44, 59–60
- cone of uncertainty 134
- confidence band 30, 69, 71, 75
 - interval 29–30, 32, 128
- consensus 69, 75, 79, 80, 84
- conservatism 244–245, 251, 253
- covariance 167, 169–170
- covariate 119, 126
- critical infrastructure 2, 3, 299, 377
- crown fires 402
- culture and response to risk 529–532, 554–555, 557–551
- DART 339, 346
- data assimilation 116, 119, 219, 336, 339, 346, 465, 466
- decision-making 65, 69, 72, 78–79, 82–83, 85–86, 88, 130–131, 164, 415, 466, 473, 495, 549–551
- declustering 124
- Delphi method 65, 68–69, 71
- deterministic 112, 158, 459–460
- disaster management 559–561
- discrepancy 51–54
- distance elicitation 92
- droughts 101, 103–104, 106–107, 114, 130, 132, 174, 403, 454
- dynamical downscaling 159–160
 - model 112–116, 238, 279, 416–417
- earthquakes 234, 236, 282, 285, 321–323, 326–330, 372, 452–453
- Eastern Japan Great Earthquake and Tsunami 2011 2, 332, 458
- economic impacts 111, 277, 295, 364–365, 377, 398, 409, 411–412, 464, 473

El Nino Southern Oscillation (ENSO) 105, 113, 116, 403–404	338–340, 343, 346, 350, 372, 375, 385, 389, 415–416
elicitation methods 92–93	freak waves 105
emergency procedures 131–132, 137	fuel 400, 402–403
emissions scenarios 165, 176	
emulation 163–164, 166, 169, 204	gas geochemistry 374
engineering judgement 86, 245	general circulation model (GCM) 157, 159–162, 165, 167, 206, 208
ensemble 55, 116–118, 133, 152, 156	generalised extreme value (GEV) distribution 121–122, 124, 161
entrainment 288	likelihood uncertainty estimation (GLUE) 58, 61
environmental impacts 109–110, 130, 277, 331, 365, 368, 411–413	pareto distribution (GPD) 122, 124, 161, 193, 256
epistemic risk 87–88	geoengineering 154, 165, 171–173
uncertainty 9, 12, 26, 29, 40, 41–45, 53, 57–58, 60–61, 73, 80, 193, 198, 202–205, 219–220, 243, 255, 264, 380, 421, 490, 516–517	goodness-of-fit 122, 128, 490
equal weighting 69–70, 73, 79–80	greenhouse gas 113, 154, 171–173
ergodic assumption 240–241, 253–255, 263	ground characterisation 257–258
eruption 366–369, 372	deformation 372–374
evacuation 137, 300–301, 343, 350, 364, 375, 385–386	fires 400
exceedance probability (EP) curve 22–23, 28, 30, 37, 40, 42–44, 58, 60	motion attenuation 252–257
profile plot (EPP) 494–496	rupture 236
expectation-maximisation (EM) algorithm 255	shaking 240–241, 279, 285
expected loss 22–23, 31	
expert judgement 73–74, 86–87, 93, 163, 167, 169–170, 244, 245–246, 260, 289, 292, 297, 380, 471	Haiti Earthquake 2010 4
modelling 91	harvesting 110
expert oracles 67	hazard domain 25, 37
panel 92	event 25, 37
pundits 68	decision-making triggers 131, 152, 452
surveys 68	recovery 138, 152, 349
exposure 108, 111, 152, 295, 299, 376–377, 382, 490–491	response 137, 152, 349, 452, 473
extratropical cyclones 104	expert (role of) 1, 4–8, 74
extremal hazard map 27, 34, 35	map 33, 34, 242, 292, 294–295, 376, 464
extreme precipitation 101–102, 105–107, 285, 454–455	outcome 25–26, 30, 37, 45
value modelling 118–119, 122, 128, 161–162, 264	process 24–25, 27–28
value theory 121–122, 161–162	zones 35
waves 100, 105–107, 110, 321	health impacts 102–103, 109, 114, 116–117, 130, 277, 295, 331, 368, 398, 409, 413–414, 448
Eyjafjallojokull 3, 464–466	psychology 556–557
	heat waves 101–103, 106, 110, 113–114, 129, 130–132, 403, 454
fault status 258–259	history matching 57
feedback 155–156	Hurricane Katrina 2, 104, 110, 130, 137–139, 454
financial impacts 111, 116–117, 431	hurricanes 104, 114, 125, 132, 285
fire danger levels 424–428	hydrometeorological hazard 100–101, 105–106, 108, 112–114, 118, 323
flash environmental assessment tool (FEAT)	hypocentral location 239–240, 258
flood risk 195–196, 205–206, 209, 220–222	
flooding 190–192, 194–198, 277, 286, 321, 454–455	inadmissible choice 44, 59
footprint function 26–27, 48	incomplete catalogue 24, 326–327, 335, 406–412, 418–420
forecast verification 118	information score 75–78
forecasting 111, 113–115, 117–118, 127, 133–137, 152–155, 169, 266–267, 333–335,	infrastructure impacts 109, 111, 277, 331–332, 368, 377, 398, 448, 452–453
	initial conditions 112, 115
	input uncertainty 9, 48, 50
	InSAR 211–212, 294, 302, 373

insurance 111, 132–133, 471
internal variability 112–113, 115, 127, 165
intervention 24, 26, 28, 37–38
inundation 197–203, 212, 218,
 333, 338
inverse problem 56–57
IR imaging 428

‘Knightian’ uncertainty 58

Lahars 286–287, 371, 453
landslide inventories 295
 models 287–288, 289–290,
 304–305
 susceptibility 278–279, 282–283, 286, 291–292, 295
landslides 275–276, 279–282, 284–286, 295, 322,
 370–371, 453–454
lava dome 370
laza flow 370
lead time 115, 129–130
LiDAR 211, 294, 302, 305, 465
likelihood 126, 128
 -based weights 72
liquefaction 280, 284, 452
loss 109–111, 120, 291, 328, 331–333, 364–365, 471
 operator 21–22, 27, 47

magnitude 235, 237, 238–239, 252, 325–326, 366
 -completeness thresholds 246–248
 -frequency relations 238–239, 259, 267, 289, 295,
 326, 417, 420
margin for error 41–42
maximum likelihood estimation 122, 127
measurement error 53–55
method of splitting tsunamis (MOST) 339
minimax loss 59
 regret 59
minimum magnitude 247–248, 285
mitigation 164, 171–172, 234, 265, 299–301, 338, 344,
 461, 470, 473
model criticism 54
 discrepancy 160–161, 167
 evaluation 168
 resolution 115–116, 157, 159–160, 162,
 163–164, 218
 sensitivity test 259–261
models (limitations of) 4–6, 8–10, 46, 56, 65, 238–239,
 305
monitoring networks 129–130, 152, 298, 301–302,
 345–348, 350, 352, 372–374, 384–385, 389,
 428–429
Monte Carlo estimation 30, 50–51, 120, 166, 200, 378,
 380, 462, 491
Montserrat 74, 83–85, 370, 375, 380
multi-model ensemble 117, 169–170
multivariate correlation 125, 167, 337

natural hazard management 560–561
 variability 100, 102–103, 105–107, 125, 127,
 151–152, 262, 266–267, 305, 342, 366, 375,
 413, 420–421
networked pervasive sensors 213–214
nominal group techniques 69
non-parametric modelling 124–125
non-stationarity 24, 54, 112, 113–114, 118–119,
 122–123, 125–127, 219–220, 238–239
North Atlantic Oscillation (NAO) 105, 113
nuclear power plants 457–461
numerical weather prediction (NWP) 111, 115–117,
 130

observations 112, 117, 119, 130, 167, 168, 347–348,
 351–352, 374, 404–405
one in k year event 32–33
one in k year loss 33
optimistic bias 558

palaeoclimate 168–169
parametric uncertainty 9, 45–46, 48–49, 50, 117, 158,
 289–290, 421
parameterisation scheme 158, 164, 165, 203
parametric modelling 122
peak ground acceleration 27, 34, 80, 242, 253
peaks-over-threshold (POT) 119, 126, 264
peer-weighting 71–72
PEGASOS project 80
performance weighting 72–73, 85
 -based seismic design 265–266
perturbed parameter ensemble 165–166
 physics ensemble 165
planning 132, 137–138, 152, 195, 294, 348, 377,
 384–385, 390, 415, 461, 475
Poisson process 25, 32, 122
policy 130, 138–139, 164, 266
post-normal science 1, 515
predicted environmental concentration (PEC) 482,
 490–491
 no-effect concentration (PNEC) 482, 485–488
preparatory factors 276–277
preparedness 557–558
pre-whitening 124, 126
prior 128
 experience 562–563
probabilistic hazard map 34–36
 assessment 235, 241, 245, 253, 255, 259,
 261–264, 296–297, 341–342, 457,
 474–475, 487
 calculus 19–20, 21, 37, 43, 60
 density function 128
 distribution function of loss 22,
 23, 42
 of exceedance 131, 202, 204, 242, 248,
 256, 342

projections 165	social psychology 531–532
pseudo-hazard 119, 162	societal impacts 109, 130, 398
psychology of risk 548	solvency II directive 31, 133
public understanding of risk 174–176, 304, 348, 375, 385, 387–388, 457, 463, 471–472, 527, 529, 530, 550, 552–553, 554–555	space weather 455–456, 466–468
pyroclastic flow 368–369, 370	spatial correlation 124–125, 167
radar 346–347	species sensitivity distribution (SSD) 487–490, 493
radiative forcing 112, 113, 154	SSHAC elicitation 70, 73, 80–81
radioactive waste 461–464	stakeholder 41, 222, 463–464
re-analysis data 112, 116, 119	stationarity 52, 114, 118–119, 120, 122, 126, 155
regional climate model (RCM) 157, 159–160, 162, 169, 207, 208	statistical downscaling 162–163 -dynamical 116, 130
regression 125, 126–127, 163, 253–255, 256, 290	stochastic 115, 158
re-insurance 132, 133, 471	structural uncertainty 9, 49, 51–52, 117, 128, 167–170, 289–290, 421
remote sensing 209–210, 211–219, 292, 294, 301–302, 304, 305, 340–341, 352–353, 374, 389, 404, 405, 421, 424, 428–429	structured expert judgement 66–67, 68–72, 74, 79, 89–90, 92, 379–380
return level 101, 119	submarine landslides 282, 322, 329
period 32–33, 81, 101–103, 112, 114–115, 118–119, 242, 279, 290	Sumatra-Andaman Earthquake and Tsunami 2004 3, 317, 321, 328, 331–332, 459
risk 21–23, 31, 43, 45, 103, 105, 111–112, 133, 152–153, 265–266, 276, 277–278, 293, 295–296, 299–301, 328–330, 376–377, 381–384, 390, 422, 423, 432, 450, 462, 469, 472, 474, 483, 491, 492–494, 496–497, 502–503, 505–506	surface fires 402
characterisation ratio (RCR) 482–483, 485, 491–493	synthetic hazard 119
management 24–25, 27, 37, 41–44, 61, 170–171, 173–174, 277–278, 298, 303–304, 342, 384–386, 390–391, 422, 465, 492, 495, 521, 523–525, 560–561	T1 339–340
map 34, 292, 295	Technical Guidance Document (TGD) 481–482, 484–486, 489, 491
riskiness 21, 22	technological facilities 445–448, 451–452, 456, 470–474
runout 287, 289–290, 324–326, 337, 338	temporal correlation 124–125, 167
satellite imagery 214–216, 218	thinning 54, 55
scaling arguments 26	thunderstorms 104
science gap 10, 11	tolerable risk 299
scientific advisory committee 64	topography 152, 200–201, 289
seasonal forecasts 115, 116	tornados 104
seismotectonic boundary 250–251	toxicity 482, 483–485, 487, 492, 497
self-weighting 71	TREMORS 340
shallow water equations 26, 48, 337	triggering events 276–277, 279, 283–284, 285–286, 288, 290, 295, 317–319, 321–323, 334–335, 351, 370–371, 414–415, 491
short-term inundation forecasting for tsunamis (SIFT) 339	tropical cyclones 104, 105, 116
simulator 112–115, 159–160, 164, 193–194, 199–200, 415	trust 505, 555–556, 563
calibration 49, 51, 56	tsunami 277, 282, 286, 317–321, 323–324, 344–345, 459
diagnostics 57	deposits 335–336
tuning 49, 56	intensity 324–325
skill metric 118	models 336–340
score 118	tuning 158, 164, 169, 466
sliding block model 26, 287	typhoons 104
snow avalanche 288–289, 299, 301–303	
	UK Environment Agency flood risk maps 35–36
	UK Floods 2007 2, 3
	uncertainty 21, 28–29, 45, 65–66, 69, 74–75, 79, 81, 84–85, 88–90, 193–196, 202–205, 208–209, 212, 219–222, 236–237, 239–240, 242–244, 246, 248–249, 252, 255–261, 263–265, 269, 289–290, 295–297, 303–304, 324–326, 337, 342, 344–345, 350–351, 375, 378, 380, 387, 389–390, 407, 420–422, 450, 462, 466, 472,

574

Index

475, 482, 487, 490, 506, 507–508, 509–510, 511, 513, 516, 518–520	vulnerability 2, 3, 5, 27, 108–109, 111, 295–296, 299, 303, 306, 330–331, 365, 377, 380, 469–471, 473
unstructured expert judgement 67–68, 79	warning systems 130, 268, 277, 301–302, 328, 334, 340, 343–346, 352, 374, 384–385, 429
validation 167–169, 203, 261, 378	water levels 212–213, 345
variability 28–30, 45, 55, 83, 248–249, 255–256, 327, 342, 488	weather generation 119, 124, 162, 163
verification 167, 261, 323	warnings 129, 133
video imagery 214	wildfires 398–399, 400–402, 407, 423–424
visualisation 176–177, 205	wind storms 104–107
volcanic hazard 364, 365–371, 453, 464	zonation 249–252, 376
plume 367–368, 466	zone-free method 251–252
volcanogenic tsunami 322–323, 328, 330, 336–337	zones of diffuse seismicity 250
volitional risk 88	