

Index

- Aharonov–Bohm effect, 219, 228–233, 249
Aharonov–Bohm wave front dislocation, 229
Ambegaokar–Halperin–Nelson–Siggia theory, 314–317
Anderson–Toulouse vortex, 288
Andreev reflection, 220, 221, 248, 253, 254, 258, 259, 261, 262
Andreev shadow, 220, 222, 247, 248
Andreev states in SNS junction, 255–259, 267, 268
Andreev states in vortex core, 267
Andronikashvili experiment, 134
angular momentum, 6, 90–92, 96, 120, 161, 162, 200, 201, 203, 206
 flux, 6, 129, 154–156, 160, 161, 206, 207, 210–212
 of core bound states, 260, 266, 268, 269
 of curved vortex, 49–51
 of helical vortex, 69, 70, 205
 of helical vortex ring, 72
 of precessing vortex, 77, 80
 of straight vortex, 47
 of vortex bundle, 116, 153, 207, 209, 212
 of vortex in BEC cloud, 126
Arrhenius law, 290, 318
associated mass, 7, 12, 53, 55
 compressibility, 13, 55

backflow, 7–10, 12, 55, 260, 264–267, 333
Bardeen–Cooper–Schrieffer (BCS) theory, 244–245, 247, 255, 277, 305
Berezinskii–Kosterlitz–Thouless (BKT) theory, 308–314
 dielectric constant, 310–311
 renormalised superfluid density, 310
 transition, 308, 312
Bernoulli contribution, 12, 113
Bernoulli law, 10, 11, 13, 14, 332, 333
Berry phase, 230, 237–238
Biot–Savart law, 43, 48, 57, 60, 61, 63, 67, 70, 72, 73, 82, 84, 205, 351, 353, 356, 358, 360, 361

Bloch band theory, 332, 334–336, 341
 kp approximation, 334
Bloch state, 334, 335, 337
Bogolyubov theory, 38, 41, 337
Bogolyubov–de Gennes equations, 244–246, 248, 251, 253, 255, 261, 262, 268
Bohr–Sommerfeld condition, 256, 261, 262
Boltzmann equation, 213, 219, 247, 286, 351–352, 355, 360
 for vortex core bound states, 262–264, 266
Bose–Hubbard model, 336–341
boundary conditions for trapped BEC cloud, 129–130

centrifugal force, 28, 29, 38, 110, 127, 128, 173
clamped regime, 135, 184–188, 197–198, 202, 209, 286, 324
coherence length, 40, 41, 46, 62, 110, 125, 247, 256, 259, 313, 314, 317
columnar motion, 31, 36, 147, 150, 160
continuity equation
 for entropy, 5, 18, 168, 175, 185, 239, 243, 277, 280
 for mass, 4, 5, 28, 36, 39, 40, 89, 108, 168, 169, 185, 186, 189, 239, 273, 277, 280, 330, 331
 for probability, 245
 for vorticity, 85, 187
continuous vortex, 284, 285, 319
coreless vortex, 319–321
Coriolis force, 28, 37, 42, 173
Coulomb two-dimensional gas, 310–311
critical angular velocity
 first, Ω_{c1} , 47, 57, 82, 126, 204, 211
 second, Ω_{c2} , 110
crystal classes, 90–92

d’Alembert’s paradox, 10
density profile of trapped BEC cloud
 Gaussian, 124, 125, 128
 Thomas–Fermi (inverted parabola), 125–128
developed turbulence, 343, 346, 360, 362, 363
dipole-locked regime in $^3\text{He-A}$, 272

- dissipation function, 18, 168, 169, 171, 172, 190
- dissipation peak at BKT transition, 317, 319
- distribution function of vortex pairs, 309–310, 314–315, 318
- dry friction, 137
- edge chiral wave, 122–124
- effective boundary condition, 34–36, 146, 149, 151, 160, 195, 198–200
- effective mass, 334, 336, 337, 341
- Ekman depth, 32, 35, 36
- Ekman layer, 32, 34, 35, 104, 180, 214
- Ekman number, 35, 146
- elastic force, 88–89, 95, 169, 171
- elastic modulus, 92–94
 - compression, 93, 97, 102
 - shear, 93, 97, 98, 100, 102, 105, 106, 112, 113, 129, 133, 182, 184
 - tilt, 93, 97, 98, 102, 108
- elasticity theory, 2, 84, 90
 - of vortex lattice, 104–105, 122, 182
- energy
 - flux, 5, 18, 89, 96, 169, 190, 279, 281, 344, 350–353
 - of curved vortex, 47–48
 - of equilibrium vortex bundle, 116
 - of helical vortex, 69, 70
 - of helical vortex ring, 72
 - of precessing vortex, 77
 - of straight vortex, 44
 - of twisted vortex bundle, 153, 155
 - of vortex ring, 62
- entropy flux, 5, 18
- Euler description, 7, 17, 88, 235
- Euler equation, 5–7, 10, 13, 16, 18, 28–31, 36, 40, 84, 85, 89, 94, 101, 155, 169–171, 185, 190, 191, 278, 281, 284, 286
- faceting of vortex crystal, 119
- Floquet theorem, 335
- Fock state, 337, 339
- Fokker–Planck equation, 293, 314, 315, 318
- force on vortex from quasiparticles
 - longitudinal, 218, 223, 236, 242
 - transverse, 218, 219, 223, 226, 230, 233, 237–238, 241, 264
- fourth sound, 185–186, 188
- gauge wheel, 171, 283–284, 286
- geometric optics, 216, 234, 247–250, 252, 255
- Gibbs relation, 2, 87, 95, 167–170, 189, 190, 277, 279, 280
- Gibbs–Duhem relation, 3, 4, 6, 16, 87, 95, 155, 168, 170, 171, 185, 189, 192, 239, 277, 281, 284
- Ginzburg–Landau theory, 112, 188, 190, 192, 238, 265, 286, 327
- Ginzburg–Pitaevskii theory, 188, 190–193, 238, 287
- Glaberson–Johnson–Ostermeier instability, 107–108, 212, 362, 363
- Goldstone mode, 122, 155, 156, 158–160, 276
- Goldstone theorem, 276
- Gorter–Mellink force, 346, 347
- Gross–Pitaevskii theory, 38–42, 46, 55, 56, 72, 110, 127, 129, 175, 188, 191, 192, 302, 305, 330, 336, 357, 360, 361
 - for chiral superfluid, 273–276
- Hall effect, 238, 297, 326–328, 341
- Hall resonances, 142, 144–147, 165, 195, 197
- Hall tunnelling, 297
- Hall–Vinen–Bekarevich–Khalatnikov (HVBK) theory, 84, 94–98, 128, 152, 154, 155, 185
- Helmholtz’s theorem, 12, 51, 85, 123, 171, 223, 341
- Ho circulation theorem, 285
- inertia force, 52–56, 63, 297, 300
- inertial range, 344–345, 348–350, 353, 358, 360
 - quantum, 351–354, 358
- inertial wave, 30–35, 37, 106, 107, 109, 142, 145, 147, 157, 160, 195
 - resonance, 33, 35, 145, 146, 149, 161, 163–166, 197
 - frequency, 145, 150, 163, 165, 196
- intrinsic angular momentum, 6, 271–284, 289
- intrinsic pinning, 320, 326
- Iordanskii force, 226–230
- Iordanskii–Langer–Fisher theory, 290, 293
- Josephson current, 255, 327
- Josephson effect, 258, 259, 267
- Josephson energy, 327–330
- Josephson equation, 40, 278, 281, 283, 330
- Josephson junction array (JJA), 326–329, 333, 334, 336
- Josephson link, 326, 328
- Kelvin impulse, 9, 16, 48
- Kelvin wave, 44, 63–66, 67, 71, 73, 75, 103, 108, 142–145, 147–149, 179, 180, 186, 195, 197, 213, 289, 351–360
 - cascade, 60, 351–358, 360
- kelvon, 108, 213, 360
- Kolmogorov cascade, 349, 353–355, 358
- Kolmogorov law $-5/3$, 345, 349, 351, 353, 354
- Kopnin–Kravtsov force, 262–264, 268, 270
- Kosterlitz’s recursion equations, 312–314
- Kutta–Joukowski theorem, 12
- Lagrange description, 7, 17, 88, 89, 95, 235
- Landau–Lifshitz theory of ferromagnetism, 275, 280, 282, 283
- Lifshitz–Pitaevskii force, 229, 230
- Lindemann criterion for vortex lattice, 114

- line tension, 51, 58–60, 63, 71, 78, 79, 103, 136, 137, 153, 183, 211, 292, 294, 303, 322
 - force, 44, 58, 60, 64, 79, 81, 95, 98, 147, 202, 206
 - parameter, 60, 63, 98, 103, 148, 180
- local induction approximation, 59–61, 63, 67, 70, 72, 73, 77, 78, 98, 202, 205, 351, 352, 360, 361
 - extended, 70, 71, 73
- Lorentz force, 51, 52, 113, 264, 300, 314, 315, 317, 331, 332, 341
- lowest Landau level (LLL) state, 110–114, 127–128, 131–133
- Mach number, 45
- macroscopic quantum tunnelling, 296
- Madelung transformation, 39, 191, 237, 238, 274
- magnetic crystal classes, 90–92
- Magnus force, 12, 27, 51–57, 63, 64, 78, 202, 214, 223, 238, 264, 297, 300, 301, 322, 326, 328, 331–333, 338, 340–342
 - inverse, 340
- Magnus tunnelling
 - many-body approach, 301–305
 - in orifice, 305–307
 - near sharp wedge, 307
 - three-dimensional semiclassical theory, 297–298
 - near sharp wedge, 299
 - two-dimensional semiclassical theory (point vortex), 298–299
- Mermin–Ho relation, 272, 284, 286
- momentum
 - balance, 11–14, 24, 26, 27, 42, 112, 113, 127, 201, 207, 209, 227, 230, 233, 237, 238, 333, 342
 - flux, 5, 6, 11–13, 16, 17, 20, 21, 27, 39, 40, 42, 89, 96, 113, 120, 129, 137, 154, 155, 169, 170, 175, 185, 190, 200, 201, 206, 209, 227, 233, 235–237, 273, 278, 279, 331–333
 - of curved vortex, 48–50
 - of helical vortex, 69, 70
 - of helical vortex ring, 72, 73
 - of phonon, 17
 - of straight vortex, 49, 51, 56
 - of vortex ring, 61
- Mott insulator, 337, 339
- mutual friction, 175, 176, 179–182, 184, 185, 187, 195, 197, 199, 202, 208, 241, 211–243, 268, 284, 286–289, 324, 346, 348, 349, 363
 - force, 172, 173, 185, 210, 213, 215, 247, 262–264, 267, 270, 314, 346, 347, 349
 - parameters, 172–213, 215, 222, 226, 228, 238, 241–243, 249–250, 288–289, 322, 346
 - torque, 204, 210
- Navier–Stokes equation, 18, 19, 21, 22, 31, 134, 184, 236, 343
- Noether’s theorem, 39, 273, 274, 330, 331, 335
- normal density in two-fluid hydrodynamics, 175
- orbital ferromagnetism, 271, 282, 283
- orbital inertia, 286, 288, 289
- orbital vector $\mathbf{l}$, 271–285, 287–288
- orbital viscosity, 286
- orbital wave, 289
- Oseen equation, 22, 23, 26, 27
- Oseen length, 22, 214, 215, 236, 237
- partial-wave phase shift, 232–235, 252, 254
- particle-hole symmetry, 277, 327, 328, 333
- pile-of-disks oscillations, 66, 134, 142–146, 194–197
- quantum nucleation of vortex with mass, 299–301
- quantum pressure, 40
- quasienergy, 335, 336
- quasimomentum, 17, 331, 334, 335, 342
 - balance, 332
 - flux, 331, 332
- quasiparticle distribution function, 174, 262–264, 266
 - Fermi, 250, 263
 - Planck, 174, 214, 222
- quasiparticle mean free path, 214, 215, 235, 236, 267
- quasiparticle phase shift along trajectory, 249, 252
- Reynolds number, 18, 20, 22, 343, 344, 349, 362
- Richardson cascade, 344
- rotation dissipation peak, 319, 323–325
- scattering amplitude, 224–226, 232–235
- scattering cross-section
 - differential, 218, 224–226, 228, 229, 248
 - transport, 218, 219, 222, 225, 232, 247, 248, 250
 - transverse, 218, 219, 221, 222, 232–234, 247–249, 268
- Schoenflies notations for crystal classes, 90
- second sound, 176–177, 213
- semiclassical equations of quasiparticle motion, 215
- shear rigidity of vortex lattice, 84, 85, 97–101, 124, 139, 149, 152, 157–159, 164, 165, 173, 182, 188, 198, 201, 202
- slow mode, 106–107, 147–150, 156, 160, 165, 186, 182–188, 195, 197–199
- solubility condition, 240, 287
- sound emission by Kelvin wave, 358–360
- spectral flow, 267–270
- spin vector $\mathbf{d}$, 271, 272
- spin-orbit interaction in $^3\text{He-A}$, 272
- Stokes equation, 19, 20, 22–26
- Stokes formula, 21
- Stokes paradox, 19–21
- Stokes theorem, 50
- stress tensor, 6, 89, 94–96, 105, 113, 121, 129, 157, 169, 175, 190, 199–201
- superconductor–normal metal–superconductor (SNS) junction, 255–259, 265, 267, 268
- superfluid chemical potential, 189–192, 240
- superfluid Ekman depth, 104, 151

- superfluid Ekman layer, 104, 138, 141, 145–148, 150, 151, 160, 180, 195
- superfluid Ekman number, 145, 149, 151
- superfluid on porous substrate, 319–325
 - jungle gym structure, 319–322, 324
- superfluid–insulator transition, 337, 339, 341
- surface pinning, 132, 136–139, 143, 147, 149–151, 163–166, 198, 210, 225
 - Bekarevich–Khalatnikov boundary condition, 138, 139, 143, 194
- collective, 139–142, 198
 - correlation length, 139–141
- force, 136–138, 140, 147
- parameters, 137–140, 149, 198
- Taylor–Proudman column, 31
- Taylor–Proudman theorem, 30, 32, 106, 107
- thermal conductivity, 18, 174, 241, 243
- thermal nucleation of vortices, 290–293
 - in orifice, 295–296
 - in uniform flow, 292
 - near sharp wedge, 293–294
- Thomas–Fermi approximation for BEC, 125, 127, 128
- tilt symmetry, 355–358
- Tkachenko wave, 105–107, 109, 110, 113, 114, 120, 122, 124, 128–133, 145, 147, 163, 165, 166, 181, 182, 184, 187, 197, 201, 202
 - in pulsars, 110, 120, 163, 165, 166
- torsional oscillations
 - dragged mass, 135, 144, 316, 317, 324
 - period, 135, 142, 316
 - quality factor, 135, 142, 316, 317, 319, 324
- Vinen’s equation for vortex tangle, 347, 349, 360, 361
- Vinen’s experiment, 53, 54
- viscosity tensor, 17, 20, 200, 235
- viscous drag, 24, 214
- viscous mode, 19, 32, 34, 35, 134, 179–182, 195, 199–201
- viscous penetration depth, 19–21, 32, 36, 135, 184, 214
- Voigt’s notations for elastic moduli, 92
- vortex bundle, 115, 117–124, 207, 349, 350, 363
 - boundary conditions, 120–121, 157–162, 199–201
 - torsional oscillations, 155–160
 - twisted, 151–155
- vortex core, 45, 46, 48, 51, 55, 60, 62, 63, 80, 84, 110, 127, 166, 215, 238, 242, 243, 308, 320, 340, 359, 360
 - bound states, 255, 259–263, 265, 266, 268
 - empty, 46–48, 259
 - in Gross–Pitaevskii theory, 46, 53, 55, 56
 - normal, 259–262
- vortex creep, 320–322, 324
- vortex diffusion, 315, 317
- vortex-free region, 115–117, 123, 153, 157, 204, 207, 209, 210
- vortex front, 151, 202, 204–210, 348, 363
- vortex line lattice (VLL) state, 84, 90, 112, 113, 131–133, 169, 213, 286
- vortex mass, 53, 55, 56, 66, 244, 264–266, 297, 299–301, 334
 - compressibility, 55
 - core, 55, 266, 301, 333, 334
 - Kopnin, 265–267
 - transverse, 267
- vortex mobility, 314, 315, 317
- vortex pair, 308
 - dissociation, 308, 318–321
 - normal density, 309
- vortex reconnection, 354, 360, 361, 363
- vortex tangle, 346–349, 351, 354, 356, 358, 360–362
- Wess–Zumino term, 237, 342