

Index

- β -lactamase, 308
- β -lactams, 308, 351
- absolute rate theory, *see* transition-state theory
- absolute zero, 128, 129, 134
- absorbance, 42
- absorption coefficient, 42, 44–45
 - protein, 53
- absorption spectroscopy, *see* spectroscopy
- acetic acid, 162, 328, 373
- acid dissociation constant, 162–163
- activated complex, *see* transition state
- activation energy, 331, 337–338
- activation-controlled reaction, 365
- active transport, 169–172
- activity, 148–150, 160, 161, 185–200
 - coefficient, 186–188
 - ionic, 191–195
 - mean ionic, 190, 193–195, 212
- adenosine triphosphate, *see* ATP
- adiabatic, 74
- adsorption, 121
- alcohol dehydrogenase, 394
- allosteric interaction, 303
- amino acid, *see* dating, aspartic acid
 - fluorescent, 48
 - hydrophobic, 289
 - isomerization, 264–266
 - residue, 30, 126
- amyloid plaque, 270
- anode, 207
- antifreeze, 79
 - protein, 79
- antioxidant, 393
- Aplysia dactylomela*, 404
- Arrhenius equation, 334–337
- ascorbic acid, 393
- ash, 404
- aspartic acid, *see* dating
- ATP, 152–153, 169–172, 319
- ATPase, 170
- Avogadro's constant, 384
- axis labels, 3
- barometric formula, 29
- battery, 156, 216
 - alkaline, 151
 - dry cell, 155
- Beer's law, *see* Beer–Lambert law
- Beer–Lambert law, 42–44
- benzene, 22, 88, 177–178
- benzoic acid, 95
- blank subtraction, 32
- Bodenstein, Max, 278, 287
- boiling, 80
 - chips, 80
- boiling point
 - elevation, 174–175
 - normal, 83
 - variation with pressure, 174
- Boltzmann distribution, 25–29, 334
- Boltzmann's constant, 24, 384
- Boltzmann's equation, 120
- bombardier beetle, 96
- Born, Max, 15
- Briggs, George Edward, 290
- Brønsted–Bjerrum equation, 352
- bubble, 80
- caged compounds, 319
- calcium carbonate, 404–405
- calculator, 44, 196–197
- calculus, 389–391
- caloric theory, 58
- calorie, 93
- calorimetry
 - bomb, 85, 91–96, 404–405
 - direct, 100–101
 - indirect, 102–104
- carbohydrate, 95, 102
- carbon dating, *see* dating, radioisotope

- carbon dioxide
 - vibrational modes, 38
- carbon monoxide, 129–130
- Carnot cycle, 132–138
- Carnot, Sadi, 132
- catabolizable energy, 93, 102
- catalase, 394–395
- catalyst, 164, 287
- cathode, 207
- cell
 - concentration, 212–213
 - dry, 155
 - electrochemical, 202
 - fuel, 151–152, 214–217
 - Leclanché, 155
 - voltaic, 206–208
- Celsius, degree
 - vs. kelvins, 73
- chain reaction, 278
- chain-breaking, 279
- inhibition, 279
- initiation, 279
- propagation, 279
- termination, 279
- Chalfie, Martin, 48
- chemotherapy, 351
- China, 252
- chlorophyll, 45–46
- chromophore, 48
- Clausius inequality, 141–143
- Clausius, Rudolf, 139
- closed system, 57
- combustion, 227
- competitive inhibition, *see* enzyme
- complex reaction, 226
- condensed phase, 71, 90, 91
- conserved moiety, 310
- continuous flow method, 314–316
- conversion factors, 384–385
- cooking
 - pasta, 174–175
 - popcorn, 183–184
 - roast beef, 255
- cooling, *see* Newton's law
- cooperativity, 405–406
- coordination number, 371
- correlation coefficient, 258–260
- cotransport, 169
- coupled reactions, 165–168, 170
- cyclic reactions, 284
- cynicism, 138–139
- cytochrome, 304–307
- Δ , 157–158
- dalton, 45
- dating
 - aspartic acid, 264–267
 - radioisotope, 249–252
- Debye–Hückel theory, 191–200, 201
 - extended, 198–199
- decompression sickness, 184
- degeneracy, 22, 25
- density
 - water, 380
- density of states, 334
- detailed balance, 283
- dew point, 179–180
- dielectric constant, 192
- differential, 62–63, 69–70
 - exact, 62–63, 69
 - inexact, 63, 69
- differential equation, 244, 245
 - coupled, 275
- diffusion, 121, 359–364
 - coefficient, 360, 362–364
 - driving force, 362
 - equation, 361
 - proton, 369
- diffusion-controlled reaction, 365–374
- diffusion-influenced reaction, 365
- diode array spectrometer, *see* spectrometer
- dipole moment, 37
- dissociation constant, 291
- DNA, 15, 406–407
 - replication, 351
- DNA polymerase, 311–312
- double-reciprocal plot, *see* Lineweaver–Burk plot
- doubling time, 252
- dry cell, 155
- dual-beam spectrometer, *see* spectrometer
- duality, *see* wave-particle duality
- dynamics, *see* reaction
- Eadie–Hofstee plot, 294–296, 300
- Eigen, Manfred, 319
- electric constant, *see* permittivity
- electrolyte, 185, 189
- electromagnetic
 - radiation, 8–10
 - spectrum, 11
 - wave, 8–9
- electromotive force, 202–203
 - and free energy, 202–203
 - standard, 203
- electron mass, 384
- electron microscope, 14, 16
- electronic
 - energy, 23, 24
- elementary charge, 384
- elementary reaction, 226–228
- emf, *see* electromotive force
- encounter pair, 365

438

endothermic, 85
 energy
 free, *see* free energy
 internal, 26, 68–70, 82, 90–96
 and heat, 70, 82
 ideal gas, 73
 statistical, 76–77
 kinetic, 24
 metabolic requirements
 calorimetry, 100–101
 indirect calorimetry, 102–103
 nutritional balance method, 99–100
 molecular, 23–24
 translational, *see* translational
 vibrational, *see* vibrational
 zero-point, *see* zero-point energy
 enthalpy, 70, 90–95
 and heat, 70–71, 82
 data, 375–378
 of combustion, 85–86
 of formation, 83–87
 of vaporization
 water, 380
 temperature dependence, 96–98
 entropy, 111–113, 141
 absolute, 128–131, 147
 and evolution, 126–128
 and free energy, 143
 and temperature, 130–131
 as disorder, 125
 Boltzmann, *see* entropy, statistical
 data, 378
 mixing, 116–118, 121–123
 residual, 130
 statistical, 118–123, 128–130
 Third Law, 128–131
 water, 380
 enzyme, 164, 166–167, 287–313
 active site, 289
 and transition-state theory, 350–351
 deriving rate laws, 310
 dissociation constant, 291
 inhibition, 298–307
 competitive, 298–302, 351
 uncompetitive, 302–307
 lock-and-key theory, 289
 saturation, 291
 specific activity, 292
 turnover number, 292
 equilibrium, 57, 159, 230–231, 283–284
 and free energy, 159–163
 constant, 159, 230–231, 283–284
 and pressure, 323–324
 and temperature, 173–177
 empirical vs. thermodynamic, 231
 dynamic, 2, 231
 thermal, 59, 111

Index

equilibrium approximation, 277–278
 error function, 366
 erythrocyte, 170
Escherichia coli, 394
 ethanol, 82, 177
 evolution, 126–128
 excited state, 18
 exclusion principle, 19
 exothermic, 85
 exponential functions
 properties, 388
 extensive property, 60–61, 110, 203
 Eyring plot, 340–341

 Faraday's constant, 203, 384
 fat, 102, 105, 169
 fibrin, 288
 Fick's first law, 360
 Fick's second law, 361
 First Law of Thermodynamics, 62, 68–69, 109, 138
 first-order reaction, 244–255
 Fischer, Emil, 289
 flash memory, 16
 flash photolysis, 317–319
 fluorescence, 46–51
 amino acid, 48
 imaging, 48
 kinetics, 267–270
 lifetime, 268–270
 quantum yield, 49
 quenching, 48–49
 fluorescent protein, 48, 269
 fluorobenzene, 132
 fluorophore, 48
 flux, 359–360
 food energy, 93
 Förster resonant energy transfer, 48–51, 267–270
 free energy
 and entropy, 143
 and equilibrium, *see* equilibrium
 Gibbs, 143, 145, 148–151, 157–159, 203, 230
 and electromotive force, 202–203
 and temperature, 173–177
 data, 375–378
 of formation, 146
 standard, 146
 Helmholtz, 142–144
 machine, 152
 freezer, *see* refrigerator
 freezing, 79–81, 139
 freezing point
 depression, 79, 174
 frequency, 8
 natural, 36
 FRET, *see* Förster resonant energy transfer
 frictional coefficient, 363
 fuel cell, *see* cell

- Gibbs free energy, *see* free energy
 Gibbs paradox, 117
 global warming, 38
 glutamine synthetase, 167–168
 glycerol, 79, 169
 glycolysis, 169, 172, 182
 gravity
 standard, 384
 greenhouse gas, 38
 Grotthuss mechanism, 369
 ground state, 18, 334
- Haldane, John Burdon Sanderson, 290
 half-life, 234, 246–249, 260–261
 half-reaction, 204
 halogen oxides, 227, 235–236, 256–258
 halogenation, 238–239
 harmonic oscillator, 35
 haste, *see* waste
 heat, 58–60, 69
 and enthalpy, *see* enthalpy
 and internal energy, *see* energy
 flow, 113–115
 latent, 78
 of dilution, 87
 reversible, 111
 heat capacity, 71–75
 data, 375–378
 solution, 86–87
 statistical, 76–78
 heat engine, 109, 132–135, 215
 efficiency, 134
 Helmholtz free energy, *see* free energy
 hemoglobin, 181, 405–406
 Henri, Victor, 287, 290
 Henry's law, 160
 Hertz, 8
 HOMO, 20
 humidity
 relative, 179
 hydrogen peroxide, 304
 hydrogen–bromine reaction, 278–280, 330–332
 hydrophobicity, 30
 hydroxyl radical, 393
- ice fog, 180
 ice nucleating protein, 80
 ideal gas, 66, 72–73, 112, 116–117, 382
 ideal gas constant, 384
 ignorance, 120
 infrared spectroscopy, *see* spectroscopy
 inhibition, *see* product inhibition, *see* chain reaction,
 see enzyme
 initial rate, *see* rate
 inorganic phosphate, 146
 integrals
 table, 391
- intensive property, 110, 203
 intermediate, 227
 internal combustion engine, 134–135
 internal energy, *see* energy
 ionic atmosphere, 189–190
 ionic strength, 146, 191
 and rate constants, 351–355
 isotherm, 65
 isothermal, 65, 128, 144
 isotopic fractionation, 29
- Joule heating, 320–322
- Kelvin, Lord (William Thomson), 109
 kelvins
 vs. degrees Celsius, 73
 kinetic energy, 24
 kinetic theory, 223
 kinetics, 1
 Kirschenbaum, David, 53
- Lambert–Beer law, *see* Beer–Lambert law
 laser, 19, 53–54, 319
 laser heating, *see* optical heating
 Lavoisier–Laplace calorimeter, 100
 law of mass action, *see* mass action
 Le Chatelier's principle, 173
 least-squares fitting, *see* linear regression
 Leclanché cell, 155
 lifetime, *see* fluorescence
 light, 7–13
 speed, *see* speed of light
 Lindemann mechanism, 274–276
 linear regression, 175, 294
 Lineweaver–Burk plot, 293–295
 liquid junction potential, 207
 lock-and-key theory, 289
 logarithm
 properties, 388
 LUMO, 20
- macroscopic, 57
 mass action, 228–229, 287
 matter
 wave properties, 15–22
 Maxwell's equations, 8
 mechanism, 226
 melting, 79, 90–91
 melting point
 normal, 83
 membrane potential, *see* potential, transmembrane
 mercury halides, 236–237
 metabolizable energy, *see* catabolizable energy
 metastability, 79
 methanol, 131, 155–156, 373
 methotrexate, 351
 Michaelis constant, 291

440

Michaelis–Menten mechanism, 164, 288–296
 microscopic reversibility, 230–231, 283
 microstate, 118
 microwave oven, 21
 mixing, 116–118, 122
 mobility, 207
 model, 279
 molality, 145, 187
 molar absorption coefficient, *see* absorption coefficient
 mole density
 water, 380
 mole fraction, 117, 149, 187
 molecular orbital, 19
 monochromator, 32
 muscle, 152

N-formylmethionine, 50
 natural frequency, 36
 Nernst equation, 203
 neuron, 213
 neutron mass, 384
 Newton's law (of cooling or warming), 253–254
 nitration, 338
 nitrogen, 38
 nitrogen oxides, 226, 238, 281, 337
 non-equilibrium thermodynamics, 2
 Norrish, Ronald, 319
 nuclear reactor, 108
 nucleation, 79, 80, 180

 Oktaba, Walter, 109
 one-child policy, 252
 optical heating, 322
 order of reaction, 228, 235
 partial, 228
 pseudo, 263
 oxalate, 236–237
 oxidation, 204, 206
 oxidizing agent, 204
 oxygen, 29, 38, 53, 159–160
 debt, 104
 transport, 405–406
 ozone, 163, 238, 281

 papain, 288
 papaya, 288
 partial derivative, 25
 particle in a box, 16–20
 and translational energy, 23–24
 particle on a ring, 21–22
 partition coefficient, 175–177
 partition function, 27–28, 118
 and entropy, 118–120
 and heat capacity, 76–78
 and internal energy, 76–77
 molecular, 25, 76–78, 334

Index

pasta, 174
 path dependence, 63
 path function, 63, 69
 path independence, 63
 Pauli exclusion principle, 19
 periodic table, 386
 permittivity, 192
 relative, 192
 vacuum, 384
 water, 380
 perpetual motion
 first kind, 68
 second kind, 109
 pH, 162
 phase
 condensed, 90
 transition, 78–81
 phenomenological kinetics, 223
 phosphate
 inorganic, 146
 phosphorylation, 166–167
 photochemical equivalence, 10, 19
 photoelectric effect, 10
 photon, 10–11
 momentum, 11–13
 physical chemistry, 1–2
 Planck's constant, 384
 Planck, Max, 10
 platinum, 209
 pMg, 146
 popcorn, 183–184
 population growth, 252
 Porter, George, 319
 potassium permanganate, 35, 40–41
 potential
 electric, *see* electromotive force
 liquid junction, 207
 reduction, *see* reduction potential
 transmembrane, 213–214
 pressure, 64
 standard, 82
 vapor, *see* vapor pressure
 pressure jump, 322–324
 probability
 density, 16, 334
 wave, 15
 product inhibition, 238
 proflavin, 232–233, 328
 progress curve, 225
 protein, 7, 15, 102, 164, 288
 absorption coefficient, *see* absorption coefficient
 activity coefficient, 200–201
 conformation, 52, 126
 denaturation, 31
 fluorescent, *see* fluorescent protein
 folding, 30–31, 78, 289
 solubility, 199

- proton
 - diffusion, 369
 - mass, 384
- pseudo-order of reaction, *see* order of reaction
- quantization, 17
- quantum mechanics, 1
- quantum number, 17
- quantum yield, 49
- quasi-adiabatic, 74
- quinone, 96
- radioactive decay, 248–252
- radioisotope dating, *see* dating
- Rana sylvatica*, 80, 106
- Raoult's law, 161
- rate, 223–225
 - constant, 228, 330
 - and ionic strength, 351–355
 - and temperature, 335–337
 - diffusion-limited, 367–368
 - elementary, 228
 - empirical, 235
 - in diffusion-influenced reactions, 365
 - time-dependent, 367
 - transition-state theory, 339–343
- initial, 225, 234–235
- law, 225
 - deriving, 280–281, 310
 - empirical, 235–242
 - first order, 245–246
 - integrated, 244–267
 - second order, 256
- rate constant, 241, 258
- rate-limiting step, 276
- reaction
 - channel, 227
 - complex, *see* complex reaction
 - coordinate, 331, 333
 - dynamics, 2, 223, 227
 - elementary, *see* elementary reaction
 - intermediate, *see* intermediate
 - mechanism, *see* mechanism
 - order, *see* order of reaction
 - quotient, 150
 - rate, *see* rate
 - velocity, *see* rate
- reactive distance, 365
- red blood cell, 170
- redox reaction
 - balancing, 204–206
- reducing agent, 204
- reduction, 204
- reduction potential, 208–211
 - data, 379
- refrigerator, 136–138
 - coefficient of performance, 137
- related rates, 224
- relativity, 11, 13
- relaxation methods, 320–328
- relaxation time, 325
- reversibility, 65, 66, 111, 142, 202
- Reynolds number, 315
- ribosome, 50–51
- RNA, 288
 - transfer, 50, 325–326
- rotational
 - energy, 23, 24
 - spectroscopy, *see* spectroscopy
- salt bridge, 207–208
- salting in, 194, 199
- salting out, 199
- scuba diving, 184
- sea hare, 404
- sea slug, 404
- Second Law of Thermodynamics, 109–110, 113, 134, 138–139, 141, 143
 - information perspective, 120
 - Kelvin statement, 109, 132
- second-order reaction, 256, 263–267
- selection rule
 - vibrational, 37
- separation of variables, 41, 244
- Shimomura, Osamu, 48
- SI system of units, 381–383
- sign convention, 59–60
- single-beam spectrometer, *see* spectrometer
- sodium-potassium cotransport, 169–172
- solar sailing, 12–13
- solubility
 - gas, 159–160
 - ionic compound, 161–162, 185, 194, 196–198
 - product, 161–162
- solvent caging, 365
- specific absorption coefficient, 42
- specific growth rate, 252
- specific quantity, 60–61
- spectrometer
 - diode array, 33, 318
 - dual-beam, 32–33
 - fluorescence, 46–48
 - single-beam, 32
- spectrophotometry, 42
- spectroscopic ruler, *see* Förster resonant energy transfer
- spectroscopy, 19, 31
 - absorption, 19–20
 - electronic, 28, 39–41
 - fluorescence, 46–48
 - infrared, 9–10, 24, 28, 34–38
 - rotation-vibration, 35–37
 - rotational, 29

442

spectroscopy (*cont.*)
 UV/visible, 24, 28, 31, 35, 39–41
 vibrational, 28, 35–38
 spectrum, 32
 speed of light, 7, 8, 8, 384
 spontaneous, 113
 spreadsheet, 196
 standard gravity, 384
 standard pressure, *see* pressure
 standard state, 82, 87, 145–146, 149, 159
 biochemists', 145–146
 Stark–Einstein law, *see* photochemical equivalence
 start codon, 50
 state, 57
 function, 62, 68–70, 83, 144
 microscopic, *see* microstate
 variable, 62
 statistical moment, 293
 statistical thermodynamics, 1, 76–78, 118–121
 steady state, 249
 steady-state approximation, 275–278
 Stern, Kurt, 394
 Stirling's approximation, 122
 Stokes–Einstein relation, 364
 stopped-flow method, 317
 substrate, 287
 supercooling, 79–80
 superheating, 80, 174
 superoxide, 304
 system, 60

 table headings, 3
 temperature, 58–59, 71, 111
 standard, 145
 temperature jump, 320–322
 thermal wavelength, 14
 thermodynamically allowed, 113, 141, 143, 159, 203
 thermodynamics, 1, 57
 classical, 57
 equilibrium, 57
 thermometer, 59
 third body, 422
 Third Law of Thermodynamics, 128–131, 134, 138
 titanium, 165–166
 transfer RNA, *see* RNA
 transition state, 331
 analog, 351
 transition-state theory, 2, 339–351
 and complex reactions, 347–350
 and enzymes, 350–351
 translation, 50–51
 translational
 energy, 23, *see* particle in a box
 transmembrane potential, 213–214
 transport equation, 360–361
 transporter, 169–170, 297–298
 Trouton's rule, 140

Index

tryptophan, 51
 Tsien, Roger, 48
 tunneling, 16, 338
 turkey, 138
 turnover number, *see* enzyme
 two-photon process, 19

 uncertainty, 16
 uncompetitive inhibition, *see* enzyme
 uric acid, 45, 195–196
 urinary stones, 178
 UV/visible spectroscopy, *see* spectroscopy

 vacuum permittivity, *see* permittivity
 van't Hoff method, 239–242
 vapor pressure, 160–161, 187
 water, 380
 velocity, *see* rate
 vibrational
 energy, 23, 24, 35
 modes, 37
 carbon dioxide, 38
 water, 37
 selection rule, 37
 spectroscopy, *see* spectroscopy
 vibronic transition, 40–41
 visible spectrum, 11
 vitamin C, 393
 voltage, *see* electromotive force
 voltmeter, 202

 warming, *see* Newton's law
 waste, 142
 water, 177, 373, 380
 autoionization, 173, 327–328, 368–369
 density, 321
 vibrational modes, 37
 wave, *see* electromagnetic, *see* matter, *see* probability
 wave-particle duality, 10–15
 wavefunction, 16
 wavelength, 8
 de Broglie, 13–15
 thermal, 14
 wavenumber, 9–10
 wood frog, *see* *Rana sylvatica*
 work, 58, 60, 69
 electrical, 58, 203
 maximum, 134, 142, 144, 145
 mechanical, 64
 pressure–volume, 64–66, 111
 reversible, 111

 X-rays, 75–76
 xanthine, 178–179

 zero-point energy, 18, 36, 128, 337
 Zewail, Ahmed, 319