

# Index

All index entries relate to the urban environment unless otherwise noted.  
 Individual cities are listed under the city name, not the country.

- acclimation (acclimatization), 220  
 actinomycetes, in soil, 109  
 adaptations, 220, 236, 270, *see also* genetic adaptation; wildlife (urban)  
 Adelaide (Australia), bird use of trees, 248  
 adjacency (adjacencies), 51–53, 230  
   corridor-centered neighborhood, 56  
   house plots, 294  
   importance for wildlife, 265–266  
   parks, 351  
   patch-centered mosaic, 56  
   wildlife movement and, 265–266, 370  
 adjacency arrangement effects, 52, 53  
 adjacency arrangement model, 56  
 adjacency effect, 52, 239, 370  
 advection (net horizontal energy flow) ( $Q_A$ ), 131, 133, 136  
 aeration, urban soil, 103  
 aerobic bacteria, 108, 164, 359  
 aeroecology (aerobiology), 247  
 agricultural land, 265, 345  
   groundwater pollution, 154  
   habitat loss by urbanization, 89–90, 322, 324, 349  
   *see also* cropland  
 agriculture (urban), 17, 343, 344–349  
   ecological effects, 347–348  
   food growing, 346–347, 348  
   on green roofs, 313  
   large sites, types, 345–346  
   locations and types, 345–346  
   neighborhood and urban region linkages, 348–349  
   pest/disease diversity, 345  
   small peri-urban/suburban sites, 346  
   small sites in suburbs/cities, 346  
   temporary nature, 349  
 air, 125–148  
   composition, 143  
   cool air drainage, 128, 140  
   cooling, greenspace size and, 137–138, 371  
   energy and radiation, 129–133  
     *see also* energy; radiation  
   global warming and, 147–148  
   heat and, *see* heat  
   in/out of cities, 126–128  
   layers, 128–129  
   moisture, 126–127, 352  
   “side streak,” 142  
   temperatures, *see* temperature  
   trees’ ecological roles, 125, 224  
   urban boundary layer, 128, 135  
   urban vs. non-urban, 126–128, 135  
   urbanization effect, 83–84  
 air flows (urban), 65, 66, 126, 127–128, 139–143  
 air layers and, 128, 129  
 around buildings, size/shape effect, 142  
 bats and bird affected by, 247  
 breezes (local), 139–140  
 cool air drainage, 128, 140  
 isolated buildings and trees effect, 142–143  
 seed dispersal, 220  
 skimming, ventilation from, 142–143  
 streamline, *see* streamline air flow  
 street canyons, 141–142, 327  
 turbulent, 65, 127, 140  
 vortex, 65, 140, 141  
 winds and windbreaks, 140–141  
 air pollutants/pollution, 25, 126, 143–148  
   from aircraft, 362  
   airdome development, 128  
   cities in arid land, 147  
   city centers and, 327, 330, 332  
   dominant, in different cities, 145, 146  
   gases, 143, 144  
   green roofs reducing, 311  
   greenspace reducing, 371  
   health effects (adverse), 144  
   indoor plants reducing, 307  
   industrial, 145, 146  
   inside buildings/vehicles, 146  
   low-income residential areas, 318  
   particulates, 25, 100, 143, 144, 145  
     land use effect, 146  
     urban vs. suburban areas, 145–146  
   sources, 143  
   spatial distribution, 145–147  
   street trees affected by, 284  
   temperature effect, 147  
   toxic, 144  
   traffic causing, 146, 281, 284–285, 287  
   types, 143–145  
   urban agriculture and, 347  
   vegetation reducing, 19  
   wall plants reducing, 309  
 aircraft noise, 361–362  
 airdome, 128–129, *see also* heat island  
 airports, 361–362  
   air/water pollution, 362  
   wildlife habitat, 263, 361  
   wildlife movement and collisions, 361  
 albedo (surface reflection of energy), 131–132, 136, 139  
 algae, 109, 188, 212, 307  
 algal blooms, 167, 168, 201  
 allotment (community garden), 207–208  
 alpha diversity, 208  
 alpha index, *see* circuitry (alpha index)  
 amphibians, 253–254  
   adaptation to urban conditions, 271–272  
   changes over decades/centuries, 270  
   decline with habitat changes/loss, 253  
   habitat requirements, 253  
 Amsterdam, 81, 361  
 anaerobic bacteria, 108, 164, 167  
 anaerobic conditions  
   urban soil, 103, 104, 106  
   wastewater discharge into water bodies, 167  
 anaerobic decomposition, 116  
 anastomosing networks, 45  
 animal(s)  
   around dumps, 359  
   in cracks in hard surfaces, 291  
   dispersal, 67, 264  
   for food, in urban areas, 346  
   groundwater, 156–157  
   in/on buildings, 307, 309  
   migration, 67, 264  
   pollinators, and seed dispersal, 220  
   trees’ ecological roles, 224, 225  
   in urban soil, 111–113  
   urbanization effects, 86  
   *see also* wildlife (urban); *specific animals*  
 animal biology, 264–265  
 animal movements, 15–16, 66–68, 70, 264–265  
   by boundaries, 69–70  
   city centers to residential areas, 330  
   control, translocation, 265  
   lobes and coves channeling, 70  
   narrow wooded corridors, 228  
   roadsides, 364–365  
   shrubby area, 230  
   translocated animals, distance, 265  
   tree rows (urban), 227–228, 286  
   types, 264  
   via vehicles on roads, 286  
   *see also* wildlife (urban), movement  
 anoxic “dead zones,” 167, 186  
 anthropogenic climate change, 269–270  
 anthropogenic heat ( $Q_F$ ), 131, 132, 133, 135, 332

- ants, 112
- apartments, location, 38
- aquaculture, 165–166, 345
- aquifers, 151–152, 156
- Arcata (California, USA), 165
- archaeophytes, 213–214
- architecture, 28
- Argentina, fertilizer, peri-urban soil contamination, 118
- arid land, 135, 147, 253
- arthropods, 25, 254
- spatial pattern, 255
- see also* insect(s); invertebrates
- artifacts, in fill, 117
- asbestos, 161
- asphalt *see* tarmac (asphalt) surface
- Auckland (New Zealand), tree distribution/species, 226
- Austin (Texas, USA), bats, 246
- back-corner patches, 294–295
- backline strips, house plots, 294, 295, 321
- back-space corridors, 321,  
  *see also* house plots
- bacteria
- aerobic, 108, 164, 359
- anaerobic, 108, 164, 167
- chemo-synthetic, 109
- fecal coliforms, 164, 168, 179
- in urban soil, 108–109
- “bank storage,” 158
- Barcelona (Spain), 230, 257, 266, 320, 367
- barrier islands/strips, 201–202
- basins, constructed, *see* constructed basins
- Basel (Switzerland), pigeons, 252–253, 262
- bat(s), 246–247, 268
- activity, and dependencies, 53, 246, 247
- movement routes, 267–268
- roost locations, 247, 257, 268, 270, 369
- species/types, 246
- beaches, urban, 202
- bees, 220, 278
- beetles, 112, 297
- behavioral adaptations, 270, 271
- behavioral adjustment/change, 270
- Berlin, West, bryophyte species, 211
- Berlin area (Germany)
- green corridors, 363
- greenspace effect on temperature, 137–138
- land-use changes, 87
- plant density and zones, 214
- rubble and chemicals in, 117
- Sudgelände Railway Park, vegetation, 215
- vegetation, time scales for change, 75
- beta diversity, 208
- beta index (intersection linkage), 72, 122, 381
- Bhopal, India, 145
- bicycling, 286
- bioaccumulation of heavy metals, 115, 154, 168
- biodiversity, 232
- agricultural land (urban), 348
- golf course, 357
- habitat heterogeneity and, 374
- house plots, 295–297, 298, 306, 374
- human patterns correlated, 234
- plants, *see* plant(s) (urban)
- primary measure (richness of species), 232
- sprawl affecting, 86
- suburban residential developments and, 325–326
- urban areas, ecological change rates, 84–86
- urban ecology solutions, 30
- wetlands, 177
- wildlife, *see* wildlife (urban)
- see also* species richness (diversity)
- biofilters, 180
- biofiltration, indoor plants, 307
- biogeochemical cycles, 119
- biogeochemical flows, 68–69
- biological oxygen demand (BOD), 164, 173, 174
- biomimicry/biomimetics, 340
- biophilia, 19, 307
- “bioreceptivity,” 307
- bioremediation, 117–118, 181
- bioretention basins, 179, 180, 181–182
- biotope mapping, 205
- bird(s) (urban), 247–253
- agricultural land (urban) and, 349
- air flows and atmospheric conditions, effects, 247
- aircraft collisions, 361
- annual counts/censuses, 268–269
- behavioral adaptations, 270
- big-three city, 248, 252–253
- abundance, and feeding, 252
- effect on native bird diversity, 252
- breeding, density in house plots, 297
- breeding habitat extent required, 240
- on buildings, 309
- cat predation, 22–23
- characteristics, 241
- city centers, 331
- densities
- changes over time, 269
- in cities, 259, 261–262
- in suburbs, 249, 261–262
- tree cover effect, 266–267
- diurnal, food and numbers, 248
- on dumps, 359
- feeding, 264
- “foraging guilds,” 248, 251, 257
- genetic changes, 271, 272
- green corridors and, 369
- green roofs and, 312, 313
- groupings and types, 247–248
- habitat selection, 55
- large greenspaces, 354
- cemeteries, 357–358
- golf courses, 354, 356–357
- microhabitats, 257
- migration, 248, 256, 267, 313
- mortality
- floodlights/lights, 256
- glass strikes, tall buildings, 256
- railways and, 278
- movements
- daily fluctuations, 268
- inhibitors, 266
- stepping stones, 266, 267
- turnover rate, 268–269
- origin (rock cliffs), 248
- in parks, 344, 351, 352
- public interest, 241
- seed dispersal, riparian vegetation, 193
- species richness (diversity)
- cities, 215, 261–262
- dogs on leashes and, 20
- habitat fragments, remnant greenspaces, 260
- shrub cover/height relationship, 258
- small wooded patches, 228, 266
- spatial habitat patterns, 259, 260
- suburbs vs. city, 262
- suburbs vs. rural, 262
- Syracuse (USA), 259
- wood area as predictive of, 249
- spillover effect from adjacent land, 265
- tree use in cities, 248, 285
- vegetation layers and, 251, 257–258
- street trees and, 285
- vertical built structures
- as habitats, 256–257
- as hazards, 256
- walls/roof as habitats, 257
- woody plants in house plots, role, 270, 303, 304, 305
- see also* raptors; songbirds; waterbirds
- bird feeders, 264, 297, 306
- Birmingham (UK), tree species, 238, 239
- blackbirds (*Turdus merula*), 270, 271
- “black-box” models, 46, 68
- block surfaces, 288
- boat landing areas, 200
- “boom and bust” production, 337
- Boston Region (USA), 84, 90, 196, 200, 366
- boundaries, 44
- convoluted vs. straight, 56–57, 69–70
- flows around, 69–73
- interwoven land mosaic, 51
- movements across, 69–70, 72
- lobes and coves effect, 70
- soft and hard boundaries, 69–70
- parallel movements (animal), 69
- perpendicular movements, 69
- between plants, 231–232, 239, 240
- soil types and, 96
- see also* edge(s)
- boundary (edge) model, 48, 82, 83
- Brasilia, 50–51, 319, 369
- Brazil, flooding management, 196
- breezes, 66, 139–140, 147
- brick surfaces, 288
- bridges, 287
- Brisbane (Australia), bird diversity, 262
- brownfields, 110, 117–118, 359–361
- habitat and succession, 360
- soil contamination, 360
- soil remediation, 181, 360
- bryophytes (mosses), 211, 291, 307
- buckthorn (*Rhamnus cathartica*), 230
- Budapest (Hungary), 80

## Index

- buildings, 306–313  
 abundance and spatial arrangement, 306  
 air pollution inside, 146  
 bird collisions/mortality, 256  
 city centers, 327–329  
 designs and interiors, 306–307  
 green roofs, *see* green roofs  
 green walls, *see* green walls  
 growing food, 346  
 heat due to, 132  
 isolated, urban air flow, 142–143  
 plants and animals, 307–309, *see also* wall plants  
 rating certification-system (LEED), 306  
 scale, geomorphic patterns  
   affecting, 37–38  
 size/shape effect, air flows around, 142  
 urban soil affected by, 100  
 wooden foundations, 153  
*see also* built structures
- built area, 7, 137, 202  
 built environment, 7, 12–14  
 built objects, 12  
 built spaces, 7  
 built structures, 3, 4, 12–14, 125, 275–313  
   edge of floodplains, 183  
   positive/negative ecological importance, 13–14  
   sustainability and design, 275  
   urban coastal zone, 197, 198  
   urban heat and, 136–137  
   vertical, wildlife hazards/habitats, 256–257  
*see also* buildings
- bulges model urbanization, 77, 235, 324  
 burial grounds, *see* cemeteries  
 buried structures, 100  
 buses, 286  
 business areas, 38  
 buteos, 249  
 butterflies, 266, 309
- Cairo (Egypt), air pollution, 147  
 calcium (Ca), 114–115  
 calcium chloride, 115  
 calcium-magnesium-acetate (CMA), 115  
 “campus-like settings,” 358  
 Canada geese, 265  
 canals, 186  
 Canberra (Australia), 84, 212  
 capuchin monkeys, 271  
 car parking/parks, 287, 332  
 carbon dioxide, air pollution, 144, 147, 148  
 carbon monoxide, 144, 146  
 carbon-to-nitrogen ratio, 110  
 cars, 30, 285–286  
 cat(s), 21–23  
   abundance estimates, 21, 331  
   feral, 19, 21, 22  
   food types, 21–22, 264  
   free-ranging, types, 21  
   predation by, 22, 23  
 catacombs network, 120, 123  
 cattle, urban farmland, 349  
 cellulose, decomposition, 110  
 cemeteries, 357–358  
   ecological succession, 237  
   lichens, bird and animals, 357–358  
   “old overgrown,” 357–358  
   wildlife habitat, 263
- centipedes, 112  
 central place theory, 46  
 change(s), 11, 73–76, 376–377  
 city centers, 327  
 cyclic, 73  
 environmental (by century/year), 83–84  
 land mosaic, 44  
 plant species, 234–238  
 time scales, 16  
 urban coastal zone, 197  
 urbanization and peri-urban area, 322–324  
 wildlife, *see* wildlife (urban)  
*see also* ecological change, rates/trajectories
- changes-over-time principles, 16, 73–76  
 time scales, 16, 75–76
- Charles River (Boston Region), 189–190  
 Chattanooga (Tennessee, USA), greenway system, 367
- chemical(s)  
 absorption, tolerant plants, 217  
 estuary pollution, 201  
 “flushing” from surfaces during storms, 163  
 groundwater pollution, 154  
 industrial, in wastewater, 161  
 urban air, 143, *see also* air pollutants/pollution  
 urban river pollution, 189  
 urban soil, 91–124  
   concentrated chemicals, 94  
   contamination, 110–111, 117–118, 119  
   flows, 118–119, 375–376  
   gases, 116  
   from human structures, rubble, artifacts, 116–117  
   inorganic, 113–115  
   organic, 115–116, 118  
   origin and sources, 113, 118–119  
   toxicity, 115–116, 119  
   types, 113–116  
   *see also* mineral nutrient(s)  
 in water bodies after wastewater discharge, 168
- chemical flow-through, 119, 120  
 chemical leaching, 359  
 chemical oxygen demand (COD), 173, 174, 185
- Cheonggyecheon Stream/River (Seoul, South Korea), 195
- Chernobyl nuclear power plant, 76, 268
- Cheyenne (Wyoming, USA), 258
- Chicago (USA), 12, 214, 313, 367
- China, 84, 89, 225–226, 349
- Chlordane, in urban rivers, 189
- chlorofluorocarbons, 145, 147
- circuitry (alpha index), 381  
 networks, 72, 122, 283
- circular gradient, 12
- cities, 3, 64  
 air in/out of, 126–128  
 bird species richness, 215, 262  
 centers, *see* city centers  
 coastal, *see* coastal cities  
 compact vs. spread-out, 80  
 definitions, 6  
 development from villages, 36, 212  
 ecosystem decline, 5  
 future perspectives, 372–373  
 gradient pattern, 41  
 history of nature in, 5–6, 212  
 largest, population size, 4  
 location, 36–38  
   human needs influencing, 36, 37  
   microclimate and, 37  
 metaphors, 4  
 “mixed-use patterns,” 5  
 natural forest gradient, 40–41  
 parks, *see* park(s)  
 planned built communities, 326  
 planning, 31, 64, 82–83  
 population growth and histories, 4–8  
 population size, *see* population size  
 satellite, 77, 78, 235, 324  
 shade from trees, 216–217  
 shape, 76–77  
 size  
   bioregional limits, 5  
   changes over history, 4–6, 236  
   greenspace, woodland and trees, 209  
   optimum, 5  
   radius and number of, 76  
   travel time as guide to, 5  
 small, 63  
 small food-producing sites in, 346  
 species richness, vs. in suburbs, 262  
 transformation patterns, 81  
 urban mosaic, 50  
 ventilation, 127–128, 139  
 waterfront and harbors, 198  
 wildlife density, 261–262  
 woodland in, 209  
 zones, plant species density, 214
- city as ecological system model, 49
- city centers, 35, 38, 326–332  
 air pollution, 332  
 birds, 331  
 “border areas,” 327  
 buildings, people and transport, 327–329  
 distinctive and unusual characteristics, 327  
 habitat types, 330  
 plants, habitats/types, 329–332  
 shade and urban heat, 332  
 soil, water and air, 329–332  
 spatial patterns, flows and changes, 326, 327  
 spread, disasters and, 328  
 wildlife habitat, 263, 327, 330–331, 332
- city residential areas, 315–322  
 courtyard/patio and single-unit housing, 319–322  
   types, 319, 320  
 diverse housing types, 316  
 low-income areas, 316–319  
 multi-unit high-rise or low-rise, 316, 328  
 squatter settlements, *see* informal squatter settlement

- suburban residential area vs., 324–325  
types/forms, 316, 317
- city–suburb–rural gradient, 41, 77, 262
- city-to-rural gradient, 10–11, 12
- clay, 37, 95, 101–102
- clean water supply, *see under* water
- climate change, anthropogenic, 269–270
- coal-mining spoil, ecological succession, 237
- coastal cities, 198, 199  
groundwater flows, 153  
waterfront and harbor, 198, 200
- coastal plains, 98
- coastal regions, 58–59
- coastal saltwater wetlands, 175
- coastal wetlands, 175, 176, 177
- coastal zones (urban), 197–204  
city waterfront and harbor, 198, 200  
estuary and lagoon area, 198–201  
flows and movements, 59, 197, 202, 203  
natural changes, 197  
natural vs. human differences/influences, 197–198  
outer coastal areas, 201–204  
rocky, 202  
wetlands, 175, 176, 177, 200
- Coleoptera, spatial pattern, 255
- coliforms, 164, 168, 179
- Colombo (Sri Lanka), 310
- color surfaces, heat amelioration (cities), 139
- combined sewage/stormwater systems, 163
- combined sewer overflows (CSOs), 163, 167, 189
- commercial areas, 314, 326, 332–336  
city center, 326  
distribution around city, 333, 335  
marketplace, 333  
neighborhood streets with shops, 332–333  
office center and town centers, 333–334  
residential land mixed, *see mixed-use areas*  
warehouse truck distribution center, 336, 337
- commercial strips, 334–336
- community garden, 207–208, 237, 346
- community service agriculture (CSAs), 345
- community shopping centers, 336  
“commuter shed,” 6
- commuting, 75, 327, 328
- compact-nucleus expansion, 7
- composition of ecological community, 14
- compost, 109, 110, 118, 297, 302
- composting toilets, 169
- concentric models, 49
- concentric ring model, urbanization, 77, 78, 235, 324
- concrete surfaces, 288  
cracks, 288
- “cone of influence,” wells, 158
- connected impervious cover, 171
- connectivity (gamma index), 36  
networks, 72, 122, 381  
road network, 283
- constructed basins, 179–182  
bioretention/retention, 179, 180, 181–182
- detention basins/ponds, 180  
stormwater pollution, 180, 181–182
- constructed wetlands, on golf course, 356
- construction fill, groundwater pollution, 154
- controlled burning, 355
- convergency point, 37, 55, 56, 72, 294
- cool air drainage, 128, 140
- “cool island,” urban, 136
- cooling  
green roofs, 311  
green walls, 309  
greenspace effect, 137–138, 371  
parks, 352  
strategies in cities, 139  
street trees, 139, 284
- coral reefs, 201, 202
- corridor(s), 11, 36, 44, 73  
back-space, 321  
characteristics, 44, 362, 365  
continuous vs. discontinuous, 294, *see also* stepping stones  
electric powerline, 364, 365  
functions, 276  
green, 240, 266, 343–371  
benefits/role, 365  
Boston’s Emerald Necklace, 84, 366  
characteristics, functions, 362, 365  
land uses, 363, 364, 365  
location and types, 362–363, 364  
radial, 363, 365  
vegetation types, 343
- house plots, 294, 321  
backline strip, 294, 295, 321
- in interwoven land mosaic, flows and, 50, 51  
narrow wooded, 228  
neighborhood, 362  
networks, 45, 72, 365–366  
pipeline, 362, 364  
plant species dispersal, 240  
remnant grassland, 240  
of shade/shadow, 130, 131, 284  
transportation, 77, 276  
railways, *see* railways  
roadsides, 364–365  
types, 51, 240  
urban-to-rural gradient, 42  
wide wooded, 228  
width, 369  
and wildlife movement, *see* wildlife (urban), movement
- corridor-and-small-patch system, 368
- corridor-centered mosaic, 56–57
- corridor-centered neighborhood, 56
- corridors per node (beta index), 72, 122, 381
- courtyard(s), 292, 319–322  
plants, 319, 320
- coyote (*Canis latrans*), 242, 243, 244, 259, 261  
characteristics and feeding patterns, 244, 270  
around dumps, 359  
railways and, 278  
cracks (in hard surfaces), 287–292
- animals/invertebrates, 291
- concrete surfaces, 288
- diagonal, zig-zag, 288
- ecological succession, 290–292  
formation, 288–290  
lengthening, network formation, 291  
linear, 288  
plants, 290–292  
repair, 289  
steel or wood surfaces, 288  
tarmac surfaces, 288  
types/forms, 289  
vegetation roles/benefits, 291–292  
vegetation sites, 290  
in walls, 289–290
- created greenspace, definition, 7
- cropland (urban), 345  
near streams/rivers, 187, 194  
plant adaptation, 221–222  
*see also* agricultural land
- cultural perspectives, 26, 27
- cyclones, 202
- daylighting, streams, 186
- DDT, in urban rivers, 189
- dead zones, 167, 201
- decomposition, organic matter, 382  
in dumps, 359  
human-made organic materials, 110  
by invertebrates, 254  
in sanitary sewage pipes, 164  
sewage/wastewater, septic system, 169  
in urban soil, 99, 106, 109, 110–111, 116
- de-densification, 80
- deer, 246, 265
- definitions, urban ecology terms, 6–8
- deforestation, 236
- de-icing salt, 115, 117, 217–218
- delta, 200–201
- demographics, 2, 4–5, 63  
low-income population, 316  
megapolis, 33  
*see also* entries beginning population
- dendritic networks, 45
- de-nitrification, 164, 169, 176–177
- densification, 7, 76, 79
- dependent pairs (dependencies), 53–54
- detention basins/ponds, 180
- diagonal patterns, 32
- direct gradient analyses, 42
- disasters, 74, 76, 318, 376  
city centers and, 328  
tree species/density affected by, 227
- dispersed development, 372–373
- dispersed patches model, urbanization, 77, 78–79, 80, 324  
housing-unit plot sizes, 79  
*see also* sprawl
- dispersion model, 47
- dispersion of individual plants, 227
- dispersivity, groundwater, 157
- dissection (corridor formation), habitat changes, 88–89
- “distance from source” of species, 261
- distance-decay pattern/model, 46
- distribution of aggregated people, 372–373

## Index

- disturbances, 73, 74  
 along roadsides, 285  
 human, effect on urban soil, 91–92, 96  
 resilience/resistance to, 74, 75  
 wasteland, plant adaptation, 221–222
- ditch networks, 365
- diversity, *see* biodiversity; species richness (diversity)
- diversity concepts (alpha, beta, gamma), 208
- docks, 200
- dog(s), 19–21  
 diseases, risk for wildlife, 21  
 feces/urine, 20, 21, 217  
 home ranges, 19, 20  
 on leashes, bird diversity and, 20  
 packs of, 20–21  
 walking, impacts, 20, 21, 228  
 wildlife avoidance behaviors, 20
- domain of scales, 33
- domestic animals, 19–23, *see also* cat(s); dog(s)
- dominance of species, 14
- donut model, 47
- Dortmund (Germany), bird species/turnover, 268–269
- downtown, city, *see* city centers
- drainage  
 house plots, 303–304  
 stormwater systems, 120–121  
 urban soil, 103
- drainage connection, 171
- drainage ditches, 172, 173, 180, 181–182
- drainfield, for septic systems, 169
- dredging, 198
- “dump favela,” 50–51, 319, 359
- dumps (tips), 109, 358–361  
 groundwater pollution, 154  
 wildlife habitat, 263
- dunes, 201
- Dusseldorf (Germany), habitat types, 205–206, 263
- dust, street, 165, 281, 309
- earthworms, 112
- East Kolkata (Calcutta, India)  
 wetlands, 177
- eco-city, 29
- ecological assays, 12–16
- ecological change, rates/  
 trajectories, 83–90  
 habitat loss/degradation/  
 fragmentation, 88–90  
 soil, water and air, 83–84  
 urban land uses, 86–88  
 vegetation and biodiversity, 84–86
- ecological community (natural community), 14
- ecological economics, 18
- ecological engineering, 68
- ecological finiteness, 18
- ecological footprint concept, 63
- ecological gradients, 42–43
- ecological heterogeneity (diversity), 36
- ecological infrastructure, 366
- ecological mosaics, 60–63, *see also* land mosaic
- ecological network, *see* network(s), green/  
 ecological
- ecological pattern models, 47–48
- ecological processes, urban soil affected  
 by, 99–100
- ecological succession, 14, 85, 236–238  
 abandoned city building and, 86  
 arrested, 237  
 brownfields, 360  
 cliffs and quarries, 356  
 comparisons and positive/negative  
 roles, 14  
 in cracks, 290–292  
 cyclic, 238  
 after disaster (Chernobyl), 268  
 on dumps, 359  
 examples, 237  
 floods and, 193  
 forms/types, 14, 15  
 green walls, 309–310  
 on hard surfaces, 291  
 “human-molded vegetation,” 86  
 industrial sites (post-production), 339  
 invertebrates, 269, 270  
 plant categories (tolerants, inhibitors and  
 facilitators), 237  
 retrogressive, 238  
 “sequence of patchy mosaics,” 237  
 site conditions and plants  
 affecting, 236–237  
 stages, 14, 85, 236, 237  
 trees (urban), 226–227  
 in UK, 85  
 urbanization effect, 85–86  
 vacant lots, 360  
 wildlife, 269
- ecology, xii, 3, 8–9, 11, 73–75  
 areas involved in field of, 8–9  
 environment and, history, 8–9  
 history of science/field, 8, 10, 11  
 overlapping subjects, 8  
 subspecialties, 8
- economics, 18–19, 28, *see also specific types*
- ecopolis, 29
- ecoregions, 58
- ecosystem(s), ix, 7, 296, 378  
 analysis, 68  
 development, 238, 296  
 response to disturbances, 74  
 stability, 73
- ecosystem models, 48
- ecosystem services, 30, 225
- edge(s), 44, 70  
 convoluted, house plots, 294  
 estuaries, 199, 200  
 filtration effect, 69  
 habitat edges, 239, 240  
 house plots, 294  
 natural habitats, 69  
 parks, 69  
 straight, in urban areas, 240  
 types, 239, 240, 294  
*see also* boundaries
- edge effect, 69, 239–240
- edge (boundary) model, 48, 82, 83
- “effective mesh size,” 89
- electric powerline corridors, 364, 365
- electric-power generation, 66
- elephant hawk-moths (*Deilephila elpenor*), 219
- Emerald network, 48, 84, 89, 367, 369
- energy, 129–133  
 flows, 131, 132, 133  
 day–night, 133, 135–136  
 urban heat due to, 135–136  
 geothermal, 155  
 human need for, 17  
 solar radiation, 129–131  
 storage ( $Q_s$ ), 131, 133, 136  
 surface energy balance of area,  
 131–133, 136  
 surface reflection (albedo), 131–132,  
 136, 139  
 wavelength shifts, 132  
*see also* heat
- energy-driven flow, 66
- engineering, 28, 104
- engineering soil structure, 102, 103, 104
- environment, concept and types, 3, 7
- environmental constraints, 49
- environmental economics, 18
- environmental gradient model, 48
- environmental gradients, 42–43
- environmentalism, 8
- “ephemeral channels,” 183, 185
- epiphytes, 210, 211, 308
- equations/calculations, 381
- estuaries, 198–201  
 edges, 199, 200  
 habitats, 199–200  
 pollution, 201  
 reconfiguration by flooding, 203  
 sediment-covered bottom, 200–201
- eutrophication, 179, 201, 301, 356
- evaporation, 132, 151
- evapo-transpiration, 132–133, 139, 143, 151  
 humidification of dry hot air, 371  
 latent heat in daytime, 132–133, 136,  
 143, 347  
 reduction, increased stormwater  
 runoff, 171
- evergreen ground cover, 293
- exponential growth, 382
- exurban area, 7, 39, 321  
 adjacency effects, 52  
 population density, 40  
 residential area, 7, 321–326  
 small agricultural sites, 346  
 spatial patterns, 324–326  
*see also* peri-urban area
- facilitator patterns, 266
- farm animals, 19, 345, 346, 349
- farmlands, *see* agricultural land
- “favela” dump, 50–51, 319, 359
- fecal-coliform-bacteria level, 164, 168, 179
- feedback loops, 44
- feral cats, *see* cat(s), feral
- feral dogs, 19
- feralization, plants, over centuries, 236
- ferns, 211
- fertilizers, 40, 114, 217

- for growing food, 86, 347  
for lawns, 300–301  
pollution, 40, 41, 173–174, 301  
urine recycling and, 169
- fill, in soil, 92, 94, 95, 116, 117
- Finland, wildlife movement,  
greenspaces, 368
- fire, in large natural areas, 354–355  
fire hazardous conditions, 52, 355  
“fire-stick” burning, 55
- fish  
adaptation to river flooding, 196  
harbors and lagoons, 200  
urban rivers, 190  
urban streams, 186  
water pollution and, 174, 190
- fish farms, 345
- flash flood, 153, 173, 194
- flat areas, large (landform), 98
- flooding, 149–150, 153–154, 170, 173, 193  
causes/sources, 194  
combined sewer overflows, 189  
ecological consequences, 194  
flash, 153, 173, 194  
human activities increasing, 194–195  
from land and floodplain, 194–195  
land use affecting runoff and, 194  
Los Angeles River, 187  
risk, measurement, 194  
from sea, 202, 203  
from upriver/upslope land, 194  
by urban rivers, 187, 188, 193–197  
adaptation to, 188, 196  
management, 195–196  
recurrence, 193  
by urban streams, 193–197
- floodplain(s)  
irrigation-and-drainage systems, 194–195  
urban rivers, 188, 190, 191, 195  
urban streams, 182–185
- floodplain friction, 194
- flood-prone areas, 193, 194, 196
- flood-pulse model, 188
- “floristic similarity,” 238
- flower gardens, 299–300
- flowering plants, 211, 278
- flows, 11, 14–16, 65–90, 375–376  
air, *see* air flows  
around boundaries, 69–73  
biogeochemical, 68–69  
built structures/networks, 142, 375  
changes-over-time, *see* changes-over-time  
principles  
chemical, in urban soil, 118–119,  
375–376  
city center, 326, 327  
coastal regions, 59, 202, 203  
corridor networks, 72  
curvilinear, 65  
directionality, 57, 70–71, 72  
energy, *see* energy, flows  
gravity model and, 72–73  
groundwater, *see* groundwater  
heat, 133  
horizontal, 65, 119  
human-driven processes, 65, 197
- land mosaics and, 50, 51, 70–73  
land-and-sea, 59  
mapping, 55, 72  
mineral nutrient, 68–69, 83, 322  
nature of, 65–69  
network, *see* network flows  
organisms, 15–16  
patterns, 65–66, 67  
primary routes, 72  
rates/trajectories of ecological  
change, 83–90  
recurrence interval, 384  
rivers, *see* river(s) (urban)  
spatial attributes affecting, 70, 71  
system and ecosystem, 68–69  
typical distance, 55  
underground (urban), 122–124  
urban coastal zone, 59, 197, 202, 203  
across urban-region boundary, 63  
urban-rural and rural-urban, 38  
vertical, 65  
water, *see* water flows
- flushing, 20
- food  
grown in urban areas, 344, 345–347, 348  
on/in buildings, 346,  
*see also* agriculture (urban)  
human need, transported, 17, 36  
wastewater aquaculture, 165–166
- food security, 349
- “food shed,” 349
- food waste, 264, 328, 330, 332, 333
- foraging guilds (bird), 248, 251, 257
- forest(s) (urban areas), 353–355  
changes in Rome, 84–85  
city-to-natural forest gradient, 40–41  
ecological succession, 85, 237  
for forestry, and multi-use, 355  
layers/strata, 208, 231  
logging patterns, outward urban  
expansion, 82, 83  
sprawl development, 79, 80  
unplanned reforestation, land  
recovery, 89  
urbanization effects, Sydney, 84  
wildlife, 261  
*see also* tree(s); woodland
- forestry, 355
- Fort Collins (Colorado, USA), brown bat  
roosts, 247
- fossil fuels, 17, 132, 143
- fox, red (*Vulpes vulpes*), 244, 267, 272, 278
- fractals, 34
- fragmentation (habitats) *see* habitat(s),  
fragmentation
- fragmentation (land/landscape), 89
- Frankfurt (Germany), green wall, 310
- “free-spirit” people, 121
- freeze-thaw cycles, 290
- frogs, 272, *see also* amphibians
- front-space strips, 321, *see also* under  
house plots
- fruits, 230, 270, 303
- function (functioning), land mosaic, 44
- fungi, 109, 110, 222
- fungicides, lawns, 300
- gamma diversity, 208
- gamma index, *see* connectivity (gamma  
index)
- garbage  
cat food supply, 21, 264  
wildlife food source, 264  
*see also* dumps (tips); waste
- garden(s), 2, 292  
community, 207–208, 237, 346  
flower, 299–300  
institutional, 346  
office centers and, 333  
public health issues related to, 25  
tiny, in little-used spaces in cities, 346  
vegetable, 86, 299–300, 346
- Garden City movement, 297
- garden walls, 304–306
- gardening, 17, 296, 299
- gases, in urban soil, 116
- gasoline-powered lawn equipment, 302
- genetic adaptation, wildlife, 271
- genetic change, 220, 270–273
- genetic diversity, climate-related, 222
- genetic drift, 271
- genetic variation, plants, 221
- genetics, plants, 220–223
- geographic information system (GIS)  
images, 46
- geographic regions, 58
- geological processes/patterns, 97–99
- geomorphic framework, 36–38
- geostatistical models, 46
- geothermal heat, 155
- giant hogweed, 215, 219
- Gini coefficient of inequality, 385
- glades, 229
- global warming, 147–148, 235
- golf courses, 354, 356–357  
problems associated, 356  
wildlife habitat, 263, 357
- government/politics, urban ecology  
principles use, 29
- gradient patterns, 12, 32
- gradients (ecological), 34, 42–43  
in cities, 41  
city-suburb-rural, 41, 77, 262  
city-to-natural forest, 40–41  
city-to-rural, 10–11, 12  
urban-rural, *see* urban-rural gradient  
vertical, radial, circular, 12
- grain size, 32
- graph theory, models, 46, 49, 52
- gravel, 350, 356
- gravity model, 72–73, 284, 381
- greater tit (*Parus major*), 266–267
- Greater Yellowstone Region, 54
- green architecture, 306, 307
- green corridors, *see* corridor(s), green  
green cover, 7
- green infrastructure, 366
- green roofs, 310–313  
agriculture on, 313  
air quality improvement, 311  
animals/invertebrates, 312, 313  
birds, 312, 313  
cooling, 311

## Index

- green roofs (*cont.*)  
 extensive vs. intensive, 311  
 goal/function and benefits, 311, 313  
 habitats and plants, 312–313  
 irrigation, 312  
 soils, 312  
 stormwater runoff, 311–312  
 types, 311
- green walls, 309–310  
 skyscrapers, 310  
 streets, 281–282, 309  
*see also* wall plants
- green wedges, around London, 134
- greenbelt(s), 364
- greenbelt model, 48
- greenhouse effect, 132
- greenhouse gas, 147
- greenhouse production, 346
- greenspace(s), 7, 343–371, 373–374  
 adjacent land, “species rain,” 369, 370, 373  
 changing with urbanization, 84–85, 235  
 cities, relative to population size, 209  
 distance between, wildlife and, 260, 261  
 effective, criteria for and benefits, 369–371  
 functionally linked, 367–369, 373  
 groups, 366–367  
 infill, 80  
 large, 353, 354  
 airports and military bases, 361–362  
 brownfields and vacant lots, 359–361  
 cemeteries, 357–358  
 cliffs, quarries and mines, 355–356  
 dumps, 358–361  
 golf courses, 354, 356–357  
 institutions/municipal facilities, 358  
 natural/semi-natural areas, 353–355  
 urban forests, 355
- mammal predators in, 242, 243
- planted vegetation, areas, 209–210
- semi-natural, 7
- size/area, 137, 354  
 decrease in metro areas, 343  
 species richness (wildlife), 243, 260–261  
 species–area effect, 260  
 temperatures and, 137–138
- smaller vs. large cities, 344
- stormwater runoff, 170–171
- time scale for urbanization change, 235
- types, 343, 344
- urban heat and, 137–138
- urban wildlife moving out of, 261
- uses, 373
- vegetation on, change during  
 urbanization, 81, 235
- greenspace system, integrated, 366–371, 373  
 effective, criteria for success, 369–371  
 functionally linked greenspaces, 367–369  
 groups of greenspaces, 366–367
- greenway, 228, 363
- greenway systems (USA), 367
- Grevillea macleayana*, 221
- grey-water recycling, 169
- groundwater, 151–157  
 animals, 156–157  
 aquifers, 151–152, 156
- cleaning, 154
- drinking water source, 151–152, 158
- flooding, 149–150, 153–154
- flows, 152–154, 383  
 coastal cities, 153
- habitat conditions, 156–157
- heat in, 155–156, 158
- industrial uses/usage, 158
- microorganisms, 156, 157
- pollution, 154–155, *see also* water  
 pollution
- porosity, permeability and  
 dispersivity, 157
- pumping, water-table lowering, 152, 153, 196
- “recharging,” 152
- rise in, 153
- saltwater intrusion, 153
- surface water interaction zone, 157
- urban agriculture effect, 347
- groundwater emergence zone, 153
- groundwater wetlands, 176
- growth economics, 18
- habitat(s), 7, 11, 14, 205–240  
 area/size, plant species and, 232–233, 239  
 arrangement, species dispersal, 240  
 artificial (built) structures as, 256–257  
 breeding, for bird species survival, 240  
 changes due to urbanization, 88–90  
 agricultural and natural land, 89–90  
 loss/degradation/fragments, 88–90, 322, 324, 349  
 spatial processes causing, 88–89
- city centers, 330
- classification, 205–206, 207  
 grouping-by-mechanism, 206–207
- definition, 7
- diversity (heterogeneity), 36, 207–208, 374  
 alpha, beta, and gamma, 208  
 cemeteries, 357  
 community gardens, 207–208  
 fine-scale within land uses, 207–208
- house plots, *see* habitat(s), in  
 house plots
- parks, 351
- plant diversity *see* plant(s) (urban)
- rail corridor, 276, 277
- semi-natural areas, 353  
 wildlife, *see* wildlife (urban)
- edge, 70, 240, *see also* boundaries; edge(s)
- estuaries, 199–200
- fragmentation/fragments, 88–90, 214, 235  
 ecological effects, 240  
 plants and, 238–240  
 reptiles/amphibian decline, 253  
 by roads, 280, 286  
 spatial measures, 89  
 wildlife species richness, 260–261
- groundwater conditions, 156–157
- in house plots, 208, 293–295, 296–297  
 specialized structures, effect, 297  
 at two scales, 208  
 types, 293, 295
- industrial areas, 339
- lagoons, 199–200
- loss, and degradation, 88–90, 214  
 reptiles/amphibian decline, 253  
 urbanization causing, 88, 89–90, 322, 324, 349
- low-income residential areas, 318–319
- management, airports, 361
- office centers, 333–334
- patch–corridor–matrix model, 238–239
- selection, 55
- sink or source, 294
- small (roads), small populations, 280
- spatial patterns, wildlife, *see* wildlife (urban)
- species richness variations, 233
- successional, greenspaces and  
 corridors, 343
- types, 205–207  
 underground, urban areas, 121–122  
 in urban sprawl, 86
- habitat arrangement model, 48
- habitat selection model, 47
- habituation of species, 351
- hand test, soil texture type, 101–102
- harbor(s), 198, 200  
 lakeside, 204  
 pollution, 201
- harbor islands, 199, 263
- hard surfaces, 287–292  
 commercial strips, 334  
 cracks, *see* cracks (in hard surfaces)
- ecological succession, 291
- types, 288  
*see also* impervious surfaces
- hawks, 249, 256
- headwaters, urban stream, 183–184
- healthy ecosystem, definition, ix
- heat  
 accumulation, greenhouse effect, 132  
 airdome development, 128  
 airports and, 362  
 amelioration in cities, 139  
 anthropogenic ( $Q_E$ ), 131, 132, 133, 135, 332  
 causes/sources, 135–137  
 energy flow, 135–136  
 groundwater heat, 155–156, 158  
 surfaces and structures, 136–137
- emission, 132, 133
- flows, 133
- geothermal, 155
- global warming and, 147
- greenspaces and impervious spaces  
 effects, 137–139
- in groundwater, 155–156, 158
- intensity, of heat island, 134, 136
- latent ( $Q_E$ ), 131, 132–133, 136
- net horizontal advection ( $Q_A$ ), 131, 133, 136
- pollution, urban rivers, 190
- sensible ( $Q_H$ ), 131, 132, 133, 136
- storage ( $Q_S$ ), 131, 133
- streets, 281, 282
- transportation and buildings as  
 sources, 132
- urban air, 126, 131, 133–139, 332

- urban streams, 185
- see also* energy
- heat island, 128–129, 133, 135, 148, 155
- characteristics, 134–135
- city centers, 134, 332
- heat intensity, 134, 136
- hot dry and tropical areas, 135
- heavy metals
- air pollution, 145
- bioaccumulation, 115, 154, 168
- street dust, 281
- urban river pollution, 189
- urban soil, 40–41, 115, 118
- Hemiptera, 255
- herbaceous layer, 185–186, 231
- herbicides, 276, 277, 300
- herbivores
- invertebrate, *see* insect(s)
- mammal, 245–246, 347
- prevention in vegetable gardens, 300, 347
- herbivory, 218–220
- distribution in woods, 219
- low levels in urban areas, 218–219
- non-native species, 219
- specific insects and trees, 219
- herpetofauna (herps), *see* amphibians; reptiles
- hierarchy of spatial scales, 12, 33
- high-rise buildings, 316, 326, 327, 328
- skyscrapers, 310, 327, 328
- highway bypass, around city, 88
- highways, urban, 280
- hills, air flow streamlining, 140
- hillside development, flash floods and, 194
- hill-top, 98
- Hiroshima City (Japan), 81, 87
- home range, 51, 67
- cats, 22
- dogs, 19, 20
- people, mixed use area and, 314, 372
- wildlife, 55, 264
- homes, *see* housing; residential areas
- horizontal flows, 65, 119
- horizontal natural processes, 34
- horizontal patterns, 32, 34, 35
- plant communities, 231
- soil (urban), 92, 95–97
- house mouse (*Mus musculus*), 245, 271
- house plots, 292–297
- areas surrounding, effects, 306
- biodiversity, 263, 295–297, 298, 306, 374
- designs and management, 292–293, 297, 298
- detached houses, 317, 324
- features, 303–306
- forms/types, 293, 295, 319
- front-/back-space, 292, 297–299, 321
- corridors, species movement, 321
- depth/width and proximity to others, 293
- habitat diversity, biodiversity, 299, 321
- normal vs. large plots, 324
- row of front spaces, 292, 321
- size and uses, 297, 324
- garden walls, 304–306
- internal structure, 293–297
- biodiversity and wildlife, 263, 295–297, 306
- habitat diversity, 208, 293–295
- plant diversity, 295–297
- spatial arrangement, 293–295, 306
- surroundings, role, 293
- private outdoor spaces, 292, 297–299
- side yards, 299, 324
- sizes, 79, 297, 317, 324
- water-related structures, 303–304
- wooded, 293
- woody plants, 303, 304, 305
- yards, gardens and lawns, 297–306, *see also* garden(s); lawn(s)
- see also* courtyard(s); patio(s)
- house sparrows (*Passer domesticus*), 23, 252, 253, 331
- genetic changes, 271, 272
- housing
- attached single-unit, 321
- detached, house plot sizes, 79, 317, 324
- low-density, 324
- multi-unit high-/low-rise, 316, 328
- public health issues related to, 25
- single-family, location, 38
- single-unit, in cities, 79, 319–322
- spatial patterns, 321, 324–326
- housing development area, wildlife habitat, 263
- human(s)
- inclusion/exclusion in urban ecology, 3
- social patterns, 17–18
- human activities, 16–26
- biodiversity correlation, 234
- flooding increased by, 194–195
- natural areas affected by, 355
- over decades, 235
- pests and public health, 23–26
- riverside area (urban), 190–191
- social patterns, economics and needs, 16–19
- soil patterns associated, 92–94
- urban beaches, 202
- urban coastal zone, 198
- urban soil affected by, 100
- human needs, 16–17
- city location and, 36, 37
- for village to become a city, 36
- human structures, 197, 275–313, *see also* buildings; built structures; underground human structures
- human waste, *see* sewage
- humidity, 126–127
- humus, 95, 106, 302, 347
- hurricanes, 202
- hydrocarbons, 116, 144, 174, 330
- hydrographs, stormwater runoff, 172
- hydrologic cycle, *see* water cycle
- hydrology, 175, 281
- Hymenoptera, spatial pattern, 255, 259–260
- hyporheic zone, 156
- igneous rocks, 98
- impervious surfaces, 136, 170–173
- city centers, 327
- connected (drainage connection), 171
- increase, effect on stormwater discharge rate, 173
- stormwater runoff, 170–173
- amount, 170–171
- urban heat and, 138–139
- water flows and, 170–173
- see also* hard surfaces
- inbreeding, 239
- inbreeding depression, 221, 273
- Indian balsam, 219
- indirect gradient analyses, 42
- indoor plants, 307
- industrial areas, 38, 314, 336–342
- alternative approaches, 339–342
- forms/types, 340–342
- interdependent industries, 340
- characteristics, 338
- contaminated soil, 118, 339
- ecological conditions, 337–338
- ecological succession, 339
- groundwater usage, 158
- location, 341–342
- near rivers, flooding and, 195
- plant and animal species, 339, 340–342
- power and water requirements, 336, 340–342
- production/post-production, 336–339
- ecology of sites, 338–339
- post-production inputs/outputs and ecology, 339
- production inputs/outputs, site features, 337–338
- site requirements, 337
- stormwater runoff, 338, 339, 340–342
- wastewater, 161, 338
- woodlands succession, 237
- industrial site vs. industrial city, 342
- industrial symbiosis, 340
- industrial waste, water pollution, 154, 189
- infill, and infill threshold, 80, 361
- infiltration, water penetration into soil, 103, 104
- informal squatter settlement, 316–319, 343, 349
- “dump favela,” 50–51, 319, 359
- habitats, plants and animals, 318–319
- inhibitor patterns, 266
- input–output models, 46, 68, 69
- insect(s)
- diversity on non-native trees, 219
- genetic adaptation, 271
- green roofs, 312
- herbivores, 219–220, 254
- on trees, 219–220
- insect pests, 24
- insecticides, 271, 300
- institutional gardens, 346
- institutions, 263, 358
- integrated pest management (IPM), 23, 301
- interdependent elements, 53–54
- interdependent industries, concept, 340
- “interdigitation”/interface, natural and urban area, 52
- “intermittent channels,” 183

## Index

- intersection linkage (beta index), 72, 122, 381  
 “interspersed,” natural and urban area, 52  
 intertidal zone, 202  
 invertebrates, 254–255  
   on/in buildings, 309  
   in cracks in hard surfaces, 291  
   ecological functions/roles, 254–255  
   ecological succession, 269, 270  
   gardens, 299  
   green roofs and walls, 257, 313  
   house plots, 296  
   light effect, 255  
   spatial patterns (by class), 255, 259–260  
   species richness and habitats, 255, 296  
   species/types, 254, 269  
   underground, 122  
   urban soil, 112–113, 269  
   urban streams, 184, 186  
   *see also* insect(s)  
 invisibles, in urban ecology, 1, 2  
   importance, 1  
 irrigation-and-drainage systems, 194–195  
 island biogeography model, 48, 238  
 islands  
   barrier, 201–202  
   harbor, 199, 263  
   near lagoon edges, 199, 200  
 ivy (*Hedera*), 309
- Jakarta (Indonesia), wetlands, 177  
 Japanese knotweed, 215, 219  
 “jaws-and-chunks” model, 82, 83  
 journey-to-work model, 382
- Kalundborg (Denmark), interdependent industries, 340  
 kangaroos, 246  
 Kano (Nigeria), 40–41, 225  
 Kawasaki (Japan), interdependent industries, 340  
 kestrel, 249, 262, 331  
 keystone species, 259  
 koala, mortality by dogs, 20  
 “K-selected” species, 216  
 Kuala Lumpur (Malaysia), green wall, 310  
 Kyoto (Japan), 237, 267, 268
- lagoons, 198–201  
   bottoms and sediments, 200  
   islands at edge, 199, 200  
 lakes, 203–204  
 land cover, 7  
 land fragmentation, causes, 89  
 land market value model, 49  
 land mosaic, 32, 50–51, 372–373  
   city center, 50  
   corridors in, 50  
   dependencies between elements, 54  
   flows, 50, 51, 70–73  
   interaction strength, 50  
   interwoven, 51  
   extent determination, 51  
   locality-centered, 51  
   patch-centered, 56–57  
   patches in, 50
- persistence/stability, 51, 73  
 structure–function–change  
   characteristics, 44, 45, 55, 56  
   urban regions as, 51  
 land mosaic model, ix, 44, 48  
 land recovery/restoration, 88–89  
 land subsidence, 152  
 land use, 7  
   airdome thickness and development, 128–129  
   changes during urbanization, 80, 88  
   changes over centuries, 236  
   habitat diversity (fine-scale), 207–208  
   habitat groupings by, 206  
   Kano (Nigeria), 40–41  
   mapping changes in urban area, 81  
   “mixed-use patterns,” 5  
   patterns, 38–39, 70–73  
   planning, principles/categories, 27–28  
   time scale of changes, 235  
   tree species distribution, 226  
   urban soil types and, 96  
   during urbanization, 86–88  
   water runoff and floods associated, 194  
 landfill site, 263, 358  
 landforms, 98–99  
 landscape architecture, 28  
 “landscape complementation,” 55  
 landscape ecology, 10, 294, 306  
 landscape ecology models, 48, 239  
 “landscape ecology revolution,” ix  
 “landscape metrics,” 52, 89  
 “land-use flexibility,” 349  
 Las Letras neighborhood, Madrid (Spain), 57–58  
 latent heat ( $Q_p$ ), 131, 132–133, 136  
 latrines, 168  
 lawn(s), 300–303  
   in cemeteries, 357  
   characteristics, 300  
   in greenspaces and corridors, 343  
   mowing, 300, 302–303  
   pesticides, fertilizers and water, 300–301  
   fertilizers, 301  
   pesticides, 300–301  
   plant biodiversity without, 302–303  
   watering, 301–302  
 “lawn specialists” (species), 302  
 lead, air pollution, 145  
 leaf area index, 217  
 LEED system, 306  
 legacies of ecological conditions, 75  
 Leicester (UK), 211, 296  
 Lepidoptera, spatial pattern, 255  
 levees, 195  
 lichens, 211, 290–291, 307, 357  
 light(s), 255, 256  
 lignin, decomposition, 109, 110  
 limestone-karst rock, 156  
 linear growth, 382  
 litter (vegetation), 94–95, 105, 106  
 littoral zone, 153, 178  
 livestock, 19, 345, 346, 349  
 lizards (*Anolis cristellus*), 266  
 logistic (sigmoid) growth, 382  
 London (UK)
- birds, 249, 252–253  
 green wedges around, 134  
 groundwater flow, 152  
 heat island, 134  
   Highgate Cemetery, 357–358  
 long-wave radiation, 130, 131, 132, 133  
 Los Angeles (USA), 259–260  
 Los Angeles River, 187, 189  
 low-density housing, 324  
 low-impact development, 182  
 low-income areas, residential, 316, 318, 319  
 low-rise buildings, 316, 328, 331
- macroclimate, 58  
 macro-fungi, 222  
 macro-nutrients, in urban soil, 114  
 Madrid (Spain), 260, 309, 310, 334  
   Las Letras neighborhood, 58  
 magnesium (Mg), 114–115  
 mammals  
   in natural area of Portland (USA), 354  
   public health issues, 25  
   tree canopy, 257  
   vegetable gardens, 300  
   *see also* herbivores; predators; *specific mammals*  
 Manchester (UK), 40, 144  
 mangrove swamps, 175, 176, 200, 203, 229  
 manure, for growing food, 347  
 maps, as models, 46  
 Marchetti constant, 5  
 market, 264  
 market gardening, 345, 348  
 marketplace, 333  
 mass flow, 66  
 “master-planned communities,” 326  
 matrix, 44  
 meadows, 293, 312  
 megacities, 5, 63, 159  
 mega-floods, 194  
 megalopolis, 6, 33, 76, 87–88, 373  
 megalopolis ecology, 373  
 “mental models,” 46  
 mercury, 189  
 Merseyside (UK), vegetation change with urbanization, 81  
 meso-predator release hypothesis, 243  
 metamorphic rocks, 98  
 metapopulation, urbanization phase, 322–324  
 metapopulation dynamics, 71–72, 381  
 metapopulation models, 48  
 methane ( $\text{CH}_4$ ), 116, 359  
 metro area (metropolitan area), 6  
   agricultural land around, 60, 62  
   convolution of border, 62  
   as ecological mosaic, 60–63  
   examples, alternative forms, 61–62  
   greenspaces, *see* greenspace(s)  
   land use change during urbanization, 86–88  
   natural land around, wildlife movement, 265  
   perimeter-to-area ratio, 60  
   planning, 82  
   population density, 60

- types, negative/positive roles, 61–62  
urban regions with, examples, 57, 60  
urban–suburban–rural gradient, 262
- metro area border models, 48
- Mexico City (Mexico), 145, 204, 343, 353
- microclimate, 126–129  
air in/out of cities, 126–128  
effects on plant growth, 216  
layers of air and airdome, 128–129  
moisture in air, 126–127  
urban vs. non-urban areas, 128–129  
ventilation of cities, 127–128, 139
- microclimatic patterns, 37
- microhabitats  
green roofs, 312  
house plots, 208  
informal squatter settlements, 318  
railways, 277, 278  
urban wildlife, 251, 257, 328
- micro-nutrients, in urban soil, 114–115
- microorganisms (microbes), 24  
bioretention basins, 180  
groundwater, 156, 157  
groundwater pollution effect, 154  
organic matter decomposition,  
*see* decomposition  
underground, 121  
urban soil, 108–111  
distribution, 109–110  
types, 108–109  
water bodies after wastewater discharge,  
168  
wetlands, 176
- midges, 174
- migration, animals, 67, 264
- military bases, 362
- millipedes, 112
- Milwaukee (USA), tree distribution/  
species, 226
- mineral(s), 36  
in industrial wastewater, 161  
in soil, 91, 92, 95, 99
- mineral nutrient(s)  
flows, 68–69, 83, 322  
in urban soil, 99, 114–115  
in wastewater discharge, 167
- mineral nutrient cycles, 119
- mines, 355–356
- Minneapolis (Minnesota, USA), 367
- mites, 112
- mixed-use areas/land, 268, 314, 315
- models, 38, *see also specific models*
- moisture  
conditions, vegetation grouping,  
206, 207  
in parks, 352  
in urban air, 126–127, 352  
*see also* rain; water
- Mongolian oak (*Quercus mongolica*), 231
- Moran index for degree of clustering, 384
- mosaic patterns, 12, 31–64  
spatial scales, 32–34  
*see also* land mosaic; neighborhood  
mosaics; spatial patterns
- mosses, 211, 291, 307
- motorcycles, 286
- Mount Auburn Cemetery (Cambridge,  
USA), 357–358
- mountain regions, 59–60
- mountain top, 98
- movement(s), 14–16, 65–69  
across boundaries, *see* boundaries  
animal, *see* animal movements; wildlife  
(urban)  
coastal zones (urban), 197, 202, 203  
commuting effects, change-over-time, 75  
energy-driven, 66  
fish, in urban rivers, 190  
habitat and land-use preferences  
affecting, 72  
human-related, coastal zone, 197  
mapping, 72  
materials and objects, underground, 122  
motor-powered, 66  
nature of, 65–69  
patterns, 65–66, 122  
plant, 15–16, 66–68  
primary routes, 72  
rate, 72  
spatial attributes affecting, 70, 71  
species, corridors, 240, 265  
urbanization, *see* urbanization  
*see also* flows
- mowing, lawns, 300, 302–303
- mud flats, 200–201
- mulch, 302
- “multifunctional landscape mosaic,” 348
- multi-habitat species, 53, 55
- multi-modal transport system, 328
- multiple nuclei models, 49
- municipal solid waste (MSW), 358–359
- mushrooms, 222
- Nanjing Region (China), outward  
urbanization, 77
- native species, 370, *see also* plant(s) (urban);  
wildlife (urban)
- natural area/land, 7, 89–90, 353–355  
benefits, 354  
habitat loss/degradation,  
urbanization, 89–90  
native species of wildlife, movement, 265  
“natural burial,” 357
- natural community, plants, 232
- natural environment, 3, 7
- natural habitats, 7
- natural processes, time scales, 234
- natural structures, coastal zone, 197
- natural systems, 7  
degradation, 2  
wastewater treatment, 165, 173
- natural vegetation, protection,  
priorities, 34
- naturalization, species, 213, 235
- “naturbanization,” 77
- nature, definition, 7
- nature reserve, “spillover effect” of birds into  
adjacent area, 265
- nature-and-people interaction model, 38, 39
- nature’s patterns, 34–36
- nature’s services, 30, 225
- negative attributes, urban region, 379
- neighborhood, 54  
residential, streets with small  
shops, 332–333  
sewage treatment facilities, 165
- neighborhood corridors, 362
- neighborhood ecology, city residential  
area, 321–322
- neighborhood mosaics, 49–58, 87  
adjacencies, 51–53  
central organizing force, 55, 57  
convergence points, 55, 56  
corridor-centered, 56–57  
dependent pairs and  
surroundings, 53–54  
interactions between, 54–56, 87  
land mosaic, *see* land mosaic  
patch-centered, 56–57  
tightness, strength of interactions,  
54–56, 57  
two, tight interactions, 57–58
- neighborhood shopping malls, 336
- nematodes, 112–113
- neophytes, 213–214
- nests, parasitized, 266
- net radiation balance, 382
- The Netherlands, National Ecological  
Network, 367
- netway-and-pod transportation, 285,  
287, 375
- network(s)  
ditch, 365  
green/ecological, 45, 48, 72, 365–366, 367,  
374, 375–376  
broad-scale/regional, 366  
dendritic/rectilinear patterns, 366  
ridge, 45  
road, *see* road networks; street networks  
underground, 124  
catacombs, 120, 123  
pedestrian walkways, 122–123  
quarried limestone tunnels, 123  
sewage wastewater, 123–124  
urban streams, 366
- network flows, underground, 122–124  
city centers, 330  
materials and objects, 122  
transportation, 120, 122  
water, 120–121, 122
- network forms, underground, 122
- New England (USA), bird density in city,  
261–262
- New Mexico (USA), commercial strips and  
wildlife, 334
- New York, Long Island (USA), water  
cycle, 151
- Nishinomiya City (Japan), 257–258, 260
- nitrogen (N), 114–115  
estuaries, 201  
excess, in wastewater discharge, 167  
fertilizers, 301, 356  
runoff from gardens/lawns, 301  
seawater pollution, 166  
stormwater pollution, 174  
urban agriculture effect on  
groundwater, 347  
urban streams, 185

## Index

- nitrogen dioxide (NO<sub>2</sub>), street tree species  
 and, 284  
 nitrogen fixation, wetlands, 176–177  
 nitrogen oxides (NO<sub>x</sub>), air pollution, 144, 145  
 node connection, 283, 381  
 noise, 11  
 aircraft, 361–362  
 railways, 276, 277  
 roads/traffic, 280  
 non-native species, spread, 67, 68, 369–370,  
*see also* plant(s) (urban); wildlife  
 (urban)  
 “non-point sources,” pollution, 154  
 nursery plants, 210  
 nutrients, *see* mineral nutrient(s)
- oak woods/species, 8, 218  
 “oasis effect,” 136  
 office centers, 333–334  
 offshore breeze, 140  
 omnivores, 242  
 onshore breeze, 140  
 organic matter, 106  
 decomposition, *see* decomposition,  
 organic matter  
 sewage/wastewater, groundwater  
 pollution, 155  
 urban soil, 102, 104, 106  
 carbon-to-nitrogen ratio, 110  
 organic wastes, 118, 347  
 organisms, 3, 12–14  
 underground, 121–122  
 urban soil, *see* soil (urban)  
*see also* microorganisms; wildlife (urban)  
 orthogonal grid models, 49  
 Osaka (Japan), 260–261, 262, 266–267, 269  
 Ottawa (Canada), green corridors, 363–364  
 outward expansion, *see* urbanization  
 owls, 249–250, 262  
 Oxford (Ohio, USA), songbirds and  
 vegetation, 251  
 oxidation–reduction balance, 103–104  
 oxygen  
 dissolved, low in wastewater discharge,  
 167  
 levels in groundwater, 157  
 root requirement for, 106  
 ozone, 130, 218  
 ozone smog, 144, 147
- parasitism, by invertebrates, 254  
 Paris (France), 120, 123, 260, 309  
 park(s) (city), 344, 349–353, 369  
 biodiversity, factors associated,  
 369, 370–371  
 birds, 351, 352  
 connected, integrated system, 373  
 development, “human-molded  
 vegetation,” 86  
 distribution, 17  
 edges, 69  
 functions/benefits, 349, 350  
 habitat diversity, 208, 351  
 large, 351  
 models of urban people and nature, 28  
 plants, 351, 352  
 scattered, as system, 366  
 shape, and adjacent areas, 351  
 sizes, 137, 350, 351, 369  
 spatial patterns, 351–352  
 stormwater runoff control, 371  
 temperature and moisture, 352  
 trees, 350, 351  
 wildlife, 351–352  
 park system (connected parks), 366,  
 373–374  
 “parkways,” walking, 366  
 particulate matter (PM) *see under* air  
 pollutants/pollution  
 pastureland, 345  
 patch(es), 11, 34, 44  
 characteristics, 44, 50  
 dispersed, urbanization model,  
*see* dispersed patches model  
 edge effect, 239–240  
 house plots, 294–295  
 land mosaic, 50  
 occupancy, 238  
 shape, 240, 381  
 species richness, 384  
 urban-to-rural gradient, 42  
 patch-centered mosaic, 56–57  
 patch–corridor–matrix model, 44–45,  
 48, 238–239  
 house plots, 294  
 uses, 44  
 pathogens, wastewater discharge, 167, 168  
 patio(s), 292, 319  
 plants, 319–320  
 pattern perception models, 49  
 patterns, urban ecology, 11–12  
 pavements  
 permeable, 172, 288  
 porous, 172, 288  
*see also* impervious surfaces  
 peak flow, 172–173, 194, 383  
 pedestrian walkways, 122–123  
 “pedon,” 96  
 people and activities, *see* human activities;  
 human needs  
 percolation and percolation test, 103, 169  
 peregrine falcon (*Falco peregrinus*), 249,  
 256–257, 270, 287, 331  
 perforation, habitat change due to, 88–89  
 perimeter-to-area ratio, 60  
 peri-urban, definition, 7, 39  
 peri-urban area, 13, 39–40  
 adjacency effects, 52  
 built objects, 13  
 changing patterns, urbanization, 322–324  
 description (European cities), 321  
 land patterns, 35–36  
 residential area, 321–326  
 small agricultural sites, 346  
 soil, fertilizer, and contamination, 118  
 spatial patterns, 35–36, 324–326  
 peri-urban development, compact, 321  
 permeability, groundwater, 157  
 pest(s), 19, 23  
 plant/trees, 23, 219  
 wildlife (urban), 24, 265  
 pesticides, 23  
 gardens, 299  
 golf courses, 355  
 growing food and, 347  
 lawns, 300–301  
 runoff into water bodies, 301  
 in urban rivers, 189  
 in urban soil, 115–116  
 pH, soil, elevated, 94  
 phenotypic plasticity, 270  
 Philadelphia (USA), 270  
 Phoenix (USA), 78, 88, 160  
 phosphorus (P), 114–115  
 excess in wastewater discharge, 167  
 fertilizers, 301, 356  
 reduction, constructed basins effect, 181  
 in runoff from gardens/lawns, 301  
 stormwater pollution, 174  
 urban agriculture effect on  
 groundwater, 347  
 urban streams, 185  
 wetlands, 176  
 physical environment, 4, 7, 14  
 phytoremediation, 181, 217, 360  
 phytosociology, 205  
 pigeon (common) (*Columba livia*), 252, 253,  
 263, 271, 331  
 daily fluctuations in Venice, 268  
 pigeon species, urban areas, 252  
 pipe systems, *see* sewage system  
 Pizen (Czech Republic), 235  
 planned built communities, 326  
 planning, urban/city and regional, 26, 29,  
 62–63, 82  
 cities, 31, 64, 81, 82–83  
 metro area, 82  
 towns, 63  
 urbanization, 82–83  
 plant(s) (urban), 205–240  
 adaptations, croplands vs. disturbed  
 wasteland, 221–222  
 boundaries (between communities),  
 231–232, 239–240  
 on buildings, 307–309  
 choice/selection, factors considered, 210  
 city centers, 330  
 climate-related genetic diversity, 222  
 colonization, cracks in hard surfaces,  
 290–292  
 community dominance, 232  
 community structure and dynamics,  
 230–238  
 change/dynamics, 234–238  
 spatial, *see* spatial structure *below*  
*see also* ecological succession; time  
 scales  
 cropland vs. built-area, 221–222  
 density, in city zones, 213, 214  
 diseases, 219  
 dispersal, corridors, 240  
 dispersion, 227  
 distribution in urban areas, 213–214  
 diversity *see* plant(s) (urban), species  
 richness (diversity)  
 emitters of chemicals, 218  
 extinction rates, 236  
 feralization, over centuries, 236

- “floristic similarity,” 238  
 flowering, 211, 278  
 as generalists, 216  
 genetic variation, 216  
 green roofs, 312  
 groupings, 210  
 grown for food in urban areas, 346–347  
 growth inhibition by wastes, 216  
 habitat fragments, 238–240  
 herbivory defenses/prevention, 218–219  
 high plasticity, 222  
 high uptake/assimilation, 217, 218  
 indoor, 307  
 industrial sites, 339  
 informal squatter settlements, 318–319  
 invasive, 213, 215, 235  
 microclimate effects, 216  
 movements, 15–16, 66–68  
 native species, 213, 215, 218  
   elimination, processes, 214  
   gene exchange, 221  
   house plots, 296  
   time scale for change, 235  
 natural community, 232  
 natural hybrids, 236  
 naturalized, 213, 235  
 non-native species, 213, 218  
   archaeophytes and  
   neophytes, 213–214  
   in cities, 213  
   herbivory/herbivores, 218, 219  
   house plots, 295, 296  
   invasion over decades, 235  
   mixtures with native species, 214–215  
   seed dispersal, 220  
   time scale for change, 235  
   variation by habitat, 214  
 normal response curve, 215–216  
 nursery, 210  
 origins, 212–213  
 ornamental, 210  
 in parks, 351, 352  
 patios/courtyards, 319–320  
 pests, 23  
 phenology, 234, 235  
 in planted areas, species interactions, 232  
 preadaptations, 222, 227  
 productivity, in house plots, 296  
 railways and, 277–278  
 resistance and resilience, 216, 217, 222  
 response to urban stresses, 217–218  
 roots, *see* root(s)  
 soil types effect, 216  
 spatial structure, 230, 231–234  
   change over time, 234–236  
   horizontal pattern, 231  
   vertical stratification, 231–232  
 species  
   green roofs, 312–313  
   industrial sites, 339  
   planted, in greenspace, 209–210  
   spontaneous, in greenspaces, 210  
   species mixtures (native/non-native),  
   214–215  
   species patterns, 230  
   species pool, 238  
   species resistance/assimilation  
   variations, 218  
   species richness (diversity),  
   232–234, 266  
   adjacency arrangement pattern, 56  
   adjacency effect, 239  
   boundary type and, 239–240  
   city centers and, 330  
   forest patches in city, 266  
   forest size and adjacent land use  
   affecting, 52  
   habitat area/size, 232–233, 239  
   habitat type and, 233  
   Harvard University (Boston), 233–234  
   house plots, 295–297  
   human design/maintenance efforts  
   and, 232, 233  
   planted species, 295, 296  
   on vacant lots, 360–361  
   taxonomic groups, 210–212  
   tolerance to chemicals, 217  
   tolerants, inhibitors and facilitators, 237  
   transport by vehicles on roads, 286  
   trees’ ecological roles for, 224  
   types, 208–210  
   in urban soil, 105–108  
   on walls, *see* wall plants  
   *see also* tree(s)  
 plant biology, 215–223, *see also* herbivory;  
   pollination; seed dispersal  
 plant ecology, physiological, 215–218  
   plant responses to environment, 215–217  
   species functions, 217–218  
 plant genetics and adaptations,  
   220–223, 236  
   factors favoring/limiting change, 221  
 plantations, in urban areas, 229  
   “point source,” 154  
 poles and pole arrays (docks), 200  
 pollination, 220, 221, 234, 254  
 pollinators, 299, 347, 348  
 pollutants  
   air, *see* air pollutants/pollution  
   estuaries, 201  
   stormwater, *see* stormwater  
   street dust, 281  
   urban rivers, 189  
   urban soil, 94, 100  
 pollution  
   air, *see* air pollutants/pollution  
   cleansing processes of water bodies,  
   174, 189  
   coastal zones of cities, 198  
   commercial strips, 334  
   environmental economics and, 18  
   estuaries, 201  
   groundwater, 154–155  
   harbors, 201  
   industrial areas, 337–338  
   neighborhood retail center, 332–333  
   ponds, 178–179, 182  
   railways, 277  
   rivers, *see* river(s) (urban)  
   seawater, nitrogen, 166  
   stormwater, *see* stormwater  
   urban agriculture and, 347  
   water bodies, *see* water bodies (urban/  
   local)  
   wetlands, 177  
 polychlorinated biphenyls (PCBs),  
   189, 201  
 polycyclic aromatic hydrocarbons (PAHs),  
   116, 189, 218  
 pond(s), 178–179  
   bioretention, 180  
   detention (catch basins), 180  
   factors controlling characteristics, 178  
   on golf courses, 356–357  
   house plots, 303  
   pollution, 178–179, 182  
   stormwater pollution management, 155  
   stormwater runoff, 178  
   types, 179  
   vegetation, 178  
 pond-systems, wastewater  
   aquaculture, 166  
 population density, 36  
   exurban, 40  
   metro areas, 60  
   rural, 40  
   suburban, 40  
   urban, criteria/definition, 36, 40  
   urban regions, 60  
 population genetics, 272  
 population size, of cities, 4–5, 76  
   optimum and limits, 5, 76  
   USA cities, 5  
 porosity, groundwater, 157  
 Portland (Oregon, USA), 354, 367  
 positive attributes, urban region, 379  
 potholes, 288  
 prairie dogs (*Cynomys*), 142–143  
 preadaptation, 222, 227, 270  
 predators  
   escape from, animal movement,  
   264–265  
   invertebrates, 254  
   mammal, 242–245  
   daytime distance from shrub/  
   forest, 261  
   mid-size predators, 242, 243–244  
   top predators, 242, 243, 244, 259, 261  
 prime footprints, 30, 63  
 private spaces, 292  
 protozoa, in urban soil, 109  
 public health issues, 23, 24–26  
   air pollution, *see* air pollutants/pollution  
   home, plants and sprawl, 25  
   low-income residential areas, 318  
   urban ecology principles use, 28  
   water-related, 24–25  
   wildlife-related, 25  
 public land, 38  
 public transport, 17, 286  
 Puerto Rico, 90, 367  
 Q\* (net all-wave radiation), 131, 135, 382  
 quarried limestone tunnels, 123  
 quarries, 355–356  
 rabbit species (*Lepus sylvilagus*), 245–246  
 raccoons (*Procyon lotor*), 244

## Index

- radiation, 126, 129–133  
 heat in groundwater and, 155  
 “sky” (diffuse), 131  
 solar, 129–131, 155, 382  
 wavelength shift (short- to long-), 132
- radioactive isotopes, in air, 143
- radius gradient, 12
- radon, 116
- rail beds, 276, 277
- rail yard, 276
- railways, 276–279  
 barrier/filter effect on wildlife, 278  
 corridors, 276, 277, 278, 364  
 land surrounding, 278–279  
 disused, walkways, 279  
 ditches alongside, 276, 277  
 ecological succession, 237, 277  
 noise and vibration, 276, 277  
 pollution, 277  
 spores, seeds and species distribution, 278  
 vegetation and plants, 277–278  
 wildlife and, 277, 278, 279
- rain, 126, 150, 170, *see also* stormwater  
 “rain-garden,” 180–181
- rainwater runoff  
 flooding, 194  
 green roofs, 311–312  
*see also* stormwater runoff
- rank-size rule for city population, 381
- raptors, 247, 249–250, 254  
 artificial structures as habitats, 249, 254, 256–257
- rare species, 259–260, 362
- rats (*Rattus*), 245
- rectilinear networks, 45
- recycling, 118, 359  
 urine, 169  
 water, 160, 165, 169
- regions (geographic), 58–60
- regulatory economics, 18
- relative humidity, 126
- religion, urban ecology principles use, 29
- reptiles, 253–254  
 changes over decades/centuries, 270  
 characteristics, habitat requirements, 253, 254  
 decline with habitat changes/loss, 253, 260  
 diversity in arid areas, 253
- reservoirs, 158, 159  
 sediment in, 158  
 stormwater pollution, 203–204
- residential areas, 314  
 city *see* city residential areas  
 commercial area mixed, 268, 314, 315  
 green networks, 366  
 low-income areas, 316, 318, 319
- resilience (to disturbances), 74, 75
- resistance (to disturbances), 74
- resolution, 32
- restaurants, 328, 331
- retail business areas, 38, 334
- retail center, neighborhood, 332–333
- retention basins, 179
- Rhododendron puncticum*, 219
- ribbon development, 286
- ridge networks, 45
- Rio de Janeiro (Brazil), 340
- riparian vegetation, 193  
 urban rivers, 187–188, 190–193  
 urban streams, 183, 185–186
- riparian wetlands, 176
- riparian zone, disconnected from  
 groundwater, 196
- ripple effects, 235
- river(s) (urban), 186–193  
 algae, herbivores and animals, 188  
 benefits, 186, 189  
 bottom, 187–188  
 channel and water flow, 187–189, 195  
 high flows, *see* flooding  
 low flows, 187, 188–189, 196–197  
 channelization, 187, 195  
 close human interactions, 190, 191  
 fish, 190  
 groundwater animals around, 157  
 habitat heterogeneity, 190  
 migration, 187  
 pollution, 189–190  
 restoration, 187  
 sediment, 187–188, 200–201  
 species limited by water flow or  
 pollution, 189  
 vegetation, *see* riparian vegetation  
 vertical and horizontal dimensions,  
 187–188, 190  
 water quantity/quality patterns, 188
- River Thames (London), 187
- riverbanks, 187, 190, 191
- riverside area, urban, 57, 191  
 changes during urbanization, 87  
 environmental conditions, 192  
 human activities along, 190–191  
 natural land uses, 191  
 structures, 190–193, 195  
 types, positive/negative roles, 191–193
- riverside infrastructure, 190
- road(s), 279–287  
 as conduit for animal movement, 364–365  
 extension of effects on sides, 280–281  
 moving objects, 285–286  
 noise from traffic, effects, 280  
 pollution from, 281, 287  
 related features, 286–287  
 surfaces, 287, 288  
 types, 281  
 ring roads, 287  
 streets, *see* street(s)  
 urban highways, 280  
 urban/suburban, 280–281  
 widths, 281, 282  
 wildlife crossing, mitigation  
 structures, 280  
 wildlife population reduction, 280
- road ecology, 279
- road kill, 245, 246, 280, 286
- road networks, 282–284  
 patterns/features, 282–284  
 types/forms, 283, 284  
 “road-effect zone,” 57
- roadsides, 284–285
- rock(s), 98, 99  
 seawalls, 202
- rock cliffs, 308, 309, 355–356
- rocky coasts, 202
- rodents, 25, 245, 359
- Roman cities, aqueducts for clean water, 159
- Rome (Italy), 84–85, 87, 350
- roofs, green, *see* green roofs
- root(s), 105, 106–108  
 functions, 108  
 growth and requirements for, 106–108  
 nutrient/mineral absorption, 106, 114  
 sizes (large, fine), 108
- root hairs, 108
- root systems, sizes, 108
- “r-selected” species, 216
- rubble, 116–117
- ruderal vegetation, 207, 221–222
- salt marsh, 199, 201, 203, 235
- saltwater, 76, 153, 166, 202
- saltwater lagoons, 198
- San Diego (California), 242–243, 260
- sand, 37, 95, 101–102, 158
- sand quarry, 356
- Sao Paulo (Brazil), 327
- saprophytes, 109
- satellite cities, 77, 78, 235, 324
- scales, 32  
 domain of, 33  
*see also* spatial scales
- sea-grass beds, 200
- sea-level rise, 203
- Seattle (USA), 40–41, 43
- seawalls, 202
- seawater, 76, 153, 166, 202
- sector models, 49
- security (defense), 36
- sediment  
 estuary bottom, 200–201  
 lagoons, 200  
 reservoirs, 158  
 urban rivers/streams, 167–168, 187–188  
 in wastewater discharge, 167–168
- sedimentary rocks, 98
- Sedum*, green roofs, 312, 313
- seed bank, 236
- seed dispersal, 220, 254, 278, 286
- self-locomotion, 66
- “self-organizing principles,” 51
- semi-natural greenspace/area, 7, 8, 353–355  
 habitat heterogeneity, 353  
 parks (city), 351  
 resistance to disturbances, 74–75  
 woodland, 353–354
- septic systems, 168–170, 304  
 advantages/disadvantages, 170  
 wastewater treatment problems, 169
- septic tank, 169
- sewage, 118, 123, 151, 160–170, 304  
 back-yard outhouse toilets, 302  
 city centers and, 327  
 components and organisms, 161  
 effectiveness of treatment, 164  
 primary treatment, 164  
 secondary treatment, 164  
 septic systems, *see* septic systems

- sludge, 118, 165, 169  
tertiary treatment, 165, 166  
sewage system, 151, 161–166  
  combined with stormwater system, 163, 167  
  global availability, 160–161  
  pipe systems, 161–164  
    access to and problems, 162, 163  
    decomposition processes in, 164  
  separate from stormwater system, 163–164, 166  
  septic systems vs., 170  
  treatment facilities, 161, 164–165  
    neighborhood, 165  
  wastewater discharge effect on water bodies, 165, 166–168  
sewage wastewater network, 123–124  
shade  
  city centers, 332  
  green walls, 282  
  streets, 281, 282  
  from trees in cities, 216–217  
shade corridors, 130, 131, 284  
shadow lengths, 382  
Shanghai (China), greenspaces, 85  
Sheffield (UK)  
  flowering plants, 211  
  habitat diversity in parks, 351  
  house plots, 293–294, 296, 297, 300  
shopping malls, 335–336  
shops, 328, 332–333  
shorebirds, changes over time, 269  
short-wave radiation, 130, 131, 132  
shrinkage, habitat change due to, 88–89  
shrub layer, 231, 258  
shrubs, in urban areas, 229–230  
  distribution (Barcelona), 230  
  diversity, 229  
  house plots, 303  
  large wooded patches, 229  
  roles, 229, 230  
  spontaneous growth, 229, 230  
  wildlife and, 258  
side-boundary vegetation strips, 324  
silt, 37, 95, 98, 101–102  
  in reservoirs, 158  
silviculture, 355  
Singapore, 310, 369  
sinuosity ratio, 384  
skunks, striped (*Mephitis mephitis*), 244  
sky conditions, 126  
“sky” radiation (diffuse radiation), 131  
sky view factor, 130, 382  
skyscrapers, 310, 327, 328  
slope of ground, 37–38, 98  
sludge, sewage, 118, 165, 169  
slugs, 112, 297  
slums, 316  
snails, 112  
social patterns (human), 17–18  
societal goals, 377–378  
sodium chloride (NaCl), 115, 117, 217–218  
soil (urban), 91–124  
  aeration, 92  
  agricultural “crop,” 91  
  agriculture effects on, 347  
  anaerobic conditions, 103, 104, 106  
  biological/physical components, by size, 107, 108  
  boundaries between types, 96  
  bulk density, 102  
  buried compaction layer, 95  
  chemicals in, *see* chemical(s)  
  city center, 329–330  
  classification of types, 95–96, 101  
  clay, 95, 101–102  
  compacted, 91, 93, 94, 339  
  compaction, 95, 100, 102  
    trees resistant to, 105  
  composition, 91, 92  
  compressibility, 103  
  contaminated  
    brownfield sites, 360  
    detention basins and biofilters, 180  
    industrial areas, 118, 339  
    Kano (Nigeria), 40–41  
  core characteristics, 92–94  
  degradation, 83, 105  
  designed-and-mixed, 92  
  development, organic matter role, 106  
  drainage, 103  
  under drainfield (septic system), 169  
  ecosystem development, 105  
  energy and nutrients from, 106  
  erosion (by water/wind), 18, 97, 98, 99, 118, 158  
  fill, 92, 94, 95  
  food web, 149  
  functions, 91–92  
  gases in, 116  
  for green roofs, 312  
  horizontal pattern, 92, 95–97  
  human disturbance effect, 91–92, 96  
  human structures/artifacts, 93  
  identification of types, and maps, 96  
  impervious (hard) surface above, 94  
  “improved”/“remediated,” 92  
  key natural and human processes  
    affecting, 97–100  
    ecological processes, 99–100  
    geological processes, 97–99  
    human processes, 91–92, 96, 100  
  loamy, 101, 102  
  minerals, 91, 92, 95  
  “natural,” 91  
  organic matter, *see* organic matter  
  organisms in, 105–113, 114, 121–122  
    animals, 111–113  
    large invertebrates, 112–113, 114  
    microbes, *see* microorganisms  
    plants and roots, 105–108  
    tiny invertebrates, 112–113, 114, 122  
    vertebrates, 111, 122  
  patterns (associated with human activities), 92–94  
  permeability and percolation, 103  
  pH elevation, 94, 114  
  plant growth, effects on, 216  
  plasticity and elasticity, 103  
  pore size distribution, 103  
  remediation, 181, 360  
  sandy, 101, 102  
  shear strength, 103  
  stormwater infiltration, 93  
  stratification (A, B, C layers), 94–95  
  texture, 97, 101–102  
  texture, properties related to, 102–104  
    relative importance (by activity), 104–105  
    root growth and, 106  
    structural, 102–103  
    water-/air-related, 103–104  
  trees’ ecological roles for, 224, 225  
  types, 91–92, 95–96, 101–102  
    Washington, D.C., 96  
  underground and, *see* underground (urban)  
  urbanization effect, 83  
  vegetation and litter, 94  
  vertical layers (profiles), 92, 94–95  
  characteristics, 94, 95  
  volume change (deformation), 103  
  water drainage, 92  
  water infiltration, 103, 104, 151, 185  
  wetlands, 175, 176  
  zones/layers (A, B), 91, 92, 94–95, 106  
    aerated, groundwater in, 151  
    zones/layers (C), 94  
solar radiation, 129–131, 155, 382  
solid waste, 118, 358  
solid-waste dumps, *see* dumps (tips)  
songbirds, 248, 250–252  
  breeding/summer and winter seasons, 251  
  crossing railways, 278  
  foraging guilds, 251, 257  
  habitat affecting density/diversity, 248, 251–252  
  migration, parks and, 344  
  roosting in trees, 252, 257  
  sensitivity to vegetation structure, 251  
  in suburbs, 251–252  
South Korea, 118, 195, 214, 231  
spatial arrangement  
  buildings, 306  
  in cities, 38–39  
  house plots, 293–295, 306  
spatial ecological gradients, 34  
spatial models  
  early models, 46–47, 62  
  land-use patterns, 38–39  
  patch–corridor–matrix, *see* patch–corridor–matrix model  
  random (stochastic), 46  
  richness, and model types, 46–49  
  simple, 46  
  urban-rural gradient, *see* urban–rural gradient, as spatial model  
spatial patterns, 12, 26–28, 31–64, 377, 382  
  geomorphic framework, 36–38  
  greenspaces, 370  
  horizontal, *see* horizontal patterns  
  house plots, 293–295  
  human and nature’s, 34–36  
  invertebrates, 255  
  land-and-sea, 59  
  megalopolis, 33  
  oblique (diagonal), 32, 59

## Index

- spatial patterns (*cont.*)  
 parks (city), 351–352  
 peri-urban (exurban) area, 35–36, 324–326  
 plants, *see* plant(s) (urban)  
 scale and, *see* spatial scales  
 universality, 49  
 urban regions, metro areas and cities, 58–64, 327  
 urbanization, 76–83  
 vertical, 31–32  
 wildlife habitats, *see* wildlife (urban)
- spatial planning principles, 26–28
- spatial processes  
 habitat change due to, 88–89  
 land recovery/restoration, 88–89
- spatial scales, 12, 32–34  
 fractals, 34  
 hierarchy, 12, 33  
 stair-stepped interpretation, 33  
 urbanization, 75
- spatial sequence models, outward expansion, 82, 83
- species, 11  
 changes, urbanization effect, 85–86  
 “tightness” of interactions, 232
- species assemblage, 50, 232
- species continuum model, 48
- species dominance, 384
- species pool, 238, 351
- “species rain,” 62, 369, 370, 373
- species richness (diversity), 14, 89, 232  
 birds, *see* bird(s) (urban)  
 fine-scale habitats associated, 208  
 habitat type and, 233  
 lagoons, 199  
 patches, 384  
 plants, *see* plant(s) (urban)  
 species–area relationship, 232–233  
 suburbs, *see* suburb  
 wildlife, *see* wildlife (urban)  
*see also* biodiversity
- species source, 265, 351
- species–area effect, 260–261
- species–area relationship, 232–233, 260–261
- spiders, 112
- “spillover effect,” 265
- spores, dispersal by trains, 278
- sprawl, 6, 7, 39, 79, 324  
 development in forests/woodland, 79, 80  
 dispersed patches model, 77, 79  
 environmental effects/features, 78–79  
 habitats and biodiversity, 86
- springtails, 112
- squirrels (*Sciurus*, *Tamiasciurus*), 246
- starlings, 252–253, 331
- stepping stones, 36, 72, 228, 266  
 green roofs, for birds, 313  
 house plots as, 293, 294  
 plant species dispersal, 240  
 wildlife movement and, 266–268  
 birds, 266, 267
- Stockholm, golf courses, 356–357
- storks (*Ciconia*), 256, 257
- storms, 185, 188, 194
- stormwater, 84, 170–174  
 discharge rates, 173  
 drainage systems, 120–121, 170–173  
 flow patterns, 170–173  
 groundwater pollution, 154  
 infiltration into urban soil, 93, 170, 171  
 pollutants in, sources, 170–174, 180, 198, 281  
 clean-water supplies, effect, 174  
 USA vs. UK comparisons, 173–174  
 pollution management, 155  
 pollution of water bodies, *see* water bodies  
 public health issues, 24  
 in sanitary sewage system, 162  
 streets and, 281  
 structures to contain/absorb, 180–181  
 use on golf courses, 356
- stormwater drain/basin, wildlife habitat, 263
- stormwater pipe network, animal movement via, 67
- stormwater runoff, 170, 383  
 amounts (by surface type), 170–171  
 into bioretention basins, 180  
 carparks, 287  
 control by greenspaces, 371  
 estuaries, 201  
 first flush, pollution, 173  
 flashiness, 173, 184, 185  
 green roofs and, 311–312  
 greenspaces and woods, 171  
 impervious surfaces, 171, 172  
 industrial areas, 338, 339, 340–342  
 low-income residential areas, 318  
 neighborhood retail center, 332  
 peak flow, 172–173, 383  
 permeable pavements, 172  
 ponds, 178  
 porous pavements, 172  
 small water collectors, residential areas, 172  
 swales (drainage ditches), 172, 173, 180, 287  
 urban streams, 182, 183–184
- stormwater system  
 combined with sewage system, 163, 167  
 separate from sewage system, 163–164, 166
- stream(s), 182–186  
 bottom of, 184  
 channelization, 184, 195  
 daylighting, 186  
 definition, and headwaters, 183, 206  
 density, 384  
 extent in USA, 183  
 fish, 186  
 flooding, *see* flooding  
 flows, 152, 184, 185  
 in storms, 185  
 variations and flashiness, 173, 184, 185  
 velocity, 184–185, 324, 384
- herbaceous vegetation lining, 185–186
- invertebrates, 184, 186
- networks, 366
- nitrogen/phosphorus levels, 185
- restoration, 186
- temperature, 185
- urbanization effect, 87, 324
- wastewater discharge effect, 168
- water quantity/quality and biology, 182–183, 185–186
- watershed, floodplain and, 182–185
- streamline air flow, 65, 127, 140
- isolated buildings effect, 142
- street canyons and, 141
- street(s), 281–282  
 green walls, 281–282, 309  
 heat and shade, 281, 282  
 stormwater and, 281
- street canyons, 136, 141–142, 281  
 air flows in, 141–142, 327  
 biodiversity, 282  
 tree effects, 143
- street dust, 146, 165, 281, 309
- street networks, 282–284
- “street swales,” 180, 287
- street trees, *see* tree(s), street
- strip(s), *see* corridor(s)
- strip development, 286
- stygobites, 157
- stygophiles, 157
- subcanopy, 231
- subsidence, 152
- subsoil, 91
- suburb, 38, 39, 321  
 bird densities, 249, 261–262  
 bird species richness, 262  
 definition, 7, 321  
 population density, 40  
 songbirds, 251–252  
 species richness, vs. in cities, 262
- suburban area  
 changing patterns, 39, 322–324  
 development forms/types, 322, 323  
 expansion, 321  
 gradient from urban, to rural, 41, 77, 262  
 land patterns, 35–36  
 seed dispersal in, 220  
 small agricultural sites, 346  
 spatial patterns, 324–326
- suburban residential area, 7, 321–326  
 inner suburb, 38, 316  
 types/forms, 316, 317  
 urban areas vs., 324–325
- suburbanization, 77, 321
- succession, *see* ecological succession
- successional habitats, 14, 15, 85
- Sudgelande Nature Park (Berlin), 277, 279
- sulfur dioxide, 144
- surface depression storage, 383
- surface energy balance, 131–133
- surfaces  
 urban vs. non-urban, effect on heat, 136  
*see also* hard surfaces; impervious surfaces
- “surroundings,” importance, 54
- sustainability, urban, 29, 322
- swales (drainage ditches), 172, 173, 180, 181–182  
 street, 180, 287
- swamps, 175, 176
- Swindon (UK), 346
- swine encephalitis, 25
- sycamores (*Acer pseudo-platanus*), 219

- Sydney (Australia), 81, 84  
synanthropic plant species, 52  
Syracuse (New York, USA), 259, 261, 366–367  
systems ecology, 68  
systems models, 46
- tarmac (asphalt) surface, 288  
cracks, 288–289  
temperature  
green roofs, 311  
groundwater, 155–156  
inversion, 128, 129, 135  
parks, 352  
summer, shade from trees and, 216–217  
urban air, 126, 135  
agriculture effects, 347, 348  
air pollution increase, 147  
increase and global warming, 147–148  
non-urban vs., 136–137  
urban streams, 185  
*see also* cooling; heat
- termites, 67, 112, 267  
territory and territoriality, 67, 264  
tides, 76  
Tiete River (Sao Paulo), 189  
Tijuana (Mexico), bird species, 260  
time scales, 16  
change-over-time principles, 16, 75–76  
disasters, 76, 234  
natural processes, 234  
outward expansion of urbanization, 235, 322–324  
plant community structure change, 75, 234–236  
centuries and millennia, 236  
decades, 235  
short (hours–seasons), 234  
years, 234–235  
range of (long to instantaneous), 75  
shipping, bridges, cars, transport, 16, 75  
urban changes, 16, 75–76  
wildlife changes, 268–270  
centuries, 270  
daily/seasonal, 268  
decades, 269–270  
years, 268–269  
*see also* ecological succession
- toilets, back-yard outhouse, 302  
Tokyo (Japan), 81, 133  
topographic features, 97–98  
topsoil, 91, 92, 94  
Toronto (Canada), 122–123, 204, 217, 244, 333, 367  
total nitrogen (TN), 164, 165  
total phosphorus (TP), 164, 165  
total suspended solids (TSS), 164, 174  
town(s), 63–64  
centers, 334  
ecology, 63  
planning, 63  
toxic substances, in water bodies, 168  
traffic calming, 286  
traffic circles, 287  
trains, *see* railways  
trampling, 239
- “transit-oriented development,” 316, 373  
translocation of animals, to new sites, 265  
transpiration, 132, 151, *see also* evapo-transpiration  
transportation, 16, 17, 373, 375  
in city centers, 327–329  
commuting and time scales for change, 16, 75  
harbors and waterfront area, 198  
heat due to, 132  
human need for, 36  
land use change during urbanization, 87  
motor-powered movement, 66  
seed dispersal by, 220  
time to neighborhood retail center, 332  
underground networks, 120–121, 122  
urban ecology principles use, 28  
*see also* railways; road(s)  
transportation corridors, 77  
transportation structures, stormwater runoff, 172  
travel time, city size and, 5  
tree(s), 125, 223–229  
adjacency effect, 239  
around airports, 361  
assimilation/uptake, 217, 218  
avoidance from dump sites, 359  
benefits in cities, 223, 225  
cooling, 139, 284  
Kano (Nigeria), 225  
bird use in cities, 248, 285  
canopy, 227, 231, 257  
cover, 8, 30  
in USA and Europe, 238  
density, in small wooded patches, 228  
diseases and pests, 219  
distribution and arrangement, 225–229  
arrangement, 227–229  
environmental disasters affecting, 227  
time-related changes (years), 226  
ecological roles, 223–225  
major roles, 224  
minimal roles, 224–225  
minor roles, 224  
ecological succession, 226–227  
in front/back outdoor spaces (house plots), 297–299  
generalists, vs. specialist species, 229  
habitat diversity (Taiwan), 207  
herbivores, 219–220  
house plots, 297–299, 303  
isolated, urban air flow, 142–143  
land use affecting species, 226  
large wooded patches, 228–229, 239  
leaf area index, 217  
minimizing at airports, 361  
narrow wooded corridors, 228  
non-native species, 214, 229, 235  
PAHs assimilation, 218  
in parks, 350, 351  
patterns, in metro area during urbanization, 87  
resistance and resilience, 216  
response to urban stresses, 217–218  
rows of, 227–228  
saplings in shrubby areas, 230
- shade from, 216–217  
single, arranging, 227  
single species in plantations, 229  
in small wooded patches, 228, 229  
soil ecosystem development, 105  
species in Chicago, 214  
species pool, 238  
species resistance/assimilation  
variations, 218  
street, 284–285, 287  
benefits, 223  
bird species and, 285  
city centers, 330  
cooling by, 139, 284  
mortality, 226  
pollution affecting growth, 284–285  
relative to city population size, 209  
species related to NO<sub>2</sub> levels, 284  
in street canyons, air flow, 143  
urban-to-rural gradient, 226  
vertical stratification, 231  
birds and, 251, 257–258, 285  
volatile organic compound  
emission, 218  
wide wooded corridors, 228  
*see also* forest(s) (urban areas); plant(s) (urban); woodland  
tree swallow (*Passer montanus*), 250–251  
tropical cities, wildlife and vegetation layers, 258–259  
trucks, 285–286  
tsunami, 202  
turbulent air flow, 65, 127, 140  
turnover rate, 268–269
- UK, house plot biodiversity and coverage, 297, 374  
underground (urban), 119–124  
in city centers, 330  
network flows and forms,  
*see* network flows  
organisms and habitats, 121–122  
rodents, 245  
structures, *see* underground human structures  
underground human structures, 93, 116–117, 119–121  
layering/vertical distribution, 121  
networks, 120–121  
types, 119–120  
understory layer, 230, 231  
urban, definition, 6, 41  
urban area(s), xii, 6, 41  
built spaces and greenspaces, 7  
density, changes with urbanization, 79  
ecological succession, 85  
economics, 18  
key concepts, 6–8  
mosaics, 3, 4  
social interactions, 17  
time scale for changes, 75–76  
varying terms in different countries, 6  
urban attributes, 11–16  
urban backbone, 36, 37  
urban boundary layer (UBL), 128, 135  
urban canopy layer, 128

## Index

- “urban chemical flows,” 68  
 urban cliff hypothesis, 331  
 urban ecology, 3  
   books on, 10  
   breadth of field and uses, 4  
   concept, 2–4, 6, 12  
   as contrasting concepts, 3  
   ecology ‘in’ vs. ‘of’ cities, 11  
   history of, 4–11  
     cities and, 4–8  
     current phase, 9–11  
     early phases, 9  
   key areas to focus on, 11  
   major subjects, reflection on and future prospects, 372–378  
   principles, for society’s solutions, 26–30  
   research areas and centers, 10, 11  
   for society’s solutions, 26–30, 377–378  
   for big solutions, 29–30  
   use in key disciplines/professions, 28–29  
 “urban energy flows,” 68  
 urban environment, cultural/regional aspects, 26, 27  
 “urban forest,” concept, 355  
 urban form, 36, 62  
 urban form models, 48–49  
 urban greenspace system, *see* greenspace system, integrated  
 urban growth boundary, 48, 364  
 urban hierarchy, 33  
 urban metabolism, 68  
 urban objects of ecology study, 3, 12–16  
 urban regions, 3, 57, 58–64  
   agricultural land around metro area, 60, 62  
   boundary, flows across, 63  
   criteria for mapping/boundaries, 60  
   definition, 6, 7, 60  
   as ecological mosaic, metro area and, 51, 57, 60–63  
   examples, 60  
   inner ring, natural land, 62  
   planning, *see* planning, urban/city and regional  
   population density, 60  
   regions surrounding, 60, 62  
   spatial features, positive/negative effects, 63  
 “urban revolution,” ix  
 urban sprawl, *see* sprawl  
 urban sustainability, 29, 322  
 urbanization, 2, 4, 6, 76–83, 373  
   air changes, 83–84  
   China’s Changjiang Region, 84  
   definition, 7, 76, 321  
   ecological change rates, *see* ecological change, rates/trajectories  
   ecological phases, 322–324  
     altered wildlife pattern phase, 322  
     metapopulation, disrupted water phase, 322–324  
     scattered habitat phase, 324  
   edge model, 82, 83  
   habitat loss/degradation and fragmentation, 88–90, 322, 324, 349  
   history of concept, 8  
   house plot sizes and, 324  
   internal changes, 79–81  
   “jaws-and-chunks” model, 82, 83  
   land use changes, 86–88  
     broad scale, 87–88  
   natural land, 90  
   outward expansion, 7, 76–77, 82, 322, 372–373  
     distribution limits for species, 86  
     highway bypass, effects, 88  
     internal change affecting/affected by, 80–81  
     patterns and time scale, 235, 322–324  
     spatial sequence models, 82, 83  
   outward expansion models, 77–79, 235, 324, 377  
     combination of models, 78  
     environmental effects, 78  
   planning and optimal expansion, 82–83  
   soil degradation, 83  
   spatial patterns, 76–83  
   spatial scales and, 75  
   succession and species change, 85–86  
   transformation patterns, 81  
   vegetation change, 81, 84–86  
   water and mineral nutrient flows, 83, 84, 322  
 urban-region rings, 62, 261–262  
 urban–rural gradient, 10–11, 40, 42, 43, 49, 262  
   challenges and end points, 43  
   characteristics measured, 42–43  
   city, suburb, peri-urb, farmland and natural land, 38–41  
   ecological gradients, 42–43  
   as spatial model, 38–43  
 urban–suburban–rural gradient, 41, 77, 262  
 urban-to-rural concept, 40, 41  
 urine, 169  
   dog, 20, 21, 217  
 USA  
   air pollution from traffic, 146  
   bird mortality due to vertical built structures, 256  
   cities and population size, 5  
   “food shed” and urban agriculture, 349  
   golf courses, 356  
   greenway systems, 367  
   tree cover, 238  
   urban streams, 183  
 vacant lot ecosystem, 85  
 vacant lots, 359–361  
   building on (infill), 361  
   plant diversity, 360–361  
 valley bottom, 98  
 vectors, 66, 67  
 vegetable gardens, 86, 299–300, 346  
 vegetables, growing, 346–347  
 vegetation, 205–240  
   along rivers/streams, *see* riparian vegetation  
   backline strip, 294, 295  
   change during urbanization, 81, 84–86  
   changes after city abandoned, 268  
   in city centers, 327  
   classification, 206  
     grouping-by-mechanism, 206–207  
     by origin, 206, 207  
   coastal, time scale of changes, 235  
   disturbed along roadsides, 285  
   dynamics, *see* ecological succession  
   environmental gradients and, 42  
   in greenspaces and corridors, 81, 343  
   herbaceous, along urban streams/ditches, 185–186  
   “human-molded,” development sequence, 86  
   layers/vertical structure, 231–232  
     birds and, 251, 257–258, 285  
     wildlife and, 251, 255, 257–259  
   planted, in urban greenspace, 209–210  
   ponds, 178  
   railways and, 277–278  
   removal, flooding associated, 194  
   riparian, *see* riparian vegetation  
   songbirds and, 251  
   stability, 234  
   succession, *see* ecological succession  
   types, 205–207  
   urban areas, 84–86  
     increase, to ameliorate heat in cities, 139  
   on urban soil, 94, 105–108  
     ecosystem development, 105  
   wetlands, 175  
 vehicles, 30, 285–286  
   types, 285–286  
 Venice (Italy), 153, 268  
 ventilation  
   airport-surrounding areas, 362  
   cities, 127–128, 139  
   ground level, burrows, 142–143  
   vertebrates (urban), 241  
   diversity/abundance in large greenspaces, 354  
   invertebrates as food source, 255  
   pests, 24  
   species richness, habitat fragments and, 261  
   underground, 122  
   in urban soil, 111  
 vertical gradient, 12  
 vertical pattern, 31–32  
   plants, *see* vegetation, layers soil, *see* soil (urban)  
 Vienna (Austria), 157, 281  
 villages, city development, human needs, 36, 212, 372–373  
 vines, 230, 303, 308, 309, 330  
 violets, genetic variation, 221  
 vireo, spatial habitat patterns, 260, 266  
 viruses, in urban soil, 109  
 visibles, in urban ecology, 1, 2  
 volatile organic compounds (VOCs), 144, 146, 218, 287  
 volcano, 76  
 vortex air flow, 65, 140, 141  
 Waitakere City (New Zealand), 367  
 walking, in city centers, 327, 328  
 walking routes, 286

- walkways, 288
- wall(s)  
 cracks, 289–290  
 garden, 304–306  
 green, *see* green walls
- wall plants, 304, 307–308, 309  
 ecological functions/benefits, 309  
 heights and wildlife values, 307, 308  
 pollution reduction, 309  
 species, source and locations, 307–308, 309  
*see also* green walls
- warehouse truck distribution center,  
 336, 337
- wars, 376
- Warsaw (Poland), wildlife, 259
- Washington, D.C. (USA), 96, 366, 369
- waste  
 city centers, 328, 330  
 industrial, 154, 189, 338  
 plant growth inhibition by, 216
- waste site, groundwater pollution, 154
- wasteland, 207, 221–222
- wastewater, 151, 160–170  
 aquaculture for food, 165–166  
 commercial, 161  
 discharge, effects on water bodies, 165,  
 166–168  
 anaerobic conditions, 167  
 estuaries, 201  
 microorganisms, 168  
 nutrient excess and algal blooms, 167  
 sediment excess, 167–168  
 toxic substances, 168
- groundwater pollution, 154  
 industrial, 161
- in low-income residential areas, 318  
 partially treated, in rivers, 189  
 public health issues, 24–25  
 reused, for potable water, 160, 165
- septic systems, 169
- sewage, *see* sewage
- treatment  
 failure in septic systems, 169  
 natural systems, 165, 166  
 partial, sludge from, 118  
 in water bodies, 167, 181
- treatment facilities, 161, 164–165  
 types, 161
- wastewater systems, 161–166  
 pipe systems, 161–164
- water, 204  
 absorption by roots, 106–107  
 agriculture (urban) effect, 347  
 aquifer, uses, 152  
 capillary, 106  
 city centers and, 327  
 clean, supply (urban regions), 18, 150,  
 151, 158–160  
 aqueducts (Roman), 159  
 infrastructure to provide, 159  
 low-income areas, 318  
 stormwater pollutants effect, 174  
 supply problems in cities, 160  
 transport of supplies, 159  
 from urban rivers, 190  
 users and usage, 158, 161  
*see also* water, drinking
- content of urban air, 126–127  
 drainage, soil types, 92  
 drinking, 154  
 contamination, 25  
 groundwater, 151–152, 158  
 reuse, 160  
 sources, 158  
 surface-water supply, 158
- erosion of soils, 97, 98, 99, 118, 158  
 groundwater, *see* groundwater
- for growing food, 347  
 human need for, 16–17, 36  
 infiltration into soil, 103, 104, 151, 185  
 inter-basin/inter-regional transfers, 159  
 for lawns, 301–302  
 potable-water reuse, 160  
 quantity/quality  
 cities, 160  
 urban rivers and, 188  
 urban streams and, 182–183, 185–186
- recycling, 160, 165  
 runoff, house plots, 303–304  
 “surface runoff,” 151  
 surface-water supply, 158  
 trees’ ecological roles, 224  
 underground networks, 120–121,  
 121, 122  
 urbanization effects, 83, 84  
 uses (household), 161  
 volume (average) used per household, 160
- waste, *see* wastewater
- water bodies (urban/local), 175–204  
 constructed basins, ponds, wetlands,  
*see* constructed basins; pond(s);  
 wetland(s)  
 “not swimmable or fishable,” 168,  
 189–190
- in parks, 351  
 pollution by wastewater discharges, 167
- rivers, *see* river(s) (urban)
- stormwater pollution, 173–174, 182  
 constructed basins, 180, 181–182  
 estuaries, 201  
 lakes and reservoirs, 203–204  
 processes to reduce effects, 174  
 quantity/quality effects, 174  
 rivers, 189–190  
 streams, 182–183  
 streams, *see* stream(s)
- toxic substances in, 168
- urban ecology solutions, 30
- wastewater discharge effects,  
*see under* wastewater
- wastewater treatment/clean-up, 167
- waterbirds, 250
- wetlands and ponds, *see* pond(s);  
 wetland(s)
- water budget, 383
- water cycle, 150–151  
 key characteristics, 151
- water flows (urban), 15, 66, 150–151  
 groundwater, 152–154  
 house plots, 303–304  
 non-urban vs. urban flows, 149  
 rivers, 187–189
- stormwater, 170–173  
 peak flow, 172–173, 194  
 stream, to groundwater, 152  
 streams, 152, 183, 184
- water pipes, 159, 160  
 leaks, ecological effects, 159–160
- water pollution, 19  
 airports, 362  
 dog waste and, 21  
 groundwater, 154–155  
 stormwater, *see under* water bodies  
 (urban/local)  
 stormwater runoff and, 173–174  
 strategies for, 375
- water resource management, 28
- water systems, 149–174, 374–375  
 tightening, future prospects, 374–375  
 urban vs. non-urban, 149
- water tanks, 159
- waterbirds, 247, 250  
 habitat types, 250  
 ponds on golf courses, 356–357  
 water depth/salinity effect, 250
- water-borne diseases, 168
- waterfront, city, 198, 204
- water-related changes, urbanization,  
 322–324
- water-related diseases, 168
- water-related public health issues,  
 24–25, 318
- water-related structures, in house plots,  
 303–304
- watershed, urban streams, 182–185
- water-supply pipes/mains, *see* water pipes
- water-table, 151, 152  
 above/below, wastewater leakage from  
 pipes, 162–163  
 groundwater pumping reducing, 152,  
 153, 196  
 land subsidence and, 152  
 rise in, 153, 196  
 urban streams and, 185
- water-treatment facilities, 159
- weathering of rocks, 98, 99
- weeds, 212–213, 296, 299, 347
- wells, 158, 304
- wetland(s), 18, 149, 175–177  
 bioretention, 180  
 characteristics, 175–176, 177  
 coastal, 175, 176, 177, 200  
 constructed, on golf course, 356  
 freshwater tidal, 176  
 functions, 176–177  
 greenspaces and corridors, 343  
 groundwater, 176  
 habitat heterogeneity, 177  
 house plots, 303  
 lagoons and estuaries, 199  
 microorganisms, 176  
 riparian, 176  
 surficial, 175  
 waterbirds, 250
- wetland boundary, 175
- wild pigs, 244–245
- wildfires, 354–355
- “wildland,” 52

## Index

- wildlife (urban), 241–273  
 avoidance behaviors to dogs, 20  
 changes and adaptations, 157, 268–273  
   genetic adaptations, 270–273  
   multi-scale changes, succession, 268–270  
   population density, 269  
   time scales, *see* time scales  
 changing to new habitat, 20, 156–157  
 city centers, 330–331  
 commercial strips, crossing, 334  
 cover for, 241–242  
 disease risk from dogs, 21  
 dog walking impact, 20  
 ecological succession, 268–270  
 feeding, 264  
 garbage as food source, 264  
 geographic range of species, 265  
 habitat heterogeneity and, 259,  
   *see also* wildlife (urban), spatial  
   habitat patterns  
 home range, 264  
 house plots, 295–297  
 mortality  
   railways, 278  
   road kill, 245, 246, 280, 286  
 movement, 264–268  
   airports and, 361  
   along corridors, 240, 265, 364, 367,  
     368, 369  
   altered patterns, urbanization  
     phase, 322  
     distance, 368  
   ecological network, 367  
   facilitator/inhibitor patterns, 266  
   road networks and, 284  
   species sources and adjacencies,  
     265–266  
   stepping stones, 266–268  
   into urban areas, factors affecting, 370  
   urban patterns, 265–268  
   *see also* animal movements; bird(s)  
     (urban)  
 native species, 243–244  
   loss, time since isolation in  
     greenspaces, 242–243  
     natural areas/land, 265  
 needs/requirements, 241–242  
 non-native species, 265  
 in parks, 351–352  
 pests, 265  
 population reduction by roads, 280  
 protected species, 260  
 public health issues associated, 25  
 railways and, 277, 278, 279  
   noise and vibration effects, 276, 277  
 spatial habitat patterns, 259–263  
   animals of specific habitats, 262–263  
   city, suburb, peri-urb, urban-region  
     ring, 261–262  
   greenspace patch size, 260  
   habitat fragments, 260–261  
   rare species, 259–260  
   species richness, 259–260  
 species richness, 242, 243, 259–260  
   mixed-use land, 268  
 species source, and adjacencies, 265–266  
 species types, 242–255, *see also individual  
 species and animal groups*  
 streets, 282  
 suburban, 39  
 territories, 264  
 traffic noise effects, 280  
 urban ecology solutions, 30  
 vegetation layers, 251, 255, 257–259  
 vertical built structures, 255, 256–257  
   as habitats, 256  
   as hazards, 256  
   *see also* animal(s)  
 wildlife underpasses/overpasses, 280, 286  
 Wilmington (Delaware, USA), 90, 353–354  
 wind, 140–141  
   seed dispersal, 220  
   soil erosion, 97, 98, 99, 118  
   streamline, *see* streamline air flow  
   in street canyons, 141–142  
   ventilation of cities and, 127, 128  
 windbreaks, 140–141, 227  
   distance between, and location, 141, 142  
   height and porosity, 140–141, 142  
   windspeed, 140, 142, 383  
 wood fiber, 36  
 woodchucks (*Marmota*), 246  
 wooded corridors, 343  
   narrow, 228  
   wide, 228  
 woodland, 353–355  
   area, predictive of bird diversity, 249  
   in cities, 209  
   conversion to built land, floods and, 194  
   ecological succession, 85, 237  
   foliage layers (2, 3, or 4), 231  
     four-layer, 231  
     two-layer, 231  
   for forestry, 355  
   in greenspaces and corridors, 343  
   herbivory distribution, 219  
   large wooded patches, 228–229, 239  
   layers/strata, 208, 231  
   mixed-origin, Berlin, 215  
   regenerated, 231  
   seed dispersal, 220  
   semi-natural areas, 353–354  
   small wooded patches, 228, 229, 266  
   stormwater runoff, 171  
   strips, wide wooded corridors, 228  
   *see also* forest(s) (urban areas); tree(s)  
 Woodlands, The (Texas), 63  
 woody plants  
   bird feeding, 303, 304  
   ecological succession in cracks, 291  
   house plots, 303, 304, 305  
 Wye Valley (UK), cliffs and  
   succession, 356  
 xeroscaping, 292  
 yard waste, 118, 300, 302  
 yards, 292  
 zones of influence model, 46  
 zoonotic diseases, 25