

Index

- (5, 2) block code, 330, 333, 334
- (6, 4) block code, 337
- (7, 3) block code, 336
- 16-QAM, 361
- 4-PAM, 5, 30, 153, 202, 205, 208, 212, 223, 232, 258, 293, 326, 342
- 4-QAM, 360
- 6-PAM, 307
- adaptive components, 191
- adaptive derotation, 386
- adaptive element, 55–56, 65, 114
 - Costas phase tracking, 208
 - CV clock recovery, 256
 - DD equalization, 288
 - DD for phase tracking, 212
 - DMA equalization, 291
 - LMS equalization, 285
 - LMS for AGC, 123
 - output power, 261
 - PLL for phase tracking, 203
 - SD for phase tracking, 198
 - simple AGC, 123
 - testing, 355
- Aeneid, 314
- AGC, 55, 120–128, 166, 175
- aliasing, 28, 51, 52, 99, 102
- alphabet, 4, 35, 152, 211, 291, 323
- AM
 - large carrier, 81, 419
 - suppressed carrier, 84, 419
- analog vs digital, 11, 28, 30, 121
- Anderson, J. B., 39, 377, 380, 402
- angle formulas, 405
- automatic gain control, *see* AGC
- averaging, 122–124, 199, 256, 261, 285, 442–450
- averaging and LPF, 442
- bandlimited, 18, 101, 418
- bandpass filter, *see* BPF
- bandwidth, 8, 18, 85, 101, 102, 155, 230, 414
- bandwidth vs data rate, 319
- bandwidth vs SNR, 320
- Barry, J. R., 383, 396, 402
- baseband, 9, 247, 251, 271, 285
- Baum, Frank, 310
- Bello, P. A., 79
- B^3IG transmitter, 187–190, 215, 265, 354, 451–459
- binary arithmetic, 329
- binary to text, 154
- Bing, B., 356
- Bingham, J. A. C., 356, 377, 392–393, 402
- bit error rate, 36
- bit error vs symbol error, 310
- bits definition, 307
- bits to letters, 4, 153
- bits to text, 4, 153
- blind equalization, 289, 290
- block codes, 314
- BPF, 22, 24, 46, 60, 63, 76, 141, 151, 377
 - phase shift, 196, 197, 203
- Buracchini, E., 356
- Burrus, C. S., 151
- capacity, *see* channel capacity
- carrier
 - frequency, 17, 20, 22
 - recovery, 9, 33, 192–221, 367
 - recovery, tuning, 351
- Carroll, Lewis, 310
- CD encoding, 339
- CDMA, 22
- cell phones, 17
- center spike initialization, 292
- Cervantes, M., 314
- chain rule, 410
- channel, 5, 11, 62, 164, 179, 221, 237, 260, 266, 270, 272
- channel capacity, 37, 318–323
- CIRC encoder, 339
- clock recovery, 33, 251–269
 - decision-directed, 256
 - output power, 261
 - tuning, 351

- cluster variance, 174, 251, 254, 256
- code division multiplexing, *see* CDMA
- codeword, 333
- coding, 4, 37, 303–340
 - block, 314, 328
 - channel, 328
 - efficiency, 324
 - instantaneous, 324
 - majority rules, 328
 - prefix, 324
 - source, 323–327, 339
 - variable length, 325
- colored noise, 414
- complex equalization, 282
- complex-valued modulation, *see* modulation
- component architecture, 15
- compression
 - mp3, 327
 - uuencode, 327
 - zip, 327
- computers and meaning, 310
- constellation diagram, 174, 379
- convolution, 23, 70, 72, 131, 142, 156, 158, 275, 408
- correlation, 152, 157–160, 172, 178, 245, 374, 426
- correlation vs convolution, 160
- Costas loop
 - PAM, 206
 - QAM, 367–374
- Costas, J. P., 225
- Couch, L. W. III, 39
- data rate, 8, 102
- data rate vs bandwidth, 319
- DD, *see* decision-directed
- decision, 35, 174
 - directed equalization, 288
 - directed phase tracking, 211
 - hard, 35
 - soft, 36, 176
- decoder, 328
- delay spread, 270, 272
- δ function, 65
 - discrete, 67
 - sifting property, 66, 131
 - spectrum, 67
- demodulation, *see* modulation
- demodulation via sampling, 103
- dependence of English text, 311
- derotation, 385
- design methodology, 345
- destructive interference, 339
- dice, 307
- difference equation, 65, 430
- differential encoding, 375
- digital radio, 1, 14, 342
- discrete frequencies, 132
- dispersion minimization, 290, 386
- distortionless, 238
- DMA, *see* dispersion minimization
- Don Quixote, 314
- Doppler effect, 25, 64
- downconversion, 25
 - via sampling, 103
- downsampling, 51, 109, 161, 173, 185
- dual PLLs, 218
- duality, 23, 407
- dynamic range, 121
- efficiency, 324
- electromagnetic transmission, 16
- encoder, 328, 333
- encoding a CD, 339
- energy, 18, 409, 425
- English
 - dependency, 311
 - frequency of letters, 311
 - random, 312
- entropy, 315–318, 324
- envelope, 81, 416–420
- envelope detector, 416
- equalization, 27, 34, 56, 270–302, 387–391
 - blind, 289, 290
 - complex, 282
 - dispersion minimization, 290
 - fractionally spaced, 283
 - initialization, 289, 292, 353
 - tuning, 352
- error measures, 35
- error surface, 118, 125, 200, 207, 213, 259, 261, 263
- errors in transmission, 308
- Euler's formulas, 404
- exclusive OR, 329
- eye diagram, 173, 181, 185, 231–237, 241, 250, 435
- fading, 10, 64, 127, 175
- FDM, 22, 25, 29, 60
- FFT, 18, 42, 131, 133–141, 422–424
 - frequency estimation, 194
 - of a sinusoid, 136
 - phase estimation, 195
 - vs DFT, 424
- filter design, 76, 77, 130, 141, 146
- filters, 23, 46, 62, 141, 275
- final value theorem, 117, 408, 410, 431
- firpm, *see* MATLAB firpm
- fixes, overview, 191
- flat fading, 175
- Fourier transform, 18, 41, 131, 405–408

- meaning of, 422
 - vs DFT, 421
- fractionally spaced equalization, 283
- frame, 4
- Franks, L. E., 225
- frequency, 16
 - carrier, 20
 - content, 19, 20, 40
 - discrete, 132
 - division multiplexing, *see* FDM
 - domain, 23, 40, 72, 132, 140, 421
 - intermediate, 29, 93, 130, 192
 - measuring, 18
 - of letters in English, 311
 - offset, 85, 88, 179, 184, 266
 - radio, 9
 - resolution, 140
 - response, 23, 65, 74, 133, 432
 - scale, 408
 - selectivity, 27
 - shift, 407
 - synchronization, 85
 - tracking, 216, 218
 - translation, 9, 17, 20, 21, 24, 54, 80–97, 103, 192
- freqz, *see* MATLAB freqz
- gain of a linear system, 426
- Galois fields, 339
- generator matrix, 328
- Gitlin, R. D., 397, 403
- gong analysis, 139, 149
- gradient, 34
- gradient descent, 114
- Gray code, 154, 361
- Hamming
 - blip, 156, 169, 194, 228, 233
 - distance, 333
 - wide blip, 230
- hard decision, 174
- Haykin, S., 39, 56
- HDTV, 102
- header, 158, 344, 454
- high-side injection, 93
- highpass filter, *see* HPF
- Hilbert transform, 407, 420
- hill climbing, 115
- HPF, 24, 46, 141
- Huffman code, 37, 324
- human hearing, 102
- ideal
 - channel, 5
 - receiver, 4, 5, 13, 58, 165
 - transmitter, 165
- important message, 167
- impulse response, 23, 65, 70, 74, 131, 141, 142, 270
- impulse sampling, 100
- independence
 - of English text, 311
- independent events, 306
- information, 37, 303
 - and complexity, 308
 - and uncertainty, 305
 - axioms, 306
 - definitions, 304
 - in a letter, 308
 - in digits of π , 308
 - vs meaning, 310
- initialization, center spike, 292
- instantaneous code, 324, 325
- instructor, to the, vii
- integration layer, 341
- interference, 10, 59
- intermediate frequency, 29, 93, 192, 342
- interpolation, 11, 110, 257, 262
- intersymbol interference, *see* ISI
- ISI, 34, 229–230, 241, 247, 266, 270, 273, 387, 435
- iteration, 447
- Jablon, N. K., 394, 403
- Jayant, N., 356
- jitter, visualizing, 231
- Johnson, C. R. Jr., 129, 302
- Lathi, B. P., 39
- least mean square algorithm, 285, 388
- least squares, 277
- Lee, E. A., 375, 386, 395, 402
- Leibniz rule, 410
- letters to bits, 4, 153
- linear, 20, 23, 407, 422
- linear block codes, 37
- linear filters, 59, 65, 70, 130–151
- linear vs nonlinear codes, 335
- LMS, *see* least mean squares
- local minima, 118
- logical AND, 329
- lookfor, *see* MATLAB lookfor
- low-side injection, 93
- lowpass filter, *see* LPF
- LPF, 23, 141, 171
- LPF and averaging, 442
- $\mathcal{M}^6$ receiver, 342–356
- majority rules, 328, 332
- marker, 162, 172, 178, 344, 454
- matched filter, 242–249
- mathematical prerequisites, v

MATLAB

AGC, 124
 averaging, 124
 block code, 331
 clock recovery, 258, 262
 convolution, 70, 237
 correlation, 158
 DMA equalizer, 292
 envelope, 416
 equalizer
 DD, 289
 LMS, 286
 LS, 278
 error surface, 125, 213, 259
 eye diagrams, 233
 FFT, 135
 filter, 47, 48, 70, 142, 237
 firpm, vii, 47, 77, 146, 415
 frequency response, 74
 frequency tracking, 219
 freqz, 143
 help, 42
 ideal receiver, 169
 ideal transmitter, 168
 interpolation, 112
 lookfor, 42
 matched filter, 244
 mod, 329
 noise, 413
 phase tracking, 198, 204, 208, 212
 plotspec, 42, 51
 quantalph, 53, 161
 rand vs randn, 414
 random, 43
 random sentences, 312
 remez, 47
 resample, 113
 reshape, 233
 sampling, 98, 108
 source code, 326
 spectrum of a pulse sequence, 228
 timing recovery, 258, 262
 toeplitz, 276
 maximum phase, 430
 maximum-length pseudo-noise sequence, 162
 McClellan, J. H., 56, 151
 mean, 413
 Meyr, H., 268, 356, 394, 403
 minimum distance, 333, 338
 minimum phase, 430
 Mitola, J. *et al.*, 356
 Mitra, S., 57
 mixers, 53–54
 mixing, 81
 mod, *see* MATLAB mod
 modular arithmetic, 329, 337

modulation, 9, 17, 20
 complex-valued, 359
 large carrier, 81
 quadrature, 90–93, 283, 417
 quadrature amplitude, 357–403
 single sideband, 81
 small carrier, 84–90
 vestigial sideband, 81
 Morse code, 323
 moving average, 442
 mp3 compression, 327
 multipath, 10, 27, 34, 61, 179, 182, 270, 272–273, 435
 mystery signal, 355

 Nahin, P. J., 97
 naive receiver, 12
 Nevermind, 344
 noise, 42, 77, 179
 broadband, 60, 76, 180, 242, 412
 colored, 414
 in-band, 10, 60
 narrowband, 61, 270, 412
 out-of-band, 10, 60
 simulating, 412–415
 spectrum of, 413
 thermal, 60, 76
 white, 245, 412
 nonlinear, 20
 nonlinear vs linear codes, 335
 nonlinearities, 52–53, 196, 197, 376, 416
 nonreturn to zero, 236
 number of particles in the Universe, 336
 numerical approximation to derivative, 256, 262
 Nyquist
 frequency, 50
 pulse, 237–242, 247
 rate, 101
 sampling theorem, 28, 101

 open eye, 185, 232, 266, 278, 287, 290, 435
 open-eye measure, 436
 Oppenheim, A. V., 56
 optimization, 34, 114
 oscillators, 44–46, 192, 210
 other users, 60, 270
 output power, 251, 254
 oversampling, 109, 156, 168, 194, 228, 236

 PAM, 5
 parity check, 328, 330
 Parseval's theorem, 133, 408, 425
 passband, 141
 pedagogical method, *iv*
 performance function, 114, 263, 293, 381

- Costas loop, 207
- CV timing recovery, 256
- DD carrier recovery, 211
- DD equalization, 289
- DMA equalization, 291
- for QAM, 381–383
- LMS equalization, 284
- LMS for AGC, 122
- LS equalization, 276
- output power, 261
- PLL carrier recovery, 203
- SD carrier recovery, 198
- simple AGC, 123
- period offset, 185
- periodicity, 49, 101, 406
- phase
 - ambiguity, 374
 - maximum, 430
 - minimum, 430
 - offset, 86, 87, 179, 183, 192
 - shift, 404
 - splitter, 366
 - synchronization, 86
- phase tracking
 - analysis, 206
 - Costas loop, 206, 367, 376
 - decision-directed, 210
 - dual algorithm, 218
 - phase-locked loop, 55, 202, 375
 - squared difference, 197
- PLL, *see* phase tracking
- Porat, B., 57
- power, 18, 76, 84, 120, 242, 409, 413, 425
 - and correlation, 426
- power spectral density, 242, 245, 409, 425–427
- PPM, 362
- prefix code, 324, 325
- Proakis, J. G., 39, 379, 403
- probability, use of, *v*
- properties of discrete-time signals, 132
- pulse amplitude modulation, *see* PAM
- pulse shaping, 30–32, 155, 160, 161, 172, 194, 226–249, 251, 273
- pulse train, 68, 99
- pulse-matched filtering, 160, 172
- pulse-phase modulation, *see* PPM
- QAM, 357–403
- Q^3AM receiver, 397, 398
- QPSK, 361, 377, 383
- quadrature phase shift keying, *see* QPSK
- quantization, 36, 161, 211
- Qureshi, S. U. H., 302
- radio
 - AM, 17, 21, 80
 - digital, 14, 342
 - FM, 17, 21
 - raised cosine pulse, 239, 240, 248, 406
 - rand, *see* MATLAB random
 - random
 - numbers, 413
 - seed, 414
 - receive filtering, 160, 226–249, 251
 - receiver
 - $\mathcal{M}^6$, 342
 - Q^3AM , 397, 398
 - design, 345
 - ideal, 165
 - smart, 16
 - testing, 350, 355
 - reconstruction, 110
 - rectangular pulse, 8, 31, 72, 111, 238, 248, 406
 - redundancy, 37, 304, 308–315
 - Reed, J. H., 356
 - Reed–Solomon codes, 339
 - replicas, 23, 24, 100, 103
 - resample, *see* MATLAB resample
 - reshape, *see* MATLAB reshape
 - resolution in time vs frequency, 140, 423
 - Robbins, T., xiii
 - sampling, 11, 28, 33, 49, 98–129, 251
 - for downconversion, 103
 - sampling theorem, 28
 - Schafer, R. W., 57
 - Schwarz's inequality, 243, 245, 410
 - scrambling, 162
 - seed for random numbers, 414
 - Sethares, W. A., 302
 - Shannon, C., 3, 37, 305, 308, 312, 340
 - sifting property of impulse, 410
 - signal, 40, 41, 131
 - Signal Processing First, *v*
 - signal-to-noise ratio, *see* SNR
 - simple average, 442
 - simulating noise, 412–415
 - sinc function, 8, 31, 72, 111, 138, 236, 238, 248, 406
 - sine wave, 21
 - spectrum, 69
 - single-sideband modulation, 81
 - sketching frequency response, 432
 - SNR, 60, 76, 244
 - SNR vs bandwidth, 320
 - soft decision, 174
 - software-defined radio, 2, 14, 342, 356
 - source coding, 37
 - source recovery error, 251, 256, 261, 276, 285
 - source vs channel coding, 304

- sources of error, 348
- spectrum, 41, 132, 135
 - δ function, 67
 - magnitude, 18, 23
 - of a pulse sequence, 227
 - phase, 18
 - sine wave, 69
- square-law mixing, 88
- square-root raised cosine, *see* SRRC
- squared error, 35
- squaring, 52, 195, 207
- SRRC, 113, 236, 240, 248, 344, 406
- steepest descent, 114
- Steiglitz, K., 151
- step
 - 1 to build a radio, 1
 - 2 basic components, 15
 - 3 idealized receiver, 58
 - 4 adaptive components, 191
 - 5 putting it all together, 341
- step function, 407
- stepsize, 116, 123, 126, 199, 204, 209, 220, 257, 262, 287, 290, 292, 350, 353, 371, 447
- Stonick, V., 57
- stopband, 141
- Stremmer, F. G., 39
- symbol error vs bit error, 310
- symbol recovery error, 35, 271
- symmetry, 132, 405, 407
- synchronization, 7, 33–34
 - carrier, 9, 192
 - frame, 7, 34, 154, 161, 177, 344, 353, 454
 - frequency, 85
 - phase, 86
 - unnecessary, 84
- syndrome table, 330, 336, 338
- system, 40, 131
- tapped-delay line, 275
- Taylor, F. J., 56
- TDM, 22
- temperature in Wisconsin, average, 443
- testing the receiver, 350
- text to binary, 154
- text to bits, 4, 153
- Through the Looking Glass*, 310
- time, 250
 - delay operator, 428
 - division multiplexing, *see* TDM
 - domain, 23, 40, 132, 140, 421
 - resolution, 140
 - shift, 408, 410, 428
- timing, 33
 - jitter, 7
 - offset, 6, 179, 185
 - recovery, 251–269, 380–384
- Toeplitz matrix, 276, 278
- tracking, 124
- trade-offs, 350
- training sequence, 273, 284, 344, 454
- transfer function, 74, 133, 430
- transition
 - band, 142
 - probabilities, 313
- transmitter
 - B^3IG , 187, 451
 - design, 343
 - ideal, 165
- transpose, 411
- Treichler, J. R., 394, 403
- trial and error, 350
- trigonometric identities, 404
- tuning the receiver, 350
- TV, 17
- uniform sampling, 50
- unit circle, 430
- unit delay, 429
- variable length code, 323
- variance, 413
- Vergil, 314
- Verne, Jules, 314
- vestigial sideband modulation, 81
- wavelength, 16
- what if?, 3, 167, 178
- whatever, 344
- Widrow, B., 129
- wiener, 168
- Wizard of Oz*, 310, 325, 327
- zip compression, 327
- Z -transforms, 409, 428–434