

Turbulence, Coherent Structures, Dynamical Systems and Symmetry

Turbulence pervades our world, from weather patterns to the air entering our lungs. This book describes methods that reveal its structures and dynamics. Building on the existence of coherent structures – recurrent patterns – in turbulent flows, it describes mathematical methods that reduce the governing (Navier–Stokes) equations to simpler forms that can be understood more easily.

This Second Edition contains a new chapter on the balanced proper orthogonal decomposition: a method derived from control theory that is especially useful for flows equipped with sensors and actuators. It also reviews relevant work carried out since 1995.

The book is ideal for engineering, physical science, and mathematics researchers working in fluid dynamics and other areas in which coherent patterns emerge.

PHILIP HOLMES is Eugene Higgins Professor of Mechanical and Aerospace Engineering and Professor of Applied and Computational Mathematics, Princeton University. He works on nonlinear dynamics and differential equations.

JOHN L. LUMLEY is Professor Emeritus in the Department of Mechanical and Aerospace Engineering, Cornell University. He has authored or co-authored over two hundred scientific papers and several books.

GAHL BERKOOZ leads the area of Information Management for Ford Motor Company, covering all aspects of Business Information Standards and Integration.

CLARENCE W. ROWLEY is an Associate Professor of Mechanical and Aerospace Engineering at Princeton University. His research interests lie at the intersection of dynamical systems, control theory, and fluid mechanics.

Cambridge University Press & Assessment

978-1-107-00825-0 — Turbulence, Coherent Structures, Dynamical Systems and Symmetry

Philip Holmes, John L. Lumley, Gahl Berkooz, Clarence W. Rowley

Frontmatter

[More Information](#)

Established in 1952, this series has maintained a reputation for the publication of outstanding monographs covering such areas as wave propagation, fluid dynamics, theoretical geophysics, combustion, and the mechanics of solids. The books are written for a wide audience and balance mathematical analysis with physical interpretation and experimental data where appropriate.

RECENT TITLES IN THIS SERIES

Elastic Waves at High Frequencies: Techniques for Radiation and Diffraction of Elastic and Surface Waves

JOHN G. HARRIS

Gravity–Capillary Free-Surface Flows

JEAN-MARC VANDEN-BROECK

Waves and Mean Flows

OLIVER BÜHLER

Plasticity: A Treatise on Finite Deformation of Heterogeneous Inelastic Materials

S. NEMAT-NASSER

Lagrangian Fluid Dynamics

ANDREW F. BENNETT

Reciprocity in Elastodynamics

J. D. ACHENBACH

Theory and Computation of Hydrodynamic Stability

W. O. CRIMINALE, T. L. JACKSON & R. D. JOSLIN

The Physics and Mathematics of Adiabatic Shear Bands

T. W. WRIGHT

Theory of Solidification

STEPHEN H. DAVIS

Turbulence, Coherent Structures, Dynamical Systems and Symmetry

SECOND EDITION

PHILIP HOLMES

Princeton University

JOHN L. LUMLEY

Cornell University

GAHL BERKOOZ

Information Technology Division, Ford Motor Company

CLARENCE W. ROWLEY

Princeton University



CAMBRIDGE
UNIVERSITY PRESS

Cambridge University Press & Assessment

978-1-107-00825-0 — Turbulence, Coherent Structures, Dynamical Systems and Symmetry

Philip Holmes, John L. Lumley, Gahl Berkooz, Clarence W. Rowley

Frontmatter

[More Information](#)



CAMBRIDGE
UNIVERSITY PRESS

Shaftesbury Road, Cambridge CB2 8EA, United Kingdom

One Liberty Plaza, 20th Floor, New York, NY 10006, USA

477 Williamstown Road, Port Melbourne, VIC 3207, Australia

314–321, 3rd Floor, Plot 3, Splendor Forum, Jasola District Centre, New Delhi – 110025, India

103 Penang Road, #05–06/07, Visioncrest Commercial, Singapore 238467

Cambridge University Press is part of Cambridge University Press & Assessment,
a department of the University of Cambridge.

We share the University's mission to contribute to society through the pursuit of
education, learning and research at the highest international levels of excellence.

www.cambridge.org

Information on this title: www.cambridge.org/9781107008250

© P. Holmes, J. L. Lumley, G. Berkooz, C. W. Rowley 2012

This publication is in copyright. Subject to statutory exception and to the provisions
of relevant collective licensing agreements, no reproduction of any part may take
place without the written permission of Cambridge University Press & Assessment.

First published 1996

First paperback edition 1998

Second edition published 2012

A catalogue record for this publication is available from the British Library

Library of Congress Cataloging-in-Publication data

Turbulence, coherent structures, dynamical systems and symmetry / Philip

Holmes . . . [et al.]. – 2nd ed.

p. cm. – (Cambridge monographs on mechanics)

Rev. ed. of : Turbulence, coherent structures, dynamical systems, and
symmetry / Philip Holmes, John L. Lumley, and Gahl Berkooz.

ISBN 978-1-107-00825-0 (hardback)

1. Turbulence. 2. Differentiable dynamical systems. I. Holmes, Philip, 1945–

II. Holmes, Philip, 1945– Turbulence, coherent structures, dynamical systems, and symmetry.

QA913.H65 2012

532'.0527–dc23

2011041743

ISBN 978-1-107-00825-0 Hardback

Cambridge University Press & Assessment has no responsibility for the persistence
or accuracy of URLs for external or third-party internet websites referred to in this
publication and does not guarantee that any content on such websites is, or will
remain, accurate or appropriate.

Contents

	<i>Preface to the first edition</i>	<i>page</i> ix
	<i>Preface to the second edition</i>	xiii
	<i>Acknowledgements</i>	xv
	PART ONE TURBULENCE	1
1	Introduction	3
1.1	Turbulence	3
1.2	Low-dimensional models	5
1.3	The contents of this book	8
1.4	Notation and mathematical jargon	11
2	Coherent structures	17
2.1	Introduction	17
2.2	Flows with coherent structures	21
2.3	Detection of coherent structures	32
2.4	The mixing layer	35
2.5	The turbulent boundary layer	50
2.6	A preview of things to come	65
3	Proper orthogonal decomposition	68
3.1	Introduction	69
3.2	On domains and averaging	73
3.3	Properties of the POD	74
3.4	Further results	86
3.5	Stochastic estimation	91
3.6	Coherent structures and homogeneity	93
3.7	Some applications	96
3.8	Appendix: some foundations	100
4	Galerkin projection	106
4.1	Introduction	106
4.2	Some simple PDEs revisited	110

4.3	The Navier–Stokes equations	116
4.4	Towards low-dimensional models	121
5	Balanced proper orthogonal decomposition	130
5.1	Balanced truncation	131
5.2	Balanced POD	133
5.3	Output projection	136
5.4	Connections with standard POD	137
5.5	Extensions of balanced POD	139
5.6	Some examples	143
	PART TWO DYNAMICAL SYSTEMS	153
6	Qualitative theory	155
6.1	Linearization and invariant manifolds	156
6.2	Periodic orbits and Poincaré maps	162
6.3	Structural stability and genericity	165
6.4	Bifurcations local and global	168
6.5	Attractors simple and strange	179
7	Symmetry	190
7.1	Equivariant vector fields	190
7.2	Local bifurcation with symmetry	194
7.3	Global behavior with symmetry	195
7.4	An $O(2)$ -equivariant ODE	202
7.5	Traveling modes	211
8	One-dimensional “turbulence”	214
8.1	Projection onto Fourier modes	215
8.2	Local bifurcations from $u = 0$	217
8.3	The second bifurcation point	220
8.4	Spatio-temporal chaos	226
9	Randomly perturbed systems	236
9.1	An Ornstein–Uhlenbeck process	237
9.2	Noisy heteroclinic cycles	240
9.3	Power spectra of homoclinic attractors	247
9.4	Symmetry breaking	249
	PART THREE THE BOUNDARY LAYER	253
10	Low-dimensional models	255
10.1	Equations for coherent structures	256
10.2	The eigenfunction expansion	259
10.3	Symmetries	260
10.4	Galerkin projection	262
10.5	Geometrical structure of the model	269

<i>Contents</i>		vii
10.6	Choosing subspaces and domains	272
10.7	The energy budget	275
10.8	Nonlinear feedback	281
10.9	Interaction with unresolved modes	285
11	Behavior of the models	289
11.1	Backbones for the models	290
11.2	Heteroclinic cycles	293
11.3	Bursts and sweeps	297
11.4	The pressure term	299
11.5	More modes and instabilities	303
11.6	A tentative summary	307
11.7	Appendix: coefficients	312
	PART FOUR OTHER APPLICATIONS AND RELATED WORK	315
12	Some other fluid problems	317
12.1	The circular jet	317
12.2	The transitional boundary layer	321
12.3	A forced transitional mixing layer	326
12.4	Flows in complex geometries	328
12.5	“Full channel” wall layer models	331
12.6	Flows in internal combustion engines	335
12.7	A miscellany of results: 1995–2011	341
12.8	Discussion	342
13	Review: prospects for rigor	345
13.1	The quality of models	345
13.2	A short-time tracking estimate	349
13.3	Stability, simulations, and statistics	352
13.4	Spatial localization	356
13.5	The utility of models	360
	<i>References</i>	364
	<i>Index</i>	382

Preface to the first edition

On physical grounds there is no doubt that the Navier–Stokes equations provide an excellent model for fluid flow as long as shock waves are relatively thick (in terms of mean free paths), and in such conditions of temperature and pressure that we can regard the fluid as a continuum. The incompressible version is restricted, of course, to lower speeds and more moderate temperatures and pressures. There are some mathematical difficulties – indeed, we still lack a satisfactory existence-uniqueness theory in three dimensions – but these do not appear to compromise the equations’ validity. Why then is the “problem of turbulence” so difficult? We can, of course, solve these nonlinear partial differential equations numerically for given boundary and initial conditions, to generate apparently unique turbulent solutions, but this is the only useful sense in which they *are* soluble, save for certain non-turbulent flows having strong symmetries and other simplifications. Unfortunately, numerical solutions do not bring much understanding.

However, three fairly recent developments offer some hope for improved understanding: (1) the discovery, by experimental fluid mechanicians, of coherent structures in certain fully developed turbulent flows; (2) the suggestion that strange attractors and other ideas from finite-dimensional dynamical systems theory might play a rôle in the analysis of the governing equations; and (3) the introduction of the statistical technique of Karhunen–Loève or proper orthogonal decomposition. This book introduces these developments and describes how the three threads can be drawn together to weave low-dimensional models that address the rôle of coherent structures in turbulence generation.

We have uppermost in our minds an audience of engineers and applied scientists wishing to learn about some new methods and ways in which they might contribute to an understanding of turbulent flows. Additionally, applied mathematicians and dynamical systems theorists might learn a little fluid mechanics here, and find in it a suitable playground for their expertise.

The fact that we are writing for a mixed audience will probably make parts of this book irritating to almost all our readers. We have tried to strike a reasonable balance, but experts in turbulence and dynamical systems may find our treatments of their respective fields superficial.

Our approach will be somewhat schizophrenic. On the one hand we hope to suggest a broad strategy for modeling turbulent flows (and, more generally, other spatio-temporally complex systems) by extracting coherent structures and deriving, from the governing

Navier–Stokes equations, relatively small sets of ordinary differential equations that describe their dynamical interactions. We freely admit that there is much speculation and there are few firm results in this, although a number of (partial) successes have been achieved. In collecting our thoughts and those of others, we hope to stimulate research which might ultimately put some of these ideas on a firmer footing. This is the “vision” side of the book. In contrast, and since we need these methods to analyze our low-dimensional models, we provide a brief introduction, with many simple examples, to relevant and well-established ideas from dynamical systems theory. This is the “technical manual” side of the book. We occasionally switch from vision to technical mode, or vice versa, with scant warning. We guarantee that we have a mode to annoy every reader.

Our (tedious) working of simple examples may make for impatience on the part of those hurrying to get to the main attraction, or attractor. In our defense we remark that full appreciation of an “application” as complex as turbulence must rest on a firm understanding of simpler cases. Equally, our use of the symbolic and abstract notation of dynamical systems theory may be a stumbling block for some. We encourage them to stagger on to the examples. (A glossary of technical terms and notations is provided at the end of Chapter 1.)

But while we may irritate, we hope not to confuse. The term “low-dimensional model” is already problematic. Our models ideally contain enough “modes” to permit reasonable spatial as well as temporal behavior of the larger scales in the flow: those dominant in the sense of average turbulent kinetic energy. Our models do not contain, nor shall we be concerned with, the inertial or dissipative ranges. We have in mind sets of ordinary differential equations containing perhaps 10–100 dependent variables: substantially larger than that of, say, Lorenz. This is drastically low in comparison to the number of modes (or nodes) necessary even in a large eddy simulation, let alone a direct numerical simulation, but it is high in the context of dynamical systems, in which we have relatively complete understanding only of systems of dimension ≤ 2 ! We approach the analysis of such “low but high”-dimensional models by building on yet lower dimensional models, for which more complete analyses are possible. In this, one of our prominent illustrative examples is provided by the heteroclinic attractor: a strongly nonlinear type of solution that occurs robustly in systems possessing certain symmetries. Heteroclinic attractors lead to “bursting” behavior in which systems exhibit relatively long quasisteady phases involving few modes, interrupted by violent events in which other groups of modes become active. The reader should not interpret our emphasis to mean that we think turbulence *is* a heteroclinic attractor, although such attractors do appear to represent some key features of the burst/sweep cycle in the boundary layer. Rather, the study of these attractors provides a nice example of the power of qualitative methods applied to equations which are, in dynamical systems terms, of high dimension (≥ 4).

A second area of potential confusion is in our use of linear spaces and linear analysis for the description and study of nonlinear objects. This is, of course, a quite normal tactic. Linear theory is well developed, relatively complete, and powerful. There is no contradiction in defining a nonlinear differential equation on a linear state space, or in representing a spatio-temporal field $u(x, t)$ as a linear combination of basis functions or “modes” $\varphi_j(x)$ multiplied by suitable time-dependent coefficients $a_j(t)$. The Fourier representation is a prime example. Of course, if $u(x, t)$ is a solution of a nonlinear partial differential equation,

linear superposition will fail in the sense that the sum of two solutions will not generally produce a third, but we can still represent individual solutions via such series. Moreover, in spite of all the recent advances in nonlinear analysis, the tools of linear operator theory, including Fourier analysis and linearization of partial and ordinary differential equations, are still crucial in the study of nonlinear systems. The proper orthogonal or Karhunen–Loève decomposition, one of our major tools, also relies on linear theory and produces representations of functions and fields in linear spaces, within which we may then construct strongly nonlinear dynamical systems whose attractors quite happily display their nonlinear character.

The book falls into four parts. In the first – Turbulence – we introduce our general strategy and recall some key ideas from fluid mechanics and “classical” turbulence theory, which establish basic properties of some canonical turbulent flows. We describe coherent structures from the viewpoint of an experimental observer and follow this with a description of the Karhunen–Loève decomposition, with sufficient mathematical detail that the reader can appreciate the advantages and limitations of the low-dimensional, optimal representations of turbulent flows in terms of empirical eigenfunctions that it affords. We conclude this part by describing how the Navier–Stokes equations can be projected onto subspaces spanned by a few empirical eigenfunctions to yield a low-dimensional model, and outlining some of the additional “modeling” that must be done to account for modes and effects neglected in such radical truncations.

The second part – Dynamical systems – contains a review of some aspects of dynamical systems theory that are directly useful in the analysis of low-dimensional models. We discuss local and global bifurcations and important ideas such as structural stability and strange attractors. Symmetries play a central rôle in our ideas, and we devote a chapter to showing how they influence dynamical and bifurcation behaviors. We then gather our methods for a dry run: a study of the Kuramoto–Sivashinsky partial differential equation which, while much simpler than the Navier–Stokes equations, displays some of the same features and allows us to illustrate our techniques. The final chapter introduces some basic ideas from the theory of stochastic differential equations: ideas that we need in dealing with systems subject to (small) random disturbances. This part is a fairly relentless essay in the technical manual mode.

The third part – The boundary layer – returns to the Navier–Stokes equations and a specific class of models of the turbulent boundary layer. This is the problem to which our approach was first applied and it is probably still the most widely studied from this viewpoint. It is certainly the one that we understand best, shortcomings and all. We offer this description and critical commentary partly in the hope that it may help others avoid our mistakes.

In the final part – Other applications and related work – we briefly review a number of applications of this and similar strategies to other turbulent open flow problems. We do not consider applications in other areas, such as pattern-forming chemical reactions, flame dynamics, etc., although many such are now appearing. We close by speculating on the kind of understanding of turbulence that this approach is likely to yield, and on how some recent developments, such as inertial manifolds, are related to it.

We promise not to mention the word “fractal” in this book.

Preface to the second edition

Much work has been done on low-dimensional models of turbulence and fluid systems in the 16 years since the first edition of this book appeared. In preparing the second edition, we have not attempted a comprehensive review: indeed, we doubt that this is possible, or even desirable. Rather, we have added one chapter and several sections and subsections on some new developments that are most closely related to material in our first edition. We have also made minor corrections and clarifications throughout, and added comments in several places, as well as correcting a number of errors that readers have pointed out. Here, to orient the reader, we outline the major changes.

Clancy Rowley (the new member of our team) has contributed a chapter on balanced truncation, a technique from linear control theory that chooses bases that optimally align inputs and outputs. Over the past ten years this has led to the method of balanced proper orthogonal decomposition (BPOD), which is especially useful for systems equipped with sensors and actuators. Since low-dimensional models provide a computational means for studying control of turbulence, we feel that BPOD has considerable potential. This new chapter (5) now closes the first part of the book (readers familiar with the first edition must therefore remember to add 1 to correctly identify the following eight chapters). The only other entirely new sections are 7.5, a discussion of traveling modes in translation-invariant systems, 12.6, a review of work on coherent structures in internal combustion engines, and 12.7, which gathers a miscellany of recent results.

New materials also appear in Chapter 3, where we modestly generalize the derivation of the POD in Section 3.1, adding subsections on specific function spaces, and in Section 3.4, where the relationship between the method of snapshots and the classical singular value decomposition is described, where we introduce an inner product for compressible flows, and where we comment on using a fixed set of empirical eigenfunctions to represent data over a range of parameter values (e.g. Reynolds numbers). In Chapter 4 we now provide more details on Galerkin projection (Section 4.1), give an example of a PDE with time-dependent boundary conditions and explain how quadratic nonlinearities, such as those in the Navier–Stokes equations, permit analytical determination of coefficients in the projected ODEs (Section 4.2). We also describe the important notion of shift modes in Section 4.4. Section 8.4 now ends with remarks on spatially-localized models of the Kuramoto–Sivashinsky equation, Section 10.7.2 notes a model that uses shift modes to couple a time-varying “mean” flow and secondary modes, and in Section 12.4

we summarize low-dimensional models of unsteady wakes behind cylinders. We have also revised Section 13.4 to reflect the fact that the results on spatially-localized models with pressure rather than velocity boundary conditions described there are incomplete and do not completely resolve well-posedness of the Navier–Stokes equations with mixed velocity and pressure boundary conditions. Finally, the index has been substantially expanded and improved, and we have added over 80 references.

Acknowledgements

Many people have contributed their ideas, support, criticism, and time to help make this book possible. We wish first to thank our former and present students, postdoctoral fellows, and colleagues who, over the past ten years, worked directly on the project that led to the first edition of this book: Dieter Armbruster, Nadine Aubry, Peter Blossey, SueAnn Campbell, Hal Carlson, Brianno Collier, Juan Elezgaray, John Gibson, Ziggy Herzog, Berengère Podvin, Andrew Poje, Emily Stone, and Edriss Titi. As anyone who does them knows: teaching, learning, and research are inextricably joined, and without these students' and colleagues' demands that we explain what we mean, we would not have made the first halting steps upon which they could then improve. Many of the results and ideas in this book originated in their work.

Among our immediate colleagues, John Guckenheimer and Sidney Leibovich have been particularly helpful. Steve Pope helped with some of the probabilistic ideas in Chapters 3 and 13. At a greater distance, Keith Moffatt and Larry Sirovich have been useful critics, forcing us to examine our assumptions more closely. Ciprian Foias, Mark Glauser, and Dietmar Rempfer shared their expertise, and explained their insights and results to us. The opportunity to give lectures and short courses on this work has also clarified our understanding and, we believe, improved our presentation. PH would like to thank Klaus Kirchgässner, Jean-Claude Saut, John Brindley, Colin Sparrow, and Silvina Ponce Dawson and Gabriel Mindlin for arranging courses at Universität Stuttgart, Université de Paris-Sud, the University of Leeds, the Newton Institute, Cambridge, and the Fourth Latin American Workshop on Nonlinear Phenomena, San Carlos de Bariloche, Argentina, respectively. JLL would like to thank Yousuff Hussaini and Jean-Paul Bonnet for arranging courses at NASA Langley Research Center and The International Center for the Mechanical Sciences, Udine, respectively. CWR would like to thank Tim Colonius, the late Jerry Marsden, and Richard Murray for introducing him to this field.

The manuscript was typed in \LaTeX , much of it by ourselves, but with the able assistance of Gail Cotanch and Phebe Tarassov. Alison Woolatt of CUP also helped us with \LaTeX and CUP formats. Harry Dankowicz computed some of the figures in Chapter 8. Teresa Howley patiently redrew and improved all the figures. Jonathan Mattingly and Ralf Wittenberg read the manuscript and suggested numerous corrections and improvements. Jo Clegg's patient copyediting kept us on the (fairly) straight and narrow. Our thanks go to all of them.

Numerous Governmental Agencies have supported and encouraged this work: the Office of Naval Research has been with us from the beginning, joined subsequently by the Air Force Office of Scientific Research, the National Science Foundation, the Department of Energy, and NATO. GB was partially supported by ONR contract N00014-94-C-0024, NASA contract NAS1-20408, and AFOSR contract F49620-95-C-0027. A fellowship from the John Simon Guggenheim Memorial Foundation in 1993–94 gave PH the leisure to begin this project and to harass his co-authors for their contributions. We thank these organizations for their support.

In preparing the second edition, and especially Chapter 5 and Section 12.6, we have benefited from the work of Sunil Ahuja, Mark Fogelman, Miloš Ilak, and Zhanhua Ma, and the copy-editing of Richard Smith.

Finally, we are grateful to Simon Capelin of the Cambridge University Press, who encouraged us to complete this book almost from its beginning, and who invited us to prepare a second edition.

Philip Holmes, John L. Lumley, Gahl Berkooz, and Clarence W. Rowley
Princeton, NJ, Ithaca, NY, and Ann Arbor, MI