

Index

Page numbers that are underlined denote the main definition of a term.

- actuation, at boundaries, 111, *see also* inputs
- adjoint, 13
- adjoint modes, 134, 139, 145, 146
 - projection using, 138
- adjoint operator, 143
- adjoint system, 134
- almost-parallel flow, 36, 39, 44, 282
- asymptotic stability, 161, 199–200, 207
- attractor, 5, 9, 65, 67, 83–86, 157, 179, 179–189
 - heteroclinic, 9, 67, 207–209, 242, 247, 343
 - homoclinic, 65, 247–249, 311–312
 - Lorenz, 6, 9, 181–189, 356
 - quasiperiodic, 5, 6
 - strange, 5, 6, 9, 66, 180, 180, 347, 350
- autocorrelation
 - function, 18, 72, 75
 - tensor, 360
- average, 14
 - conditional, 35
 - ensemble, 14, 15, 23–24, 38, 70
 - space, 14, 23–24, 256
 - time, 14, 23–24, 256
- averaging, 18, 38–48, 70, 73–74, 100–102, 256, 282, 350–352
- backscatter, 46
- balanced POD, 133, 133–135
 - adjoint-free, 141–142
 - nonlinear systems, 141
 - output projection, 136–137
 - relation to standard POD, 137–139
 - unstable systems, 140
- balanced truncation, 131–133
 - error bound, 133
 - optimality, 132–133
- balancing modes, 134, 138, 145
- balancing transformation, 132
- bifurcation, 6, 8–10, 26, 168–179
 - codimension-one, 177
 - diagram, 168, 175, 231, 291–292
 - flip, 177
 - global, 177–179
 - Hopf, 127, 176, 176, 208
 - Hopf (map), 177
 - local, 169–177, 194–195, 217–219
 - Neimark–Sacker, 177
 - $O(2)$ -equivariant pitchfork, 194–195
 - period-doubling, 177
 - pitchfork, 172, 175
 - saddle-node, 168, 175
 - sequence, 5, 6
 - theory, 6, 9, 168
 - transcritical, 175
 - value, 169
- bi-orthogonal set, 91, 134, 137, 139
- bluff body, 27
 - wake, 27–28
- boundary condition(s), 17, 107–108, 110, 116–117, 127–128, 257, 275, 332, 357–360
 - inhomogeneous, 111
- boundary layer, 7–9, 20, 36, 50–65, 96–98, 255–313, 321–325, 331–335
 - thickness, 53
- braids (mixing layer), 27, 49–50
- buffer layer, 56, 274
- Burgers equation, 90, 99, 100, 113–115
- burst–sweep cycle, 60–61, 97, 289, 297–299, 307–309, 343
- center manifold, 9, 159, 159, 162, 169, 169–174, 218–221, 346
 - theorem, 169
- center subspace, 159
- channel flow, 90, 122, 127, 273, 279, 283–284, 311, 331–335
- chaos, 5, 6, 180, 305, 325, 350, 353
- chaotic invariant set, 180
- closed set, 12

- coherent structures, 5, 7, 9, [21](#), 17–68, 228, 256–257, 259, 272, 278, 348–349
- compact set, [13](#)
- compactness, 102–105
- complement (of sets), [13](#)
- conditional average, *see* average, conditional
- control, 10, 342, 344, 350
- controllability, [131](#), 135
- controllability Gramian, [131](#), 133, 140
- controllable modes, 133
- correlation, 47, 318
 - function, 31
- correlation matrix, 72
- cost function, 136
- Couette flow, [63](#), 117, 127, 341, 342
- cross section, [163](#), 163–164
- cylinder wake, 27, 28, 33, 126
- data matrix, [87](#)
- dense orbit, *see* orbit, dense
- Dirac delta, 15
- direct modes, *see* balancing modes
- direct numerical simulation (DNS), 20, 37, 122, 311, 322, 332, 354, 360–361
- displacement thickness, 53–54
- dissipation, 18, 19, 21, 44–45, 47, 48, 57, 354
- domain (basin) of attraction, 157
- dot product, [12](#), *see also* inner product
- drag coefficient, 55–56
- Duffing equation, 243–245
- dye tracers, 33
- dynamical importance, 132, 145–147
- dynamical systems, 11, 155–189
- eddy viscosity, 7, 125, 173, 258, 285–288, 290, 304, 361
- eigensystem realization algorithm, 142
- Einstein notation, 16
- empirical eigenfunctions, [71](#), *see also* proper
 - orthogonal decomposition, modes
- energy
 - and L^2 norm, 143
 - budget, 28, 275–280, 324
 - internal, 89
 - kinetic, 7, [13](#), [18](#)
 - stagnation, [89](#)
 - transfer, 7, 18, 45–46, 259, 288, 311, 324, 327, 343
 - turbulent, [18](#), 44
- energy-based inner product, [139](#)
- enthalpy, stagnation, 89
- entrainment, 36, 42–43, 48
- entropy production, 45
- equilibrium point, [157](#)
- equivariant
 - normal form, 9, 10, 203, 222
 - ODE, 9, 82, 190–194
 - vector field, 190–194, 203
- ergodic measure, [188](#)
- ergodic theory, 188
- ergodicity, 75, 180, 188, 348, 354
- error bounds, 132, 133, 145, 149
- Euclidean space, 11, 12
- Eulerian viewpoint, 23
- exact solutions, 19
- first-return map, *see* Poincaré map
- fixed (equilibrium) point, [157](#)
 - hyperbolic, [161](#)
 - stable, 161
 - unstable, 161
- flip bifurcation, *see* bifurcation, flip
- flow map (dynamical system), 158, [158](#), 165
- flow visualization, 32–35
- flow, ergodic, 188
- Fourier
 - decomposition (representation), 69, 80
 - mode, 75, 80, 81, 202–203, 210–211, 216–217, 272, 323
 - series, 69, 215
 - transform, 75, 260, 262
 - wavenumber, 81
- fractal, xi
- freezing (reference frame), [212](#)
- frequency response, 145, 149
- friction velocity, 18, 50, 58, 310
- fundamental solution matrix, [158](#)
- Galerkin method (projection), 7, 9, 10, [107](#), 106–129, 137, 139, 152, 215–217, 262–269
 - for quadratic equations, 115–116
- Gaussian (normal) distribution, 238
- generalized Hankel matrix, [142](#)
- generic properties, 167–168
- geometric Lorenz attractor, [181](#)
- geometric thickness, 18, 57
- Ginzburg–Landau equation, 90, 99, 150, 317, 331
 - linearized, [147](#), 147
- Gramian, *see* controllability Gramian, observability Gramian
- greatest lower bound, [12](#)
- Gronwall’s inequality, 121–122, 350–351
- Hankel singular values, [132](#), 138, 145
- Hartman–Grobman theorem, [158](#), 161, 165
- heteroclinic
 - cycle, 10, 198–201, 206–209, 222–225, 240–247, 293–297, 305, 307, 311–312, 334, 342
 - orbit, 167, 179, 196–199, 206, 294
- Hilbert space (L^2), 12–13, 69–78, 107–108
- homoclinic
 - bifurcation, 179, 188–189
 - orbit, 65, 167, [177](#), 177–179, 199–200
- homogeneity, 23, 80–81, 93–95, 124, 318, 326
- Hopf bifurcation, [176](#), *see also* bifurcation, Hopf

- Hopf, E., 5
 hot film, 35
 hot wire, 35
 hydrodynamic stability, 6
 hydrogen bubble technique, 32–33
 hyperbolicity, 161, 167, 180, 250

 impulse response, 133, 134, 136, 137, 141, 143, 145, 146, 149
 indicator function, 15
 induced norm, *see* norm, induced
 inertial manifold, *see* manifold, inertial
 inertial sublayer, 55
 infimum (greatest lower bound), 12
 infinity norm, *see* norm, infinity
 inner product, 12, 69, 72
 compressible flow, 88–89
 energy-based, 139
 finite-dimensional, 12
 L^2 , 12, 13
 observability Gramian, 138
 on matrices, 136
 input–output systems, 130, 131
 inputs, 15, 130
 instabilities, 25–28, 60–61
 integral scale, 18
 intermittency, 38
 internal combustion engines, 335–341
 intersection (of sets), 13
 invariant function, 191–192, 203
 invariant manifolds, 158
 invariant measure, 15, 100–103, 187, 187–188, 349–352, 354–356
 invariant set, 5, 157, 179
 chaotic, 180
 invariant subspace, 82, 158, 193–194, 205–206, 292, 294, 307
 inviscid flows, 20

 Jacobian matrix, 157
 jet, 25–27, 29, 34, 36, 99, 317–321

 Kalman filter, 58
 Karhunen–Loève decomposition, *see* proper orthogonal decomposition
 Kármán
 constant, 55
 vortex street, 32, 329
 Kelvin–Helmholtz instability, 26, 27, 48, 49
 kinetic energy, 13, *see* energy, kinetic
 Kline, S. J., 58
 Kolmogorov (Fokker–Planck) equation, 238
 Kolmogorov microscale, 19, 21, 35, 38, 123
 Kronecker delta, 15
 Kuramoto–Sivashinsky equation, 10, 100, 214–235, 270, 311, 317

 L^2 , 12, *see also* norm, L^2 ; inner product, L^2

 Lagrangian viewpoint, 22–23
 Landau, L. D., 5
 Langmuir
 cell, 29, 49, 62
 circulation, 30, 65
 instability, 64, 65
 large eddy simulation (LES), 123, 124, 300, 354, 360–361
 Laser–Doppler velocimeter, 35
 least upper bound, 12
 Lebesgue measure, 15, 187
 left singular vectors, 88
 Leonard stresses, 258, 285
 Liapunov equation, 132
 Liapunov function, 139, 206, 293
 lifting (boundary forcing), 112
 limit cycle, 127, 162, 163
 linearization, 9, 156–162
 Lipschitz
 constant, 14
 function, 14
 logarithmic layer, 58, 274
 Lorenz equation, 181–189, 356
 low-dimensional models, 5–8
 low-energy structures, importance of, 143, 145–147
 low-speed streak, 60, 63, 306

 manifold
 inertial, 10, 123, 173, 332, 346, 346–347, 357–360
 invariant, 5, 6, 9, 156–162, 164
 Markov parameters, 142
 mean field model, 278–280
 mean profile, 41
 mean values, 23
 mean velocity, 18
 measure
 ergodic, 188
 invariant, 187
 Lebesgue, 187
 Sinai–Ruelle–Bowen, 188
 method of snapshots, *see* snapshots (method of)
 minimal flow unit, 63, 83, 280, 308, 341
 mixing (dynamical system), 188
 mixing (property of map), 188
 mixing layer, 9, 24–26, 29, 35–50, 99, 318, 321, 326–328
 model reduction, 131–133
 modeling (of neglected modes, etc.), 7, 124–129, 258–259, 278–288
 modulated traveling wave, 204, 222–223, 251, 296, 321
 momentum thickness, 18, 19

 Navier–Stokes equations, 6, 7, 9, 16–17, 19, 66, 116–121, 215, 256–259, 357–360
 averaged, 9, 38, 117, 257, 361
 exact solutions, 19

- linearized, 150–152
- non-dimensionalization, 20, 259
- numerical solution, 37
- no-slip (boundary) condition, 20
- non-normal systems, [143](#), 143–152
- non-wandering set, [157](#), 157
- nonlinearity, 3
- norm, 12
 - Euclidean, 12
 - Frobenius, 136
 - induced, [15](#), [70](#), 89
 - infinity, [15](#)
 - L^2 , [13](#), 143
 - operator, [15](#), 130, 133, 136, 143
 - supremum, [12](#)
- normal form, 9, [175](#), 174–176
- normal operator, [143](#)
- observability, [131](#), 135, 145
- observability Gramian, [131](#), 134, 136, 138, 140
 - as Liapunov function, 139
- observer, 58
- open set, [12](#)
- operator norm, *see* norm, operator
- orbit, dense, [180](#), 179–180, 186
- Ornstein–Uhlenbeck process, 237–239, 241
- Orr–Sommerfeld eigenfunction, 322, 323
- orthogonal projection, 107
- orthogonality, 14, 88, 91, 104, 115, 126, 127, 137–139, 143, 159, 212, 349, *see also*
 - bi-orthogonal set
- outer product, [14](#)
- output projection, 136–137
- outputs, [15](#), [130](#)
 - full-state, 136
- Parseval’s theorem, 136
- pattern recognition, 95–96
- period-doubling bifurcation, [177](#), *see also* bifurcation,
 - period doubling
- periodic flows, 335, 341
- phase (state) space, 5, 8, 15, 23, 65–66, [157](#), 157
- phase portrait, [157](#)
- phase-averaged POD, 335, 341
- phase-invariant POD, 335, 341
- pitchfork bifurcation, *see* bifurcation, pitchfork
- POD, *see* proper orthogonal decomposition
- Poincaré (return) map, [163](#), 162–165, 176, 182
- Poincaré section, [163](#)
- Poincaré–Bendixson theorem, 162
- power spectrum, 75, 94–95, 226, 247–249
- pressure gradient, 39, 40
- pressure terms, 118, 120, 269, 275
- probability density, [15](#)
- projection, 136, 146, *see also* Galerkin method;
 - output projection
 - non-orthogonal, 137–138, 145–146
 - onto stable subspace, 140
- proper orthogonal decomposition, 7, 31, 68–105, 350
 - balanced, *see* balanced POD
 - eigenvalues, 73, 88, 138
 - exponential decay of eigenvalues, 84–86
 - for output projection, 136–137
 - modes, 59–60, [71](#), 124–125, 138, 259–260, 274, 277–278
 - optimality, 70, 78–80
 - relation with SVD, 87–88
 - span of modes, 75–78
 - vector-valued, 72
- proper subset, [13](#)
- quasiperiodic solution (flow), 5, 6, 204, 209–210, 325
- Rayleigh–Bénard problem, 6, 99, 181, 197
- reconstruction equation, [213](#)
- reduced system, [170](#)
- reflection invariance, 8, 9, 202, 215, 261, 311, 319, 322
- Reynolds number, 18–19, 21
- Reynolds stresses, 30, 40, 41, 60, 61, 64, 276–278, 298–299, 311, 320, 328, 348
- ringi, 58
- rollers (mixing layer), 49–50
- rotation invariance, 8, 311
- Ruelle, D., 5
- saddle, [161](#)
- saddle–node bifurcation, [168](#), [175](#), *see also*
 - bifurcation, saddle–node
- scalar product, [12](#), *see also* inner product
- scaling arguments, 20, 52
- Schlieren technique, 32
- self-similarity, 40, 318
- sensitive dependence on initial conditions, 156, 180, 186
- separatrix, 157
- set
 - closed, 12, [12](#), 14
 - compact, [13](#)
 - dense, 168
 - open, 12, [12](#), 168
- shadowgraph technique, 32
- shear flow, 29, 31, 45, 49, 60, 99
 - homogeneous, 29
- shear layer, 26, 321
- shear stress, [18](#), 50, 61
- shift mode, 126, [126](#), 127, 280, 331, 349
- shift operator, [212](#)
- shot noise, 65, 93–96
- Sinai–Ruelle–Bowen measures, [188](#)
- singular value decomposition, [87](#), 87–88, 134, 138
- sink, [161](#)
- smoke wire technique, 32–33
- snapshots (method of), [86](#), 86–87, 133, 134, 138, 326, 329

- Sobolev space, 108
- source, [161](#)
- span, [14](#)
- spatially localized models, 233, 235
- spectral pipeline, 46
- speed of sound, [89](#)
- splitter plate, 33, 37
- Squire's coordinates, 127, 342
- stability, 139–140
- stable foliation, [183](#)
- stable manifold, 159–161
 - global, 160
 - local, [159](#), 159
 - theorem, [159](#)
- stable subspace, 140, [159](#)
- stagnation energy, [89](#)
- stagnation enthalpy, [89](#)
- state space, [157](#), *see also* phase (state) space
- state, of a dynamical system, [15](#), 131, [156](#)
- stochastic estimation, 91–93, 321
- strain rate, 18, [18](#), 44, 45, 47
- strange attractor, 180, *see also* attractor, strange
- structural stability, 5, 9, 165–168, 188–189, 196, 294–295, 353–354
 - linear system, [165](#)
 - nonlinear system, [167](#)
- subgrid scale (Heisenberg) model, 258, 285–288
- subset, [13](#)
- supremum (least upper bound), [12](#)
 - norm, [12](#)
- SVD, *see* singular value decomposition
- symbolic dynamics, [185](#), 185–187
- symmetry, 6, 7, 9, 19, 60, 80–83, 103–104, 190–213, 260–262, 342
 - breaking, 10, 249–251
 - group, 6, 8, 103–104, 190–191
 - reduction, [211](#)
- system norm, *see* norm, operator
- Takens, F., 5
- Taylor–Couette flow, 6, 312
- template fitting, [212](#)
- template function, [212](#)
- tensor, 16
 - product, [14](#)
- tensor product, 14
- Tollmien–Schlichting instability, 26, 98, 322, 324
- topological equivalence, [158](#), 165, 167
- total energy, [89](#)
- transcritical bifurcation, [175](#), *see also* bifurcation, transcritical
- transfer function, [15](#)
- transient growth, 143–146, *see also* non-normal systems
- translation invariance, 8, 9, 202, 211, 215, 261, 311, 323
- trapping region, 129, 162, [162](#), [180](#), 180–181, 206, 293
- traveling modes, 10, [211](#), 211
- traveling wave, 204–205, 210, 211, 222–225, 251, 291, 296
- turbulence, 3–5
- turbulent fluctuating velocity, [18](#)
- unfolding, 6, [175](#), 175–177
- union (of sets), [13](#)
- unstable manifold, 159–161
 - global, 160
 - local, [159](#), 159
- unstable subspace, [159](#)
- van der Pol equation, 162
- vector field, [156](#)
- viscosity, 5
 - dynamic, [18](#), 50
 - kinematic, 17, 50
- viscous stress, 18, 39, 45
- viscous sublayer, 56, 58
- vortex
 - core, 62
 - line, 49, 62, 63
 - necklace, 64
 - ring, 33
 - shedding, 27
 - stretching, 288, 327
- vortices, 321
 - counter-rotating, 21
 - hairpin, 29, 63
 - lambda, 62, 64, 98, 322, 325
 - streamwise, 29, 63, 292, 297
- vorticity, 3
- wake, 29, 36, 329–331
- wake (outer) region, 51
- wall region, 7, 51, 59, 62, 66, 257, 272–275, 331–335
- wall units, 51, 55, 60, 257
- wavelets, 231, 235, 343, 362
- weak solutions, 109