

Cambridge University Press

978-1-107-00854-0 - Linear Algebraic Groups and Finite Groups of Lie Type

Gunter Malle and Donna Testerman

Index

[More information](#)

## Index

- abstract root system, 63, 269
- additive group, 4
- additive polynomial, 183
- adjoint representation, 49
  - highest weight, 129
  - weights of, 122
- adjoint type, 71
- affine algebraic variety, 3
- affine reflection, 285
- affine Weyl group, 285
- alcove, 286
  - wall of, 286
- algebra of regular functions, 3
- algebraic set, 3
- almost simple group, 153
- Ann, 70, 173
- $\text{Aut}_a(G)$ , 88
- automorphism group
  - of a semisimple group, 88
  - of  $G^F$ , 216
- bad prime, 116, 292
  - of an algebraic group, 117
- base of a root system, 64, 270
- big cell, 93
- BN-pair, 91
  - for  $G^F$ , 209
- Borel fixed point theorem, 36
- Borel subgroup, 37
  - of classical groups, 39, 77
  - opposite, 93
- Borel–de Siebenthal algorithm, 109
- Bruhat decomposition, 92
  - for  $G^F$ , 203
- center of  $G^F$ , 211
- character, 22
- character group, 22
  - of  $D_n$ , 23
- Chevalley commutator formula, 86
- $\text{Cl}(V)$ , 101, 236
- class  $S$ , 242
- class  $S^k$ , 156
- classes  $C_1, \dots, C_5$ , 152
- classes  $C_1^F, \dots, C_7^F$ , 240
- classical groups, 7
- classical type, 70
- closed subsystem, 104, 286
- cocharacter, 22
- cocharacter group, 22
  - of  $D_n$ , 23
- commutator formula, 86
  - for  $G^F$ , 202
- complete root datum, 195
  - for  $\text{GL}_n(q)$ , 195
  - for  $\text{GU}_n(q)$ , 195
- components
  - of a finite group, 153
  - of a root system, 273
  - of an algebraic group, 11
- connected variety, 10
- coordinate algebra, 3
- coroots, 60, 269
  - of  $\text{SL}_2$  and  $\text{PGL}_2$ , 68
- Coxeter diagram, 66, 276
- Coxeter group, 67
- crystallographic condition, 63, 269
- $\text{CSp}_{2n}$ , 7
- cyclotomic polynomial, 218
- $d$ -torus, 222

- degrees of a reflection group, 206
- derivation, 44
- derived length, 6
- derived series, 6
- descending central series, 6
- diagonal automorphism, 215
- differential of a morphism, 46
- dimension
  - of a variety, 31
  - of an affine variety, 13
- $D_n$ , 6
- dominant weight, 124
- double centralizer, 239, 253
- dual root system, 269
- Dynkin diagram, 66, 276
  - extended, 107
- endomorphism
  - locally finite, 16
  - locally nilpotent, 16
  - locally semisimple, 16
- Ennola duality, 196, 235
- exceptional type, 70
- exotic local subgroup, 252
- extended Dynkin diagram, 107
- $F$ -conjugacy class, 185
- $F$ -conjugate, 185
- field automorphisms
  - of  $G^F$ , 215
- finite classical groups, 236
- finite group of Lie type, 184
  - automorphism group, 216
  - BN-pair, 209
  - Bruhat decomposition, 203
  - center, 211
  - diagonal automorphism, 215
  - field automorphism, 215
  - graph automorphism, 215
  - order, 208
  - root system, 199
  - Schur multiplier, 214
  - simplicity, 213
  - Sylow  $p$ -subgroups, 210
  - twisted, 193
- finite reflection group, 205
  - invariant ring, 205
- flag, 31
- flag variety, 31
- fundamental chamber, 279
- fundamental dominant weight, 127
- fundamental group
  - of a root system, 70
  - of a semisimple group, 71
- $G$ -space, 31
- $\mathbf{G}_a, \mathbf{G}_m$ , 4
- general linear group, 4
- general unitary group, 182
- generic Sylow theorems, 224
- $GL_n$ , 4
- $\mathfrak{gl}_n$ , 44
- $GL_n(q)$ , 181
- $GO_n$ , 8
- $GO_{2n}^\pm(q)$ , 194
- graded trace, 265
- graph automorphisms
  - of a semisimple group, 90
  - of  $A_n$ , 90
  - of  $D_4$ , 107
  - of  $D_n$ , 172
  - of  $E_6$ , 100
  - of  $G^F$ , 215
- $GU_n(q)$ , 182
- half-spin groups, 72
- height of a root, 107, 272
- highest root, 107, 284
- highest short root, 294
- highest weight, 125
  - of adjoint representation, 129
- highest weight module, 125
- homocyclic group, 225
- homogeneous  $G$ -space, 31
- homogeneous module, 149
- indecomposable root system, 66, 273
- integral weight, 126
- internal module, 143
- irreducible component, 10
- irreducible variety, 9
- isogeny, 71
  - lifting, 73, 192
- isogeny type, 71
- isolated elements, 114, 119, 234
- $\text{Isom}(V)$ , 101
- isomorphism theorem, 70
- isotropic vector, 101
- $J_{2n}$ , 7
- Jordan decomposition, 17
  - in the Lie algebra, 48
- Jordan subgroup, 251
- $kG$ -module, 32
- $K_n$ , 7
- Landazuri–Seitz bounds, 248
- left invariant derivation, 44

- left translation, 44
- length function, 276
- level of a root, 140
- Levi complement, 99
- Levi decomposition, 99
- Levi subgroup, 99
- Lie algebra
  - of an algebraic group, 44
  - of  $\mathbf{G}_a$ , 45
  - of  $\mathrm{GL}_n$ , 45
  - of  $\mathbf{G}_m$ , 45
  - of  $\mathrm{SL}_n$  and  $\mathrm{PGL}_n$ , 48
  - of  $\mathrm{U}_n$ ,  $\mathrm{D}_n$  and  $\mathrm{T}_n$ , 78
- Lie algebra of derivations, 44
- Lie algebra representation, 136
- linear algebraic group, 4
- local subgroup, 153
  - exotic, 252
- locally finite endomorphism, 16
- locally nilpotent endomorphism, 16
- locally semisimple endomorphism, 16
- long root, 276
- longest element, 93, 277
- maximal tori
  - in  $\mathrm{GL}_n(q)$ , 221
- maximal torus, 28, 38
- maximal vector, 124
- maximally split torus, 187
  - in  $\mathrm{GL}_n(q)$ , 187
  - in  $\mathrm{GU}_n(q)$ , 187
- morphism
  - of affine varieties, 3
  - of  $G$ -spaces, 31
  - of linear algebraic groups, 5
  - of varieties, 31
- multiplicative group, 4
- multiplicity of a weight, 122
- natural isogenies, 71
- nilpotent group, 6
- nilpotent part, 16
- non-degenerate quadratic form, 101
- $O_p(G)$ , 41
- opposite Borel subgroup, 93
- orbit map, 32
- order formula for  $G^F$ , 206
- order on  $X(T)$ , 124
- order polynomial, 207
  - of  $\mathrm{GL}_n$ , 207
  - of  $\mathrm{SL}_n$ , 207
  - of  $\mathrm{SO}_8^+$ , 208
- orthogonal group, 8
  - conformal, 8
  - non-split, 194
  - of minus type, 194
  - of plus type, 194
  - projective conformal, 35
  - special, 11
- $p$ -closed subsystem, 104
- parabolic subgroup, 97
  - in classical groups, 101
  - of a Weyl group, 95, 278
- parabolic subsystem, 95, 278
- $\mathrm{PCO}_{2n}$ , 35
- $\mathrm{PCSp}_{2n}$ , 35
- $\mathrm{PGL}_n$ , 35
- Poincaré polynomial, 205
- point derivation, 45
- positive roots, 64, 270
- positive system, 270
- primitive prime divisor, 247
- projective general linear group, 35
- projective variety, 30
- quasi-isolated elements, 113
- quasi-projective variety, 34
- quasi-simple group, 153
- quotient variety, 34
- radical, 41
- rank, 38
  - of a root system, 64, 269
  - of classical groups, 38, 77
- rational representation, 32
- reduced expression, 276
- reductive algebraic group, 41
- Ree groups, 193
- reflection, 60, 268
- reflection group, 205
  - invariant ring, 205
- regular element, 115
- restricted
  - module, 137
  - representation, 137
  - weight, 137
- restricted representation, 136
- right translation, 16
- root datum, 69
- root subgroups, 59
  - of  $\mathrm{SL}_n$ , 84
  - of  $\mathrm{SO}_{2n}$ , 85
  - of  $G^F$ , 200
- root subspace, 59

- root system
  - abstract, 63, 269
  - classification, 66
  - of  $GL_n$ , 52
  - of  $SL_n$ , 52
  - of  $SO_{2n}$ , 85
  - of  $Sp_{2n}$ , 79
  - of  $G^F$ , 199
  - of a connected algebraic group, 51
  - of classical type, 70
  - of exceptional type, 70
  - rank of, 64, 269
  - simply laced, 67
  - two-dimensional, 65, 275
- roots, 51
  - height of, 107
  - level of, 140
  - positive, 64, 270
  - shape of, 140, 280
- $\mathfrak{S}_n$ , 9
- Schur multiplier
  - of finite groups of Lie type, 214
- semisimple algebraic group, 41
  - classification, 70
- semisimple endomorphism, 15
- semisimple part, 16
- semisimple rank, 41
- shape of a root, 140, 280
- sheaf of functions, 30
- short root, 276
- simple algebraic group, 61
  - of adjoint type, 71
  - of simply connected type, 71
- simple reflections, 84, 272
- simple roots, 84, 271
- simplicity
  - of  $G^F$ , 213
  - of algebraic groups, 97
- simply connected type, 71
- simply laced, 67
- Singer cycle, 220
- singular vector, 101
- $SO_n$ , 11
- $SO_{2n}^{\pm}(q)$ , 194
- socle of a module, 134
- solvable group, 6
- $Sp_{2n}$ , 7
- special linear group, 7
- special unitary group, 182
- spin groups, 72
- standard Frobenius, 181
- standard parabolic subgroup
  - of a reductive group, 97
  - of a Weyl group, 95, 278
- Steinberg endomorphism, 183
  - classification, 191
  - $\mathbb{F}_q$ -split, 191
  - on  $\mathbf{G}_m$  and  $\mathbf{G}_a$ , 183
  - twisted, 191
  - very twisted, 191
- Steinberg presentation, 86
- Steinberg tensor product theorem, 138
- structure constants, 86
- subsystem
  - closed, 104
  - of a root system, 278
  - $p$ -closed, 104
- subsystem subgroup, 104
- $SU_n(q)$ , 182
- supersolvable group, 226
- Suzuki groups, 193
- Sylow  $d$ -torus, 222
- Sylow subgroups
  - centralizer, 227
  - normalizer, 210, 228
  - structure of, 225
- symmetric subset, 287
- symplectic form, 7
- symplectic group, 7
  - conformal, 7
  - projective conformal, 35
- system of positive roots, 64, 270
- tangent space, 45
- tensor product theorem, 138
- Tits group, 213
- $T_n$ , 6
- torsion prime
  - of a root system, 116, 294
  - of an algebraic group, 117
- torus, 22
- totally isotropic subspace, 101
- totally singular subspace, 101
- triality automorphism, 101
- $U_n$ , 6
- unipotent endomorphism, 15
- unipotent group, 17
- unipotent part, 16
- unipotent radical, 41
- variety
  - affine, 3
  - connected, 10

Cambridge University Press

978-1-107-00854-0 - Linear Algebraic Groups and Finite Groups of Lie Type

Gunter Malle and Donna Testerman

Index

[More information](#)*Index*

309

- defined over  $\mathbb{F}_q$ , 181
- dimension, 13, 31
- irreducible, 9
- projective, 30
- quasi-projective, 34
- weight
  - dominant, 124
  - fundamental dominant, 127
  - integral, 126
  - restricted, 137
- weight of a representation, 122
  - highest, 125
  - restricted, 137
- weight space, 122
- weights
  - of the adjoint representation, 122
- Weyl group, 51
  - affine, 285
  - of a BN-pair, 91
  - of a root system, 64, 269
- Witt index, 236
- Zariski topology, 3
- Zsigmondy prime divisor, 247