

Index

- adaptation
 - Community-Based Adaptation (CBA), 202
 - community programs, risk awareness, 261
 - cost, risk, burden of, 247
 - cost-benefit analyses, 247
 - deficit, existing climate risks, 205
 - development, role of, 199
 - distribution of risk, consequences, 231
 - engineering-based design, regulation, time frame, 90
 - failure to adapt, risks of, 251
 - fire, community involvement, Fire Safe Councils, 47
 - fire, property vegetation clearance, radius, 47–49
 - flexible approach, 243
 - gradual change, 251
 - heat waves, housing, behavioural change, heat warning systems, 121
 - how to enable, 249
 - impacts-based approach, 201
 - knowable, avoidable human actions, moral, legal territory, 232
 - legitimate, inclusive, sustainable, 231
 - long term, incremental adjustments, transformational changes, 218
 - need for action, 261
 - normalising, 73
 - physical assistance needs, 243
 - planning, top-down vs. bottom-up, 205
 - political, social factors, enabling, constraining, 91
 - pro-poor development, sustainable livelihoods, 201–202
 - public response, 248
 - response, appropriate level of, 249
 - rights based approach, anthropogenic climate change, 232
 - risk, identification and prioritisation, 231
 - risk of maladaptation, 223
 - severe European windstorms events, socio-economic, 117
 - system resilience, contribution to, 182
 - technology-based interventions, 201
 - types of, 243
 - vulnerability reduction, locally appropriate, 201–202
 - wealth, technological capacity, and, 232
 - what if scenarios, predict-and-provide, 218
- adaptation, barriers to
 - climate change, 225
 - cognitive, 227
 - communication of risk, 228
 - financial resources, 225, 228
 - institutional, underlying structures, norms, processes governing decision-making, 225
 - land use constraints, 227–228
 - limits, vs., 224–225
- adaptation, limits to, 232–233
 - ecological impacts, thresholds, social limits, 226
 - economic, technical, social valuation processes, 226
 - financial limits, 229
 - flood levees, 229
 - magnitude of changes, surpassing social systems coping ability, 230
 - mobility, effects of, 229
 - perception of failure, 226
 - population displacement, social impacts of, 229
 - technological limits, 228–229
- adaptation financing, climate change adaptation, 210
- adaptive capacity, small vs. large communities, 102
- adaptive management, 219
- African Development Bank, 219
- aggradation, 35
- Andrew Garcia, 20
- annual windstorms loss ratio for Germany, 111
- Australia
 - bushfires, 75
 - policy recommendation, bushfire management, 75
- Australia, disaster risk during 2010/11
 - floods, storms, fire and pestilence, 252
 - multiple natural disasters, nearly simultaneous, 252
- Australian locust plague
 - cost-benefit analysis, 253–254
 - preparation for, 252–253
 - resources, 253
 - successful outcome, factors, 254
- Australian rainfall anomalies for the 12-month period May 2010–April 2011, 253

- Bangladesh reconstruction, build back better, 169–170
- Black Saturday, 2009 Australian bushfire. *See also*
bushfires, Australian
buildings, destroyed, bushland proximity, 79
combination of factors, catastrophic fire danger, 78
dimensions, environmental, human, 75
drought factor, 77
extreme temperatures, unprecedented, 77
fatalities, contributing factors, health, preparedness, 80
fatalities, stay or go policy questioned, 78–79
homes, defended, lower damage rate, 80
human factors, 78
land use planning regulation, high risk areas, failure, 84
location of the 2009 Victorian bushfires, 75
northerly winds, very strong, 77
planning, preparedness, wait and see strategies, 79
policy, management, changes, 80
population growth, Melbourne suburban fringes, risk areas, 78
relative humidity, record lows, 77
residents, defended homes, fled late, 79
2009 Victorian Bushfires Royal Commission, 80
warnings, unofficial, 79–80
- Boscastle, thunderstorm, expensive, technical engineering intervention, 203
- Bureau of Meteorology, 257
- bushfires, Australian, 75
adaptation, climate change, 83
2009 Victorian Bushfires Royal Commission, 80
weather conditions, 75–76
- case studies, analogous events, 242
- Centre for Research on the Epidemiology of Disasters (CREED)
database, natural disasters, 8
economic impacts, climate, weather extremes vs. social vulnerability, 8–9
- China
China Meteorological Administration (CMA), 195
China's Policies and Actions for Addressing Climate Change, 195
climate change track, observations, projections, 193
climate projections, warmer, wetter conditions, flood risk increase, 193–194
flood damage 2010, globally highest nominal toll, 190
flood defences, reinforcing, 195
flood fatalities, losses, 190
flood forecasting, real-time, radar data, 195
flood forecasting integration, 195
flood prevention, non-structural measures, 194–195
flood prevention, structural measures, dikes, dams, 194
The Flood Prevention Law (2007), 195
flood risk management, hard, soft, flood protection measures, 194
heavy precipitation, trends, 193
Ministry of Water Resources (MWR), 195
National Climate Change Program, 195
precipitation, uneven distribution, space, time, 190
clearance around a rural home in San Diego County, California that exceeds state requirements, 48
- climate change
anthropogenic, rights based approach, 232
disaster risk increase, climate variability, extreme events, 213
disaster risk reduction, nonlinear implications, 218
extreme weather events, mounting evidence, 209
heat wave extremes, vulnerable populations, 121
interconnectedness, cascading nature of potential impacts, surprises, 223–224
irreversible losses, 223–224
large-scale patterns, 259
long term vision, 216
mitigation, 210
rainfall anomalies, 259
risk reduction, transformative approaches, 210
systemic changes, new global dynamics, 219–220
systemic changes, non-linear impacts, feedbacks, thresholds, uncertainties, 213
- climate change adaptation (CCA)
adaptation financing, 210
barriers, limits, and maladaptations, four reasons, 223–224
century-long time scale, longer term vision, 210
development policies, relationship to, 218
disaster risk management, key subset of, 224
disaster risk management policies, lack of integration, 209–210
disaster risk reduction, alignment, collaboration, 211
disasters, useful analogues, 224
extrapolation, disaster risk management, insufficient, 210
four forms, 223
international finance regime, 210
IPCC Special Report on Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation (SREX), 209
normalising, 216–217
practical contingencies, 155
progression of major approaches, disaster risk reduction, 219
trade-offs, political economy of public policy, 224
transforming systems, structures that exacerbate vulnerability, 213
- climate change adaptation, Kansas City extreme heat program (EHP)
the future, appropriate context, 58
many tools, combined efforts, 59
partnerships, special needs populations identification, 59–60
policy relevant research, information, need for, 60–61
responses, reinforce vs. reinvent, 58
- climate change mitigation, potential amplification of climate risk, 232
- climate change models, central plains forecast, US, wetter, floods, 33
- climate change outcomes
extreme fire danger, frequency and severity, increases, 83–84
extreme weather, climate events, 6
- climate-related disasters
adaptive capacity, resilience, development, 199
disproportionate impact, 199

- predict and provide model, 217
 sustainable development, means to, 206
 vulnerability, 199
- climate risk
 diarrheal, vector borne diseases, dengue fever, 13
 Health Risk Management in a Changing Climate, 13
 Climate Safeguards System, 219
 in the African Development Bank, 219
- climate services
 Global Framework for Climate Services (GFCS), 14
 User Interface Platform (UIP), 14–15
 weather services, *vs.*, 14
- climatic disaster response, development-orientated, 202
- coastal processes around Sri Lanka, 160–161
- coffee, losses, result of hazards, 175
- coffee cooperative, niche market engagement, 177
- community
 community response, characteristics, 241
 response, resilience, self-organisation, diversity, 204
 role for, in addition to government, 248–249
- Community-Based Adaptation (CBA), 202
- community resilience, recent developments, improved opportunity, 6
- cost of the disasters, 257–258
- the Country Fire Authority (CFA)
 ‘Neighbourhood Safer Places,’ designated, last resort, 81
 scaled community advice, 82
- cross-sectoral policy coordination, 73
- cyclone Sidr, Bangladesh, 167
 affected districts, 172
 core homes, UNDP, 171
 core shelter construction, obstacles, transportation, 172
- cyclone-resilient core shelters, 171
- cyclone-resistant construction techniques, 171
- damages, physical, economic, 167–169
 devastation, details, 167
- Early Recovery Cluster Coordination Group, 169
- early recovery program, 169
- European Commission for Humanitarian Aid (ECHO), 170
- evacuation orders, early, 169
- full recovery, yet to be achieved, 170, 172
- Habitat Great Britain, 170
- housing damages, 169
- The Joint Damage Loss and Needs Assessment mission, World Bank, 167–169
- make-shift shelters, four years after, 171–172
- non-governmental organisations (NGOs), core shelters, 171
- one-time housing grant, materials, insufficient, 170–171
- plinths, strong stilts, 171
- transitional shelters, 170
- UNICEF Bangladesh, 170
- United Nations Development Program (UNDP), 169
- cyclone track density, climate model simulations, North Atlantic/European sector, 109
- cyclone Tracy, Darwin building design, 87
 adaptation, opportunities, conditions for, 92–93
- adaptation, political, social factors, enabling, constraining, 91
- adaptation, post-disaster time frame, 93
- Australian Category 4 cyclone, 87
- building codes, regulation, role of, 92
- building design, adaptation, regulation, time frame, 90
- cyclone Winifred, damage comparison, improvements, 91
- damage to houses, northern suburbs of Darwin, 89
- Darwin Area Building Manual, 90, 92
- Darwin Reconstruction Commission, 90
- devastation, evacuation, humanitarian disaster, 87
- engineered structures, larger, better performance, 89
- engineering failure, required an engineering response, 90
- engineering lessons, Home Building Code, 90–91
- engineering principles, scientific understanding, structural resilience, 91–92
- housing, destruction, racking failures, 88–89
- housing, structural design, Darwin, 88
- housing damage, northern suburbs of Darwin, 89
- inclusion, education, transformation, 93
- injuries, fatalities, economic losses, 87–88
- national building framework, upheaval, wind resistant design, 87
- paradigm shift, engineering-based codified design, 93
- tropical cyclone Tracy track, December 1974, 87
- cyclone Tracy, housing damage, northern suburbs of Darwin, 89
- cyclone Yasi
 damage, 256
 rebuilding, 256–257
 warning, 256
- daily mortality and mean temperatures, Paris, 123–124
- damage to houses, northern suburbs of Darwin, 89
- dams and storm surge barriers, costs, Deltaworks, 141
- database, vulnerable, isolated people, 124–125
- Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ), 176
- development, role of
 adaptation, 199
 low-income contexts, achieving resilience, 202
- development context
 disasters, key role in defining, 206
 vulnerability, natural hazards, climate change, 199
- diarrheal, vector borne diseases, dengue fever, 13
- disaster management
 assessment, limited scope, 260
 current systems, limitations of, 260
 early warning, protection of life, 251
 effective adaptation, 247–248
 inquiry, assessment, 259–260
 limitations of, 260–261
 participatory approach, social vulnerability, locally appropriate, inclusive, 201
 rising cost, resilience, 250–251
 scenarios, worsening, 248
 technological engineering approaches, 200
- under-development, development-focused solutions, 200

- Disaster Management Centre (DMC), 163–164
- disaster planning
- hazards, forward thinking approach, 249
 - national resilience, 258–259
 - political imperative to respond, 246–247
 - possible failure, strategies, 210
 - resilience, stoicism, 250
 - systems approach, 217
- disaster response community
- capacity building, risk assessment, reduction, 12–13
 - climate change adaptation discourse, 6
- disaster risk management
- climate change, incorporation, 10
 - climate change, opportunity for change, 15–16
 - climate change adaptation, lack of integration, 209–210
 - developing countries, disproportionate human toll, 204
 - inadequate, changing climate, frequency, magnitude, 216
 - Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation (IPCC), 13
 - United Nations International Strategy for Disaster Reduction (UNISDR), 13
- disaster risk reduction (DRR), 201
- climate change adaptation, alignment, collaboration, 211
 - community-based, ethical, practical, 201
 - coping strategies, resilience, existing ecological knowledge, 214–215
 - databases, use of, 13
 - inadvertent failure examples, 215
 - institutional change, need for, 215
 - ‘learning-by-shocking’, 215–216
 - local capacity, knowledge, 215
 - progress uneven, significant challenge remains, 214
 - risk, identification and prioritisation, 231
 - social-economic development, removed from, 214
 - stakeholders exclusion, 200
 - team building, collective actions, 213–214
 - transferability, 210
- disasters, cost of, 251
- disasters, long-term responses, community, social structure changes, 244–245
- drought, Australia
- Drought Policy Review Task Force, 68
 - drought relief payment, welfare, 69–70
 - Exceptional Circumstances Payment, 69–70
 - National Drought Policy, 68–69
 - natural disaster relief arrangements (NDRA), 67–68
 - policy, narrow agricultural focus, 70
 - policy intention, undermined, 69–70
 - policy post-1989, natural disaster vs. risk management, 67, 68, 70
 - policy pre-1989, NDRA, government responsibility, 67–68
 - self-reliant approach, 68–69
- drought responses, northern Nigeria, 150–151
- drought, West Africa, Sahel, *see* West African, Sahel drought
- Dutch flood control, philosophy, 203
- early warning systems
- changing demographics, vulnerable elderly, isolated people, 12
 - cost effectiveness, 16
 - disasters, single national platform, 13–14
- economic impacts
- climate, weather extremes vs. social vulnerability, 8–9
 - disaster losses, higher in developed countries, 14
- El Niño/La Niña–Southern Oscillation. *See* ENSO
- embedded structures, need to challenge, 214
- ENSO, 7–8
- entry points
- disaster response, development based, participatory approaches, 204
 - vulnerable people, 202
- European windstorms
- adaptation, changed wind climate, 115–117
 - adaptation, severe storm events, socio-economic structure, 117
 - annual loss ratio for Germany, 111, 115
 - cyclone track density, climate model simulations, North Atlantic/European sector, 109
 - damage vs. meteorological data, 109–110
 - extreme wind speeds, calculated losses, 117
 - global atmosphere-ocean models, 114
 - greenhouse gas concentrations, storm intensities, 114
 - identification, damage vs. meteorological data, 109–110
 - North Atlantic Oscillation (NAO), 112–113
 - physical processes leading to, 111–112
 - storm damage models, future climate conditions, 114–115
 - Storm Kyrill, cyclone track and extreme wind speeds, 111
 - variability, frequency, intensity, impacts, 113
- excess mortality, August 2003, 123
- extrapolation, disaster risk management, climate change adaptation, 210
- extreme events
- climate change adaptation, instructive lessons, 1
 - damage, measure of success of adaptation, 1
 - disasters, anthropogenic influences, probability, 6
 - disasters, common features, compared, 236
 - disasters, costs of, 257–258
 - geographical impact, immediate, 241
 - globally relevant operational knowledge, changing risk, 13
 - impact of, 236
 - individual, climate change influence, probability, 6
 - learning from, 248
 - risk, accepting, 247
 - warnings, critical impact of, 241
- extreme heat events (EHE)
- definition, 53
 - Kansas City, July 2008, 53–54
- extreme heat programs (EHP)
- definition, 53
 - Kansas City’s EHP, Heat Task Force, Health Department, 54–57
- extreme rainfall impacts summary, East Africa, 182, 183

- extreme weather events, climate change, mounting evidence, 209
- extreme wind speeds, calculated losses, 117
- Flood-affected area in China for 1950–2010, 191
- flood protection standards, maintenance costs under climate change, 143
- floodplain blocking
- aggradation, 35
 - Lower Missouri River, 31–32
 - natural functions, ecosystems threatened, 32
 - perceived cure increases problem, 33
- floodplain residents, false security, economic risks, 32–33
- floods
- annual damage, 33
 - Australia, Queensland, costs, 95
 - China, fatalities, losses, 190
 - global costs, 95
 - impacts, poorest households, women, elderly, 184
 - Nile River, sub-basins, peak flow years, 181
 - Nile River, water resource management, challenge, 181
 - Nile River hydrology, 181
 - Queensland, Charleville, Mackay, 95–96
 - risk factors, 191
- flow of information among the Kansas City Health Department, EHP partners, 55
- forecasts
- climate, weather, time-scale, 9
 - climate change models, wetter central plains, 33
 - early warning, spatio-temporal dimensions, 9
 - Horn of Africa, discrepancy, drought, 10
 - Hurricane Sandy, 10–11
- Forest Fire Danger Index (FFDI), 78
- fuel load, sclerophyll forest, dry, 76
- funding, prevention, 15
- the future, appropriate context, climate change impact uncertainty, 58
- future flood relocation potential, 100
- Gaibanda District, Northern Bangladesh, community adaptation project, challenges, 204
- A Gap Analysis for the Implementation of the Global Climate Observing System Programme in Africa (IRI), 15
- Global Climate Adaptation Partnership, 219
- Global Framework for Climate Services (GFCS), 14
- globally relevant operational knowledge, extreme events, changing risk, 13
- Greater Horn of Africa Climate Outlook Forum (GHARCOF), 12
- hazard-risk framework, 201
- Health Risk Management in a Changing Climate Project, 13
- heatwave, 2003, France
- daily mortality and mean temperatures, Paris, 123–124
 - daily mortality and the mean temperatures in Paris, 117
 - database, vulnerable, isolated people, 124–125
 - excess mortality, August 2003, 123
 - French Institute for Health Surveillance, 124
 - harvesting effect not observed, 122
 - heatwave warnings, 125
 - meteorological characteristics, 122
 - mortality rates, 122, 124–125
 - mortality risk factors, 122–123
 - population, possible acclimatisation, 125–126
 - reactive adaptation, heat prevention plan, 126
 - risk factors for death, elderly people, living at home, 124
 - vulnerable populations, 121
- heatwaves
- adaptation, housing, behavioural change, heat warning systems, 121
 - climate change, extremes, vulnerable populations, 121
- heatwaves and fire
- early warning, 257
 - extreme fire weather, 257
 - Sydney heatwave, 257
- high-risk populations, additional protection needed, 216
- high-tech, high-scale, and high-cost solutions, 206
- historical adaptation
- awareness of climate variability, 246
 - community acceptance of change, 245
 - disaster, variability, 245
- homes, burned, unburned, comparison, 2003, 2007 fires, 46
- Horn of Africa
- drought, malnutrition, mortality, catastrophic levels, 11
 - forecast discrepancy, drought, 10
- HPS design, revised SPH criteria, 25–26
- human induced climate change and natural climate variability interacts with socio-economic development, 7
- hurricane Camille, 92–93
- hurricane Katrina
- agent of disaster, 29
 - best track, 22
 - developed world, vulnerable populations, severely affected, 12
 - development, vulnerability, neglect, 205
 - fatalities, property losses, 26–27
 - hurricane protection system (HPS), 27–28, 227
 - Katrina storm surge, computed maximum envelope, 23
 - meteorology, 21–23
 - Mississippi coast, property damage cost, 23–24
 - New Orleans, doomsday scenario, 21
 - New Orleans pumping station, levee systems, schematic illustration, 25
 - saltwater flooding, wetland habitat loss, 27
 - societal effects, 28
 - surge effects, 23
 - US Army Corps of Engineers, 27–28
 - vulnerability, social issues, 203
- Hurricane Sandy, 10–11
- Hyogo Declaration and Framework for Action (HFA), 13, 213

- impacts-based approach,
 - managing climate change risk, hazard-risk framework, 201
- Mississippi river basin, levees, flood protection systems, 202–203
- side-lining development-related, vulnerability issues, 202, 203
- wind-storms, cyclones, hurricanes, technical engineering response, 203
- infectious disease epidemics, seasonal climate forecasts, WHO, 11–12
- infrastructure hardening, earthquake, hazard sciences, 51
- International Research Institute for Climate and Society, 12
- IPCC Fourth Assessment Report of Working Group II (Hennessy), 83
- IPCC Special Report on Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation (SREX), 7, 13–14, 209, 211, 260
- Kansas City's EHP
 - behaviour change, during extreme heat events, 58–59
 - climate adaptation, policy relevant research, information, 60–61
 - elements for a successful EHP or climate-sensitive stressor response, 59
 - flow of information among the Kansas City Health Department, EHP partners, 55
 - Health Department, 54–57
 - Heat Task Force, 54–57
 - high-risk subpopulations, identification, assessment, intervention, 56
 - lessons, relevant to climate adaptation, 57–60
 - public awareness, education, 58–59
 - reviews, performance evaluations, 57
 - The Salvation Army distributing bottled water during a Kansas City EHE, 56
- Katrina storm surge, computed maximum envelope, 23
- land use management, livelihood vulnerability reduction, 177
- learning loop framework, single, double, triple loop, 219
- levee floodwall, topographic error, 28
- levees
 - failure conditions, 38
 - floods, high magnitude, frequency, unmanageable, 39–40
 - Humphreys-Abbot Report, 36
- livelihood diversification, concurrent, spatial, 185
- location of the 2009 Victorian bushfires, 75
- long-term responses
 - governmental inquiry, forecasts, warnings, 244
 - maintaining policies, 245
 - method of evaluating responses, 244
 - new vulnerabilities, creation of, 244
 - political, public will, 245
- maladaptation, 226–227
 - adverse environmental effects, 230
 - engineering solutions, high opportunity, carbon costs, 230
 - engineering solutions, path dependence, 230
 - holistic approach, stressors, risks, 246
 - reduced incentives, moral hazard, false confidence, 230–231
 - status quo, returning to, 246
 - unanticipated effects, 231
- malaria, seasonal climate forecasts, early warning systems, 11–12
- map of the Mississippi and Missouri river systems, 34
- market atrophy, 15
- Más Café, climate adaptation actions, 176
- maximum daily temperatures, downtown Kansas City, July 1980, 54
- McArthur Forest Fire Danger Index (FFDI), 76
- fuel load, fire behaviour, intensity, 76
- Mesoamerica, coffee producers, 175
- Mesoamerican region, cyclones, hurricanes, tropical storms, 174
 - adaptive capacity, social organisation, cooperatives, 176
 - agricultural rehabilitation, emphasis, 177
 - coffee farmers, insights, vulnerability, biophysical drivers, 176
 - coffee sector, social, ecological resilience, 175
 - complex vegetation landscapes, landslides and, 176
 - disaster management, early warning systems, emergency response, 177
 - disaster management, social protection vs. social-ecological development, 177–178
 - erosion, agroecological vs. agroforestry principles, 175
 - Más Café, climate adaptation actions, 176
 - mudslides, highly unstable terrain, 174
 - terracing, shade cover, moderate climatic variability, 176
 - tropical storm Agatha, 177
- UPAVIM (united to live better), adaptation strategies, 176
- vulnerable populations, local knowledge, social, ecological resilience, 174–175, 177–178
- Mississippi River
 - Commission (MRC), 36
 - Federal Flood Control Act, 1917, 37
 - first levee, early New Orleans, 34–35
 - flood of 1927, 37
 - flood of 1973, 38
 - floods of 1993, 38
 - floods of 2008, 38–39
 - floods of 2011, present vulnerabilities, 39–40
 - history, levee building, floods, 33–40
 - Levee Commission, 36
 - Lower, control structure extent, 34
 - map of the Mississippi and Missouri river systems, 34
 - 1928 Flood Control Act, 37
 - overtopped levee at Winfield, Missouri, June 2008, 39
 - physiographic characteristics, 33–34
 - topographic, hydrographic surveys, 1850, 36
 - a working floodplain, near Winfield, Missouri, 19 June 2008, 40

- Missouri River
 Lower, floodplain blocking results, 31–32
 1937 flood, 37–38
- Murray-Darling Basin
 cross-sectoral, cross-jurisdictional policy
 coordination, major challenge, 73
 irrigation development, over-allocation, 71
 over-allocation, redressing, 72
 water allocation, drought policy, unconnected, 72
 water allocation policy, intergovernmental,
 basin-wide, 71
- National Academy of Sciences, study, post-Katrina
 reconstruction, 29
- National Adaptation Programmes of Action (NAPA),
 adaptation projects, 186–187, 213
- National Drought Mitigation Centre, 73
- national scale, natural disasters costs, 257–258
- New Orleans
 de-watering pumping system, 26
 demographic shift, post-Katrina, 28
 doomsday scenario, 21
 first levee, 34–35
 founding of, 34
 levee floodwall, topographic error, 28
 negative population trend, Katrina and, 28–29
 post-Katrina reconstruction trends, 29
 repopulation, flood depth, correlation, 27
- New Orleans Hurricane Protection System (HPS),
 24–25
- New Orleans pumping station, levee systems, schematic
 illustration, 25
- Nile Basin Initiative (NBI), 187
- non-governmental organisations (NGOs), 171
- North Sea area overview, 137
- North Sea flooding disaster, Netherlands, 1953
 climate change, sea level rise, 142–144
 climate change, spatial planning, water management,
 142–143
 climate change, windstorm frequency, pattern
 changes, 142
 climate change scenarios, extreme sea level rise, 143
 coastal defence responsibility, legal, financial,
 136–138
 deaths, after initial flooding, avoidable, 139
 Delta Plan, evaluation, benefits, ecology, 141–142
 dike failure, domino effect, 136
 fatalities, home destruction, 136
 major investments, Delta Plan, 139–141
 necessary catalyst, 143–144
 sea defence system, pre-war evaluation, 138–139
 second Delta Plan, unbreachable dikes explored,
 144
 vulnerability, responsibility, mismatch, 139
- observational data, acquisition, management, sharing of,
 15
- overtopped levee at Winfield, Missouri, June 2008, 39
- participatory development, history of, 205–206
- population growth
 cities, 102
- Melbourne, greater concentration, risk, 84
- Melbourne suburban fringes, bushfire risk areas, 78
- post-event regress, crisis-response-forgetting pattern,
 72–73
- potential vegetation clearance, 30 m vs. 90 m defensible
 space requirements, San Diego County, 49
- predict-and-provide, what if scenarios, 218
- predict and provide model, 217
- progression of major approaches, disaster risk
 reduction, climate change adaptation, 219
- Queensland floods
 adaptation, future flood preparations, institutional
 dependency, 102
 adaptive capacity, 103
 adaptive capacity, small vs. large communities, 102
- Charleville, 96, 97, 101–103
- Charleville, Mackay, 95–96
- Charleville 2008 floods, impacts, 97
- cost of recovery, 254
- evacuees, nursing home, 98–99
- flood mitigation levee, 97
- flood prone areas, 256
- future flood relocation potential, 100
- government inquiry, 254–255
- Mackay, 96–97
- Mackay, impacts, 98
- mapping of floodplains, 256
- mitigation, 99
- planning provisions, 256
- population viability, long term adaptive capacity, 96,
 102–103
- public information, accurate, 254
- recovery taskforce, 254
- relocation, 255–256
- relocation, adaptive strategy, population impacts,
 100–102, 103
- relocation, emigration impacts, Charleville, 101–102
- riverine flash floods, 96
- similar government inquiry, Victoria, 255
- social capital, civic relationships, community
 resilience, 99–100
- vulnerability, physical, flood prone river proximity,
 98
- vulnerability, social, community, 98
- Rainforest Alliance, ‘climate friendly’ seal, 176
- rapid onset disaster early warning systems, single
 national platform, 13–14
- reflection, transformation from the continental shelf,
 159
- relocation as an adaptation response, socio-economic
 indicators, 101
- resilience
 adaptive learning and, 218–219
 communities, recent developments, improved
 opportunity, 6
- risk, identification and prioritisation, 231
- risk management, Australian drought policy, climate
 change adaptation lessons, 67
- risk reduction, climate change, transformative
 approaches, 210

- river floods in central Europe, 1997–2010
 climate change attribution, projections, 131–132
 climate signal identification, climate change impact scenarios, 134
 context, hydrological variability, 128
 flood risk management, 132–134
 Floods Directive (2007), European Union (EU), 134
 floods of 1997, Odra/Oder basin, 129
 floods of 2002, cyclone, intense precipitation, 130
 floods of 2010, massive inundations, urban flooding, 130–131
 summer, winter types, 128
 summer floods, flash floods, dike failures, 128–129
 warming climate projections, flood risk, vulnerability, increase, 134
- Sahel drought, *see* West African Sahel, drought adaptation
- Sahel rainfall trends, long term, 151
- Sahelian people, dryland adaptation, deep-seated, 149–150
- The Salvation Army distributing bottled water during a Kansas City EHE, 56
- San Francisco earthquake of 1906, 92–93
- Santa Ana winds, 42
- scale issue, global, regional, sub-regional interactions, 7
- schematic of disaster risks, widespread geographical impact, summer 2010–2011, 253
- sea level rise scenarios, 141
- smoke plumes blown by offshore Santa Ana winds, 2003 southern California firestorm, 42
- social capital, bridging and linking, bonding, 185
- socially produced conditions of hazard, 218–219
- southern California fire regimes, climate change impacts
 demographic changes, wildlands development, catastrophic outcomes, 50
 fire frequency, intensity inversely related, 49
 speculative, temperature, CO₂ concentrations, plant physiology, 49–50
 wind changes, uncertainty, contradictory models, 50
- southern California firestorms
 adaptation, clearance, vegetation, radius, 47–49
 adaptation, community, Fire Safe Councils, fuel reduction, breaks, 47
 clearance, vegetation, radius, 47–49
 clearance around a rural home in San Diego County that exceeds state requirements, 48
 comparison, burned, unburned houses, 46
 1889 Santiago fire, 43–44
 emergency management, evacuations, shelter-in-place, 46–47
 fire management, infrastructure hardening, 51
 firestorms of 2003, 42
 firestorms of 2007, 42
 home ignition, blown embers *vs.* direct wildland to structure, 45
 human settlements, contribution to, 43–44
 lessons learned, fire events inevitable, 50
 potential vegetation clearance, 30 m *vs.* 90 m defensible space requirements, San Diego County, 49
 property losses, landscaping, tree canopy, drought tolerant plants, 45–46
- regional wildfire history, 42–43
- resilience, home construction, biomass proximity, 45
- smoke plumes blown by offshore Santa Ana winds, 2003, 42
- vulnerability, Santa Anna winds, drought, 44
- Standard Project Hurricane (SPH), 25–26
- stepwise diversification of livelihood activities, 154
- Storm Kyrrill, cyclone track and extreme wind speeds, 111
- storm surge, tidal levels above mean sea level, North, 137
- storm surge barriers, dams, locations, 140
- stream and river valleys
 human habitation, 31
 Lower Missouri River, 31–32
 pollution, industrial, agricultural, 31
 river control structures, floodplain development, 31
- study villages, key features, 183
- study villages, map, lakes Kyoga, Wamala, 184
- summary of the extreme event case studies, 237
- team building, 213–214
- Three Gorges Dam
 difficult test, alarm level, 192–193
 flood protection, 194
- time scales, century, upper ocean temperature increases, 7–8
- triggers, contentious policy issue, 73
- tropical cyclone Tracy track, December 1974, 87, 88
- tsunami, Indian Ocean, 2004, Sri Lankan experience
 academics, researcher collaboration, post-tsunami, 163–164
 aftermath, media initiative, debris management, housing, transport, 162–163
 coastal processes around Sri Lanka, 160–161
 Disaster Management Centre (DMC), 163–164
 factors influencing rate of construction, 163
 impacts, loss of life, drowning, crushing, structural damage, 161
 Indian Ocean Tsunami Warning System, 163–164
 massive submarine earthquake, 158
 multi-disciplinary effort, 164
 multi-pronged approach, hard, soft, 164
 public awareness, tsunamis, virtually non-existent, 158
 reconstruction guidelines, varied implementation, enforcement, 164
 reflection, transformation from the continental shelf, 159
 risk assessment, institutional awareness, preparedness, 164
 re-constructed elevated beach chalet, 163
 social vulnerabilities, intensified existing differences, 161–162
- Sri Lanka, shoreline geometry, wave energy transformation, 159–160
- temples, churches, mosques, robust construction, protection, 162
- UNESCO Intergovernmental Oceanographic Commission, 163–164
- vulnerability, coastal concentrations, 158–159
- vulnerability, unexpected events, geographically distributed assets, 164–165
- vulnerability curves, various categories, 161

- 2009 Victorian Bushfires Royal Commission
 bushfire safety recommendations, 81
 Code Red warnings, residents and, 84
 fire danger ratings, revision, beyond extreme, 81
 land use planning recommendations, 81–83
 National Framework for Scaled Advice and Warnings to the Community, 81
 policy, management, changes, 80
 retreat and resettlement strategy, 81–83
 stay or go policy, central tenets sound, 81
 Wildfire Management Overlay, 81–83
- 2003 heatwave, risk factors for death, elderly people, 124
- Uganda Government Ministry of Water, Lands, and Environment, 186
- UNESCO Intergovernmental Oceanographic Commission, 163–164
- United Nations Development Program (UNDP), 169
- United Nations Framework Convention on Climate Change (UNFCCC), 201
- United Nations International Strategy for Disaster Reduction (UNISDR), 13
- Upper White Nile flood, 1997, 1998
 adaptation barriers, household, national, regional levels, 187
 climate change adaptation, livelihood resilience, social protection, 187
 climate model projections East Africa, increased flooding, 187
 description, 182
 emergency management, post-event behaviour, 185–186
 extreme rainfall impacts summary, East Africa, 182, 183
 flood vulnerability, present day, 186
 impacts, Lake Kyoga, Lake Wamala, 182–183
 Lake Kyoga village vulnerability, exposure, 185
 livelihood diversification, social capital, 185
 Nile Basin Initiative (NBI), 187
 poorest households, women, elderly, reduced resilience, 184
 social capital, bridging and linking, bonding, 185
 study villages, key features, 183
 study villages, map, lakes Kyoga, Wamala, 184
 vulnerability, resilience, lake shore villages, 183–184
- User Interface Platform (UIP), 14–15
- Victoria, fire ban days, FFDI scale rating, 76
- Victorian Bushfires Royal Commission, 75. *See also* 2009 Victorian Bushfires Royal Commission
- vulnerabilities of development, development as usual, 206
- vulnerability
 adaptation planning, participatory approaches, 205
 environment, weather, experience of hazard, 242–243
 hazard, complex relationship, 209
 natural hazards, climate change, development context, 199
 reduced, lessons learned, 232
 reduction, locally appropriate, 201–202
 risk, low awareness of, 242
 role of, in understanding impacts, 242
 socially produced conditions of hazard, 218–219
 socio-economic development, 200
 socio-economic status, 242
 unavoidable, minimisation of, 250
 vulnerable populations, local knowledge, social, ecological resilience, 174–175
- warning systems, overwhelmed by conditions, 241–242
- water allocation, Murray-Darling Basin, drought policy, unconnected, 72
- water allocation policy
 cross-sectoral, cross-jurisdictional policy
 coordination, major challenge, 73
 Murray-Darling Basin, intergovernmental, basin-wide, 71
 Murray-Darling Basin, over-allocation, redressing, 72
- West African Sahel, drought adaptation
 adaptation, misunderstood as coping strategies, 155
 adaptive success, underestimated, 154
 business, small trading income, 152
 climate change adaptation, practical contingencies, 155
 development aid, farmland restoration, poverty alleviation, 154–155
 distress migration, 152
 dryland adaptation, deep-seated, 149–150
 labour migration routes, blocked, 153–154
 land losses, agri-food development, urban, foreign buyers, 154
 landraces diversity, cropping patterns, 152
 livelihood diversification, 152
 livestock, drought, disease tolerant breeding, 152
 new technology, infrastructure, 153
 pearl millet, drought resistant, 152
 physical characteristics, drought and, 150
 populous dryland, drought, temperature extremes, 149
 productive bricolage, stepwise livelihood diversification, 152–153
 strategies, short-term coping, enduring adaptation, 151–152
- word cloud from case studies on disaster risk reduction, 211
- working floodplain, near Winfield, Missouri, 19 June 2008, 40
- World Conference on Disaster Reduction, 13
- World Health Organization (WHO), 11–12
- Yangtze river basin floods
 densely populated region vulnerable, flooding, inundations, 193
 flood protection expenditure, embankments, 194
 floods, river flow, 190–191
 last 150 years, 191–192, 193
 material flood damage, intensification since 1990, 192
 1998 floods, 192
 plum rain season, monsoon, rainfalls, 191
 population pressure, 195–196
 superposition of flood waves, gigantic flood wave crest, 196
 Three Gorges Dam, 192–193, 194
 2010 floods, China, 192