

## *Index*

- additive nonparametric models,  
 254–265  
 additively separable regression model,  
 336–337
- Afriat conditions, 333
- age-earnings regression, 5–6
- Ahmad, I.A., 101, 107
- Aitchison, J., 189–190, 198–199, 206
- Aitken, C.G.G., 189–190, 198–199, 206
- Akaike information criterion cross-validation,  
 125–126, 178, 180–181, 214–215, 222,  
 339
- AMISE. *See* asymptotic mean integrated  
 squared error (AMISE)
- AMSE. *See* asymptotic mean squared error  
 (AMSE)
- applications of nonparametric methods, 2, 4–9
- average years of schooling conditional of  
 OECD status, 201–204
- bivariate kernel density estimates of physical  
 and human capital, 76–81
- constrained estimation, 339–342
- discrete data conditional probability density  
 estimators, 201–204
- discrete regressors, 222–225
- instrumental and endogenous variables,  
 288–291
- kernel density estimators of gross domestic  
 product (GDP) per worker (RGDPWOK),  
 50–57
- panel data estimators, 316–319
- regression, 142–145
- semiparametric methods, 261–265
- testing of cross-country production functions,  
 177–186
- tests and testing of output per worker,  
 109–112
- See also* human-capital-augmented labor;  
 physical capital; production functions; tests  
 and testing
- asymptotic distribution, 91, 105–106, 120, 207,  
 209  
*versus* bootstrapping, 174–175
- asymptotic mean integrated squared error  
 (AMISE), 28–29, 121, 123  
 bandwidth selection and, 30–32  
 multivariate kernel density estimator, 62–64
- asymptotic mean squared error (AMSE), 27–32  
 multivariate kernel density estimator, 62–64
- automatic dimensionality reduction, 126
- average out-of-sample squared prediction error  
 (ASPE), 141–142
- Baltagi, B.H., 296, 298, 311–312
- bandwidth selection, 10–11, 148–149, 205  
 additively separable models, 258–259,  
 261–265
- applied nonparametric estimates and, 148
- automated bandwidth selection, 213–214,  
 252
- conditional density estimator, 74–76
- conditional mean estimators, 113–114,  
 121–127
- convex estimator, 324–325
- density derivative estimator, 48–49
- density testing, 105–107
- discrete-only case, 195–196
- Edgeworth expansions, 175–177
- gradient estimation, 128, 135–137
- importance of, 16
- leave-one-observation-out strategy *vs.*  
 leave-one-country-out approach, 316–318
- local-polynomial estimator, 274–279
- mixed discrete and continuous data, 212–215,  
 222–223
- mixed-data case, 196–197
- multivariate density estimators and,  
 59, 68–72
- panel data estimation and, 293–294, 309,  
 313, 316–318
- partially linear models, 232–233, 261–265

- bandwidth selection (cont.)  
 rearranged estimator, 323–324  
 regression testing and, 175–177, 222–226  
 semiparametric smooth coefficient models (SPSCM), 252, 261–265  
 single index models, 244–245, 261–265  
 univariate density estimators and, 30–45  
 upper and lower bounds for discrete bandwidths, 214–215  
*See also* cross-validation bandwidth selection; data-driven bandwidth selection; plug-in bandwidth methods; rule-of-thumb bandwidth
- Barro and Lee education data, 77, 144
- Bellman, Richard, 64
- Bianchi, M., 84
- Bierens, H.J., 161
- bimodality, 59
- binwidth selection, 51–52
- Birke, M., 324–325
- bivariate kernel density estimator, 59–61
- biweight kernel, 26  
 formula for, 25  
 multivariate density estimators, 69–70
- bootstrap methods, 11, 84, 91, 95–97, 99–106, 165, 173–174, 219  
 additively separable models, 259–260  
 constraint-weighted, 330–331  
 equality of unconditional densities, 199–201  
 local-polynomial estimator, 279–280  
 mixed discrete and continuous regressors, 216–217  
 pairs bootstrap, 137–138, 310  
 panel data estimation, 309–311, 313–316  
 partially linear model, 234–238, 241–242  
 semiparametric single-index model, 246–247  
 standard errors and confidence bounds, 137–139, 241–242, 280, 309–311  
*versus* asymptotic distribution, 105–106, 174–175  
 wild bootstrap, 139, 164–165, 169, 171, 173, 216–217, 234–238, 241–242, 280
- Cameron, A.C., 3
- capital stocks, physical and human, 76–81
- Carroll, R.J., 295, 297–299, 306–309  
 Hausman-style test, 315–316  
 panel-data regression model with fixed effects, 302–304
- center-subtracted test, 89
- centering terms, 89, 105–106
- central limit theorem for degenerate U-statistics, 89–91
- Cobb-Douglas constant-returns-to-scale production function, 9, 142–143, 145–147, 156, 177–179, 247
- concavity constraints, 333–336
- concurvity, 285
- conditional density estimator, 10, 72–73  
 bandwidth selection, 74–76  
 bias, variance and AMSE, 73–74  
 for discrete-choice models, 246–247  
 of average years of schooling conditional of OECD status, 201–204  
 output conditioned on physical and human capital, 79–81
- conditional mean estimator, 113, 149–151, 244–245  
 approaches to, 117  
 bandwidth selection, 121–127  
 kernel smoothing preliminaries, 114–117  
 local-constant least-squares (LCLS), 118–123, 128–133, 206–208  
 local-quadratic least-squares (LQLS), 133–135  
 naïve estimator approach, 118  
*See also* regression estimators
- conditional-moment tests, 159, 161–162, 166–67, 175–177, 235–238  
 variable relevance and, 169–71
- consistent test, 86–87
- constant elasticity of substitution (CES) production function, 145–48, 177–179
- constant returns to scale (CRS), 142–143, 154–155, 340–342
- constrained estimation, 4, 10–11, 321–322, 339–342  
 additively separable regression model, 336–337  
 alternative shape-constrained estimators, 326–330, 337–338  
 concavity constraints, 333–336  
 convex estimator, 324–325  
 date sharpening, 330–331  
 distance metric selection, 331–332  
 linear-in- $p$  constraints, 333–334  
 rearrangement, 321–326, 338  
 smoothing parameter selection, 332–333  
 testing of validity of arbitrary shape constraints, 337–338
- control function, 271–272
- convergence, 128, 197, 207, 227
- convex estimators, 324–325

- correct functional form test, 175–180, 225–226  
 correct parametric specification tests, 83,  
 109–110, 162–163, 177, 233–238  
 conditional-moment tests, 159  
 curse of dimensionality and, 67–68  
 goodness-of-fit test statistic, 160–161,  
 163–66  
 mixed discrete and continuous regressors,  
 215–216  
 Cramer-Rao lower bound, 228  
 cross-country output. *See*  
 human-capital-augmented labor; output per  
 worker distributions; physical capital;  
 production functions  
 cross-validation bandwidth selection, 70–72,  
 196, 213, 261–265  
 Akaike information criteria (AICc),  
 124–125  
 Akaike information criteria (AICc)  
 cross-validation, 125–126, 178, 180–181,  
 214–215, 222, 339  
 univariate density estimator, 38–45  
*See also* local-constant least-squares (LCLS);  
 local-linear least-squares (LLLS)  
 crude density estimators, 19–22, 113  
 Das, M., 286–287  
 data-driven bandwidth selection, 16–19, 38,  
 55–57  
 discrete-only case, 195–196  
 mixed discrete and continuous data, 212–215,  
 222–223  
 mixed-data case, 196–197  
 overfitting and, 156  
 date sharpening, 330–331  
 degenerate U-statistics, 89–91, 94–95, 162, 167,  
 235  
 density derivative estimator, 45–50, 205  
 bandwidth selection, 48–49  
 bias and variance of, 47–48  
 relative efficiency, 50  
 rule-of-thumb constants for second-order  
 kernels used for, 46–47  
 density estimation, 2, 8, 15, 188, 205  
 CO<sub>2</sub> emissions example, 4–5  
 crude density estimators, 19–22  
 worldwide distribution of labor productivity  
 (output per worker), 8  
*See also* kernel density estimator;  
 multivariate density estimation; univariate  
 density estimation  
 density tests. *See* tests and testing  
 Dette, H., 172, 322, 324–325  
 dimensionality, curse of, 59, 64–68, 75, 134,  
 142, 238–239, 286, 294, 309  
 in discrete data, 197–198  
 semiparametric methods and, 227, 238  
 discrete data, 1–2, 10, 99, 193–194  
 conditional density of OECD status and,  
 201–204  
 cross-country production function, 205  
 dimensionality and, 197–198  
 discrete (only) kernel probability density  
 estimator, 191–194  
 discrete endogenous regressor, 286–287  
 discrete individual effects, 305–306  
 equality of unconditional densities test with  
 mixed-data types, 199–201  
 kernel function with unordered and ordered  
 discrete variables, 198–199  
 probability density and, 187–188  
 test for significance of discrete variables,  
 217–219  
*See also* regression with discrete covariates  
 discrete variable smoothing, 187–188, 205–206  
 discrete (only) kernel probability density  
 MSE, 192–193  
 kernel choice for unordered and ordered  
 discrete variables, 189–190  
*See also* regression with discrete covariates  
 displaying regression results, 4, 139–140  
 distance measures  
 distance metric selection, 331–332  
 distance tests, 87  
 Hellinger distance, 88–89, 100  
*See also* integrated square error;  
 Kullback-Leibler distance measure  
 dynamic panel-data estimator, 306–308  
 economic constraints in nonparametric  
 regression. *See* constrained estimation  
 economic growth, 83, 101–102, 180, 205, 227,  
 293  
 heteroskedasticity and, 172  
 instrumental variables and, 267, 288  
 nonparametric method benefits, 1–4  
 random effects estimators and, 295  
 regression and, 113  
 smooth coefficient model, 247  
 variable significance and, 168  
 Edgeworth expansions, 175–177  
 efficiency, 69  
 of LLLS, 132–133  
 relative efficiency of density derivative  
 estimator, 50  
 semiparametric, 228, 265

- elasticity, 153–155, 160, 223–224  
 empirical cumulative distribution function (ECDF), 22, 84, 269–271  
 endogeneity, 267–268, 272–276, 278, 288–291  
   discrete endogenous variable regressor, 286–287  
 environmental economics, 4–5  
 Epanechnikov kernel, 26, 29–30, 33, 42–43, 46, 134, 189  
   formula for, 25  
   local-linear estimator, 133  
   multivariate density estimators, 69–70  
   Silverman rule-of-thumb constants and, 52–55  
 equality  
   between specific densities tests, 108–109  
   between two unknown densities tests, 83  
   of unconditional densities test with mixed-data types, 199–201  
 Eubank, R.L., 171–172
- Fan, J., 97, 107, 133–134, 160–161  
 Fan, Y., 92, 99  
 fixed-effect estimators, 293, 301–306  
   additive individual effects, 302–305  
   discrete individual effects, 305–306  
   Hausman-style test, 315–316  
   homoskedastic balanced panel-data, 314–315  
 flexibility, 11, 321  
 Fredholm integral  
   of the first kind, 268  
   of the second kind, 307  
 frequency estimators, 188, 206  
 Fu, T.T., 248–249
- Gao, J., 175–177  
 Gauss-Markov theorem, 132  
 Gaussian kernel, 8, 25–26, 29, 35, 108, 120, 127, 134, 177, 201  
   formula for, 25  
   multivariate density estimators, 69–70  
   Silverman test for modality, 102–103, 108  
 generalized Leontief (GL) production function, 146, 155–156, 177–179  
 generalized product kernel-density estimator, 190–91  
 generalized quadratic (GQ) production function, 145–147, 155, 177–179, 225  
 Gijbels, I., 134, 175–177  
 goodness-of-fit tests, 160–161, 163–66, 177–179, 234–237  
   variable relevance and, 168–169
- gradient estimations, 127–128, 151–153, 223–225, 289  
   additive setting, 258  
   bandwidth selection, 135–137  
   display of, 140  
   for continuous covariates, 209–210  
   for discrete covariates, 210–212  
 gradient-based cross-validation (GBCV), 136–137  
 Gregory, G.G., 42  
 gross domestic product (GDP)  
   per capita GDP multiplied by population (RGDPCH), 77, 143–144  
   per worker (RGDPWOK), 50–57, 143  
 Gu, J., 216–217
- Hall, P., 38, 40, 42–43, 75, 214  
   bandwidths obtained via LSCV, 127  
   degenerate U-statistics, 89–91, 94, 162  
   human capital, 144  
   LSCV approach for bandwidths for conditional density estimator, 74–75  
   Silverman test for modality and, 105  
 Han, S., 280–286  
 Härdle, W., 244–246, 264–265  
 Hastie, T., 247–248, 285  
 Hausman-style test, 315–316  
 hedonic price function, 6–7  
 Hellinger distance, 88–89, 100  
 Henderson, D.J., 102, 112, 140, 258, 291, 302–309, 314–316, 328, 330  
   constrained estimation and, 321  
   Hausman-style test, 315–316  
   local-linear weighted least-squares (LLWLS), 297  
   panel-data regression model with fixed effects, 302–304  
   production functions in logs and, 9  
 Hengartner, N.W., 254–255, 259, 262  
 heteroskedasticity, 139, 212, 314  
   error term test, 159–160, 165, 171–174, 177, 180–181  
 Hidalgo, J., 311–312  
 histograms, 15, 19, 51–52  
   of per-capita CO2 emissions, 4–5  
 homoskedasticity, 137, 180–181, 314  
   panel-data estimators, 314–315  
 Hong, Y., 160  
 Horowitz, J.L., 245–246, 264–265, 287  
 Hsiao, C., 215–216  
 Huang, C.J., 248–249  
 Huang, H., 105  
 Huang, T., 161

- human-capital-augmented labor, 109–110,  
 142–145, 148–149, 153–155, 180–185,  
 222–226, 268, 288–291, 318  
 bivariate kernel density estimates of, 76–81  
 positive marginal product imposing on,  
 339–340  
 semiparametric methods, 261–265  
 hypercube and hypersphere, 67  
 hypothesis tests. *See* tests and testing
- Ichimiura, H., 239–240, 242–245, 261  
 ill-posed inverse problem, 267–272  
 independence tests, 83, 99–101, 110–111  
 inference. *See* tests and testing  
 instrumental variable estimation, 10–11,  
 288–291  
 discrete endogenous variable regressor,  
 286–287  
 ill-posed inverse problem, 267–272  
 local polynomial estimation, 272–280  
 testing, 287–288  
 weak instruments, 280–286  
 integrated square error, 39, 87–88, 94–98, 159,  
 200  
 iterative estimator, 298–301, 304, 319
- Jiang, J., 160–161  
 joint density estimators, 10, 59–62, 70–72  
 conditional mean estimators, 117  
 joint normality tests, 83  
 physical and human capital stocks and,  
 76–79, 110–111  
 Jones, M.C., 36–38, 59, 144
- kernel choice, 10, 28–29, 134, 177  
 lowest AMISE and, 28–29  
 multivariate density kernels and, 69–70  
 ordered discrete variables, 189–190  
 smoothing discrete variables and,  
 188–89  
 unordered discrete variables, 189  
*See also* biweight kernel; Epanechnikov  
 kernel; Gaussian kernel; triweight kernel  
 kernel density estimator, 15, 17, 24–26, 62,  
 121–122, 140, 188  
 bandwidth selection, 34–38, 50–57  
 bias and variance measures, 26–28  
 bivariate, 59–61, 76–81  
 cross-country GDP per worker, 50–57  
 discrete (only) kernel probability estimator,  
 191–192  
 generalized product, 190–91  
 generic definition for, 24  
 mixed continuous-discrete data, 193  
 naïve, 22–24  
 of per-capita CO2 emissions, 4–5  
 output per worker and, 8, 108–112  
 regularization, 270–271  
*See also* applications of nonparametric  
 methods; density derivative estimator;  
 multivariate kernel density estimator;  
 univariate kernel density estimator  
 kernel efficiency, 29–30, 69  
 kernel function, 15, 144  
 uniform kernel for naïve estimator, 22–25  
 unordered and ordered discrete variables,  
 198–199
- Kiefer, N.M., 208  
 Kim, W., 254–255, 259, 262  
 Klein, R.W., 243–244  
 Kolmogorov-Smirnov test, 84, 291  
 Kullback-Leibler distance measure, 29, 41, 72,  
 88–89, 125, 331  
 Kumbhakar, S.C., 9, 140, 328, 330
- labor. *See* human-capital-augmented labor  
 labor productivity distributions tests, 111  
 Lavergne, P., 169, 179–181, 225–226, 312  
 least-squares cross-validation (LSCV), 38–41,  
 43–45  
 bandwidth selection for conditional mean  
 estimation, 124–127  
 bandwidths for physical and human capital,  
 222–223  
 constant mean estimator, 118–121  
 gradient estimates and, 151–153  
 kernel density estimates of cross-country  
 GDP per worker, 55–57  
 multivariate kernel density estimators and,  
 70–72, 74–76  
*See also* cross-validation bandwidth  
 selection
- Lee, T.-H., 160  
 Lee, Y.-J., 160  
 Li, D., 216–217, 248–249  
 Li, Q., 3, 25, 75, 97, 101, 107, 187, 212,  
 306–309  
 alternative kernel function for unordered  
 discrete variables, 198–199, 206–207  
 bandwidths obtained via LSCV, 127  
 center-free test statistic, 94  
 correct functional form test, 175–180  
 data-driven bandwidth selection in  
 discrete-only case, 189–190, 195–196  
 data-driven bandwidth selection in the  
 mixed-data case, 196–197

- Li, Q. (cont.)  
 Hausman-style test, 315–316  
 kernel-based test of, 92  
 LSCV approach for bandwidths for  
 conditional density estimator, 74–76  
 panel-data regression model with fixed  
 effects, 302–304  
 regression with all discrete regressors,  
 220–222  
 smooth coefficient model, 248–249  
 test for correct parametric specification with  
 mixed discrete and continuous regressors,  
 215–216  
 test for equality of unconditional densities,  
 199–200  
 test for poolability, 311–312  
 likelihood cross-validation (LCV), 39–45  
 kernel density estimates of cross-country  
 GDP per worker, 55–57  
 multivariate kernel density estimators and,  
 70–72  
 limited dependent-variable models, 242–243  
 Lin, X., 295, 297–299  
 Linton, O.B., 254–255, 259, 262  
 Liu, D., 216–217  
 local-constant least-squares (LCLS), 113–114,  
 118–123, 148–150, 153–154, 156,  
 178–179, 220–221  
 limitations of, 128–130  
 pooled panel data estimators, 294–295  
 regression with discrete covariates, 206–208,  
 213–215  
 selection of *versus* LLLS, 131–133  
 smooth coefficients, 249–251  
*See also* cross-validation bandwidth selection  
 local-linear least-squares (LLLS), 113–114,  
 130–131, 148–149, 154–156, 178–179,  
 221  
 efficiency of, 132–133  
 gradient estimations, 151–153  
 mixed-data, 208–209, 213–215  
 pooled panel data estimators, 294–295  
 regression with discrete covariates, 208–209,  
 213–215  
 selection of *versus* LCLS, 131–133  
 smooth coefficients, 249–251  
 local-linear weighted least-squares (LLWLS),  
 297–298  
 local-polynomial estimation, 120, 133–135,  
 272–280, 285  
 local-quadratic least-squares (LQLS) estimator,  
 133–135, 209  
 Lu, X., 172, 306–308  
 Maasoumi, E., 102, 199–200, 291  
 Mammen, E., 91, 255  
 Marron, J.S., 38, 40, 59  
 Martins-Filho, C., 254, 257–258, 297  
 McCann, P., 127  
 mean square error (MSE), 188  
 discrete (only) kernel probability density,  
 192–193  
 Min, I., 99  
 monotonicity, 11, 321–322, 325–326, 328, 330,  
 333  
 Monte Carlo simulation, 3, 301  
 multimodality, 8  
 multimodality tests, 84, 102–105, 112  
 multivariate kernel density estimator, 10, 134,  
 196–197  
 application of to physical and human capital,  
 76–81  
 bandwidth selection, 59, 68–72  
 bias, variance and AMISE/AMSE and, 62–64  
 bivariate/joint kernel density estimator, 59–62  
 conditional density estimator, 72–76  
 curse of dimensionality and, 64–68  
 tests for, 83  
 Nadaraya-Watson estimator. *See* local-constant  
 least-squares (LCLS)  
 naïve estimators  
 conditional mean, 118, 136  
 density estimator, 22–24  
 OECD and non-OECD countries, 8, 182–185  
 distributions for OECD and non-OECD  
 countries, 109–110  
 of average years of schooling conditional of  
 OECD status, 201–204  
 OLS estimator, 131–132, 143  
 one-way error component models, 293–294  
 ordered discrete variables, 187  
 out-of-sample prediction, 156–157  
 output per worker distributions, 8, 84  
 bivariate kernel density estimates of, 76–81  
 correct parametric specification test for,  
 109–110  
 equality test for, 108–109  
 for OECD and non-OECD countries, 8,  
 109–110, 182–185  
 gross domestic product (GDP) per worker  
 (RGDPWOK), 50–57  
 modality test for, 111–112  
 regressions and, 9  
 symmetry test for, 111–112  
 univariate density estimation and, 15

- See also* human-capital-augmented labor;  
 physical capital; production functions
- Ouyang, D., 195–196, 198–199, 220–222
- overfitting, 156
- Pagan, A.R., 6
- panel data models, 4, 10–11, 293–294, 316–319
- bandwidth selection, 309
  - dynamic panel-data estimator, 306–308
  - fixed-effects, 293, 301–306
  - pooled models of, 294–295, 309
  - random-effects, 295–301, 314–315
  - semiparametric, 308–309
  - standard errors, 309–311
  - testing of, 311–316
  - unbalanced, 294
- parametric models, 170, 228–230, 238–239
- parametric density tests *versus*
    - non-parametric alternative, 97–99
  - parametric tests *vs.* nonparametric, 156–157, 159, 223, 313–315
  - versus* non-parametric alternative, 114–116, 139–141, 144–157
- See also* correct parametric specification tests
- Park, B.U., 38, 255
- Parmeter, C.F., 102, 112, 140–142, 316, 328, 330
- constrained estimation and, 321
  - LSCV and irrelevant variables, 127
- partial mean plots, 140
- partially linear model (PLM), 11, 227–232, 261–265
- partially linear fixed-effects model with exogenous regressors, 309
  - test for a nonparametric model *versus*, 236–238
  - test for a parametric model *versus*, 128, 233–236
- Penn World Tables (PWT), 8, 11, 50, 77, 143
- perpetual inventory method, 77, 144
- physical capital, 109–111, 142–145, 180–181, 268, 288–291, 318
- bivariate kernel density estimates of capital stocks, 76–81
  - discrete regressors and, 222–226
  - elasticities for, 153–155, 182–186, 223–224
  - positive marginal product imposing on, 339–340
  - semiparametric methods, 261–265
- plug-in bandwidth methods, 34–35, 43–45, 258
- production functions, 9, 142–145, 225, 321
- constant returns to scale, 340–342
  - discrete variables, 205
  - generalized Leontief (GL), 146, 155, 177–179
- leave-one-observation-out *vs.*
- leave-one-country-out, 316–318
- panel data estimators and, 294
- region and time variables, 187, 222–226
- regression models and, 142–143
- testing of, 177–186
- See also* applications of nonparametric methods; Cobb-Douglas constant-returns-to-scale production function; constant elasticity of substitution (CES) production function; generalized quadratic (GQ) production function
- Proença, I., 246
- Psacharopoulos survey of wage equations
- evaluating returns to education, 77, 144
- Quah, D., 8, 51, 111
- R code, 11–12, 106
- Racine, J.S., 3, 25, 75, 141–142, 187, 212
- alternative kernel function for unordered discrete variables, 198–199, 206–207
  - bandwidths obtained via LSCV, 127
- Bayesian form for the discrete-data-only estimator, 208
- data-driven bandwidth selection in discrete-only case, 195–196
- data-driven bandwidth selection in the mixed-data case, 196–197
- LSCV approach for bandwidths for conditional density estimator, 74–76
- regression with all discrete regressors, 220–222
- test for correct parametric specification with mixed discrete and continuous regressors, 215–216
- test for equality of unconditional densities, 199–200
- using random sample splits for datasets, 141
- random-effects estimators, 295–301
- balanced panel and homoskedastic error, 314
  - local-linear weighted least-squares (LLWLS), 297–298
  - Wang's iterative estimator, 298–301
- rearrangement, 321–326, 338
- regression estimators, 9–10, 113–114, 141–145, 148, 206, 216
- age-earnings example, 5–6
  - average out-of-sample squared prediction error (ASPE), 141–142



- regression estimators (cont.)  
 displaying of regression estimates, 4, 139–140  
 hedonic price function for housing, 7–8  
 production functions, 142–143  
*R*-squared, 141  
 smoothing preliminaries, 114–117  
 standard errors and confidence bounds via  
 bootstrap procedures, 137–139  
 worldwide production function, 9  
*See also* conditional mean estimator;  
 constrained estimation; gradient  
 estimations; regression with discrete  
 covariates
- regression testing, 159–186, 215–219  
 bandwidth selection and, 175–177  
 bootstrap methods *versus* asymptotic  
 distribution, 174–175  
 conditional-moment tests, 159,  
 161–162, 166–67, 169–171,  
 175–180, 235–238  
 goodness of fit test, 160–161, 163–166,  
 168–169, 177–179  
 heteroskedasticity of the error term test,  
 159–160, 165, 171–174, 177  
 of cross-country production functions,  
 177–186  
 variable relevance and, 168–171
- regression with discrete covariates, 205  
 all discrete regressors, 220–222  
 application and testing of, 222–226  
 bandwidth selection, 212–215, 222–223  
 gradient estimation with continuous  
 covariates, 209–210  
 gradient estimation with discrete covariates,  
 210–212  
 local-constant least-squares (LCLS),  
 206–208, 213–215  
 local-linear least-squares (LLLS), 208–209,  
 213–215  
 test for significance of discrete variables,  
 217–219  
 testing of, 215–219
- regularization, 270–271
- residual bootstrapping, 138–139, 164–165,  
 236–237, 310–311
- Robinson, P.M., 228–232, 308
- Rodriguez, D., 246
- rule-of-thumb bandwidth selection, 32–37, 40,  
 49, 52–57, 121–123  
 conditional density, 74–76  
 density derivative estimator, 46–47  
 multivariate density estimators and, 70  
 output per worker distributions tests and,  
 108–112
- Russell, R.R., 102, 112
- Schienle, M., 255
- Schuster, E.F., 42
- Scott, D.W., 35
- semiparametric methods, 1, 10–11, 206,  
 227–228, 280  
 additive nonparametric models, 254–260  
 application of, 261–265  
 defined, 11  
 efficiency, 228, 265  
 panel data estimators, 308–309  
 semiparametric smooth coefficient models  
 (SPSCM), 248–254  
 single-index models, 238–247  
 tests of nonparametric *versus*, 236–238  
 tests *versus* parametric model, 233–236  
*See also* partially linear model (PLM)
- Sheather, S.J., 36–38, 59
- sieve estimator, 307
- Silverman rule-of-thumb bandwidths, 33–34,  
 46–47, 108–112
- Silverman test for multimodality, 46, 102–105,  
 112
- single-index models, 238–247, 261–265
- smoothing, 38, 188  
 kernel smoothing methods, 15–22  
 smoothing parameter selection in constrained  
 estimates, 332–333  
*See also* bandwidth selection; discrete  
 variable smoothing
- Solow variables, 76  
*See also* human-capital-augmented labor;  
 output per worker distributions; physical  
 capital
- Spady, R.H., 243–244
- standard errors  
 bootstrap procedures for, 137–139, 241–242  
 panel data estimation, 309–311
- Stoker, T.M., 246
- Su, L., 99, 172, 309  
 dynamic panel-data estimator, 306–308  
 local-polynomial least-squares, 272–275,  
 278–279, 288–291
- Sun, K., 9, 315, 328, 330
- supplemental materials, 11–12
- symmetry tests, 101–102, 111–112
- Tapia, R.A., 35
- Taylor expansion, 26, 48, 130–131, 133, 135,  
 208



- tests and testing, 8, 10–11, 83, 225  
 additively separable models, 259–260  
 bandwidth selection and, 105–107  
 centering terms, 89  
 central limit theorem for degenerate  
 U-statistics, 89–91, 162  
 conditional-moment tests, 159, 161–162,  
 166–67, 169–171, 175–177, 235–238  
 consistency test, 86–87  
 correct functional form test, 175–180,  
 225–226  
 density testing fundamentals, 84–87  
 distance tests, 87–89  
 equality of unconditional densities, 199–201  
 goodness-of-fit tests, 160–161, 163–66,  
 168–169, 177–179, 234–237  
 Hausman-style test, 315–316  
 if random samples are from same  
 distribution, 92–97  
 independence tests, 83, 99–101, 110–111  
 instrumental variables estimators, 287–288  
 joint normality test, 83  
 Kolmogorov-Smirnov test, 84  
 multimodality tests, 84, 102–105, 112  
 nonparametric *versus* parametric, 83,  
 156–157, 159, 313–315  
 of known parametric density *versus* a  
 nonparametric alternative, 97–99  
 output per worker, 109–112  
 panel data models, 311–316  
 parametric model *versus* a PLM, 233–236  
 partially linear models and, 233–238  
 poolability of panel data, 311–313  
 relevance of continuous regressors in a  
 mixed-data framework, 215–216  
 relevance of discrete regressors in a  
 mixed-data framework, 217–219  
 semiparametric single-index model, 245–247  
 Silverman test for multimodality, 46,  
 102–105  
 smooth coefficient model, 252–254  
 symmetry tests, 101–102, 111–112  
 test for significance of discrete variables,  
 217–219  
 validity of arbitrary shape constraints,  
 337–338  
*See also* applications of nonparametric  
 methods; correct parametric specification  
 tests; regression testing
- Thomas, W., 171–172  
 Thompson, J.R., 35  
 Tibshirani, R.J., 247–248  
 time series data, 11  
 Trivedi, P.K., 3  
 triweight kernel, 26  
 formula for, 25  
 multivariate density estimators,  
 69–70
- Ullah, A., 87, 92, 100  
 age-earnings, 5–6  
 goodness-of-fit tests, 160–161, 163, 165,  
 177–179, 259  
 local-linear weighted least-squares (LLWLS),  
 297  
 local-polynomial least-squares, 272–275,  
 278–279, 288–291  
 uniformity property, 196  
 univariate kernel density estimator, 9–10, 15,  
 59, 122, 196  
 bandwidth selection, 30–45  
 density derivative estimator, 45–50  
 discrete, 190–91  
 tests for, 83–84, 101  
*See also* kernel density estimation  
 unordered discrete variables, 187, 189  
 urban economics, 6–7
- van Ryzin, J., 199  
 Vuong, Q., 169, 179–181, 225–226
- Wang, M.-C., 199  
 Wang, N., 297–301, 304, 319  
 Wang, S., 175–180  
 weak instruments, 280–286  
 website for text, 2, 11  
 technical appendices on, 12  
 Wilson, P.W., 99
- Yang, K., 254, 257–258  
 Yao, F., 297  
 York, M., 105  
 Yu, P., 139
- Zheng, J.X., 99, 127, 161  
 Zheng, X., 172–173, 180–181