

Index

- $\frac{1}{2}$ BPS operator of $SU(N)$ Super Yang–Mills, 142, 190, 519
- $SU(2)$ Einstein–Yang–Mills, 483
- $su(4)$ representation, 519
- $USp(N)$, 120
- $U(1)_A$ symmetry, 404
- Λ_{QCD} , 412
- η/s , 437, 455
- ρ meson, 417
- $\mathcal{N} = 4$ Super Yang–Mills theory, 135, 138, 180
 - action, 136
 - adding fundamental matter, 211
 - β function, 138
 - confining deformation of, 410
 - from dimensional reduction, 137
- Abelian Higgs model, 479
- ABJ anomaly, 47
- ABJM theory, 279, 281
- additive renormalisation, 23
- adjoint representation, 35
- AdS/CFT correspondence, 179–204
- AdS₅/CFT₄, 179–193
 - comparison of symmetries, 189
 - correlation function tests, 220
 - for generating functionals, 196
 - strong form, 181, 182
 - strongest form, 180, 182
 - weak form, 182
- AdS/QCD, 426
- AdS–Schwarzschild black hole, 356
- advanced Green’s function, 351
- Affleck–Dine–Seiberg superpotential, 315
- anomalous dimension, 23
- anomaly, 46
- Anti-de Sitter(AdS) spacetime, 70–76
- area law
 - confining Wilson loop, 403
 - Entanglement entropy, 498, 500
- asymptotic freedom, 26, 38, 400
- axial anomaly, 395
- axial vector current, 29
- axial vector meson, 425
- backreaction, 331
 - of fermions, 492
- bare Lagrangian, 21
- baryon, 401
- baryon number symmetry, 283
- baryon vertex, 326
- Bekenstein bound, 180
- Bekenstein–Hawking entropy, 86
- Belinfante energy-momentum tensor, 8
- Bern–Dixon–Smirnov (BDS) conjecture, 262
- beta function, 26, 38, 40
 - for gauge coupling, 400
 - holography, 306
- beta-deformed theory, 299
- Bethe ansatz, 246
- Bianchi identity, 62
- black brane, 88, 344, 352, 390, 394, 464
- black hole, 125
 - asymptotically AdS, 86–88
 - BTZ, 475
 - charged, 463
 - dyonic, 474
 - event horizon, 76
 - extremal, 484
 - in holographic hydrodynamics, 376, 379, 390, 393
 - Kerr–Newman, 86
 - planar, *see* black brane
 - Reissner–Nordström, 84–86, 393, 464, 466, 471, 475, 485, 493
 - Schwarzschild, 76–79
 - small and large, 87
 - thermodynamics, 86
- BMN limit, 240
- Bogolyubov transformation, 80
- Bogomolnyi–Prasad–Sommerfield (BPS) bound, 124
- bottom-up approach, 426, 463, 480, 490
- BPS multiplet, 124
- BPS operator, 142
- Breitenlohner–Freedman bound, 195
 - violation of, 480, 484
- bulk viscosity, 383
- bulk-to-boundary propagator, 198
- bulk-to-bulk propagator, 198
- Buscher rules, 167
- C-theorem
 - holography, 304
 - quantum field theory, 296

- Calabi–Yau manifold, 163, 276
- Calabi–Yau theorem, 163
- canonical ensemble, 344–345
- canonical quantisation, 9–10
- Cartan subalgebra, 510
- Cartan–Weyl form, 510
- causality, 370, 379
- central charge, 120, 123, 124, 135
 - conformal symmetry, 107, 112, 114, 116
- Chan–Paton factor, 170, 274
- charge density, 463, 464
- charged fluid, 383, 393
- Chern class, 164
- Chern–Simons term, 394, 467, 474, 483
- Chern–Simons theory, 280, 281
- chiral anomaly, 395, 474
- chiral perturbation theory, 405
- chiral primary operator, 142
- chiral symmetry breaking, 413, 415, 421
 - explicit breaking of, 404
 - holographic, 455
 - in QCD, 403
 - R-symmetry, 314, 315
 - spontaneous breaking of, 404
- chiral vortical effect, 394
- Clifford algebra, 28
- Coleman–Mandula theorem, 91, 143
- collinear anomalous dimension, 263, 269
- colour, 401
- colour ordering, 259
- compact symplectic group, 120
- composite operator, 23
- compressible system, 496
- condensed matter physics, 461
 - holographic, 463
- conductivity
 - AC, 371, 482
 - DC, 478, 482
 - holographic, 468, 481, 488
- confined phase
 - AdS/QCD, 426
 - holographic, 444, 455
- confinement, 309, 313, 401, 405, 407
 - in QCD, 401
- confinement–deconfinement transition
 - holographic, 443, 454
- conformal algebra, 102, 103, 491
- conformal anomaly, 115–117, 233, 234, 300
 - holographic, 498
 - relation to entanglement entropy, 498
- conformal diagram, 68
 - AdS space, 75
- conformal field theory(CFT), 107–123
 - one-dimensional CFT, 466
- conformal structure, 74, 209
- conformal symmetry, 102
 - coordinate transformations, 103
 - correlation functions, 110
 - energy-momentum tensor, 108
 - field transformations, 107
 - operator product expansion, 112
 - two dimensions, 106
 - Ward identity, 115
- conifold, 276
- connected Green’s function, 16
- connection, 31, 55
 - Christoffel, 55
 - spin, 56
- consistent truncation, 307, 389, 393
- Constable–Myers flow, 411
- Cooper pair, 478
- correlation function, 11
 - $\frac{1}{2}$ BPS operator, 221
- coset space, 70
- cosmological constant, 65
 - of Anti-de Sitter spacetime, 73
- Coulomb phase, 139
- counterterm, 20
- covariant derivative, 55–56
- critical exponent, 462
- cusp anomalous dimension, 263, 269
- cycle, 164
- D-brane, 125, 149, 166, 168, 172, 182
 - closed string perspective, 182, 186, 188
 - D3-branes, 182
 - D3/D5-brane system, 340–342
 - D3/D7-brane system, 328–339, 363
 - fluctuations, 335–339
 - open string perspective, 182, 184–186, 188
 - regular, 274
- D-branes at singularity, 273
- DBI (Dirac–Born–Infeld) action, 169
 - for D3-brane, 185
 - for D7-brane, 332, 336
- deconfined phase, 444
 - holographic, 455
- defect field theory, 340
- derivative expansion, 382, 390, 393
 - vorticity contribution, 394
- descendant
 - conformal, 107
 - superconformal, 140
- differential form, 57–59
 - Hodge dual, 60–61
 - volume form, 59–60
- differential geometry, 50
- diffusion constant, 372, 386
- dilatino, 160
- dilaton in holographic RG flows, 411
- dilaton flow, *see* Constable–Myers flow
- dimensional regularisation, 17, 19

- Dirac field, 28
- Dirac matrix, 28
- Dirichlet boundary condition, 148
- dissipation, 379, 380
 - dissipative fluid, 382, 395
 - holographic, 379, 390, 393
- domain wall, 326
- domain wall ansatz, 408
- domain wall flow, 302
- double line notation, 42
- Dp-brane, 171
- Drude peak, 471
- D-term, 128
- dual AdS space, 264
- dual superconformal symmetry, 269
- duality, 179
 - string theory, 164
- duality cascade, 313
- dynamical scaling exponent, 462
- Dynkin diagram, 511
- Eckart frame, 382
- effective action, 16
- Einstein frame, 156
- Einstein static universe, 72
- Einstein tensor, 65
- Einstein's field equations, 65–66
- Einstein–Hilbert action, 66
- Einstein–Maxwell theory, 463
- Einstein–Maxwell dilaton theory, 494
- electron star, 492
- emergent quantum criticality, 466, 488
- energy condition
 - dominant, 89
 - null, 88
 - strong, 89
 - weak, 88
- energy-momentum tensor, 8
- entanglement entropy, 496
 - holographic, 498
 - in two-dimensional CFT, 498
 - replica trick, 498
 - strong subadditivity, 501
- entropy current, 381, 382, 395
- Euclidean action, 18
- Euler characteristic, 42
- Euler number, 154
- exterior derivative, 58
- extremal correlation function, 230
- extrinsic curvature, 81
- factorisation, 45
- Fefferman–Graham coordinates, 204
- Fefferman–Graham metric, 75
- Fefferman–Graham theorem, 208
- Fermi liquid theory, *see also* Fermi surface,
 - Luttinger's theorem, non-Fermi liquid
 - fractionalisation, 494
 - marginal Fermi liquid, 489
- Fermi surface, 488, 492, 494, 496
 - hidden, 496
- fermions
 - holographic, 485
- Feynman propagator, 12
- Feynman rules, 13
- Fick's law of diffusion, 383
- field-operator map, 189–196
- fixed point, 26
- flavour holographic, 326–342
- flavour brane, 326–342
- flavour symmetry, 329
- fluid-gravity correspondence, 389
- flux tube, 326, 401, 407
- Fock space, 15
- four-gluon scattering, 265
- four-point function, 229
- fractional brane, 310
- free energy
 - in canonical ensemble, 345
 - in grand canonical ensemble, 346
- F-term, 128
- fundamental representation, 33
- gauge field, 31
- Gell-Mann–Oakes–Renner relation, 429, 417
- generalised coupling, 24, 27
- generating functional, 9–12, 15, 18, 24
 - fermions, 29
- genus, 42
 - string theory, 153
- geodesic, 61
- ghost field, 37
- Gibbons–Hawking term, 81, 354, 469
- Gibbs free energy, 465
- Ginzburg–Landau theory, 478
- global transformation, 9
- gluon, 400
- Goldstone boson, 416, 424, *see also*
 - pseudo-Goldstone boson
 - in QCD, 404
- Goldstone's theorem in QCD, 404
- gradient flow, 302
- grand canonical ensemble, 345–346, 465
- Grassmann number, 30
- gravitino, 160
- Green function, small ω expansion, 471
- Green–Kubo relation, 384
 - charge diffusion, 384
 - shear viscosity, 385
- Green–Schwarz formalism, 248
- GSO projection, 159

Hamiltonian, 7	Lie derivative, 56–57
hard probe, 437, 440	Lie group, 508
hard wall model, 407, 427	Lie representation, 515
Hawking radiation, 80–84	Lifshitz algebra, 491
Hawking temperature, 80	Lifshitz space, 490, 493
Hawking–Page transition, 357, 443	linear response theory, 370, 384, 468, 481
heavy-ion collisions, 369	holographic, 374, 387
holographic Green’s function, 357–362	little group, 99
holographic principle, 179, 181	Lorentz algebra
holographic renormalisation, 204–210	tensor representations, 92
of scalar field, 204	spinor representations, 94
holographic RG flow, <i>see</i> warp factor, domain wall	Lorentz symmetry, 91
ansatz	Lorentz transformation, 4
holonomy, 163	low-energy limit, 186, 187
hydrodynamics, 369	LSZ reduction formula, 15
hydrodynamic expansion, 382	Luttinger’s theorem, 494
hydrodynamic limit, 380, 384	
hydrodynamic pole, 374,	M2-brane, 278
Quark–gluon plasma, 372, 436	M5-brane, 287
hyperscaling violation, 494, 496	magnetic brane, 475
	magnetic field, 474
ideal fluid, 381	magnetisation density, 474
holographic, 390	magnetisation susceptibility, 474
imaginary time formalism, 347, 349–350	magnon, 246
infalling boundary condition, 358	Majorana field, 29
integrating out, 126	Maldacena limit, 327, <i>see also</i> low-energy limit
internal symmetry, 9	Maldacena–Núñez solution, 315
interpolating flow, 296, 306	Manifold, 50–51
IR fixed point, 26	complex, 63
irrelevant operator, 26, 27	Kähler, 163
isotropic fluid, 381	Lorentzian, 53
	Riemannian, 53
jet quenching parameter, 440	marginal deformation, 298
	marginal operator, 26, 27
Kähler manifold, 163	mass gap, 293
Kähler potential, 132	Matsubara frequency, 349
Kalb–Ramond field, 153, 155	maximally symmetric spacetime, 66–68
Kaluza–Klein expansion, of IIB SUGRA fields, 191	M-brane, 173
Killing horizon, 73	mesino, holographic, 336, 341
Killing vector, 57	meson, 330, 401, 413, 416, 417, 425
Klebanov–Strassler flow, 311	holographic, 332, 335, 341, 448
Klein–Gordon equation, 5	unstable, 448
Konishi current, 301	metric, 53–54
Konishi operator, 142	minimal surface, holographic Wilson loop, 406
Kramers–Kronig relation, 470	minimal coupling, 31, 63
	minimal subtraction, 21
Lagrangian, 4	minimal surface, 498
Landau frame, 382	Minkowski spacetime, 3, 68–69
Landau pole, 26, 331	M-theory, 285
large N limit, 40–43	multi-particle state, 10
Large Hadron Collider, 435	multiplet shortening, 142
lattice gauge theory, 400	multiplicative renormalisation, 20
Lax connection, 253	multi-trace operator, 143
Lax pair, 253	
Leigh–Strassler flow, 306	Nambu–Goto action, 145
Lie algebra, 508	holographic Wilson loop, 406

- near-extremal brane, 172
- near-horizon limit, 188
- near-horizon region, 187
- negative frequency mode, 360
- Neumann boundary condition, 148
- Neveu–Schwarz (NS) sector, 158, 159
- Noether’s theorem, 6, 45
- Non-Abelian gauge theory, *see* asymptotic freedom, confinement
- non-Fermi liquid, 477, 486, 489
- non-relativistic systems, 489
- non-renormalisation theorem, 222
- NS-NS sector, 160
- NS5-brane, 174
- NSVZ beta function, 135, 300
- null energy condition, 306
- Ohm’s law, 371, 468
- on-shell action, 201
- one-half BPS operator, 142, 520
- one-particle irreducible Feynman diagram, 16
- orbifold, 273
- order parameter, 481
- outgoing boundary condition, 358
- parallel transport, 61–63
- particle scattering, 15
- partition function
 - string theory, 154
 - thermodynamics, 28, 84
- path integral quantisation, 10
- path integral, String theory, 153
- path ordering, 402
- Penrose diagram, 68
- Penrose–Brown–Henneaux (PBH) transformation, 235, 237
- perfect fluid, 493
- perturbation theory, 13
- phase diagram, 461, 462, 475, 477
 - of QCD, 435
- phase transition, *see also* critical exponent, order parameter, quantum phase transition
 - chiral, 454
 - first order, 446, 452
 - holographic, 446, 452, 454
 - second order, 461, 462
- phonon, 478
- pion, 424
- pion decay constant, 429
- planar diagram, 43
- planar limit, 181
- Planck length, 401
- Poincaré group, 4
- Poincaré symmetry, 91
 - particle states, 98
- Polchinski–Strassler flow, 320
- Polyakov action, 146, 147, 252
- positive frequency mode, 360
- primary operator, 111
 - conformal, 107
 - superconformal, 140, 141
- probe brane
 - black hole embedding, 447
 - D5-brane, 340–342
 - D7-brane, 331–339, 363, 413, 445, 448, 450
 - D8-brane, 421, 423, 454
 - embedding function, 415
 - finite density, 450
 - finite temperature, 445, 446, 448
 - in holographic chiral symmetry breaking, 413, 421
 - Minkowski embedding, 447
- probe Limit, 201, 331, 423
- projective space, 286
- pseudo-Goldstone boson, 405, 416
- QCD, 399
 - at finite temperature and density, 435
 - low energy, 455, *see also* baryon, chiral symmetry breaking, confinement, flux tube, meson
- quantum chromodynamics, *see* QCD
- quantum critical point, 461, 477
- quantum critical region, 462, 477
- quantum critical theory, 462
- quantum entanglement, 496
- quantum phase transition, 460, *see also* quantum critical point, quantum critical region, quantum critical theory
 - emergent quantum criticality, 462
 - holographic, 463, 475
- quark condensate, 415, 424
 - holographic, 446, 448
- quark density, 363
- quark mass, 415
 - holographic, 329, 446
- quark–gluon plasma, 369, 394, 435, 435
 - energy density, 439
 - Holographic, 439
- quarks, 400
 - in baryons, 401
 - in mesons, 401
 - in the Standard Model, 399
- quasi-primary field, 109
- quasi-primary operator, 112, 114
- quasinormal modes, 379, 449
- quenched approximation, 331
- quenching, holographic, 423
- quiver gauge theory, 274
- Ramond (R) sector, 158–159
- real scalar field, 3
- real time formalism, 347, 350–351
- reduced density matrix, 497

- Regge trajectory, 401
- relevant deformation, 298, 300
- relevant operator, 26, 27
- remainder function, 269
- renormalisation group, 22
- renormalisation group (RG) flow 24, 296
 - holography, 302
 - quantum field theory, 296
- renormalisation group (RG) equation, 22
- retarded Green's function, 12, 351, 370
 - condensed matter
 - electric current, 468
 - Fermi liquid, 486
 - heat current, 468
 - energy-momentum tensor, 371, 372, 386, 387
 - holographic, 374, 376, 378, 386, 387
 - poles, 373, 379
 - R-symmetry current, 371, 372, 376, 378
- RHIC accelerator, 435
- Ricci scalar, 62
- Ricci tensor, 62
- Riemann tensor, 62
- root, 510
- R-sector, *see* Ramond sector
- R-symmetry, 120
- saddle point approximation, 198
- Sakai–Sugimoto model, 421, 444
 - finite temperature, 454
 - holographic, 454
- scalar electrodynamics, 32
- scattering amplitude, 241
 - partial, 259
- Schrödinger algebra, 491
- Schrödinger spacetime, 475, 490
- Schur's lemma, 307
- Schwinger–Dyson equation, 45
- Schwinger–Keldysh contour, 438
- Schwinger–Keldysh formalism, 347, 350, 351
- Schwinger–Keldysh propagator, 351
- S-duality, 138, 143, 167
- Seiberg duality, 313
- semi-simple Lie algebra, 510
 - compact, 510
- shear mode, 386
- shear viscosity, 374, 383, 385
 - holographic calculation, 387, 388, 393
- shooting technique, 446
- single-particle state, 10
- single-trace operator, 44, 141, 190
- S-matrix, 15
- soft wall model, 429, 430
- soliton, 124
- sound mode, 386
- spatially modulated phase, 483
- spectral function, 370, 371, 380
 - as energy change rate, 380
 - R-symmetry current, 373
- spherical harmonics, 190
- spin chain, 245
- spinor
 - Dirac, 400
 - Majorana, 29, 97
 - Weyl, 97
- standard model, 399
- static gauge, 332
- stationary spacetime, 57
- string frame, 156
- string theory, 145
 - bosonic, 145
 - conformal gauge, 147
 - closed string, 148
 - quantisation, 152
 - coupling constant, 154, 156
 - fermions, 157
 - left- and right-moving modes, 147
 - mode expansion, 148
 - negative norm states, 150
 - open string, 148
 - quantisation, 152
 - perturbation theory, 153
 - spectrum, 147
 - type IIA theory, 160
 - type IIB theory, 160
 - unoriented strings, 170
- strong–weak duality, 179
- subadditivity, 498
 - strong, 498
- superconducting density, 478
- superconductor,
 - high T_c , 477
 - holographic, 479, 483
 - Meissner–Ochsenfeld effect, 482
 - p-wave superconductor, 483
 - s-wave superconductor, 479
- superconformal operator, 141
- superconformal symmetry, 139
 - algebra, 139
 - representations, 140
- superfield, 128
 - chiral, 129
 - vector, 130
- superfluid, 477
 - holographic, 467, 494
- supergravity, 160
 - eleven-dimensional, 162, 279
 - gauged, 307
 - M-theory, 161, 279
 - type IIA, 162
 - type IIB, 161
- superpotential, 132
- superspace, 127

superstring theory, 156	vector
closed superstring, 159	cotangent space, 50–51
open superstring, 157	Killing vector, 57
supersymmetry, 118	tangent space, 50–51
algebra, 118	vector current, 29
extended algebra, 119	vector meson, 417, 425
field theory, 125, 132	holographic, 453
maximal, 120, 135	unstable, 453
representation, 120, 121, 123	vector propagator, 231
symmetrised trace, 141	Verma module, 141
 	vertex operator, 155, 264
tachyon, 151	vielbein, 53–54
tadpole, 16	Virasoro constraints, 147, 249
target spacetime, 145	von Neumann entropy, 497
T-duality, 164	vorticity, holographic, 394
temperature, 463, 474	
tensor, 51–52	Ward identity, 45, 110
tensor propagator, 231	Lorentz symmetry, 100
thermal AdS space, 356	warp factor, 303, 407
thermal equilibrium, 462	wedge product, 58
thermal Green’s function, 346–350	Wess–Zumino model, 127
thermalisation, quark–gluon plasma, 436	Weyl fermion, 29
three-point function, 220, 225	Weyl tensor, 62, 117
throat, 187	Weyl transformation, 235
time ordering, 11	white hole, 79
of thermal Green’s function, 347	Wick rotation, 18
’t Hooft coupling, 41–44, 181	Wilson line
for D-branes, 327	holographic, 441
’t Hooft limit, 41, 181	jet quenching parameter, 437
torsion tensor, 62	Wilson loop, 39, 405
trace anomaly, 115	$\mathcal{N} = 4$ Super Yang–Mills, 211–216
transport coefficient, 370, 382, 384, 389	for non-supersymmetric gauge theory, 402
triangle graph, 46	Wilsonian effective action, 25
quark loop, 404	Wilsonian renormalisation group, 24
TsT transformation, 309	Witten diagram, 197, 201
twist, 316	Feynman rules, 198
type IIB supergravity, 182	worldsheet, 145
type IIB superstring theory, 180	wrapped brane, 310
unitarity bound, 107	Yangian, 269
universality, 460	
UV fixed point, 26, 27	Zeeman level splitting, 421
in non-Abelian gauge theory, 400	