

INDEX

- $\Box\forall$ -Intro, 123
- $\exists$ GC, 210
- $\forall$ GC, 7
- $\forall\wedge$ -Distribution, 106
- $\forall\vee$ -Distribution, 209
- $\wedge$ -Residuation rules, 241
- $\wedge\exists$ -Distribution, 209
- actual individuals, 1, 15
- Actual Instantiation, 1, 4
- actualist interpretation, xi, 1, 4, 167
- Adjunction, 204
- admissibility, 59
- admissible
 - conjunction, x, 17
 - disjunction, x, 18
 - E^- , 103
 - formula, 29, 168
 - individual concept, 165
 - object, 165
 - proposition, x, 14, 23
 - propositional function, xii, 129
 - semantics, x
 - set, x, 23
- AI, 4
- atom, 40
- atomic formula, 2, 162
- AtSI, 176
- axiom
 - AI, 4
 - AtSI, 176
 - B, 58
 - BF, 16
 - CBF, 14
 - CQ, 5
 - DD, 194
 - EI, 104
 - EI⁺, 169, 176
 - EX, 176
 - FNE, 188
 - K, 4
 - McKinsey, 14, 62–63
 - NE, 116
 - NI, 159, 176
 - NNE, 116
 - NNI, 176
 - SI, 160
 - UD, 4
 - UI, 5
 - VQ, 4
 - WR, 176
- Barcan Formula, xi, 16, 61, 155–157
- Barcan shape, 154
- base world, 206
- BF, 16
 - independence from NNE, 121–122
 - relation to $\forall\forall$ -Intro+NNE, 123–125
- BF-Lemma, 85
- body of a term, 193
- Boolean implication, 18
- Boolean tautology, 3
- bound alphabetic variant, 6
- bounded morphism, 55
- Brouwerian Axiom, 58
- Brouwerian lattice, 20
- C -complete set of formulas, 84
- canonical
 - functional model structure, 132
 - functionally – logic, 152
 - general frame, 47, 53, 57
 - for identity, 179
 - Kripke frame, 54
 - Kripkean model
 - for $\mathcal{E}$ -logics, 112

- model
 - nature of, 45
 - on $\mathcal{F}_R$, 208
- model structure
 - for a Kripkean identity logic, 189
 - for a Kripkean identity logic with definite descriptions, 198
 - for $\mathcal{E}$ -logics, 107
 - for identity, 181
 - for QR, 213
 - varying-domains, 47
- model system
 - for HR, 243
 - for R, 226
 - for RQ, 235
- premodel, 47
 - for a Kripkean identity logic with definite descriptions, 199
 - for identity, 182
 - for QR, 213
 - on a functional structure, 133
- propositional modal logic, 54
- R-frame, 208
- S-model, 54
- varying-domain model structure
 - for $\mathcal{E}$ -logics, 107
- CBF, 14
- characterisation of
 - HR, 247
 - HRQ, 248
 - QEK+ TV -Intro, 115
 - QEK+ TV -Intro+NE, 117
 - QES, 108
 - QES with S canonical, 108
 - QES+BF, 155
 - with S canonical, 156
 - QES+NE, 117
 - QES+NE with S canonical, 117
 - QES+ TV -Intro, 115
 - with canonical S preserved by subframes, 116
 - QES+ TV -Intro+NE, 117
 - QES+ TV -Intro+NE with canonical S preserved by subframes, 117
 - QES+ TV -Intro+NNE, 123
 - QES+UI+BF, 157
 - QK, 52
 - by contracting-domains structures, 72
 - $\text{QK}^\approx$, 186
 - QK+CBF
 - by constant-domains structures, 76
 - QK+CQ+CBF+BF, 92
 - QK+CQ+UI+BF, 97
 - QKB, 58
 - QR, 213
 - QS, 54
 - by contracting-domains structures, 74
 - with S canonical, 58
 - $\text{QS}^\approx$, 186
 - with canonical S preserved by subframes, 186
 - $\text{QS}^\approx + \text{TV}$ -Intro + FNE, 190
 - $\text{QS}^\approx + \text{TV}$ -Intro + FNE + DD, 201
 - QS+BF, 156
 - QS+CBF, 69
 - by constant-domains structures, 77
 - with S canonical, 69
 - with S canonical by constant-domains structures, 79
 - QS+CQ+BF, 157
 - QS+CQ+CBF+BF, 94
 - with canonical S preserved by subframes, 101
 - QS+CQ+UI+BF, 98
 - with canonical S preserved by subframes, 101
 - QS+UI, 81
 - with S canonical, 81
 - QS+UI+BF, 157
 - QS4M+CQ+CBF+BF, 99
 - QS4M+CQ+UI+BF, 99
 - R
 - by cover systems, 245
 - by model systems, 229, 231
 - by Routley-Meyer frames, 209
 - RQ
 - by model structures, 213
 - by model systems, 239
 - S4, 12
 - S5, 12
 - characterised by a class, 32
 - characteristic
 - Kripkean model
 - for logics with CBF and BF, 89
 - for logics with UI and BF, 95
 - model, 45
 - closed term, 2
 - with definite descriptions, 193
 - commutativity of quantification, xii
 - Commuting Quantifiers, 5
 - complete for (validity in) a class, 32
 - complete Heyting algebra, 242

- complete lattice, 217
- complete partial order, 20, 217
- completeness for
 - first-order logic, 21
 - QK, 52
 - QK $\approx$, 186
 - QS, 54
 - QS $\approx$, 186
 - QS+CBF, 69
- components of a frame, 80, 164
- Con, 2, 162
- concept variables, 162
- conclusion, 4
- cone, 216
- congruent, 6, 141
- connected worlds, 80
- conservative extension, 43, 242
- consistent set of formulas, 46
- constant domains, xi, 67
- constant partial function, 164
- constants
 - individual, 2
 - individual concept, 162
 - object, 162
- continuous time, 16
- contracting domains, xi, 67
- Converse Barcan Formula, xi, 14, 61
- co-tenability, 205
- cover relation, 216
- cover system, 216
 - individualised, 247
 - localic, 245
 - relevant, 220
 - strongly relevant, 240
- Cover-Join Property, 232
- CQ, 5, 40–43, 59–61
- Cterm, 198
- cylindric algebra, 21

- DD, 194
- deducible, 45, 208
- definite description, 193
 - elimination of, 195
- definite set of formulas, 199
- discrete time, 16
- disjoint, for tuples, 136
- domain
 - of a world, 23
 - of existing individuals, ix, 1, 15
 - one universal –, 80
- domain of a function, 163

- E*-admissible, 103
- $\mathcal{E}$ -logic, 105
- $\mathcal{E}\forall$ -complete, 111
 - with identity, 187
- $\mathcal{E}\forall$ -Intro, 104, 169
- EI, 104
- EI $^+$, 169, 176
- elimination of definite descriptions, 195
- empty function, 31, 163
- entailment, x, 17
 - in a model on an R-frame, 207
- EX, 176
- existence predicate, xii, 103, 162
- Existence property of $|P|^{\mathcal{M}}$, 166
- existence proposition, xi, 23, 163
- existence set, 23, 103
- Existential Generalisation, 210
- Existing Instantiation, 104, 169
- expanding domains, xi, 15, 67
- extension, 160
- extensional, 160
- Extensionality property of $|P|^{\mathcal{M}}$, 166

- F (Falsum), 2
- $\mathcal{F}_L$, 56
- $\mathcal{F}_S$, 54
- FNE, 188
- formula
 - pure, 241
 - admissible, 29, 168
 - atomic, 2, 162
 - identity, 162
 - of a signature, 2
 - of a signature with identity, 162
 - propositional modal, 2
 - self-identity, 162
- frame, 11
 - general, 13
 - R–, 206
 - S–, 12
- Free Assignment Lemma, 28, 168, 233
- free at a formula, 137
 - strongly, 143
 - sufficiently, 141
- free for
 - a predicate symbol, 137
 - a variable, 4, 136
- freely substitutable for, 4
- full
 - general frame, 14
 - model structure, 31

264

INDEX

model system, 239
 full of objects, 165, 175
 functional model structure, xii, 129
 functionally canonical, 152
 fusion
 connective, 205
 semantics of, 207, 230
 operation, 218
 $\mathcal{G}_L$, 53, 179
 $\mathcal{G}_S$, 57
 GC, 5
 GC*, 7
 general frame, 13
 canonical, 47, 57
 for identity, 179
 full, 14
 general model, 13
 Generalisation on Constants, 5
 generated subframe, 55
 GL, 15, 63–66
 Gödel-Löb logic, 15, 63–66
 greatest lower bound, x, 17, 24

 hold locally, 214

 identical at w , 163
 identity, 162
 identity formula, 162
 identity set, 163
 implication operation
 Boolean, 18
 defined by fusion, 218
 incomplete logic
 for frame semantics, 12
 inconsistent logic, 12
 index, 261–268
 Indistinguishability Lemma, 170
 indistinguishability set, 164
 indistinguishable at w , 164
 semantically, 170
 individual concept, xii, 161
 admissible, 165
 individual concept constants, 162
 individual constants, 2
 individual variables, 1
 individualised cover system, 247
 inference rule, 4
 $\Box\forall$ -Intro, 123
 $\exists$ -Elimination, 6
 $\exists$ -Equivalence, 6
 $\exists$ -Monotonicity, 5

$\exists$ GC, 210
 $\forall$ -Equivalence, 5
 $\forall$ -Introduction, 5
 modified, 104
 $\forall$ -Monotonicity, 5
 $\forall$ GC, 7
 $\wedge$ -Residuation, 241
 Adjunction, 204
 $\mathcal{E}\forall$ -Intro, 104, 169
 GC, 5
 GC*, 7
 MP, 4
 N, 4
 Relettering of Bound Variables, 6
 Replacement of Provable Equivalents, 6
 Sub, 7
 Sub*, 7
 substitution for predicate letters, 146
 TV -Intro, 109, 187
 TI, 4
 TI*, 7
 TNE, 177
 UG, 4
 infinitely many constants, 43, 48, 52
 inflationary operation, 216
 inner subframe, 55
 point-generated, 78
 instance of P , 137
 intension, 160
 intensional, 160
 intensional conjunction, 204
 InVar, 2, 161

 join, x, 18, 24

 K, 4, 9
 KB, 58
 Kripke frame, 11
 canonical, 54
 Kripke-Joyal semantics, 217, 249
 Kripkean
 canonical model, 112
 characteristic model, 89, 95
 Kripkean identity logic, 188
 Kripkean premodel, 30
 with identity, 187

 L-model, 32
 L-structure, 32
 least upper bound, x, 18, 24
 Lemma

- BF-, 85
- Free Assignment, 28, 168, 233
- Indistinguishability, 170
- Lindenbaum's, 46
- Rasiowa-Sikorski, 21
- Semantic Entailment, 223, 234
- Simultaneous Substitution, 139
- Substitution, 29, 168, 234
- Lindenbaum algebra, 20
- Lindenbaum's Lemma, 46, 84, 112, 179, 208
- local character, 215
- local members, 216
- locale, 242
- localic cover system, 245
- localised set, 216
- locally
 - constant, 215
 - determined, 215
 - equal, 215
 - holding property, 214
 - true, 215
- logic
 - $\mathcal{E}$ -, 105
 - inconsistent, 12
 - Kripkean identity $\neg$, 188
 - propositional modal, 8
 - quantified modal, 5
 - relevant, 203
 - second-order, 13
 - with identity, 177
- $\mathcal{M}_{HR}$, 243
- $\mathcal{M}_{HRQ}$, 249
- $\mathcal{M}_L$, 47, 107, 182
- $\mathfrak{M}_L$, 133
- $\mathcal{M}_L^b$, 71
- $\mathcal{M}_L^o$, 75
- $\mathcal{M}_L^i$, 89
- $\mathcal{M}_L^K$, 95, 112, 190, 199
- $\mathfrak{M}_{QR}$, 213
- $\mathcal{M}_R$, 229
- $\mathcal{M}_{RQ}$, 238
- $\mathcal{M}_S$, 54
- MacNeille completion, 21, 249
- maximal set of formulas, 46
- McKinsey axiom, 14, 62–63
- meet, x , 17, 24
- model
 - canonical, nature of, 45
 - characteristic, 45
 - general, 13
 - of a logic (L-model), 32
 - on a functional model structure, 130
 - on a Kripke frame, 11
 - on a model structure, 29
 - on a model structure for identity, 168
 - on a QR-model structure, 211
 - on an R-frame, 206
 - on an R-model system, 222
 - on an RQ-model system, 233
- model structure, 22
 - canonical
 - for a Kripkean identity logic, 189
 - for $\mathcal{E}$ -logics, 107
 - for identity, 181
 - for QR, 213
 - varying-domains, 47
 - for language with identity, 165
 - for QR, 211
 - for RQ, 213
 - functional, xii, 129
- model system
 - for R, 222
 - canonical, 226
 - for RQ, 231
 - canonical, 235
- Modus Ponens, 4
- monotonic under refinement, 220
- MP, 4
- N, 4
- NE, 116
- nearness, 214
- Necessitation, 4
- Necessity of Existence, 116
- Necessity of Identity, 160
- Necessity of Non-Existence, 116
- negation complete set of formulas, 46
- NI, 159, 176
- NNE, 116, 118
- NNI, 176
- null object, 197
- Ob, 162
- ObCon, 162
- object
 - admissible, 165
 - null, 197
- object constants, 162
- object rich, 178
- object variables, 161
- ObVar, 162

266

one universal domain, 80
 open cover, 214
 open set, 214
 operational interpretation of relevant
 implication, 208
 orthoclosed set, 219
 orthoclosure, 219
 orthoclosure localisation, 240
 orthocomplement, 219
 orthogonality relation, 218
 orthojoin, 219

P-instance, 137
 p-morphism, 55
 parameter, 137
 parameterless substitution, 137, 145
 partial function, 163
 constant, 164
 rigid, 164
 partial order, 206
 complete, 20, 217
 PC, 5
 φ^f , 49
 $\varphi(\tau/x)$, 3
 $\varphi(\tau'/\tau)$, 160
 point-generated inner subframe, 78
 polyadic algebra, 22
 possibilist interpretation, x, 5
 possible individuals, 15
 powerset $\wp$, 11
 premiss, 4
 premodel, 25, 129
 canonical, 47
 for identity, 182
 for QR, 213
 on a functional structure, 133
 for language with identity, 165
 Kripkean, 30
 with identity, 187
 on a QR-model structure, 211
 on an RQ-model system, 232
 preorder, 206
 preserved by subframes, 100
 prime theory, 208
 principal theory, 225
 proof sequence, 8, 43
Prop, x, 13, 23
PropFun, xii, 129
 proposition
 admissible, x, 14, 23
 as localised up-set, 217

INDEX

as set of worlds, ix, 13, 160
 existence, xi, 23
 strongest, 18
 weakest, 17
 propositional function, xii, 20, 22, 26, 127, 128,
 166
 admissible, 129
 propositional modal formula, 2
 propositional modal logic, 8
 propositional variables, 2
 PropVar, 2
 pure formula, 241

 QES, 108, 154
 QK, 9
 QR-model structure, 211
 QS, 9
 $QS^\approx$, 177
 QS4M, 14
 quantification
 actualist interpretation of, xi, 1, 4, 167
 as joins and meets, 20
 commutativity of, xii
 possibilist interpretation of, x, 5
 quantified modal logic, 5, 105

 R, 203
 axioms and rules for, 204
 theorems of, 205
 R-frame, 206
 R-model system, 222
 R-theory, 208
 prime, 208
 principal, 225
 regular, 208
 Rasiowa-Sikorski Lemma, 21
 refinement
 as increase of information, 217
 of a cover, 215
 of a set by a set, 245
 relation, 216
 reflexive-transitive closure, 78
 regular theory, 208
 Relettering of Bound Variables, 6
 relevant cover system, 220
 relevant logic, 203
 repairable incompleteness, 15
 Replacement of Provable Equivalents, 6
 residual to
 the fusion connective, 241
 conjunction, 241

- set intersection, 241
 - the fusion operation, 218
- rich (=object rich), 178
- rigid concept, xii
- rigid designator, 160
- rigid partial function, 164
- RQ, 209
- RQ-model structure, 213
- RQ-model system, 231
- $\mathcal{S}_{HR}$, 243
- $\mathcal{S}_{HRQ}$, 249
- $\mathcal{S}_L$, 47, 107, 181
- $\mathcal{G}_L$, 133
- $\mathcal{S}_L^b$, 70
- $\mathcal{S}_L^o$, 75
- $\mathcal{S}_L^h$, 89
- $\mathcal{S}_L^K$, 95, 112, 189, 199
- $\mathcal{G}_{QR}$, 213
- $\mathcal{S}_R$, 226
- $\mathcal{S}_{RQ}$, 235
- S-frame, 12
- S4, 12, 20
- S4.2, 16
- S4M, 14
- S5, 12
- satisfaction relation, 27
- second-order logic, 13
- self-identity formula, 162
- Semantic Entailment Lemma, 223, 234
- semantically indistinguishable at w , 170
- sentence, 3
- sequential updating, 138
- shape, 154
- SI, 160
- signature, 2, 162
- simultaneous substitution, 3, 137
- Simultaneous Substitution Lemma, 139
- simultaneous updating
 - of a propositional function, 140
 - of a variable assignment, 138
- sort, 162
- sound for (validity in) a class, 32
- soundness for
 - HR, 246
 - QK, 38
 - $QK \approx$, 177
 - R, 223
 - RQ, 234
 - substitution for predicate letters, 151
 - $T\forall$ -Intro, 111
 - square-decreasing, 220
 - strict implication, 16, 109
 - strongest proposition, 18
 - strongly free at, 143
 - strongly relevant cover system, 240
 - Sub, 7
 - Sub*, 7
 - subframe, 55
 - inner, 55
 - generated, 55
 - substitution
 - for free variables, 3
 - for predicate letters, 127, 137, 146
 - for propositional variables, 3
 - simultaneous, 3, 137
 - Substitution Lemma, 29, 168, 234
 - substitution operator, 3, 137
 - free at a formula, 137
 - strongly, 143
 - sufficiently, 141
 - parameter of, 137
 - parameterless, 137, 145
 - substitution-instance, 2
 - Substitutivity of Identicals, 160, 177
 - sufficiently free at, 141
 - T (Verum), 2
 - t , 203
 - tautology, 3
 - Tem, 109
 - template, 109, 175
 - Template $\forall$ -Introduction, 109, 187
 - Template Non-Existence, 177
 - term, 2, 162
 - closed, 2
 - with definite descriptions, 193
 - object –, 162
 - Term Instantiation, 4
 - theorem of a logic, 5
 - TI, 4
 - TI*, 7
 - TNE, 177
 - Trivial system, 60
 - true in a model on
 - a Kripke frame, 11
 - an R-frame, 207
 - an R-model system, 223
 - Truth Lemma for
 - $\mathcal{M}_{HR}$, 244
 - $\mathcal{M}_L$, 51
 - with $\mathcal{E}$, 108

268

with identity, 184
 $\mathfrak{M}_L$, 133
 $\mathcal{M}_L^b$, 72
 $\mathcal{M}_L^o$, 75
 $\mathcal{M}_L^b$, 91
 $\mathcal{M}_L^K$, 96
 with $\mathcal{E}$, 114
 with identity, 199
 $\mathfrak{M}_{QR}$, 213
 $\mathcal{M}_R$, 229
 $\mathcal{M}_{RQ}$, 238
 $\mathcal{M}_S$, 54
 truth relation, 11, 27, 207
 truth set, 11
 two-sorted language, 161
 UD, 4
 UG, 4
 UI, 5
 underlying
 (Kripke) frame, 23
 canonical general frame, 53
 general frame, 23
 Universal
 Distribution, 4
 Generalisation, 4
 Instantiation, 1, 5
 universe, 23
 up-set, 206
 updatable structure, 129
 updating, 26
 sequential, 138
 simultaneous, 138

INDEX

Vacuous Quantification, 4
 valid in a
 class, 11, 32
 frame, 11
 functional model structure, 130
 general frame, 14
 model structure, 32
 model structure for identity, 168
 premodel, 32
 premodel for identity, 167
 premodel on an RQ-model system, 234
 QR-premodel, 212
 R-frame, 207
 R-model system, 223
 RQ-model system, 234
 strongly relevant cover system, 240
 valuation, 166
 variable-assignment, 26
 updating of, 26
 variables
 individual, 1
 propositional, 2
 concept, 162
 object, 161
 varying domains, 1
 Verum, 2
 Verum system, 60
 VQ, 4
 Weak Reflexivity, 176
 weakest proposition, 17
 WR, 176