

## Index

- 0528+134, 7  
3C279, 8, 119  
4C38.41, 7
- accretion disks, 77, 206  
advection dominated (ADAF), 210  
advection, winds, 210  
Alfvén velocity, 211  
angular momentum flux, 208  
Boussinesq approximation, 211  
buoyancy, 211  
cooling, 210  
Doppler shifts, 99  
emission spectrum, 210  
epicyclic frequency, 213  
gravitational waves, 206, 211  
gravitational-wave dominated, 265  
hydrostatic equilibrium, 207  
hyper-accretion, 210  
inefficient (RIAF), 210  
isentropic stratification, 211  
kinematic viscosity, 207  
last stable orbit, 210  
magnetic tension, 211  
magneto-rotational instability, 209  
magnetosphere, 272  
masers, 206  
MeV emission, 210  
neutrino dominated, 265  
neutron-to-proton ratio, 210  
opacity, 210  
poloidal magnetic field, 213  
polytropic index, 212  
Rayleigh criterion, 216  
Reynolds stress, 208  
Shakura–Sunyaev, 209  
sound speed, 207, 215  
think disk approximation, 207  
Thomson optical depth, 210  
torque, 208
- torus shape, 216  
turbulence, 215  
UV emission, 210  
virial temperature, 210  
viscosity, 206  
winds, 206  
X-ray emission, 210  
X-ray spectroscopy, 206, 221, 267
- active galactic nuclei (AGN)  
duty cycle, 255  
gamma-ray emitting, 7  
intermittent, 255  
lifetime, 255  
unified model, 7
- adiabatic compression, 125  
adiabatic index, 125  
adiabatic reaction forces, 228  
ADM formalism, 95  
advection, 170  
affine connection, 128  
Alfvén, 123  
Alfvén fronts, 103  
Alfvén surface, 146–148, 150  
Alfvén wave, 253  
ALMA, 32  
AMANDA detector, 34  
Andromeda (M31), 36, 40  
ANITA, 35  
Antarctic ice sheet, 34  
apparent horizon surface  
area, 240  
apparent velocity, 81  
ASCA, 99, 206  
atomic energy scale, 51
- baryon number, 133  
BATSE, 17, 259  
beaming  
cone, 56  
opening angle, 45  
relativistic, 45, 61

- Bell, S. J., and Hewish, A., 13  
 Bianchi identity, 88  
 binary  
     gamma-ray, 13  
     high mass X-ray (HMXB), 10  
 BL Lac, 8  
 black body radiation, 81  
 black holes  
     accretion, 175  
     Bekenstein–Hawking entropy, 107  
     binary, 1, 238  
     Brill–Lindquist coordinates, 229  
     bulge relation, 10  
     Carter’s theorem, 106  
     corona, 77  
     cosmic censorship, 231  
     electrostatic capacitance, 105  
     entropy creation, 107  
     Faraday induction, 254  
     first law of thermodynamics, 105  
     horizon magnetic flux, 106  
     lifetime of spin, 255  
     Liouville theorem, 231  
     luminosity, 254  
     multihole solutions, 237  
     Schwarzschild, 229  
     singularities, 232  
     spin energy, 31  
     spinning top, 31  
     supermassive, 1, 254  
     surface gravity, 229  
     temperature, 107  
     viscous spin down, 32  
     Wald equilibrium charge, 106  
 Blandford, R. D., 149  
 blast waves, 169, 183  
     adiabatic, 185  
 Blandford–McKee solution, 191, 203  
 emissions, 190  
 energy, 186  
 equations, 185  
 Fermi acceleration, 190  
 light curves, 193  
 optical flashes, 201, 203  
 radiative losses, 189  
 self-similar solution, 186  
 self-similarity, 199  
 shell model, 185  
 SSC emission, 192  
 stability, 202  
 synchrotron emission, 191  
 thermal energy, 190  
 thin shell approximation, 197  
 vorticity generation, 204  
 blazar, 2, 6  
     high-frequency-peaked, 8  
     TeV, 8  
 Bohm diffusion, 182  
 Bohm limit, 111  
 Bohr radius, 51  
 Boltzmann equation, 123  
 Boltzmann factor, 81  
 Boyer–Lindquist coordinates, 98  
 bremsstrahlung, 29  
 brightness temperature, 60, 73  
 BRK09, 10  
 broad line emission, 3  
 Brunt–Väisälä frequency, 211  
 Burgers’ equation, 181  
     shock capturing, 181  
 CANGAROO, 29  
 Carter, B., 221  
 Cas A, 28, 203  
 causality, 9, 84  
 central engine, 6  
 centripetal acceleration, 51  
 Cerenkov experiments, 110  
 Cerenkov imaging telescopes  
     MAGIC, 8  
     HESS, 8  
     VERITAS, 8  
 Cerenkov radiation, 33  
 Cerenkov Telescope Array (CTA), 32  
 CFHQS J2329-0301, 37  
 Chandra X-ray satellite, 16  
 Chandrasekhar mass limit, 24  
 charge neutrality, 60  
 chirp mass, 30, 97  
 Christoffel symbols, 86  
 closed loop, 85  
 cloud, 4  
     molecular, 33  
     optically thin, 71  
 CMB, 34, 42, 119  
     thermal photons, 119  
 collimation, causality scale, 193  
 collision frequency, 72, 169  
 collisions  
      $pp$ , 29  
     damping, 169  
 common horizon envelope, 241  
 Compton catastrophe, 73  
 Compton drag, 70  
 Compton Gamma Ray Observatory, 7  
 Compton rocket, 70  
 Compton scattering, 61  
     multiple, 72  
 Compton wavelength, 41  
 comptonization, 175  
     parameter, 72  
 convective derivative, 154  
 core-collapse supernovae (CC-SNe),  
     27, 268  
 cosmic accelerators, 37  
 cosmic-ray muons, 34

- cosmic rays
  - ankle, 112
  - bottom-up, top-down, 112
  - diffusion time, 111
  - galactic, extragalactic, 111
  - SNRs, 112
  - spallation, 112
  - spectrum, 111
  - stellar abundances, 112
- cosmological IR background, 120
- cosmology
  - 2MASS, 1
  - CfA Redshift Survey, 1
  - CMB, 1
  - dark matter, 1
  - filaments, 1
  - large scale structure, 2
  - SDSS, 1
  - Sloan Great Wall, 2
  - voids, 1
- covariant derivative, 85, 128
  - non-commutativity, 87
- Crab Nebula, 16, 33, 81
  - age, 82
  - continuum X-rays, 16
  - disk morphology, 16
  - SNR shell, 16
  - spin axis, 16
- crosssection, photopion, 117
- curvature deficit angle, 90
- curved spacetime, 128
- cyclotron emission, 52
- cyclotron energy, 51
- Cyg X-1, 40
- dark energy, 37
- dark matter, 37
- de Sitter precession, 91
- diffusive acceleration, 42
- distribution
  - Bose–Einstein, 71
  - spectral energy (SED), 74
- distribution function, 123
- Doppler factor crises, 70
- downstream, 158
- duty cycle, causality, 163
- E-ELT, 32
- early Universe, 34, 38
- EBL, 37
- Eddington accretion rate, 10, 209
- Eddington luminosity, 39, 113
- EGRET telescope, 7, 34
- eigentime, 84
- Einstein coefficients, 58
- Einstein relations, 58
- Einstein Telescope (ET), 36
- Einstein tensor, 88
- electrical conductivity tensor, 127
- electric four-current, 126
- electromagnetic field tensor, 126
- electromagnetic stress–energy tensor, 126
- electron degeneracy pressure, 23
- electrons
  - catastrophic cooling, 73
  - cooling, 192
  - cooling rate, 73
  - creation, annihilation, 75
  - heating, 170
  - non-thermal, 8, 59
  - pair creation, annihilation, 8
  - pair production, 77
  - recoil, 66
  - thermal, 71
  - thermal distribution, 66
- electroweak phase transitions, 38
- emission lines, 3
- energy gain factor, 71
- enthalpy, 60
- entropic force, 229
- entropic gravity, 228
- equation of state, 24
- ergosphere, 292, 294
- escape probability, 72
- Euclidean space, 85
- Euler–Lagrange equations, 85
- event horizon, dimension, 251
- EXO 0748–676, 24
- extensive air showers (EAS), 33, 110
- extragalactic background light (EBL), 8
  - past star formation, 37
- extrasolar planets, 37
- extrinsic curvature tensor, 94
- Faber–Jackson relation, 4
- Faraday induction, 211
- Faraday’s equation, 104
- Fermi Observatory, 7
- Fermi/GLAST
  - GBM, 21
  - LAT, 21
  - XRT, 22
- Feynmann diagram, 75
- fireball, 136
  - mass loading, 138
- fluid dynamics
  - Boltzmann, 163
  - continuity, 128
  - energy–momentum, 128
  - first law of thermodynamics, 128
  - four-velocity, 124
  - Mach number, 158
  - Maxwell’s equations, 128
  - MHD in divergence form, 128
  - nonlinear steepening, 153

- relativistic, 128
- shock capturing, 128
- single fluid description, 127
- small amplitude waves, 129
- sound speed, 130
- streamlines, 125
- flux density, 44
- Fly's Eye, 34
- frame dragging, 31, 84, 97
  - radiation, 100
- free-free emission, absorption, 177
- Galactic X-ray binary (XRB), 10
- galaxies
  - AGN, 2
  - BL Lacs, 2
  - bulge, 4
  - dispersion relation, 5
  - elliptical, 26
  - evolution, 4
  - Fanaroff–Riley type, 255
  - merger, 5
  - radio loud, 2
  - Seyfert, 2, 42, 99, 113, 255
  - spiral, 26
  - star formation, 5
- gamma-ray binaries, 33
- gamma-ray bursts (GRB), 5, 79
  - achromatic breaks, 22
  - afterglows, 19
  - Amati relation, 18
  - aspherical explosions, 19
  - Band function, 18
  - baseline, 259
  - beaming, 18
  - calorimetry, 22
  - circumburst medium, 19
  - collimating wind, 23
  - collimation, 20
  - collisionless shocks, 19
  - cosmological origin, 17
  - diversity, 19
  - durations, 17
  - Eddington luminosity, 19
  - event horizon, 23
  - Fermi-LAT, 19
  - gravitational waves, 23
  - Hopf bifurcation, 220
  - host environment, 18, 22, 195
  - inner engine, 19, 20
  - inner jet, 23
  - internal shocks, 21
  - inverse (self-)Compton, 19
  - isotropic energies, 18
  - Kerr black hole, 23
  - kinetic energies, 22
  - light curves, 17, 20
  - local event rate, 19
  - Lorentz factor, 20
  - mergers, 23
  - MeV neutrinos, 23
  - normalized light curves, 257
  - opening angles, 20
  - peak energies, 18, 256
  - peak luminosity, 21
  - progenitors, 17, 272
  - prompt emission, 18, 195
  - radio images, 19
  - radio-loud supernovae, 19
  - redshift distribution, 18
  - relativistic blast wave, 19
  - relativistic supernovae, 19
  - remnants, 268
  - star formation rate, 18
  - star forming regions, 23
  - stellar mass objects, 19
  - supernovae, 19
  - Swift sample, 20
  - synchrotron radiation, 19
  - T90, 17, 256
  - thermal component, 19
  - true energies, 256
  - true energies in gamma rays, 22
  - Type Ib/c branching ratio, 19
  - UHECRs, 21
  - unification, 266
  - universal inner engine, 23
  - VHE neutrinos, 22
  - X-ray afterglow, 18
  - X-ray tails, 21, 268
  - gamma-rays
    - luminosity, 7
    - spectral index, 7
  - gamma-sphere, 118
  - gaps, 115
  - gauge covariance, 84
  - Gauss curvature, 85
  - Gauss–Bonnet formula, 85
  - general relativity, 84
    - curvature-driven gauge, 95
    - dispersion relation, 96
    - equivalence principle, 101
    - harmonic gauge, 95
    - hyperbolic structure, 95
    - light cones, 96
    - geodesic deviation, 251
    - geometrical units, 84
    - Gibbs' principle, 227, 236
    - Global Positioning System (GPS), 89
    - globular clusters, 37
      - Ambartsumian–Spitzer time, 301
      - evaporation time, 300
      - half-mass, virial mass, 300
      - Kelvin–Helmholtz time, 301
      - mass–temperature relation, 300
      - relaxation limited evolution, 301

328

*Index*

- globular clusters (cont.)
  - truncated Boltzmann distribution, 301
  - virialized, 302
- gravitation, 227
  - cosmological event horizon, 229
  - event horizon, 229
    - Hawking, 229
    - light cones, 229
    - outermost trapped surface, 229
    - Unruh temperature, 229
  - gravitational lensing, 89
  - gravitational radiation, 241
  - gravitational waves, 95
    - all-sky surveys, 271
    - asymptotic frequency, 272
    - blind searches, 271
    - chirps, 268
    - detection algorithm, 272
    - detector sensitivity, 274, 276
    - QPOs, 266
    - quadrupole formula, 30, 94
    - time-frequency domain, 276
  - Gravity Probe B, 84
  - GRB 030329, 19, 186
  - GRB 050505, 20
  - GRB 050509B, 269
  - GRB 050590, 194
  - GRB 050709, 269
  - GRB 050820A, 20
  - GRB 050904, 19, 20
  - GRB 050911, 19, 20, 38
  - GRB 060418, 20
  - GRB 060614, 20, 21, 39, 271
  - GRB 070123, 271
  - GRB 070125, 6, 19, 20, 38
  - GRB 070201, 40
  - GRB 080319B, 19, 20
  - GRB 080916C, 20, 21, 37
  - GRB 990123, 202
  - GRS 1915+105, 11
  - GRS 1915+105, 119
  - GZK
    - cosmic rays, 35
    - cut-off, 34, 119
    - suppression, 112
  - Hamiltonian constraint, 95
  - Hawking, S. W., 229
  - HDE 226868, 40
  - HE 2523-0901, 37
  - helium burning phase, 23
  - HESS, 29
  - Hess, V., 110
  - HETE II, 256
  - Hewish, A., 13
  - Hilbert action, 88
    - 3+1 form, 95
    - variational principle, 88
  - Hillas relation, 113
  - HiRes, 112
  - Hodge dual, 104
  - Hubble distance, 119
  - hydrogen burning phase, 23
  - IACT, 33
  - IC443, 29
  - IceCube, 32, 34
  - ideal MHD, 127
  - innermost stable circular orbit (ISCO)
    - angular velocity, 98
    - specific angular momentum, 98
    - specific energy, 98
    - X-ray spectroscopy, 99
  - Inter Planetary Network (IPN), 19, 271
  - interstellar medium (ISM), 28, 29
  - inverse Compton scattering, 28, 29, 42, 114
  - ion plasma frequency, 169
  - isotropic distribution, 58
  - James Webb Telescope, 32
  - jansky, 44
  - jets
    - acceleration zone, 136
    - Alfvén front, 254, 255
    - anti-correlation with spin, 259
    - asymptotic Lorentz factor, 136
    - baryon conservation, 136
    - baryon loading, 117
    - baryon-free, 137
    - capillary, 252, 253
    - coasting zone, 137
    - collimation, 135
    - conical, 116
    - de Laval nozzle, 140
    - entrainment, 116
    - entropy, 136
    - fast magnetosonic front, 255
    - force-free, 254
    - GRBs, 117
    - hadronic contaminants, 254
    - horizon half-opening angle, 255
    - injection point, 135
    - ion, 254
    - ionic contaminants, 254
    - linear acceleration, 254
    - low/hard states, 13
    - luminosity, 255
    - mass loading, 135
    - MHD, 113
    - minimum power, 61
    - morphological evolution, 128
    - neutron pick-up, 117
    - opening angle, 139
    - optical depth, 136
    - pair density, 137
    - photosphere, 137

- Poynting flux dominated, 254  
radiation decoupling, 139  
radiation trapping, 137  
radio, 10  
terminal Lorentz factor, 137  
Thomson optical depth, 137  
transonic, 138
- K $\alpha$  lines, 99  
KAGRA, 36  
kaons, 34  
Kelvin–Helmholtz instability, 116, 203  
Kepler, 203  
Kerr black holes, 273  
Carter's magnetic moment, 221  
causality, 222  
efficiency, 151  
energy extraction, 150  
equilibrium magnetic moment, 103  
ergosphere, 150  
extremal, 258  
frame dragging, 222  
free-falling observers, 149  
ISCO, 258  
Killing vectors, 103  
luminosity, 106, 151  
Maxwell stresses, 104, 149, 222  
minor and major emissions, 222  
numerical simulations, 222  
open magnetic flux tube, 100  
passive load, 104  
QPOs, 271  
scale-free, 263  
slip boundary conditions, 104  
slowly spinning, 221  
spin connection, 104, 222  
spin down, 223, 256  
spin evolution, 257  
spinning tops, 106  
UHECRs, 267  
viscous spin down, 107, 259
- Kerr metric, 98  
Kerr spacetime, 148  
ZAMO, 148  
kinematic conditions, 63  
Kirchhoff's law, 45, 59  
Kompaneets equation, 71  
Konus, 17
- LAGEOS satellites, 84  
Landau states, 58  
lapse function, 94  
Large Area Telescope (LAT), 14  
Large Hadron Collider, 130  
Larmor formula, 52  
Larmor frequency, 169  
Larmor radius, 111, 113  
laser-interferometric detectors, 35
- Latin indices, 84  
LCGT, 36  
Legendre polynomials, 180  
Levi-Civita tensor, 127  
Lie derivative, 94  
lifetime of stars, 27  
light cone event horizon, 230  
lighthouse effect, 13  
LIGO, 35  
LIGO–Virgo, 269  
line-element, 84  
LINERS, 255  
Liouville's theorem, 44  
LISA detector, 38  
SgrA\*, 265  
Local Universe, 274  
LOFAR, 27, 32, 269  
Lorentz force, 104, 106, 126, 223  
Lorentz invariants, 123  
Lorentz transformation, 45  
LS 5009, 10  
LS 5039, 12  
LS I+61 303, 12  
LSST, 27, 32
- M*– $\sigma$  relation, 4  
M87, 81, 255  
Mach number, 175  
Alfvén, 169  
Mach's principle, 98  
MAGIC, 33  
magnetars, 6, 15  
decay of magnetic field, 17  
radio-quiet, 15  
spin down energy, 17  
magnetic fields  
amplification, 203  
Earth, 81  
QED, 52  
Saturn, 81  
toroidal, 146  
Magneto-rotational instability (MRI), 103, 211  
magnetohydrodynamics (MHD)  
adiabatic flow, 154  
constraint, 129  
continuity, 154  
eigenmodes, 130  
fast, slow magnetosonic waves, 130  
force-free, 222  
frozen-in condition, 134  
inertial, 222  
infinite conductivity, 133, 160  
intermediate waves, 130  
magnetization parameter, 160  
magnetosonic wave, 157  
Maxwell stresses, 182  
place wave solutions, 129  
Reynolds stresses, 222

330

*Index*

- magnetohydrodynamics (MHD) (cont.)
  - simulations, 203
  - stresses, 41
  - transverse, 154
  - turbulence, 38
  - IR, UV spectrum, 222
  - waves in SU(N), 130
  - well-posedness, 130
- main sequence, 23, 40
- matched filtering, 92, 259, 272
  - band pass filter, 275
  - goodness of match, 263
  - Pearson coefficients, 276
  - phase (in)coherence, 274
  - SNR, 276
  - time sliced (TSMF), 272, 274
- Maxwell's equations, 127
- MCG 6-30-15, 99, 206, 221, 255
- metric tensor, 85
  - 3+1 decomposition, 94, 293
- microquasars, 2, 10, 33
- Milky Way
  - galactic disk, 111
  - galactic scale height, 111
  - SgrA\*, 2, 38
- Minkowski spacetime, 230
- model templates, 92
- momentum constraints, 95
- Mrk 421, 33, 120
- multimessenger observations, 32, 37
  - muons, 33, 34, 121
    - energies, 115
- NED, 42
- neutrinos
  - cosmogenic, 35
  - cross section, 40
  - detectors, 10
  - flavors, 114
  - MeV, 25
  - mixing, 114
  - pion decay, 114
- neutron drip line, 257
- neutron stars, merger, 32
- Newton's constant, 84
- Newton's law, 227
- NGC 4256, 206
- NGC 6240, 1
- nuclear collisions
  - inelastic, 115
  - optical depth, 116
  - pp, pn, p $\gamma$ , 114
- O stars, 116
- occupation number, 58
- opacity ratio, 120
- optical depth, 59
- P-cygni H-lines, 28
- Pan-STARRS, 27
- Papaloizou, J. C. B., 216
- parallel transport, 85
- Penrose cosmic censorship, 232
- Penrose process, 150, 294
  - phase space, 43
    - invariance, 49
  - photo-ionization, 3
  - photomeson interactions, 10, 117
  - photomultiplier tubes, 33
  - photons
    - diffusion, 180
    - distribution, 43
    - quantization, 43, 49
    - seeds, 72
  - photopion optical depth, 118
  - photopion production, 119, 120
- Pierre Auger Observatory (PAO), 32, 112, 267
  - triangulation, 34
- pion production, 116
- pionosphere, 118
- pions, 34
  - energies, 115
- PKS 2155-304, 9
- Planck constant, 43, 81
- plasma, electron–positron, 60
- polytropic index, 23
- Poynting flux, 160
- pressure, total, 60, 154
- primordial waves, 36
- Pringle, J. E., 216
- PSR 1013+16, 93
- PSR 1913+16, 31
- PSR B1259-63, 13
- PSR J0751+1807, 25
- PSR J0751+1807, 272
- PSR J1614-2230, 25, 272
- pulsars, 5, 13
  - anomalous X-ray (AXP), 15
  - brightness temperatures, 14
  - calorimetry, 14
  - clock, 15
  - coherent emissions, 14
  - death line, 15
  - discovery, 13
  - emission energies, 14
  - Fermi LAT Catalog, 14
  - inverse Compton emissions, 15
  - lifetime, 15
  - magnetic dipole moment, 15
  - magnetosphere, 14

- millisecond, 14
- open magnetic field lines, 14
- orbital phase, 13
- plerion, 15
- polar outflows, 14
- radio-quiet, 14
- spin down energy, 14
- TeV emissions, 15
- wind nebula (PWN), 13, 15, 255
- winds, 145
- pulse width, 54
- quantum recoil, 71
- quasars, 2
  - big blue bump, 210
  - redshift, 3
- quasi-periodic oscillations (QPOs), 2, 38, 221, 266, 271, 288
- radiation
  - absorption coefficient, 51
  - absorption, emission, 44
  - circularly polarized, 54
  - Compton, 68
  - Compton scattering, 65
  - constraints, 79
  - cooling time, 52
  - cyclotron, 81
  - dipole, 50
  - Doppler effect, 45
  - Doppler factor, 46, 60
  - Doppler relations, 64
  - elliptically polarized, 54
  - emitted power, 50, 52
  - energy-momentum, 66
  - equipartition, 59
  - intensity, 72, 180, 192
  - isotropic, 52, 64
  - kinematic conditions, 66
  - Klein-Nishina, 65, 73
  - line broadening, 58
  - linearly polarized, 54
  - mean free path, 51
  - optical depth, 44, 51
  - pitch angle, 56
  - polarization, 53, 62
  - power ratio, 67
  - quantum effects, 63
  - soft, 78
  - solid angle, 55
  - stress tensor, 44
  - Thomson formula, 63
  - Thomson scattering, 61
  - transfer, 44
  - transfer equation, 65
- radio astronomy, 60
- radio bands L1, L2, 90
- radio images, 59
- radio intensity, 59
- radio jets, 6
- radio sources, 7
  - compact, 7
  - relativistic, 8
- Rankine-Hugoniot jump condition, 157
- Rayleigh-Taylor instabilities, 202
- red supergiant phase, 23
- redshift factor, 88, 234
- reionization, 36
- reverberation, 3
- Ricci scalar, 88
- Ricci tensor, 87, 234
- Riemann invariants, 155
- Riemann tensor, 84, 87
  - curvature-spin coupling, 102
  - degrees of freedom, 87
  - dimension, 100
  - Jacobi identity, 87
  - Kerr metric, 101
  - Papapetrou force, 100
  - potential energy, 100
- Rindler observer, 230
- Roche lobe overflow, 206
- Ruffini, R., 149
- RX J0852.0-4622, 112
- RXTE, 28
- Salpeter mass function, 27
- Sanduleak-69° 202a, 25
- scatterers
  - non-relativistic, 71
  - relativistic, 70
- scattering
  - elastic, 172
  - Fokker-Planck, 173
  - Markov process, 173
- Schwarzschild line-element, 89
- self-absorption, 59
- seyfert galaxies, 254
- SGR 1806-20, 16, 36
- SgrA\*, gravitational waves, 265
- Shakura, N. I., 209
- shift vectors, 94
- shocks, 123
  - ambient medium, 183
  - anisotropy, 179
  - Boltzmann equation, 173
  - break-out in supernovae, 175
  - collisional, 153
  - collisionless, 168
  - compression ratio, 163
  - contact discontinuity, 164
  - dissipation, 153
  - efficiency, 163
  - electromagnetic instabilities, 168
  - Fermi acceleration, 170
  - formation, 156

- shocks (cont.)
  - forward, reverse, 183
  - internal, 179
  - jet power, 167
  - mean free path, 169
  - Monte Carlo simulations, 175
  - oblique, 161
  - optically thick, 175
  - pair creation, 177
  - photon-rich, 179, 180
  - radiation-mediated, 175
  - radiative losses, 168
  - ram pressure, 166
  - recollimation, reconfinement, 166
  - relativistic, 175
  - reverse shock formation, 195
  - skip depth, 153
  - spectral index, 175
  - terrestrial, astrophysical, 169
  - Thomson mean free path, 153
  - ultra-relativistic, 187
- simulation, particle in cell (PIC), 169
- Sirius A, B, 24
- skin depth, 169, 170
- SN 1006, 29, 42, 112
- SN 1987A, 25, 32, 40, 219
- SN 2008D, 38
- SNR 1006, 29
- SNR DEM L71, 183
- SNR J1713.7+3946, 29
- SNR RXJ1713-3946, 112
- soft gamma-ray repeaters (SGR), 5
  - flares, 17
  - pulsating tail, 16
- specific enthalpy, 125, 154
- specific intensity, 43
- Square Kilometer Array (SKA), 27
- SS 433, 47
- stagnation point, 223
- stellar evolution endpoints, 6
- Stokes parameters, 53, 62, 82
- strain amplitude, 273
  - scaling, 94
  - sensitivity, 36
- strain noise amplitude, 274
  - Gaussian, 275
- Sunyaev, R. A., 209
- superluminal motion, 6
- supernovae, 5, 169
  - free expansion, 28
  - hydrogen envelope, 28
  - hyper-energetic, 26
  - kinetic energy, 27
  - radiative cooling, 28
  - radio loud, 38
  - remnants (SNR), 28, 202
  - Sedov phase, 28
  - shock break-out, 271
- Type Ib/c, 26
- Type II, 26
- suspended accretion, 264
- Swift, 256, 271
- synchrotron cooling, 114
- synchrotron emission
  - radio, 28
  - X-ray, 28
- synchrotron radiation, 42, 51
- synchrotron self-Compton (SSC), 8, 72, 204
- 't Hooft, G., 97
- Takahashi, R., 150
- TAMA 300m, 36, 274, 275
  - data frames, 276
  - sampling frequency, 274
- tangent space, 85
- Taylor-Couette, 215
- template light curves (tLC), 259
- TeV emission, 29
- TeV photons, 33, 42
- thermal pressure, 40
- thermodynamic equilibrium, 45
- Thomson cross section, 40, 52
- Thomson scattering, 82
- tidal break-up, 30
- time-symmetric initial data, 234
- torus, 104
  - Alfvén velocity, 257
  - bifurcation points, 217
  - catalytic conversion, 32, 106
  - competing torques, 105
  - equivalence to pulsars, 222
  - fixed point, 273
  - forced MHD turbulence, 217, 222
  - gravitational waves, 222, 264
  - gravitational-wave backreaction, 220
  - hot, 216
  - ion, 254
  - ISCO, 272
  - kinetic energy, 256
  - magnetosphere, 32, 103, 222
  - MeV emissions, 222
  - non-axisymmetric instabilities, 216, 272
  - Papaloizou–Pringle instability, 216
  - QPOs, 221
  - quadrupole mass inhomogeneity, 221
  - Rayleigh bound, 217
  - sub-Keplerian, 217
  - super-Keplerian, 217
  - superstrong magnetic fields, 223
  - suspended accretion, 219, 222
  - turbulent spectrum, 221
  - van Putten–Levinson bound, 217
  - velocity of sound, 257
  - Transient Universe, 32, 38

*Index*

333

- trapped surface, entropy jump, 238
- Tully–Fisher relation, 4
- turbulence, 94
  - forcing, 105
  - galactic B, 111
  - IR spectrum, 103
  - magnetic, 170
  - MRI instability, 103
  - Reynolds number, 266
  - UV spectrum, 103
- Tycho, 203
- ultra-high energy cosmic rays (UHECRs), 110, 252
  - AGN association, 255
  - composition, 111
  - EeV, 35
  - GZK, 255
  - hadronic, 110
  - knee, 110
  - repeat events, 111
- ultra-high energy protons, 120
- unit sphere, 85
- Unruh, W. G., 229
- upstream, 160
  - diffusive injection, 171
  - particle injection, 171
  - radiation dominated, 180
- UV fluorescence tracks, 33
- Vela, 17
- Vela junior, 112
- VERITAS, 33
- vertical equivalent muons (VEM), 34
- very high energy (VHE), 28, 33
  - gamma-rays, 116, 120
  - neutrino burst, 117
  - neutrinos, 10, 34, 110, 115, 116, 120
  - opacity effects, 11
- Virgo cluster, 36
- Virgo detector, 35
- VLBA, 186
- waves
  - Alfvén, 155
  - fast magnetosonic, 155
  - incompressible, 211
  - method of characteristics, 156
  - Riemann invariants, 153
  - simple, 155
  - sound, 155
- Waxmann–Bahcall bound, 35
- Weibel instability, 169
- Whipple Observatory, 33
- white dwarfs, 26
- Wilson, J. R., 149
- winds
  - adiabatic, 139
  - Blandford–Znajek solution, 149
  - critical surfaces in MHD, 146
  - efficiency, 147
  - equipotential surfaces, 144
  - flux surfaces, 148
  - force-free limit, 147
  - Grad–Shafranov equation, 143
  - in gravitational field, 141
  - inertial confinement, 140
  - integrals of motion, 148
  - magnetic flux surfaces, 144
  - mass flux, 142
  - MHD, 142
  - Reynolds stresses, 147
  - sonic point, 140
  - spherical, 139, 142
  - split monopole configuration, 147
  - transonic, 142
- world-lines, 84
- X-ray afterglow
  - long GRBs, 19, 38, 268
  - short GRBs, 269
- XMM, 24, 206
- Znajek, R. L., 149