

Index

Note to index: An *f* following a page number indicates a figure; an *n* following a page number indicates a note; a *t* following a page number indicates a table. Throughout, C is used for “carbon.”

- abiotic controls, 386
- Active Sensing of CO₂ Emissions over Nights, Days, and Seasons satellite (ASCENDS), 129, 152
- additionality, 411, 420, 426–427, 544
- Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER), 119
- Advanced Very High Resolution Radiometer (AVHRR), 36–37, 99, 106, 109
- aerial photography, 97*f*, 98–99, 100, 101
to assess SOC, 120
for forest inventory and monitoring, 104
for mapping/monitoring land cover, 108–110
for mapping permafrost thaw, 124
- Afforestation, Reforestation and Agro-Forestry (A/R/AF), 509
- afforestation and reforestation (A/R), 31, 343–344, 405, 433
C uptake mechanisms, 30–31
first state public-lands reforestation project, 473
- Afforestation/Reforestation Working Group (A/R Working Group), 435
- agent-based model (ABM), 187*t*, 194, 200–201
- AgLink-SAPIM, 220–222
- Agricultural Production Systems Simulator (APSIM), 394
- agricultural systems, soil carbon dynamics in
abiotic controls and, 386
C cycling and, 382–383
climate warming and, 390–391
crop rotation complexity and, 388–389
crop rotation/N fertilizer effects, 390
C source-sink relationship, 391–392, 393
erosion and, 382–383
leaching losses of DOC and, 383
management practice effects, 390–391
N₂O and CH₄ emissions and, 393–394
nitrogen fertilizer effects, 389–390
offsets to climate change impacts, 392
overview of, 381–382
overview of C cycling, 382
rhizodeposits and root respiration, 387–388
rising atmospheric CO₂ levels and, 391–392
stratification of SOC and, 385–386
tillage/cropping effects, 392–393
tillage/cropping system/fertility effects, 386–390
tillage/residue management effects, 383–386
- agriculture
crop biotechnology uncertainties in, 343
C sequestration and, 347–348
C sinks offset as percent of gross emissions, 404–405
economic models, 220–222
expansion on Great Plains, 290–292
land use, effect on C cycle, 65–66, 70
land-use practices, impact on environment, 287
manure/biochar effects, 339
nitrous oxide emissions and, 346
percent of total U.S. gross CO₂ emissions from, 404–405
recovering historical C soil losses in, 342
shifting cultivation, 62–63
sources of emissions from, 405
tillage practices. (*See* tillage)
water consumption in, 43–44. *See also* policy and greenhouse gas mitigation in agriculture
- agriculture, forestry and other land-use activities (AFOLU), 403, 436. *See also* policy and greenhouse gas mitigation in agriculture
- agroforestry, 344
- agroforestry, in developing countries, 513–515
benefits of, 513–514
commercial and bio-energy tree crops, 514
increase in, 514
problems with, 514–515
- airborne fraction, 25–26, 70
- Airborne Visible Infrared Imaging Spectrometer (AVIRIS), 99, 119
- aircraft-based systems, for remote sensing data, 102

- AIRS (Atmospheric Infrared Sounder), 150, 151*f*, 153, 154, 167
- algal C, 126
- algorithms for remote sensing, 127
- allometric models, 279
- ALOS PALSAR L-band system, 113–114
- Amazon Basin, 512, 515, 526
- American Carbon Registry (ACR), 435, 438
- approval process under, 436
- buffer accounts, 439
- progression of standards, methodologies, and registration, 437*t*
- standards/methodologies under, 436
- American Clean Energy and Security Act of 2009 (H.R. 2454), 411–414, 469–470
- American Power Act (APA), 414*n*
- AmeriFlux, 144
- ammonia (NH₃), 41
- annual net primary productivity (ANPP),
- Antarctic Vostok ice core, 34
- anthropogenic emissions, estimation of, 335
- anthropogenic impacts, over time, 3–4
- AnyLogic, 200–201
- AQUA satellite (NASA), 99, 150
- Association for Temperate Agroforestry (AFTA), 344
- atmospheric CO₂ concentration, 34–35
- indications, 34
- links to available databases, 34–35
- measurement of, 34
- Atmospheric Infrared Sounder (AIRS), 150, 153
- atmospheric inverse modeling, 154–167
- aggregation errors and, 163, 165
- batch approach to, 163
- Bayesian framework, 155, 156*f*, 160–161
- conceptual uncertainties in, 164, 166
- consistency in findings, 166–167
- Eulerian framework, 158*f*, 157–158, 159
- frameworks for, 154–156
- General Circulation Model, 156–157
- in situ observations and, 155, 159, 167
- inverse problem, defining, 144–145
- key insights from, 166–167
- Lagrangian model, 158*f*, 157–158, 159
- least squares problem and, 155–156
- mass balance approach, 159–160
- measured concentration errors in, 163
- model setup effects, 166
- monitoring network expansion in, 159, 160*f*
- prior information uncertainties, 162*f*, 162, 165
- remote sensing and, 155, 159, 167
- representation errors, 163, 165
- solutions to problems with, 159–163
- systematic bias and, 163–164
- temporal variability and, 161–162
- transport model, 156–159
- transport model errors, 163, 164–165, 168
- uncertainties, 155, 163, 166
- Aura satellite (NASA), 151
- autotrophic respiration (RA), 36, 339
- Babbitt, Bruce, 467
- batch approach to inverse modeling, 163
- Bayesian inverse modeling framework
- atmospheric inverse modeling, 160–161
- schematic form of, 155, 156*f*
- best management practices (BMPs), 418
- BioCarbon Fund (World Bank), 518
- biochar, 339, 349, 527
- biodiversity
- bioelectricity, 414, 428
- bioenergy
- problems with development of, 524–525, 526
- production systems, 344–345
- tradeoffs associated with, 408–409
- biofuels, 415–418, 427
- aggregate mitigation, 417
- cellulosic, 416, 417, 427
- corn-based ethanol, 416
- direct/indirect land-use changes and, 416, 417
- expanded production of, 543–544
- GHG accounting, 417–418
- legislation, 415
- life-cycle analysis, 416
- standards, 415, 416–418
- sustainability principles, 415–416
- biological nitrogen fixation (BNF), 242
- biomass, 37–38
- density of public forests, 464–465
- estimating in urban areas, 310
- indications, 37
- link to available databases, 38
- measurement of, 37
- optical remote sensing and, 112–113, 117
- substitution for fossil C, 408–409. *See also* forest biomass and structure, quantifying
- BIOMASS, 114
- Biome-BGC ecosystem model, 187*t*
- daily timesteps in, 198
- data sets, 103
- as exemplar of model use, 183
- general model structure, 269*f*
- input/output data, 265, 268, 270*t*
- lawn irrigation, 482
- LUCC modeling vs., 194
- parameterization of, 269
- physical process of, 268
- physiological process of, 268
- point-based perspective of, 268–269
- Biome-BGC ecosystem model, for estimating C stocks/fluxes across time (Garcia River Forest example), 267–274
- input data-gridding climate and soil driving data, 270–271
- background of model, 268–269
- parameterization, 269, 272*t*
- results, 271–272
- problems/suggested solutions, 272–274
- biophysical characteristics, 4
- biophysical-economic models, 220–222
- biophysical relationship between land use/climate, 70
- Biscuit fire (Oregon)
- Boreal Ecosystem Productivity, 187*t*
- boreal ecosystems, 528
- building materials
- effect on horizontal C displacement, 46
- half life of C in wood, 371

- Bureau of Land Management (BLM), 458, 467
 establishment of, 458–459
 managing for resiliency, 471
 percentage of land managed by, 461
 resource management across jurisdictions, 472. *See also* public lands, C management on
- Business as Usual (BAU), 227, 228–229, 261, 465
- cadastral data, 181–182
- Cancun agreements, 9
- cap-and-trade programs, 469
 and leakage, 410*n*
- cap and trade proposals, 411–415, 427–428
 American Clean Energy and Security Act of 2009, 411–414
 American Power Act, 414
 caveats to estimates of agriculture and forestry offsets, 414–415
 recent legislative deliberations, 412–414
- CarboEurope, 10–11
- carbon (C), elemental forms of, 38
- Carbon2Markets program, 515, 516, 518
- CarboNA (Joint Canada-Mexico-USA Carbon Program), 10
- CARBon and Land-Use Change model, 187*t*
- carbonation process, 30
- carbon (C) cycle
 C pools, 27–29, 199
 gaps in knowledge about, 44–46
 interaction with human-modified biogeochemical cycles, 41–44
 land use and, applications/policy relevance
 mechanisms of, 26–33
 as primary provider of food, fiber, and fuel, 25
 release mechanisms, 31–33
 role in Earth's evolution, 24–25
 uptake mechanisms, 29–31
- carbon (C) cycle science, overview of, 8–11
- carbon dioxide (CO₂)
 cropland emissions
 emission as percent of total GHG emissions, 405
 fertilizer emissions, 408
 global warming potential of, 404
 monitoring atmospheric, 145
 on-farm fossil fuel use emissions, 405
 role in C flux between Earth and atmosphere, 7
 trends in airborne fraction of, 25–26
 use to increase C stocks, 339
 variation in atmospheric concentrations of, 24–25.
See also carbon dioxide (CO₂), in situ observations of; carbon dioxide (CO₂), remote sensing of; net ecosystem production (NEP)
- carbon dioxide (CO₂), in situ observations of, 145–154
 aircraft observations, 149
 flask measurements, 146–147
 key insights from, 149–150
 satellite-based observations *vs.*, 153–154
 tower and continuous observations, 148–149
 uncertainties in, 164, 168
- carbon dioxide (CO₂), remote sensing of, 150–154
 advantages of satellite-based observations, 153
 challenges of satellite-based observations, 153
 existing observation, 150–152
 key insights from, 154
 new and upcoming missions, 152
 in situ observations *vs.*, 153–154
 uncertainties in, 164, 168
- Carbon Dioxide Information Analysis Centre (CDIAC), 34, 161, 432
- Carbon Disclosure Project, 510
- carbon (C) emissions
 future of programs for, 179–180
 net global, trends in measuring, 52–53. *See also* land-use change, C emission estimates using different datasets
- Carbon Fix, 435, 437*t*
- carbon (C) flux
 data sources for estimating, 262–264, 265
 evaluating and inferring from land-use and land-cover change, 144. *See also* carbon (C) flux, spatial/temporal distribution of; remote sensing (RS), of land-based C flux and storage
- carbon (C) flux, spatial/temporal distribution of
 future challenges, 168
 in situ observations of CO₂ to determine, 145–154
 monitoring atmospheric CO₂ to determine, 145
 overview of, 144–145
 remote sensing of atmospheric CO₂ to determine, 150–154
- carbon (C) management
 climate mitigation recommendations, issues with, 332
 direct/indirect effects on land use, 347
 economic considerations, 349
 environmental consequences of, 346–350
 greenhouse gas emissions and, 346–347
 measuring change at field/regional scales, 349–350
 modern global C cycle schematic, major stocks/fluxes, 334
 other ecosystem services, 347–348
 overview of, 331–333
 short-rotation woody crops, 343–344, 345. *See also* carbon (C) stocks, increasing in managed terrestrial ecosystems; climate change, and terrestrial C management
- carbon (C) pools
 atmosphere, 27
 average value, estimating, 199
 C cycle and, 27–29, 199
 C cycle mechanisms, 27–29, 199
 land, 27–28
 ocean, 28–29
 overview of, 5–6
 photosynthesis and, 335
 sediments and rocks, 29
 size and residence time of, 26–27
 types of, 26
- carbon (C) release mechanisms, 31–33
 burning fossil fuel, 33
 CO₂ release from oceans, 31–32
 fire, 32
 land use and land-use change, 32

carbon (C) release mechanisms (*cont.*)
 plant respiration and decomposition of organic matter, 31

carbon (C) saturated capacity, 390–391

carbon (C) sequestration. *See* sequestration

carbon (C) source and sink, definition of, 8

carbon (C) stocks
 data sources for, 261–262
 re-equilibration, 411, 420, 421

carbon (C) stocks, increasing in managed terrestrial ecosystems, 338–345
 bioenergy production systems and, 344–345
 food, feed, and fiber production systems and, 341–344
 by increasing amount of area with high C content, 338–339
 by increasing rate of CO₂ removal from atmosphere, 339
 by reducing respiration of CO₂ to atmosphere, 339
 wood production systems and, 340–341

CarbonTracker system, 162

Carbon Trust, 510–511

carbon (C) uptake mechanisms, 29–31
 carbonation (concrete and rocks), 30
 geoengineering and afforestation, 30–31
 oceanic uptake of atmospheric CO₂, 30
 photosynthesis, 29

Carnegie-Ames-Stanford Approach Model (CASA), 103, 161, 265–266

Case-I/Case II waters, 125

C-carrying capacity, and wildland fire management, 364

CDM Executive Board (CDM EB), 435

cellular automata (CA), 187*t*, 194

Cellulose Absorption Index (CAI), 118–119

cellulosic biofuels, 416, 417, 427

cellulosic crops, 344, 345

cement production, emissions from, 335

census and survey data problems, 225

census data, 182, 196

Center for Urban Forest Research (CUFR), 479–480

Century model, 119, 392, 393, 482–483

C-Fix, 265–266

Chequamegon Ecosystem-Atmosphere Study (ChEAS), 264*f*

Chicago Climate Exchange (CCX), 472–473, 510

China, net release of C, 1900–1980, 66

chlorophyll, 126–127

chlorophyll-a, 127

Clean Air Act, 506

Clean Development Mechanism (CDM), 17, 331, 432, 433, 506
 forest conservation/tree-planting projects in developing countries, 512–513
 forest pools included in monitoring system under, 448
 methodologies under, 435, 436
 progression of standards, methodologies, and registration, 437*t*
 project lifetime under, 438
 temporary credits under, 439

Climate, Community and Biodiversity Alliance (CCBA), 259–260, 435–436

Climate Action Reserve (CAR; California), 259–260, 435, 469
 first state public-lands reforestation project, 473
 landowner agreements under, 438
 permanence under, 436
 progression of standards, methodologies, and registration, 437*t*
 project lifetime under, 438

climate change
 drivers of, 6–7
 modern C cycle and, 335

climate change, and fossil fuel use in global environment
 agricultural lands and, 505
 compulsory/voluntary C markets and, 509–510
 forest lands and, 505
 key stakeholders, 506–507
 measurement requirements of new stakeholder groups, 508–511
 multi-lateral development assistance banks and, 509
 overview of, 505–506
 private sector firms and, 510–511
 research agenda for land-use and -cover change, 508
 research agenda for land-use and -cover change, themes in, 507–508
 technical needs for monitoring outside of closed forests, 513–517
 technical needs for reducing emissions from deforestation/degradation, 511–513
 technical needs for tools to enable C as economic benefit, 517–518

climate change, and terrestrial C management, 333–338
 carbon sequestration potentials, 336–338
 historical aspects of, 333
 historical/current emissions, 334–335
 restoring C, 336

Climate Investment Funds, 509, 511, 512

Climate Research Unit Time-Series (CRU TS), 244

CLUE land-use model, 184

CO₂ Budget and Regional Airborne Study (COBRA), 149

Coalition of Rainforest Nations, 443

coarse resolution, 9, 101–102, 109, 111, 162, 165, 192

coarse woody debris (CWD), 55, 322, 339, 341, 360

colored dissolved organic matter (CDOM), 126

Color Producing Agents (CPAs), 126

Cone fire (California), 370

Conference of Parties, 507

Conservation Reserve Program (CRP), 294, 297, 419–422, 427
 additionality, 420
 C-stock re-equilibration, 420, 421
 land converted from agriculture to native perennial grassland, 481
 land retirement practices, 420
 leakage, 420–421
 permanence, 420, 421
 post-contract land use, 421–422
 program exit, 421

Conservation Stewardship Program (CStP), 423–424

conservation tillage (CT)
 compared with other tilling methods, 384

- crop residue sensing and, 118–119. *See also* no-till method (NT)
- conventional tillage (CT)
 compared with other tilling methods, 384
 N₂O emissions and, 394
- Cooperative Air Sampling Network, 146, 147*f*, 147
- COP 15/MOP 5 (Convention of Parties 15/Meeting of Parties 5), 338
- corn-based ethanol, 416
- Council on Environmental Quality (CEQ), 465–466
- coupled climate-C cycle global models, 26
- crop insurance programs, 426
- croplands
 C cycle and, 40, 56–59
 converting to pasture to mitigate GHG, 420
 C stocks on, 58
 net ecosystem production and, 39*t*
 recycling of net C fixed by plants on, 339
 restoration of wetlands from, 408
 sequestration and, 405
- crop residue
 agroecosystems and, 119–120
 sensing of, 117–118, 120
 tillage practices and, 118–119
 uses of, 482
- crop rotation,
 complexity of, 388–389
 fertilizer management effects, 390
 multifunctional, 389
 soil organic carbon and, 388–389
 tillage practices and, 386–390
- cryptic wetlands, 123
- CUFR Tree Carbon Calculator (CTCC), 479–480, 484–486, 491
- Daisy model, 187*t*
- data assimilation (DA), 275–278
 advantages of using, 278
 caveats, 278
 disadvantages of using, 281
 flexibility of, 280–281
 model-data fusion approach to, 276
 representation methods for, 276–277
 sequential/non-sequential approaches to, 277
 target value estimation for, 277–278
 uncertainties in, 277–278
 use in earth sciences, 275–276
- DayCent model. *See* Great Plains, historical land-use changes in, DayCent model on
- Daymet, 292–293
- DAYTRANS/PSN, 183
- decision-making libraries, 202
- decision-support systems (DSS), 180
- decomposition, of organic matter
 decrease in rate of, 339
 factors controlling, 31
 importance of, 31
 increase in rate of, 342
 as release mechanism, 28, 31. *See also* fossil fuel; soil organic matter (SOM)
- deforestation and degradation
 erosion caused by, 45
 outcomes, 525
- overlapping factors in, 179
 percentage of GHG in atmosphere from, 432
 rates, problems with measuring, 85–86
 reducing emissions from, 511–513
 soil organic matter and, 334
 statistics, 251
 technical needs for reducing emissions from fossil fuels, 511–513
 UN program for developing countries, 443–444. *See also* REDD; REDD+
- Department of Agriculture, 220, 418, 458, 463, 506
- Department of Defense (DoD), 458, 459, 463
- Department of Energy, 416–417, 463
- Department of Interior (DOI), 463, 467, 469, 472
- developing countries. *See* agroforestry, in developing countries
- diameter at breast height (DBH), 111
- dissolved organic carbon (DOC), 122, 124–125, 126, 383
- distillers dried grains with solubles (DDGS), 417
- distillers grains with solubles (DGS), wet, 417
- distributed sensor networks (DSNs), 264–265
- Dynamics of Coupled Natural and Human Systems (CNH), 12
- Earth Science Research Laboratory (ESRL), 146, 147*f*, 147
- Earth System Science Partnership (ESSP), 10
- Ecoinvent, 222–223
- Ecological Modeling* (EM), 186, 191*f*
- ecological process models. *See* process models
- econometric model, 187*t*
- economics
 models, 220–222. *See also* land use, economic analysis of effect on terrestrial C storage
- Ecosystem Marketplace's State of the Voluntary Carbon Market 2011, 433
- ecosystem productivity
 water availability as limiting factor for, 43. *See also* gross primary production (GPP); net primary production (NPP)
- ecosystem respiration (RA)
 autotrophic, 36, 339
 C balance and, 307
 C losses from, 28, 31, 319, 339
 fire, effect on, 121
 heterotrophic, 35, 36, 339
- eddy covariance towers, 148
- ED model, 266
- El Niño-Southern Oscillation (ENSO), 149–150, 166–167, 526
- empirical growth and yield models, 266–267
- Endangered Species Act (ESA), 460
- energy-economic models, 220–222
- Energy Independence and Security Act (EISA), 17, 415, 467
- Energy Independence and Security Act of 2007, 415
- Energy Information Administration (EIA), 309–310
- Energy Policy Act of 2005, 415
- environmental-economic models, 220–222
- Environmental Impact Statement (EIS), 460
- Environmental Protection Agency (EPA), 463, 506

- Environmental Quality Incentive Program (EQIP), 423–424
- EPICA Dome C ice core, 34
- EPIC model, 392
- erosion, 382–383
 - as C release mechanism, 28
 - deforestation/degradation and, 45
 - as mechanism for horizontal C displacement, 45
- essential climate variables (ECVs), 9, 96
- ethical poverty level (EPL), 517
- Eulerian framework for inverse modeling, 158*f*, 157–158, 159
- Europe, increased ozone levels over, 29
- European Commission, 12
- European Space Agency (ESA), 12, 151
- European Trading Scheme, 433
- European Union (EU), funding of land-change projects in, 12
- European Union Emission Trading Scheme, 509–510
- evolution of Earth, role of C cycle in, 24–25
- Executive Order 13514 (Federal Leadership in Environmental, Energy, and Economic Performance), 466–467
- exurban areas, 61–62, 478. *See also* urban patterns, relationship to C stocks and fluxes
- fair trade, 531
- fallow (shifting cultivation), 62–63
- FAO Forest Resources Assessment, 251
- FAOSTAT, 62, 251
- farmland
 - future demands for, 83–84
 - increase in prices of, 83–84. *See also* agriculture
- Farm Service Agency (FSA; USDA), 420
- FASOM, 338
- Federal Agriculture Improvement and Reform Act (FAIR; Farm Act of 1997), 425
- Federal Land Policy and Management Act (FLPMA), 458–459
- fertilizer management, 389–390, 405, 408
- financial sector, modeling in, 229–230
- fire, economic effects of, 528
- fire disturbance
 - as C release mechanism, 28, 32
 - organic matter and, 360, 361
 - remote sensing of, 121–122
- fire-excluded forests, 527
- fire management
 - contribution to global C cycle, 66
 - LIDAR remote sensing for, 115
 - sustainability and, 528
 - uncertainty in, 470, 544
- fire management, wildland
 - C carrying capacity, effects of
 - C conundrum, 369–374
 - climate influences on fire (top-down control), 362–364
 - direct C emissions, 360–362
 - fire-C relationship, 360–362
 - fire-excluded forests, 527
 - fire severity, 360–362
 - frequent-fire forests, 366–374
 - harvested materials, fate of, 371
 - indirect C emissions, 360
 - logging, effects of, 363–365
 - management-fire-C relationship, 364–369
 - management influences on fire (bottom-up control), 362–364
 - overview of, 359–360
 - post-fire recovery, 367–368
 - prescribed burning, effects of, 370–374
 - thinning, 370–375
 - thinning, effects of, 370–375
- fire regime, defining, 362
- flux footprint, 35
- FLUXNET, 36, 144
- flux towers, 280
 - for ecosystem C flux estimation, 263–264
 - monitoring atmospheric CO₂, 148–149
- Food, Conservation, and Energy Act of 2008 (2008 Farm Bill), 419*n*
- Food and Agricultural Organization (FAO; UN)
 - cropland and pastureland databases, 245
 - deforestation statistics, 251
 - on forest loss in Africa, 62
- Food and Agricultural Policy Research Institute (FAPRI), 220
- FORE-SCE model, 187*t*
- FOREST-BGC, 183
- forest biomass and structure, quantifying, 112–117
 - integration of methods for forest biomass sensing, 117
 - LiDAR, 114–116, 116*f*, 117
 - SAR applications for biomass, 113–114, 117
- Forest Carbon Partnership Facility (FCPF; World Bank), 443, 509
- Forest Carbon Project Standard Version, 436
- forest degradation. *See* deforestation/degradation
- forest growth and yield models, 261–262
- Forest Inventory and Analysis (FIA) database, 262, 310
- forest inventory and monitoring, 104, 262
- Forest Legacy Program, 419*n*
- forest plantations, recycling of net C fixed by plants, 339
- Forest Projection and Planning Systems (FPS) model, 272
- Forest Resources Assessment (FRA), 55
- forests
 - biomass density of public, 464–465
 - conversion to farmland, 78, 80–81
 - C sinks offset 13.5 percent of U.S. gross emissions, 404–405
 - C stocks on forestlands, 464–465
 - economic models, 220–222
 - estimating C emissions from, 85–87
 - market activities leading to shrinkage of, 77
 - mature, sequestration in, 348
 - mitigation options, economic potential, 410, 426–427
 - mitigation options, technical potential, 405–410, 427
 - needed increase to avoid climate disruption, 71
 - net ecosystem production and, 39*t*
 - nonrenewable timber harvesting, 78–80
 - percent of total U.S. gross CO₂ emissions, 404–405

- potential C sequestration in, 87–88
 role in C cycle, 40
 sequestration offset as percentage of fossil-fuel emissions, 40
 sustainable management model, 530–531
 technical needs for monitoring outside of closed, 513–517
 trees outside of forests, monitoring, 513–515. *See also* greenhouse gas (GHG) emissions, offsetting with forests
- fossil fuel
 abatement policy, 413–414
 annual global cost of, 16–17
 anthropogenic emissions, 309–310
 burning as C release mechanism, 33, 71
 emissions from, 335
 reducing emissions from, 71
 size of fossil fuel sub-pool, 29
 substituting biomass-based energy for, 408–409. *See also* climate change, and fossil fuel use in global environment
- fraction of absorbed photosynthetically active radiation (FPAR), 9, 96, 265–266
- FRAGSTATS, 201
- “Framework for Geological C Sequestration on Public Land”, 467
- Framework Programme (FP), 12
- frequent-fire forests, 366–377
- full inversion tillage, 383
- Function Data for Carbon Balance Research Data, 37, 38
- Garver-Siegel-Maritorea* (GSM), 127
- General Circulation Models (GCMs), 156–157
- General Ensemble Biogeochemical Modelling System, 187*t*
- general equilibrium models, 220–222
- General Purpose Graphics Processing Units (GPGPUs), 195–196
- geochemical processes, 25, 29
- geoengineering, 30–31
- GeoEye, 516
- geographical characteristics, 4
- geographic information systems (GIS), 103, 181, 185
- geoland, 12
- geoland 2, 12
- Geo-Object-Based Image Analysis (GEOBIA), 182, 516
- Geoscience Laser Altimetry System (GLAS), 101
- geosynchronous systems, for remote sensing data, 102
- GHGenius, 222–223
- Global Carbon Project, 10
- Global Change and Terrestrial Ecosystems (GCTE), 12
- Global Change Biology* (GCB), 186, 191*f*
- Global Climate Observing System (GCOS), 9
- Global Environment Facility, 511
- Global Forest Ecosystem Structure, 37, 38
- Global Land Project (GLP), 12, 178
- global land-use emission comparison study, 1900–1970.
See land-use change, C emission estimates using different datasets
- Global Monitoring for Environment and Security (GMES), 12
- Global Observation of Forest and Land Cover Dynamics, 446
- Global Terrestrial Observing System (GTOS), 96
- global warming, 527–528
- global warming potential (GWP), 33, 404, 482
- GLOBIOM-G4M, 220–222
- GNU General Public License, 185
- GOFC GOLD Sourcebook, 448–449
- Good Practice Guidance for Land Use, Land Use Change and Forestry (GPG-LULUCF), 446, 448
- Google Earth, 99
- GOSAT (JAXA/NIES Greenhouse Gas Observing Satellite), 152, 154, 167
- grassland reserve program, 423
- Grassland Reserve Program (GRP), 423, 427
- grasslands
 C storage increase in, 481
 evaluating SOC changes in, 390–391
 net ecosystem production and, 39*t*
 recycling of net C fixed in, 339
 role in C cycle, 40
 sequestration and, 405, 481–482
 sustainable management of, 531
- Great Plains, historical land-use changes in
 climate of Great Plains, 289*f*, 288–289
 historical land use of Great Plains, 291*f*, 289–291, 292
 overview of, 287–288
 results of study, 300–302
- Great Plains, historical land-use changes in, DayCent model on, 292–296
 above-ground production of grasslands, 297*f*, 299
 crop yields, 296*f*, 297–298
 flow diagram of, 292, 293*f*
 inputs to, 292–293
 net county GHG fluxes, 300, 301*f*
 representative schedule files, 295*f*, 294–295, 296
 representative schedule files, extending to all counties, 296
 simulated impact of land-use changes, 296–300
 simulated N mineralization rates, 297*f*, 298–299
 soil C dynamics, 297*f*, 297–298
 soil N₂O emissions, 298*f*, 299–300
 soil NO₃-leaching, 297*f*, 299
 uses of, 292
- greenhouse effect, 6
- greenhouse gas (GHG)
 C management and, 346–347
 land-use change and, 212
 land-use model, economic forces and, 78–83
 measuring land use effects on emissions, 83–88
 no-till method and, 424
 role in support of life, 24
 total U.S. emissions, 2008, 406–407*t*
 as underpriced public good, 78. *See also* policy and greenhouse gas mitigation in agriculture; terrestrial C balance, using models to estimate across time
- greenhouse gas (GHG) emissions, offsetting with forests
 challenges to forest offset programs, 433–434
 current status of forest use in C offsets, 433
 forests, as uniquely valuable for offsetting, 432
 forests, role in offsetting, 431–432
 leakage, 434, 440–442

greenhouse gas (GHG) emissions, offsetting with forests (*cont.*)
 national-scale emission reductions (REDD+), 442–451
 offsets, defining, 431
 permanence, 434, 439–440
 political challenges, 451
 progression of standards, methodologies, and registration, 437*t*
 project-scale emission reductions, 435–442
 standards and methodologies, 434, 435–438
 technical challenges, 451
 GREET, 222–223
 grid-cell models, 279–280
 gross domestic product (GDP), 78
 gross primary production (GPP), 36–37, 39*t*
 cropland, forest, and grassland comparison, 40
 databases for, 37
 fire, effect on, 121
 forest-grassland comparison, 40
 indications, 36
 measurement of, 36–37
 net C balance of terrestrial ecosystems, 307
 overview of, 260
 urban-influenced land cover, 310
 growth and yield models (GYMs), 266–267, 267*f*
 GSE Forest Monitoring, 12
 GSE Land, 12
 GTAP-CA-GREET, 220–222
 GTAP-CAPRI-FSSIM, 220–222
 GTAP-CLUE, 220–222
 GTAP-FAPRI, 220–222
 GTAP-IMPACT, 220–222
 GTAP-KLUM, 220–222
 GTAP-PEM, 220–222
 H2OTRANS, 183
 Haber-Bosch process, 41
 Hardrock Mining Law of 1872, 457
 Hazard model, 187*t*
 heterotrophic respiration (RH), 35, 36, 339
 heuristic models, 217–218
 HIAPER Pole to Pole Observations (HIPPO), 149
 High Performance Computing (HPC), 196
 Highway Performance Monitoring System, 309–310
 hindcasting, 228–229
 HistorY Database of the Global Environment (HYDE)
 dataset, 58, 59. *See also* land-use change, C
 emission estimates using different datasets
 holistic ecosystem management model, 530
 horizontal C displacement. *See* lateral carbon flows
 Houghton and Hackler (HH) dataset. *See also* land-use
 change, C emission estimates using different
 datasets
 Human-Environment Land-Integrated Assessment
 Model (HELIA), 202
 human functional types (HFT), 198
 hyperspectral sensing, 96–97, 97*f*, 98–100, 120, 123
 ice cores, 34, 35, 244
 IFPSIM-EPIC, 220–222
 Ikonos sensor, 102, 104, 515–516
 income support programs, 425–426

industrial revolution, 3, 335
 Infrared Atmospheric Sounding Interferometer (IASI),
 151
 InSAR/IFSAR, 100, 114, 124
 Integrated Biosphere Simulator, 187*t*
 Integrated Model to Assess the Global Environment
 (IMAGE), 220
 Integrated Science Assessment Model's
 Carbon-Nitrogen Cycle Model (ISAM-NC),
 242–244. *See also* land-use change, C emission
 estimates using different datasets
 Intergovernmental Panel on Climate Change (IPCC),
 77, 341, 506
 International Geosphere Biosphere Programme (IGBP),
 11, 178
 International Human Dimensions Programme on Global
 Environmental Change (IHDP), 11, 178
 International Tropical Timber Organization (ITTO), 17
 invasive species, 111, 123, 527
 inventory-based model, 199
 inverse modeling. *See* atmospheric inverse modeling;
 carbon (C) flux, spatial/temporal distribution of
 inverse problem, defining, 144–145
 IPCC AR4 (Fourth Assessment Report of the
 Intergovernmental Panel on Climate Change), 242,
 432, 446–447, 449
 Italy, C sequestration in, 392
 i-Tree Streets program, 479
 Joint Canada-Mexico-USA Carbon Program
 (CarboNA), 10
 Joint Implementation (JI), 17
Journal of Land Use Science (JLUS), 185–186, 186*f*
 Keeling, Charles D., 146
 Kellogg Biological Station's Long-Term Ecological
 Research, 390–391
 Kyoto Protocol, 9, 178, 331, 338, 432, 433, 445, 506
 Lagrangian model, 158*f*, 157–158, 159
 land and resource management, definition of, 8
 land-carbon cycling decision making, 226–231
 advantages of using, 226–228
 cautionary principles, 228–230
 communication with decision makers, 230–231
 scenario analysis to explore alternative futures,
 228–229
 land change, drivers of
 cultural attitudes, 13
 human drivers, 52, 15–16
 indirect/direct drivers, 14
 natural drivers, 14
 political-economic institutions, 13
 population/income change, 13
 technological change, 13. *See also* science of land
 change
 Land Change Modeler platform, 185
 land change science. *See* science of land change
 land cover
 aerial photography and, 108–110
 classification systems/cover-type, 111
 combining methods for monitoring, 110–111
 data, uses of, 111–112

- definition of, 7
- Landsat systems and, 109–110
- mapping and monitoring, 108–112
- land cover change
 - definition of, 56
 - drivers of, 13–15
 - ecological impact of, 14–15
- Land Cover Land Use Change research program (NASA), 11
- land-cover type, role in C cycle, 39–41
 - croplands, 40
 - forests, 40
 - grasslands, 40
 - urban areas, 40–41
- land C pools, 27–28
 - turnover times, 28
- land evaluation and restoration model, 187*t*
- landfills
 - C storage and, 86
 - effect on horizontal C displacement, 46
- landowner agreements, 438
- land productivity increase, effect on ecosystems, 528–529
- Landsat Data Continuity Mission (LCDM), 99*f*
- Landsat satellites, 99, 108–110
 - availability of calibration and validation data, 280–281
 - for mapping permafrost thaw, 124
 - for open forests and woodlands, 515–516
 - and REDD+, 447
- Landsat Thematic Mapper (TM), 118, 321
- Landscape Conservation Cooperatives, 472
- land system changes, 13–16
 - drivers of land and C change, 13–15
 - dynamics of, 15–16
- land transformation model (LTM), 187*t*
- land use
 - biophysical relationship between, and climate, 70
 - definition of, 7–8, 186–191
 - economic–land-use models, 220–222
- land use, economic analysis of effect on terrestrial C storage
 - conclusions about, 88–89
 - estimating C emissions from forests, 85–87
 - forestland to farmland conversion, 78, 80–81
 - future demands for farmland, 83–84
 - land-use model with GHG emissions, 78–83
 - measuring land use effects on GHG emissions, 83–88
 - nonrenewable timber harvesting, 78–80
 - potential sequestration in forests, 87–88
 - sequestration policy, 81–83
- land use, land-use change, and forestry (LULUCF), 338, 406–407*t*
- land use and land-cover change (LUCC)
 - evaluating and inferring C fluxes from, 144
 - role in driving changes in C concentrations in atmosphere, 540–541
 - uses of land-cover data on, 112
- Land-Use and Land-Cover Change (LUCC) project, 11
- land-use and land-cover data, characterization of, 180–182
 - cadastral data, 181–182
 - datasets to aid interpretation, 181
 - geo-coding, 182
 - raster-based approaches, 182
 - remote sensing, 181
- land use and land-use change, as C release mechanism, 32
- land use and land-use change, contribution to global C cycle
 - agricultural management, 65–66
 - approach used for calculating, 55
 - conversions of one land-cover type to another and, 56–62
 - croplands and, 56–59
 - fire management and, 66
 - implications for global C cycle, 67–70
 - management within ecosystems, 62–66
 - other management practices, 66
 - pastures and, 59–60
 - plantations and, 60–61
 - processes and activities included in, 55–66
 - settled lands and, 61–62
 - shifting cultivation and, 62–63
 - summary of land use and land-use change, 66–67
 - wood harvest and, 63–65
- land use and land-use models, characterization of
 - BIOME-BGC as exemplar, 183
 - CLUE land-use model, 184
 - foundational data, 182–193
 - human decision making, 191, 192, 193
 - in-house models, 183
 - Land Change Modeler platform, 185
 - open access and open source models, 184–185
 - review of publications using models, 185–187, 187*t*, 193
 - SLEUTH cellular automata land-use model, 184
 - spatial and temporal dimensions across models, 186*f*, 192
 - UrbanSim land-use model, 184–185
- land-use change
 - definition of, 56
 - emissions from, 335
 - sequestration resulting from, 405. *See also* Great Plains, historical land-use changes in; land-use change, C emission estimates using different datasets
- land-use change, C emission estimates using different datasets
 - climate, atmospheric CO₂ and N deposition data, 244
 - conclusions of study, 253–256
 - cropland dataset analysis, 246*t*, 247
 - land-use-change data, 244–247
 - land-use dataset analysis, 247–251
 - methods for, 242–251
 - model description, 242–244
 - overview of, 241–242
 - pastureland dataset analysis, 249*t*, 247–249
 - steady state and transient simulations, 251–252
 - types of emissions, 252–253
 - wood harvest area dataset analysis, 250*t*, 250
- land-use modeling primitives (LUMPs), 201–202
- land-use models, integrating C dynamics with
 - availability of model, 197
 - challenges, overcoming, 197–202
 - challenges to, 193–197

- land-use models, integrating C dynamics with (*cont.*)
 computing and data requirements for, 195–197
 data needs for, 199–200
 disciplinary boundaries and training for, 193–194
 duplication and redundancy, avoiding, 200–202
 holistic approach to, 179
 land-use and land-cover data as foundation for
 models, 180–193
 limitations to, 180
 overview of, 178–180
 spatial and temporal scale, 198–199
 spatial mismatch, 194–195
 temporal mismatch, 195
 transdisciplinary modeling, 197–198
- Large scale Biosphere Atmosphere Experiment,
 Amazonia (LBA), 149
- lateral carbon (C) flows
 gaps in knowledge about, 45–46
 gaps in knowledge about C cycle and, 45–46
- leaf area index (LAI), 9, 96, 104, 105, 318
- leakage
 cap-and-trade programs and, 410*n*
 challenges, 544
 Conservation Reserve Program and, 420–421
 description of, 410–411
 forest offset programs and, 434, 440–442
 grassland conversion to cropland, 423
 REDD+ and, 450
 research needs, 347
 and voluntary offset programs, 415
 voluntary offset programs and, 410–411, 415, 426,
 440–442
 wetland restoration and, 408
- least squares problem, 155–156
- LEITAP-IMAGE, 220–222
- LEITAP-TIMER, 220–222
- life-cycle analysis, 416
- life cycle assessment (LCA), 222–223
- light detection and ranging (LiDAR), 37, 98, 101
 forest biomass and structure, quantifying, 114–116,
 116*f*, 117
- light use efficiency (LUE) model, 106, 265
- Lignin-Cellulose Absorption Index (LCA), 118–119
- live plant biomass, 37
- livestock, methane emissions from, 405, 408
- Loess Plateau, 333
- logging, forest degradation from, 511–512
- LUCC models, and C dynamics integration
 ecosystem model, 200
 mathematical model, 200
 matrix (Markov) model, 200
- Lund-Potsdam-Jena veg. Model (LPJ), 187*t*
- mandatory offset, 414, 415. *See also* voluntary offset
 programs
- mapping, modeling, and monitoring vegetation
 forest inventory and monitoring, 104
 remote sensing of land-based C flux and storage,
 104–107
 remote sensing for quantifying primary production,
 105–107
- mapping and monitoring land cover, 108–112
 aerial photography, 108–110
 classification systems, cover-type, 111
 combining methods for, 110–111
 data, uses of, 111–112
 Landsat systems, 109–110
 mass balance approach, 159–160
 mathematical model, 200, 219–220
 mathematical models, 219–220, 221*t*, 227
 matrix (Markov) model, 200
 Mauna Loa Observatory, 146*f*, 146
 methane (CH₄)
 cropland emissions
 emission reduction activities, 408
 emissions as C release mechanism, 28
 fertilizer emissions, 405
 global warming potential of, 33, 404
 sequestration through management of, 393–394
 wetland emissions, 122, 124
 methyl hydrates, 527
 Metolius Flux Tower, 263*f*
 Metolius Watershed, 361
 Millennium Ecosystem Assessment (MEA), 13–14
 MOD12, 108
 model-data fusion (MDF), 276
 Moderate Resolution Imaging Spectroradiometer
 (MODIS), 36–37, 99, 101–102, 108, 109, 111, 280
 MODIS, 447
 MODIS-Aqua images of ocean color, 128*f*
 monitoring, reporting and verification systems (MRV),
 509, 512–513, 518, 544
 monitoring and evaluation (M&E), 511
 monitoring carbon (C) cycle components, 33–39
 atmospheric CO₂ concentration, 34–35
 biomass, 37–38
 ecosystem productivity (GPP and NPP), 36–37
 net ecosystem production and net ecosystem carbon,
 35–36
 soil carbon, 38–39
- Mount Pinatubo, 149–150, 167
- multi-functional cropping rotations
- multi-lateral development banks (MDBs), 506, 509
- multiple-use management, 458–459
- multi-sensor fusion for remote sensing, 102–103
- multispectral sensing, 96–97, 97*f*; 98–100, 123
- NASA-CASA ecosystem model, 103, 187*t*
- National Academies, 315
- National Aeronautics and Space Administration
 (NASA)
 AQUA satellite, 99, 150
 ASCENDS, 129, 152
 Aura satellite, 151
 biomass mapping, 114
 hyperspectral system, 99, 119
 Land Cover Land Use Change research program, 11
 optical sensor, 99
 Orbiting Carbon Observatory satellite, 152
 Orbiting Carbon Observatory Two satellite, 129, 152,
 153
 topography mapping, 100
- National Cooperative Soil Survey Laboratory of the
 USA, 39
- National Environmental Policy Act (NEPA), 460, 465
- National Forest Management Act (NFMA), 459

- National Land Cover Data (NLCD), 108
 National Land Cover Database (U.S.), 109*f*
 National Oceanic and Atmospheric Administration (NOAA), 146, 460
 National Oceanic and Atmospheric Administration, Earth System Research Laboratory, Global Monitoring Division, Carbon Cycle Greenhouse Gases Group (NOAA/ESRL/GMD CCGG), 34–35
 National Park Service (NPS), 458, 459, 461–463
 National Park Service Organic Act of 1916, 459
 National Research Council (NRC), 152
 National Resources Inventory (NRI), 181
National Roadmap for Responding to Climate Change, 468
 National Science Foundation (NSF), 12
 National Wetland Inventory (NWI), 108, 111
 National Wildlife Refuge System Administration Act (1966), 459
 natural processes, role in C cycle and climate change, 5–7
 Nature Conservancy, 461
 net ecosystem C balance (NECB), 35
 net ecosystem exchange (NEE), 268
 net ecosystem production (NEP), 35–36, 260
 cropland, forest, grassland comparison, 39*t*, 40
 databases for, 36
 measurement of, 35–36
 overview of, 35, 260
 net global C emissions, measuring trends in, 52–53
 NetLogo, 200–201
 net primary production (NPP), 36–37, 39*t*
 databases for, 37
 efficiency models for estimating, 105–106
 first map of global terrestrial and marine realms, 107*f*
 indications, 36
 measurement of, 36–37
 remote sensing for quantifying, 105–107
 nitrogen cycle, 41–43
 anthropogenic effects and, 41–43
 availability of N, effect on productivity, 41
 nitrous oxide (N₂O), 393–394
 emission reduction activities, 408
 emissions, 346
 fertilizer emissions, 405
 global warming potential of, 404
 NOAA CarbonTracker system, 162
 NOAA ESRL Cooperative Air Sampling Network, 146, 147*f*, 147
 NOAA Paleoclimatology Program, 35
 Noel Kempff Climate Action Project, 443
 non-algal particles (NAP), 126
 non-governmental organizations (NGOs), 338
 Normalized Difference Index (NDI), 118
 Normalized Difference Tillage Index (NDTI), 118
 Normalized Differential Senescent Vegetation Index (NDSVI), 118
 North American Carbon Program (NACP), 10
 no-till method (NT)
 as activity with high per-hectare GHG mitigation rates, 407–408
 benefits of, 301, 342–343, 424
 compared with other tilling methods, 384
 crop type and climate effects and, 392–393
 C sequestration increase due to, 392
 N₂O emissions and, 394
 sequestration from changing from conventional tillage, 482
 SOC effects of, 387, 388
 ocean
 atmospheric CO₂ uptake, 30
 climate change and, 33
 C pools, 28–29
 C pools, turnover times, 28–29
 as C release mechanism, 31–32
 net CO₂ uptake, estimated, 335
 remote sensing of, 125
 ocean color remote sensing, 125–127
 absorption and backscattering spectra, 126*f*
 MODIS-Aqua images of, 128*f*
 OECD (Organization for Economic Cooperation and Development), 83
 OpenABM project, 184
 open access models, 183–184
 open source models, 183–184
 optical remote sensing, 97*f*
 aerial photography. (*See* aerial photography)
 Case-I/Case II waters, 125
 crop residue, 118
 hyper-/multi-spectral, 96–100
 as passive system, 99
 for quantifying forest biomass and structure, 112–113, 117
 satellite systems, 99
 wetland mapping and, 122. *See also* remote sensing, of land-based C flux and storage
 Orbiting Carbon Observatory satellite (OCO; NASA), 152
 Orbiting Carbon Observatory Two satellite (OCO-2; NASA), 129, 152, 153
 ORCHIDEE model, 161
 ozone
 effect on C uptake in urban areas, 319
 effect on photosynthetic uptake of C, 29, 45
 increased tropospheric concentrations, 29
 Pacific Decadal Oscillation, 362
 panchromatic sensors, 96
 partial equilibrium models, 220–222
 partial least squares regression, 120
 particulate organic carbon (POC), 124–125, 126
 pasturelands
 contribution to C cycle, 59–60
 recycling of net C fixed in, 339
 payments for ecosystem services (PES), 508
 peat fires, 528
 peatlands, 526
 permafrost, 123–124, 527
 permanence, 409, 420, 421, 426–427, 439, 544
 photochemical reflectance index, 106
 photosynthesis, 8, 24–25, 27, 260
 C exchanges among pools via, 335
 as C uptake mechanism, 29, 30
 net. (*See* gross primary production (GPP))
 ozone effect on C uptake, 45

physical models, 218–219
 phytoplankton, 126–127
 planetary boundary layer (PBL), 148, 164
 plantations, contribution to C cycle, 60–61
 plant residue, and C sequestration, 482
 Plan Vivo, 436, 437*t*
 Platt's Analytics, 309–310
 polarimetric systems, 100, 113–114, 123
 policy
 challenges, 543–545
 overview of, 16–17. *See also* policy and greenhouse gas mitigation in agriculture
 Policy Analysis System (POLYSYS), 220
 policy and greenhouse gas mitigation in agriculture
 bioenergy, tradeoffs associated with, 408–409
 biofuels, renewable fuels standard for, 415–418, 427
 conservation and commodity programs, 418–426
 C sequestration without reducing GHG emissions, 409–410
 environmental integrity challenges, 404–410
 greenhouse gas cap and trade proposals, 411–415, 427–428
 highest per-hectare GHG mitigation rates, 407–408
 land use and land management, 404–410
 mitigation options, economic potential, 410, 426–427
 mitigation options, technical potential, 405–410, 427
 nitrous oxide and methane emission reduction activities, 408
 overview of, 403–404
 USDA commodity programs, 424–426
 USDA conservation programs, 419–424
 voluntary offset programs, 415*n*
 wetland restoration as potential GHG mitigation activity, 408
 political reasons, for reducing uncertainty in land-use flux, 69
 population growth, twenty-first century, 84
 potential productivity, estimating, 274–281
 data assimilation, 275–278
 expanding models across space, 278–280
 rate potential, 275
 scale flexibility, 280–281
 state potential, 275
 poverty level, ethical, 517
 Prairie Pothole Region, 408
 prescribed burning, 370
 Prior Appropriation Doctrine, 457
 private lands, offsets to, 469–470
 private trust lands, 461
 process-based physiological models, 265–266
 process models
 challenges with, 542–543
 disadvantages of, 281
 ecological, 14–15
 production efficiency models (PEMs), 105–106
 proxy measures, 426–427
 public lands, C management on
 across boundaries, 471–472
 activities underway, cases and examples, 472–473
 area by land management agency, 458*t*
 area by land management agency and cover type, 462*t*

biological potential to sequester and store additional C, 455
 Bureau of Land Management. (*See* Bureau of Land Management (BLM))
 challenges, 468–472
 coordination and leadership, 465–468
 Council on Environmental Quality and, 465–466
 cropland/grazing land stocks
 definition of public lands, 456
 Department of Defense lands, 459, 463
 economic potential and, 455
 Endangered Species Act and, 460
 forestland stocks, 464–465
 GHG inventories, 463
 history of, 456–461
 large C stocks on public lands, 463*t*, 463, 465
 legal challenges, 470
 local government lands, 460–461, 463
 management agencies and key legislation, 458–461
 management incentives, 469–470
 multiple use and, 468–469
 National Park Service and, 459, 461–463
 opportunities for, 461–468
 overview of, 455
 public lands as fraction of land area, 461–463
 public opinion and constituent pressure, 471
 resources and, 471
 soil organic C, 463
 state government lands, 460, 463, 468, 473
 uncertainty in, 470
 U.S. Fish and Wildlife Service and, 459, 460, 461
 U.S. Forest Service. (*See* U.S. Forest Service (USFS))
 wetland stocks, 464
Quasi-Analytical Algorithm (QAA), 127
 QuickBird, 99, 104, 516
 QuickBird 2, 516
 RADAR (RADio Detection And Ranging), 100
 radiative transfer, 125
 rangeland management, 531
 Rapid Ecoregional Assessments, 472
 RapidEye, 104
 raster data, 182, 202
 Readiness-Preparation Proposals (R-PPs), 443
 REDD (Reduced emissions from deforestation and forest degradation), 228–229
 REDD+ (Reduced emissions from deforestation and forest degradation), 55
 Annex I Parties and leakage, 450
 capacity development, 449–450
 data issues, 447
 definition of forest and REDD+ activities, 445–446
 deforestation prediction and, 447–448
 Forest Investment Program and, 509
 goals of, 544
 leakage, 450
 national monitoring, reporting, and verification systems, 448–449
 permanence, 450–451
 reference emission level, 446–448

- remote sensing data and, 447
- technical components for implementing REDD+ strategy, 444–450
- three-phase approach of, 444
- Redwood Region, 269
- Reforestation. *See* afforestation and reforestation (A/R)
- Regional Greenhouse Gas Initiative (RGGI), 412*n*
 - landowner agreements under, 438
 - permanence under, 439
 - progression of standards, methodologies, and registration, 437*t*
 - project lifetime under, 438
- remote sensing (RS)
 - of atmospheric CO₂, 150–154
 - as bridge between top-down–bottom-up observations, 540
 - of open forests and woodlands, 515–516
- remote sensing (RS), of land-based C flux and storage applications for quantifying C on land, 103–127
 - Arctic systems experiencing permafrost degradation, 123–124
 - crop residue and agricultural SOC sensing, 117–120
 - science biomass and structure, quantifying, 112–117
 - forest disturbance, 121–122
 - land in aquatic systems, 124–127
 - light detection and ranging, 98, 101
 - mapping, modeling, and monitoring vegetation, 104–107
 - mapping and monitoring land cover, 108–112
 - microwave systems, 98
 - multi-sensor fusion and uses of data, 102–103
 - optical remote sensing, 96–97, 97*f*, 98–100
 - overview of, 95–96
 - panchromatic sensors, 96
 - remote sensing, 120–124
 - results, interpretation of, 98
 - spatial and temporal scales for, 101–102
 - status of key land-cover measurements, 110*t*
 - summary of, 127–129
 - synthetic aperture radar systems, 100
 - thermal sensing, 97–98
 - tools and techniques for, 96–103
 - wetland characterization and loss, 122–123
- Renewable Fuel Standard, from EPACT (RFS), 415
- Renewable Fuel Standard Two, from EISA (RFS2), 416–418
- Repast, 196, 200–201
- reservoirs, key C, 527
- Residential Energy Consumption Survey, 309–310
- residential landscape management
 - challenges, 544–545
 - climate change adaptation and mitigation opportunities, 478
 - cultural values and appearance of ecosystem services, 480
 - exurban development, increase in, 478
 - guidelines based for planning and design, 483–484
 - literature review, 480–483
 - management practices/species selection affecting C storage, 480–483
 - methodology of study, 478–480
 - overview of, 477
 - potential plant species, 488*t*
 - sequestration/storage, pre-restoration, 487*t*
 - sequestration/storage, under completed conservation plan, 494*t*
 - sequestration/storage, under completed restoration plan, 492*t*
 - subdivision design case study, 484–496
- residual terrestrial sink, problems with calculating global, 67–69
- respiration (R). *See* ecosystem respiration (RA)
- rhizodeposits/root respiration, 387–388
- rock cycle, 29
- Rondônia, Brazil, 228–229
- Rothamsted, England agronomic field experiments, 336
- Salazar, Ken, 467
- satellite remote sensing systems, 99, 102, 104, 434
- Savanna model, 187*t*
- SCanning Imaging Absorption spectroMeter for Atmospheric CHartographY (SCIAMACHY), 129, 150–151, 154
- scenario analysis, 211–212, 228–229
- science, defining, 209–210
- science-management integration, models for
 - assumptions of, 213
 - categorization of land types, 225
 - census and survey data problems, 225
 - context of, 213
 - data, role in modeling land and C, 223–226
 - economic model to project land-use change, example, 217, 218*f*
 - estimation/calibration, 215
 - future needs, 232–233
 - heuristic models, 217–218
 - identifying gaps/inconsistencies in knowledge, 211
 - improving decision making process, 212–213
 - improving models, 232
 - inputs, 213
 - key components of, 213–214, 214*t*, 216
 - lack of agreement between theory/empirical data, 211, 216–217
 - land-C cycling decision making, 226–231
 - land-use relation to global economic models, example, 217–218, 219*f*
 - marginal lands, 225–226
 - mathematical models, 219–220, 221*t*, 227
 - modeling multiple drivers, 220–223
 - modeling process, 210–226
 - narrative of changes in land and C, example, 218
 - outputs, 215
 - overlap among, 220
 - overview of, 209–210
 - physical models, 218–219
 - projection-observation fit, 223
 - purpose of, 213
 - remote sensing data problems, 225
 - scenario analysis, 211–212, 228–229
 - sensitivity analysis, 215, 229
 - spatial and temporal data, problems with, 224–225
 - types of models, 217–220
 - uncertainty analysis, 215–216
 - underlying data, problems with, 224
 - validation, 215
 - validation, problems with, 224
 - validation, using hindcasting, 227

- science of land change
- bottom-up observations, 540–541, 544
 - ground-based measurement challenges, 541
 - historical data challenges, 541
 - local- and regional challenges, 541–542
 - management and policy implications, 543–545
 - measurement and modeling, 540–543
 - overview of, 11–12
 - process-based models, challenges with, 542–543
 - remote sensing challenges, 541
 - top-down observations, 540–541, 543–544
 - urban lands challenges, 542
- scientific reasons, for reducing uncertainty in land-use flux, 69–70
- sediments and rocks C pools, 29
- turnover times, 29
- selective logging, negative outcomes of, 526
- sensitivity analysis, 215, 229
- sequential/non-sequential approaches, 277
- sequestration
- agriculture and, 347–348, 409–410
 - climate change and, 336–338
 - constraints on, 543
 - croplands and, 405
 - definition of, 8
 - forests and, 40, 87–88, 348
 - global market for sequestered C, 517–518
 - grasslands and, 405, 481–482
 - land use and, 81–83
 - land-use change and, 405
 - measuring change at field/regional scales, 349–350
 - methane and, 393–394
 - no-till method and, 392, 482
 - plant residue and, 482
 - policy on, 81–83
 - public lands and, 455
 - reversals of, 411
 - SOC and, 331
 - via tree planting, 331
 - water usage and, 481–482
 - wood production systems and, 340, 464. *See also* residential landscape management
- settled lands, contribution to C cycle, 61–62
- shadow analysis, 104
- shifting cultivation, 62–63
- short-rotation woody crops (SRWCs), 343–344, 345
- Simple Biosphere Model (SiB), 161
- Simulation. *See* Great Plains, historical land-use changes in
- Simulator BGC-ES model, 187*t*
- SLEUTH cellular automata land-use model, 184
- SOC
- crop rotation/N fertilizer management, effect on SOC levels, 390
 - SOC changes evaluated using different agricultural management practices and in virgin grassland, 390–391
- Société Générale de Surveillance (SGS), 443
- Sodbuster provision, 425–426
- soil carbon, 38–39
- indications, 38
 - link to available databases, 39
 - measurement of, 38–39
- Soil Characterization Database, 39
- soil organic carbon (SOC), 60, 118
- crop rotation and, 388–389
 - nitrogen fertilizer effects on, 389–390
 - sensing in agroecosystems, 119–120
 - sequestration of, 331
 - tillage-crop rotation effects on, 386–390
 - tillage effect on, 383–386
 - tillage effect on distribution of, 385–386
- soil organic matter (SOM), 292, 293*f*, 298
- advantages to increasing levels of, 347–348
 - deforestation and, 334
 - measurement of, 38
 - turnover times of, 28, 336, 393
 - in urban areas, 307, 318
- spatial and temporal scales of remote sensing data, 101–102
- spectral mixture analysis, 104
- spectral vegetation indices (SVIs), 105, 107
- spreadsheet models, 223
- standards and methodologies, for offsetting, 434, 435–438
- development of, 435–438
 - difference between standards, 438
- State of the Carbon Cycle Report* (SOCCR), 9–10
- State of the Forest Carbon Market 2009, 432
- State Soil Geographic (STATSGO) Database, 292–293
- statistical models, 200
- Stochastic Time-Inverted Lagrangian Transport Model (STILT), 157
- Strategic Framework for Addressing Climate Change*, 467–468
- subdivision design case study, 484–496
- conservation subdivision design, 491–495
 - ecosystem restoration design, 488–491
 - discussion of findings, 496–498
 - redevelopment scenarios, 486–488
 - residential lawn treatments, 495–496
 - site description and model assumptions, 484–486
- Subsidiary Body for Scientific and Technological Advice (SBSTA; UNFCCC), 443
- survey data, 196, 225
- sustainability, through C–land-use management integration
- atmospheric N deposition, 529
 - budget projections, 532–533
 - C reservoir disturbance, 527
 - drivers leading to destabilization of C cycle, 526–530
 - fires and, 528
 - forest management model, 530–531
 - global warming, 527–528
 - grassland management, 531
 - holistic ecosystem management model, 530
 - human activity and, 526
 - human/natural driver impacts, 526–527
 - land productivity and, 528–529
 - local to regional sustainability considerations, 530–533
 - overview of, 523–524
 - rangeland management and, 531
 - regional diversity, effects of, 532
 - societal context and, 526

- sustainable production and, 531–532
- Sustainability and the Global Environment (SAGE) dataset, 57–58, 59. *See also* land-use change, C emission estimates using different datasets
- sustainability principles, and biofuels, 415–416
- Swampbuster provision, 426
- Swedish Defence Research Establishment, 113
- Synthetic Aperture Radar (SAR), 37, 98, 100
for mapping permafrost degradation, 124
for mapping wetlands, 111, 122–123
for quantifying forest biomass and structure, 113–114, 117
- Tasmania, 366
- Terra Preta soils, 333
- TERRA satellites, 99
- terrestrial C balance, using models to estimate across time
biomeBGC example, Garcia River Forest, 267–274
data sources for, 261–267
disadvantages of using process models, 281
ecosystem C flux estimation data sources, 262–265
ecosystem C stock estimation data sources, 261–262
future needs, 281
mitigation claims/future growth, limiting, 261
need for, 259–261
potential productivity, estimating, 274–281
remote sensing data products, 265
terrestrial ecosystem C models, 265–267, 267*f*
- terrestrial ecosystem carbon model (TECM), 265–267, 267*f*
- terrestrial ecosystem model (TEM), 160–161, 162
- TES-LUC model, 187*t*
- texture analysis, 104
- thermal sensing, 97–98
- thermokarst lakes, 123–124
- thinning, effects of, 470
- 3-PG model, 266
- tillage
crop-rotation effects and, 386–390
effects of, 384–385
effects on SOC, 383–386
effects on SOC distribution, 385–386
full inversion method, 383
impact on source/sink, 342, 392–393
uncertainty of effects of, 4. *See also* conservation tillage; conventional tillage (CT); no-till method (NT)
- time-integrated PAR absorption (APAR), 105–106
- TIROS Operation Vertical Sounder (TOVS), 167
- Total Carbon Column Observing Network (TCCON), 151, 164
- transaction costs, 415*n*
- TransCom3 experiments, 157, 161, 166–167
- transition (age) rules, 199–200
- transport models
characteristics of, 156–157
General Circulation Models (GCMs), 156–157
- Tree Carbon Calculator (CTCC), 479–480, 484–486, 491
- Tropospheric Emission Spectrometer (TES), 151, 154, 167
- tundra, 33, 70, 86, 528
- turf management
global warming potential of, 482
water usage and C sequestration, 481–482
- UFORE model, 310
- uncertainty analysis, 215–216
- UN-Combating Desertification Focus on Desertification, Land Degradation, and Drought, 531
- United Nations Collaborative Programme on Reducing Emissions from Deforestation and Forest Degradation in Developing Countries (UN-REDD), 443–444
- United Nations Framework Convention on Climate Change (UNFCCC), 9, 96, 435, 443, 449, 506
- United Nations Framework Convention on Climate Change Good Practice Guidance for Land use, Land-use Change and Forestry (UNFCC GPG LULUCF), 178
- United States Department of Agriculture (USDA). *See* Department of Agriculture
- urbanization
challenges, 544–545
land-use model, 185
net ecosystem production and, 39*t*
previous studies on, 305–306
role in C cycle, 40–41, 44–45
- urban patterns, relationship to C stocks and fluxes
along gradients of urbanization, 315–322
anthropogenic emissions, current estimates, 309–310
assessment of urban-C dynamics, 309–310
biomass, estimating, 310
case study of urban C stocks in Seattle, 321–322
CO₂ emission effects, 318
ecosystem process and, 311, 313*t*
framework for linking urban development/C dynamics, 308*f*, 310–315
future patterns, anticipating, 322–323
future research needs, 323–324
gradients-patterns relationship, 311, 312*t*
hypothetical gradient, 315, 316*f*, 317
hypotheses, 317–319
infrastructure effects, 314–315
land cover change effects, 318
land cover effects, 314
land use effects, 311–314
mechanisms affecting, 315–317
N and CO₂ fertilization effects, 318–319
organic inputs, 318
overview of, 305–306
patterns, impact of, 309
patterns link to C cycle, 307–315
synthesis of mechanisms governing C uptake, 319–321
temperature effects, 318
transportation effects, 314
urban C cycle and, 307–308
- UrbanSim land-use model, 184–185
- U.S. Activities Implemented Jointly, From the Nature Conservancy (USAIJ), 443
- U.S. Carbon Cycle Science Program (USCCSP), 9–10
- U.S. Climate Change Science Program, 10

- USDA commodity programs, 424–426
 crop insurance programs, 426
 income support programs, 425–426
- USDA conservation programs, 419–424
 conservation reserve program, 419–422
 grassland reserve program, 423
 wetland reserve program, 422
 working lands programs, 423–424
- U.S. Fish and Wildlife Service (USFWS), 458, 459, 460, 461, 472
- U.S. Forest Service (USFS), 458, 459, 463
 climate change and, 467–468, 469
 managing for resiliency, 471
 percentage of U.S. land managed by, 461
 resource management across jurisdictions, 471–472.
See also public lands, C management on
- U.S. Geological Survey (USGS), 463, 465
- U.S. Global Change Research Program (USGCRP), 9–10, 463
- U.S. National Greenhouse Gas Inventory, 292
- variable radius plot, 272
- vegetation, reflected light and functional characteristics of plants, 97
- Vegetation/Ecosystem Modeling and Analysis Project (VEMAP), 292–293
- vehicle miles traveled (VMT), 309–310, 311–314, 317, 318, 319
- Verified Carbon Standard (VCS), 435
 approval process under, 436
 buffer accounts, 439
 progression of standards, methodologies, and registration, 437*t*
 project lifetime under, 438
 standards/methodologies under, 436–438
- Visible/Infrared Imager/Radiometer Suite (VIIRS), 109
- volcanism, 25, 149–150, 167
- voluntary carbon offsets (VCO), 17
- voluntary offset programs
 adoption rates, 414–415
 challenges, 410–411, 426–427
 Chicago Climate Exchange, 472–473, 510
 GHG mitigation in agriculture, 415*n*
 growth in, 433
 leakage and, 410–411, 415, 426, 440–442
 permanence and, 439–440
 standards, differences among
 standards for, 259–260, 433, 435–438
 subsidies, 415
- utilities and, 469. *See also* California Climate Action Reserve (CAR)
- VULCAN project, 310
- water consumption
 in agriculture, 43–44
 in industries, 44
 in turf management, 481–482
- water cycle, 43–44
 anthropogenic changes and, 43–44
 water availability and, 43
- Weather Research and Forecasting Model (WRF), 157
- wet distillers grains with solubles (DGS), 417
- wetland reserve program, 422
- wetlands
 cryptic, 123
 C stocks in, 464
 leakage and, 408
 mapping, 111, 122–123
 methane emissions, 122, 124
 remote sensing of disturbance, 122–123
 restoration, effects of, 408
 wetland reserve program, 422
- Wetlands Reserve Program (WRP), 422, 427
- Wilderness Act of 1964, 458, 459
- windthrow, 121
- wood harvest, 63–65
 emissions from, 63–65
 fuelwood, 63–64
 industrial wood, 63, 64–65
- woodlands and sparse treed landscapes, monitoring, 515–517
- wood production processes, emissions from, 61–62
- wood production systems, 340–341
 plantation forestry, 340–341
 sequestration, 340, 464
- wood trade
 annual global cost of exported ITTO products, 17
 effect on horizontal C displacement, 46
- woody encroachment, 69
- working lands programs, 423–424
- World Bank, 443, 509, 518
- World Business Council for Sustainable Development, 510
- World Data Centre for Paleoclimatology (WDC), 35
- WorldView, 516
- WorldView-1, 104
- WorldView-2, 104
- Yellowstone National Park, 367–368