

Index

- absolute acceleration, 282
- absolute derivative, 253–4
- absolute differential calculus, 222
- absolute length, 51
- absolute Newtonian time, 50, 278
- absolute objects, 279
 - Christoffel symbols in flat spacetime as, 280
- absolute spacetime, 41
- absolute time, 51
- abundance of primordial helium, 453, 455
- abundances of light elements, 454f, 455t
- accelerated motion
 - general relativity and, 276
 - hyperbolic motion, 90
- accelerated reference frames, 17, 39, 135–6, 275–6
- acceleration
 - absolute, 282
 - deceleration parameter and, 399
 - EGG and, 39
 - of expansion of universe, 399–400
 - of gravitation, 41
 - gravitational mass and, 18
 - at horizon of black hole, 320, 361
 - Lorentz transformation for, 90
 - of neutron, 26
 - pseudo-forces and, 41
 - relative, of particles, 253–4
 - Riemann curvature tensor and, 252
- accidentals in detectors, 209
- accretion by black hole, 376–9
- accretion disk, 376–9
 - quasiperiodic oscillations of, 381
- acoustic oscillations in early universe, 408
 - angular size of, 471
 - density parameters from, 472
 - peaks in, 470
 - periods and wavelengths of, 471
 - spectrum of anisotropies and, 470f
 - speed of sound waves and, 470
- acoustic peaks, 470–1
- action and Lagrangian, 107–8, 477, 480
- action principle. *See* variational principle;
Lagrangian
- action-at-distance, 2
 - vs. local action, 2
- active gravitational mass, 18n3, 494–5
- adiabatic expansion, 444, 450n2
- ADM mass formula, 494. *See also* flux theorem
- AEGIS experiment, 28
- affine geometry, 221
 - metric geometry and, 240
- age of universe
 - from age of elements, 402–3
 - from age of globular clusters, 403–4
 - in theoretical models, 435, 437t
 - from radioactive dating, 402
- Airy, method, 7–8
- ALLEGRO, 210t
- alternating symbol, 85
- alternative theories of gravitation, 28, 495
- analogy of gravitation and electromagnetism, 104t
- angular distribution of gravitational radiation, 194–5
- angular momentum. *See also* spin
 - of black hole, 344, 363
 - conservation of, 493
 - energy-momentum tensor and, 165–8
 - in gravitational wave, 186
 - for orbital motion, 300–1, 304–5, 345–7
 - of rotating mass, 165–6
 - as source of torsion, 228n3
 - work, velocity and, 363
- angular-diameter distance, 394
 - luminosity distance and, 433–4
- angular-momentum tensor, 60
- anisotropies in CBR, 396–7, 400, 402f, 406–8, 470–2
- antibaryons, 450
- antimatter, gravitation of, 28
- antiprotons, 28
- antisymmetric tensor, 62
 - electromagnetic field tensor as, 84
 - Riemann tensor as, 246
- antisymmetry, comoving coordinates and, 413
- apparent brightness, 391–2
- apparent shift of stars, 140
- arcllets, 157
- Arecibo radio telescope, 144, 201, 303
- assumptions for Einstein’s field equation, 284, 290
- astrogator coordinates, 224
- astronomical constants, xvi
- atom interferometry, 26
- atomic clocks
 - gravitational fields and, 123
 - gravitational time dilation and, 133–5
 - tidal force and, 122–3

- atomic fountain, 26
- AURIGA, 210f, 210t
- axions, dark mass and, 409
- barrier-penetration factor, 364
- baryon number
- baryons
 - acoustic oscillations of, 470–2
 - black holes and, 374
 - in early universe, 449–50
 - Jeans mass of, 458
 - mass density of, 411
 - as source of gravity, 25
 - spin as source of torsion, 228
 - Yukawa potential and, 8
- basis vector, 78–82
 - covariant derivative of, 259
- bending angle, 306–7. *See also* deflection angle
 - impact parameter and, 307f
- Bianchi identities, 248
 - Einstein’s field equation and, 286–7, 290
 - invariance and, 490–1
- Big Bang 390, 401, 444
 - and cosmic background radiation, 390, 446
 - and curvature, 447
 - Friedmann models and, 431
 - helium and, 451
 - and Hubble age, 404
 - in models of universe, 422–3, 435, 426t, 428
 - nucleosynthesis and, 404–5, 411, 451–6
 - and particle horizon, 431–2
 - as primordial explosion, 390, 447
 - and singularity, 466
- binary pulsar systems. *See also* PSR 1913+16
 - time delay of light and, 146
- binary systems. *See also* PSR 1913+16
 - with black hole, 378, 380t
 - gravitational radiation from, 199–205, 200t
 - orbital motion of, 200–3
 - virial theorem and, 292
- binding energy. *See* gravitational binding energy
- Birkhoff’s theorem, 298
 - black holes and, 332
 - compared with Newton’s theorem, 298
 - gravitational collapse and, 360
 - Hubble’s law and, 399
 - spherical symmetry and, 298
- black hole
 - accretion disk of, 376–9
 - angular momentum of, 344
 - angular velocity of, 363, 383
 - baryon number and, 374
 - in binary systems, 378, 380t
 - Birkhoff’s theorem and, 332
 - dark mass and, 409
 - electric field and, 333–4
 - electrically charged, 346–8
 - entropy and, 362–3
 - event horizon of, 329–35
 - formation of, 367–75
 - free-fall time in, 332–3
 - from supernovas, 373
 - in galaxies, 377–8
 - gamma rays and, 367
 - gravitational collapse and, 324–87, 332, 341, 357–60, 367–75
 - gravitational lenses and, 376
 - gravitational radiation by infalling particle, 205–7
 - gravitational time dilation and, 332
 - Hawking process and, 363–7
 - as heat sink, 361
 - horizon of, 329–35
 - horizon in x , y , z coordinates, 329f
 - irreducible mass of, 354–5, 384
 - Kerr geometry and, 343–6
 - Kruskal coordinates and, 341, 335
 - lepton number and, 374
 - light cones in, 331, 342, 351–2
 - magnetic dipole moment of, 348
 - mass of, 379–80
 - maximal Kerr geometry and, 356–60
 - maximal Schwarzschild geometry and, 337–41
 - minihole, 366
 - particles emitted by, 365–6
 - as power source for quasars, 158, 377
 - Reissner-Nordström geometry and, 346–8
 - rotating, 343–7, 349–56, 352f
 - Schwarzschild radius and, 332
 - search for, 375–81
 - singularity in, 325–9, 332
 - spacelike and timelike coordinates in, 330
 - spectrum of radiation emitted by, 365
 - spin angular momentum of, 344, 346n4
 - temperature of, 362–7
 - as thermal blackbody, 363, 365
 - thermodynamics of, 360–7
 - 3-D geometry of, 339–40
 - time-evolution of, 340–1, 340f
 - wordlines in, 332, 337f, 341
 - as X-ray source, 378–81
- black star, 372
- blackbody radiation. *See also* cosmic background radiation
 - discovery of, 405
 - in early universe, 404
 - fluctuations over sky, 400
 - spectrum of, 406, 406f
- blueshift, 357–8, 473
- Boltzmann factor, 365, 453
- boost, 58, 186, 433
- bosons, 449
- brace notation for Christoffel symbols, 232
- Brans-Dicke theory, 104, 186
- brown dwarf, 409
- bursts of gravitational radiation, 204–8
- calculus
 - absolute differential, 222

- exterior, of Cartan, 76–87
- canonical energy-momentum tensor, 482, 492
- canonical momentum, 108, 111–12, 478
- Cartan, Élie, 77–8
- cataclysmic binaries, 200t
- Cauchy horizon in rotating black hole, 357–8
- caustic surface
 - gravitational lens and, 152–4
 - vs. conjugate caustic surface, 162–3
- Cavendish, Henry J., 3–4, 9
- CBR. *See* cosmic background radiation
- centrifugal pseudo-force, 22–3, 23f, 278
- Cepheid stars, 393
- Ceres, 1
- cesium atoms, free fall of, 26
- Chandra X-ray satellite, 378f, 379–80
- Chandrasekhar limit, 369, 372, 393
- charge density, 72
 - as source for electromagnetism, 96
- charge conservation, 72
- Christoffel symbols, 227, 227n2, 228
 - as absolute objects in flat spacetime, 280
 - brace notation for, 232
 - in covariant derivative, 230–1, 250t
 - curvature scalar and, 273, 488
 - in equations of electrodynamics, 282
 - flat spacetime and, 229
 - general covariance and, 277
 - in geodesic equation, 232–3, 250t
 - linear transformation and, 243
 - in local geodesic coordinates, 234–5
 - metric tensor and, 240, 242, 250t, 280
 - in Palatini method, 487–88
 - in parallel transport, 227–8
 - Riemann tensor and, 244, 250t
 - for Schwarzschild geometry, 241, 296
 - transformation law for, 231–2
 - variational principle and, 488
- clock
 - comoving coordinates and, 412
 - curved spacetime and, 118–23
 - freely falling and time dilation, 119
 - geometrodynamical, 88
 - gravitational fields and, 119, 122
 - gravitational time dilation of, 130–7
 - hydrogen-maser, 133–4
 - infinite redshift and, 328–9, 349–50
 - infinite time dilation, 325–6, 328
 - Marzke-Wheeler, 88
 - metric tensor and, 130
 - spacetime and, 52–3, 134–5
 - spacetime interval and, 52–3
 - synchronization in universe, 412
 - time delay of light and, 148
 - synchronization by transport of, 134–5
 - worldlines and, 52–3
- closed space, 416
- COBE. *See* Cosmic Background Explorer
- cold dark mass, 461
- Coma cluster, 410
- comma to semicolon rule, 283
- commutation of covariant derivatives, 249–50
- comoving coordinates
 - clocks and, 412
 - equation of motion and, 412
 - homogeneity and, 413
 - isotropy and, 413–14
 - spacetime interval and, 413
 - universe and, 411–18
- conformal coordinate transformation, 357
- conformal transformation, 104n
- conformally flat, 423
- conjugate caustic surface, 162–3
- conservation law
 - cosmological constant and, 291
 - Einstein’s field equation and, 286–7
 - for electric charge, 87, 103
 - for energy and momentum, 59, 70
 - for energy-momentum tensor, 66–70, 103, 286–7, 489–90
 - equation of motion and, 109, 111–2, 300–1
 - general invariance and, 489–90
 - Killing vectors and, 267–8
- constants of motion and Killing vectors, 267
- constants of motion in Schwarzschild geometry, 300–1
- constants
 - fundamental, xv
 - astronomical, xvi
 - conversion, xv
- contraction of tensor, 61, 83
- contravariant components of position vector, 56, 60
- contravariant vector
 - general coordinate transformation of, 225
 - Lorentz transformation of, 58
 - parallel transport of, 231
 - scalar product of, 80–1
- conversion constants, xv
- coordinate condition and Einstein’s field equation, 288
- coordinate independence and covariance, 276–9
- coordinate transformation
 - for Christoffel symbols, 231–2
 - for contravariant vector, 58, 225
 - for covariant vector, 61, 225
 - in curved spacetime, 117
 - for determinant of metric tensor, 272
 - as gauge transformation, 280
 - general, 224–5
 - general invariance and, 279
 - of inertial reference frames, 53
 - infinitesimal as gauge transformation, 280–1
 - singularity and, 327
 - for tensor, 59, 225–6
 - for vector, 58, 225

- coordinates, 79–80
 - general invariance and, 275–6
 - general, 223
 - independence of laws from, 276
 - and inertial reference frame, 17, 29, 39, 47, 49, 53, 243, 277
 - local geodesic, 234, 277, 283–5, 287, 290–1
 - pseudosingularity and, 326
 - Riemannian geometry and, 223–6
 - for spacetime points, 80
- Copernican tradition, 390
- Coriolis force, 17, 278
- Cosmic Background Explorer (COBE), 406–7
- cosmic background radiation (CBR), 390–1, 404–8
 - acoustic peaks in, 470
 - anisotropies in, 396–7, 400, 402f, 406–8, 470–2
 - decrease of temperature of, 405
 - dipole term in, 406
 - discovery of, 405
 - in early universe, 446
 - expansion of, 405
 - motion of Earth and, 406
 - redshift of, 405
 - smoothness puzzle and, 465–6
 - sound waves in, 470
 - spectrum of, 406, 406f
 - spectrum of anisotropies of, 470f
 - temperature of, 405–6
- cosmic blackbody radiation. *See* cosmic background radiation
- cosmic censorship conjecture, 359, 375
- cosmic distances, 392–4
- cosmic thermal radiation, 396–7. *See also* cosmic background radiation
- cosmological acceleration, 293, 398–400
- cosmological constant, 291–3, 398–400
 - and acceleration, 398–400
 - conservation law and, 291
 - Einstein’s gravitational theory and, 288–93
 - mass density of, 291–3, 411
 - as mass density of vacuum, 291–3, 398–9
 - negative mass density of, 292
 - Schwarzschild solution and, 299
- cosmological distance ladder, 393
- cosmological parameters and CBR anisotropies, 402f, 472
- Cosmological Principle, 391
- cosmological redshift
 - dark mass and, 411
 - Doppler shift and, 395
 - for galaxies, 395–6
 - and Hubble’s law, 395–6
 - luminosity distance and, 433–4
 - of quasars, 392
 - propagation of light and, 430
 - redshift parameter z , 395, 434
- cosmological term. *See also* cosmological constant
 - dominance of, 389
 - as energy-momentum of vacuum, 291–2
 - mass density of, 291, 398–9
- cosmology, 389–441
- Coulomb’s law
 - Maxwell’s equations from, 55
- covariance, 276–9
 - as form-independence of an equation, 276
 - Newton’s 2nd law as an example, 277–8
- covariant components
 - of position vector, 56, 60, 61
 - of Riemann curvature tensor, 245–6
- covariant derivative, 226–32
 - of basis vector, 259
 - commutation and Riemann tensor, 249–50, 260
 - differential forms and, 258
 - of metric tensor, 239–40
 - noncommutativity of, 249
 - of scalar field, 231
 - of tensor, 231, 258–9
 - of vector, 231
- covariant vector
 - general coordinate transformation and, 225
 - Lorentz transformation and, 61
 - scalar product of, 60, 80–1
- Crab pulsar, 204, 372
- critical density
 - for black hole, 325
 - for universe, 399
- critical electric field, 384–5
- critical mass
 - for neutron star, 370–1
 - for white dwarf, 369
- current conservation law, 72–3, 87, 98, 100n2, 103
- current density, 72
 - dual, 86
 - as four-vector, 72–3
 - as source for electromagnetic field, 96–7
- curvature. *See also* Riemann curvature tensor
 - in early universe, 447
 - intrinsic and extrinsic, 221–2
- curvature scalar, 248
- curvature tensor. *See* Riemann curvature tensor
- curved spacetime. *See also* Riemannian geometry
- clocks in, 118–23
 - as consequence of linear approximation, 117–23, 221
 - coordinate transformations in, 117
 - differential forms in, 257–62
 - equivalence principle and, 122–3
 - geodesic equation in, 118
 - as ingredient for Einstein’s theory, 289
 - Maxwell’s equations and, 333
 - metric tensor of, 117, 237
 - radar ranging and, 120–1
 - tensors in, 226
 - time dilation as evidence for, 134–5
- cycloid, 422
- Cygnus X-1, 379–80, 380f

- dark energy, 389, 428
 - mass density of, 411t
- dark mass, 6, 375
 - arclets and, 157
 - baryon perturbations and, 458
 - candidates for, 461t
 - cold, 461
 - density of, 472
 - gravitational lenses and, 157
 - hot, 461
 - in galaxies, 157, 461
 - mass density of, 411
 - neutrinos and, 461
 - universe and, 408–11
- de Sitter cosmological model, 426
- de Sitter precession, 170. *See* geodetic precession
 - angular velocity of, 312
- deceleration parameter, 399–400
- deceleration of speed of light, 148–9
- decoupling of neutrinos, 474–5
- decoupling of photons, 446
- deflection of light, 138–42
 - deflection angle, 139–40, 160–1, 306–7, 307f
 - Einstein’s prediction for, 127
 - and equation of motion for photons, 138
 - and impact parameter, 140f, 307f
 - radio waves and, 141–2
 - in Schwarzschild geometry, 306
 - by Sun, 140–2
- deformation produced by gravitational wave, 188–90
- degenerate gas
 - of electrons, 368
 - of neutrons, 369
- density. *See also* specific kinds
 - of charge, 72
 - of energy, 66
 - of mass, 66
 - of mass in universe, 411t
 - of momentum, 66
 - of radiation, 411, 445
- density contrast, 459–60
- density parameters, 399–400, 410, 428, 436
 - from CBR anisotropy data, 402f, 472
 - from distance data, 399–400, 402f
- derivation of Einstein’s field equation, 284–91
- derivation of Maxwell’s equations, 95–9
- derivative along the curve, 253
- detectors of gravitational waves, 208–15
- determinant of metric tensor, 272
- deuterium abundance, 455
- deuterium production, 411
- diagnostic chart for evolution of universe, 429t
- Dicke’s test of gravitational vs. inertial mass, 23–4
- differential calculus, absolute, 222
- differential forms, 80–2. *See also* 1-forms
 - covariant derivatives and, 258
 - for current density, 86
 - in curved spacetime, 257–62
 - for electromagnetic field, 85, 87
 - geodesic equation and, 260
 - Maxwell’s equations and, 86
 - 1-forms, 80
 - p-forms, 85
 - Riemannian geometry and, 257–62
 - special relativity and, 76–87
 - tensors and, 82–4
 - 2-forms, 84–5
 - tangent vectors and, 80
 - for vector potential, 87
- differential manifold, 221
- differentiation
 - and parallel transport, 227–30
 - of tensor, 64, 226–31
 - of vector, 64, 81, 230–1, 258–9
- dipole moment, 14
- dipole term in cosmic background radiation, 406
- directional derivatives, as vectors, 79–80
- disk singularity of rotating black hole, 353
- distance
 - in curved spacetime, 117, 122, 236–8
 - in flat spacetime, 50–1
 - by radar ranging, 53, 238
- diurnal tide, 34n8
- Doppler shift, 406
 - gravitational time dilation and, 133–4
 - redshift and, 136, 395
 - time delay of light and, 146
- dual
 - of current density, 86
 - of electromagnetic field, 86
- dummy index, 56, 62
- dyadosphere, 384
- early universe, 444–76
 - age and Hubble constant, 448
 - chronology of, 449f
 - cosmic background radiation in, 446
 - curvature of, 447
 - density of matter and radiation, 445
 - Einstein’s field equation for, 447
 - energy-momentum tensor and, 447
 - equal matter and radiation density, 446
 - eras and evolution of, 449–451
 - Friedmann-Lemaître model for, 446–7
 - hadron era of, 449–50
 - heavy elements in, 444, 455
 - helium in, 444, 451–6
 - homogeneity of, 447
 - Hubble age and, 448
 - hydrogen in, 446
 - inflationary model for, 462–73
 - initial value of density parameter, 464
 - Jeans mass and, 456–62, 458f
 - lepton era of, 450
 - mass density in, 448

- early universe (*cont.*)
 - matter era of, 446, 450
 - nucleosynthesis in, 405, 451–6
 - perturbations in, 456–62
 - perturbations with expansion, 459t
 - photons in, 446
 - quantum era of, 449
 - radiation era of, 446, 450
 - radius of curvature of, 448
 - singularity theorems and, 466
 - Standard Model for, 444
 - temperature of, 445–51
- Earnshaw theorem, 375
- Earth
 - cosmic background radiation and, 406
 - gravitational field of, 128
 - gravitational self-energy of, 26
 - gravitomagnetic field of, 167, 314
 - perihelion precession of, 303t
 - quadrupole moment of, 14
 - spin of, 167
 - spin-orbit coupling with gyroscope, 167–8, 313
 - spin-spin coupling with gyroscope, 169, 314
 - tidal forces and, 29–40, 33n8
- Earth-Moon system as gyroscope, 314
- eclipsing binaries, 200t
- Eddington, Sir Arthur, 283
- Eddington-Finkelstein coordinates, 341, 364
 - ingoing and outgoing, 382
- effective potential
 - Schwarzschild geometry and, 304–5
 - turning points and, 305
 - smallest stable orbit in, 305
- efficiency of thermodynamic engine, 362
- EGG. *See* electrostatic gravity gradiometer
- Einstein, Albert, 47
 - equivalence principle of, 41
 - Gedankenexperiment for redshift, 135–7
 - general relativity, 1, 15–16
 - gravitational waves and, 182
 - spacetime and, 47
 - perihelion precession and, 1
 - deflection of light and, 140–1
- Einstein-Cartan theory, 228, 228n3
- Einstein Cross, 155, 158
- Einstein rings, 155–6
 - angular radius of, 151
 - arcs and, 164
 - gravitational lenses and, 151–2
 - microlensing and, 158
- Einstein-Rosen bridge, 338
- Einstein summation convention, xviii, 55
- Einstein universe, 427
- Einstein’s field equation, 284–93
 - approaches to, 284, 288
 - assumptions for, 284, 290
 - Bianchi identities and, 286–7, 290
 - conservation law and, 286–7
 - coordinate conditions for, 288
 - cosmological models and, 418–28
 - cosmological term in, 291–3
 - derivation of, 284–5, 290–1
 - for early universe, 447
 - energy-momentum tensor and, 284, 286, 290
 - equation of motion and, 286–9
 - gauge transformation and, 276–84, 287–8
 - and Gauss’s law, 493–4
 - general invariance and, 287, 289
 - geodesic equation and, 287
 - and Hubble constant, 431
 - linear approximation for, 101–6, 285
 - in local geodesic coordinates, 284–5, 287
 - metric tensor and, 285
 - Newtonian potential and, 290
 - Riemann tensor and, 285
 - Schwarzschild solution and, 296
 - SEP and, 290
 - variational principle for, 486–9
- Einstein’s gravitational theory, 275–93. *See also*
 - Einstein’s field equation
 - Birkhoff’s theorem and, 298
 - coordinate independence and, 276–9
 - cosmological models and, 418–28
 - cosmological term and, 288–93
 - curved spacetime and, 288–9
 - field equation in, 284–93
 - gauge transformations and, 276–84
 - general covariance and invariance in, 276–84
 - light propagation and, 305–9
 - motion of planets and, 299–305
 - perihelion precession and, 1, 302–4
 - redshift and, 305–9
 - Schwarzschild geometry and, 293–9
 - tidal forces and, 29–41, 254–5
- electric charge
 - conservation law for, 72, 87
 - Reissner-Nordström geometry and, 346–7
- electric field
 - black hole and, 333–4
 - critical value of, 384–5
- electrodynamics. *See also* electromagnetism
 - electromagnetic field tensor, 71
 - energy-momentum tensor for fields, 74
 - gauge transformation of, 282
 - gravitational fields and, 282
 - Maxwell’s equations as tensor equations, 71–2, 282
 - nonminimal coupling for, 283–4, 283n5
 - relativistic formulation of, 71–6
 - SEP and, 283–4
 - in special relativity, 71–6
- electromagnetic field
 - analogy with gravitational field, 104t
 - of charged black hole, 348
 - as differential form, 87
 - described by field tensor, 71

- described by vector potential, 75–6
- dual of, 86
- energy density of, 75
- energy-momentum tensor of, 74–5, 484–5
- field equations for, 71–2, 483
- Lagrangian for, 484
- linearity of, 73n13
- Lorentz transformation of, 73–4
- self-energy of, 27
- electromagnetic field tensor
 - Lorentz transformation of, 73–4
 - in terms of **E** and **B**, 71
- electromagnetic vector potential, 75–6
- electromagnetism. *See also* electrodynamics
 - analogy with gravitation, 104
 - energy-momentum tensor for fields, 74, 484–5
 - as example of a linear theory, 95–101
 - Lagrangian for field equations, 484
 - Lagrangian for particle motion, 110
- electron-positron pairs, 293
- electrons, in early universe, 448–9
- electrostatic gravity gradiometer (EGG), 39, 40f
- elements, age of, 402–3
- elevator Gedankenexperiment, 136–7
 - Newtonian velocity-addition law and, 136–7
 - inertial reference frame and, 136
- emission of particles by black hole, 364
- empty Lemaître models
 - de Sitter model, 426
 - Einstein’s field equation and, 424, 425
 - for negative curvature, 425
 - for positive curvature, 424–5
 - radius of curvature vs. time, 425, 425f
 - for zero curvature, 425–6
- energy of circular orbit
 - in Kerr geometry, 347, 353
 - in Schwarzschild geometry, 347
- energy density, 64, 66
 - as source for gravitation, 101–2
 - of electromagnetic field, 75
 - of gravitational field, 184, 185n1, 485
- energy density in fields, 483, 485
- energy extraction from black hole, 353–5
- energy flux density, 65, 185
- energy-mass relation, 69–70
- energy-momentum four-vector
 - for complete system, 67
 - equation of motion and, 243, 287
 - for particle, 59
 - as tangent vector or as 1-form, 79, 81
- energy-momentum. *See also* energy momentum
 - four-vector, energy-momentum tensor
 - calculated from energy-momentum tensor, 67–9
 - canonical, 108, 111–2, 478
 - conservation law for, 59, 66, 70, 103
 - energy-momentum four-vector, 59
 - gravitational waves and, 185–6
 - relativistic, 59
 - energy-momentum tensor, 64–70, 482–5
 - canonical, 482, 492
 - conservation law for, 66–7, 70, 286, 482
 - conservation law from invariance, 489–90
 - definition of, 66
 - for dust cloud, 64–6
 - Einstein’s field equation and, 284, 286, 290, 489
 - of electromagnetic field, 74–5, 484
 - energy density and, 185, 483, 485
 - energy flux of gravitational wave and, 185
 - for fields, 482
 - for fluid with pressure, 66
 - for gravitational field, 170, 184–5, 284, 484, 492
 - for gravitational wave, 184–5, 191
 - for Klein-Gordon field, 483
 - for nonlinear gravitational field, 492
 - Lagrangian and, 111, 482–5
 - Landau-Lifshitz, 493n10
 - pseudo-energy-momentum tensor, 493
 - for radiation, 447
 - as source for gravitation, 101
 - symmetry of, 483
 - trace of, 101–2
 - for vacuum, 291
 - energy released by accretion
 - Kerr black hole, 376
 - Schwarzschild black hole, 376–7
 - energy as source of gravitational mass, 25–6, 25t
 - entropy density of gas, 475
 - entropy, black hole and, 362–3
 - Eötvös, Lorand von, 20, 26
 - test of gravitational vs. inertial mass, 20–3
 - torsion balance of, 21f, 22f
 - equal matter and radiation density, 446
 - equality of gravitational and inertial mass, tests of, 19–28, 21t
 - equation of motion. *See also* geodesic equation
 - comoving coordinates and, 412
 - covariant form of Newton’s equation, 277–8, 317
 - covariant reformulation of, 277
 - curved spacetime and, 289
 - Einstein’s field equation and, 287
 - in electromagnetic field, 74, 110
 - as Euler-Lagrange equation, 106–11, 117–8, 241–3, 289, 478
 - for fluid, 456
 - free fall and geodesic equation, 243
 - general coordinates and, 277
 - general covariance and, 277
 - geometric interpretation, 289
 - in gravitational field, 17–8, 106–11, 117–8, 242–3, 287, 289
 - in gravitational wave field, 187
 - inertial coordinates and, 277
 - from Lagrangian, 106–11, 117–8, 241–3, 289, 478
 - nonrelativistic limit and, 113
 - in Schwarzschild geometry, 299–300

- equation of motion (*cont.*)
 - SEP and, 283
 - for spin, 37, 310–2
 - variational principle and, 106–11, 242–3, 289, 478
- equivalence of gravitational and inertial mass. *See* equality of gravitational and inertial mass, tests of
- equivalence principle, 18–28
 - curved spacetime and, 122–3
 - of Einstein, 41
 - of Galileo, 17, 19–20, 41, 287
 - gravitational time dilation and, 132
 - of Newton, 18–19, 28, 287
 - special relativity and, 137
 - strong (SEP), 41, 283
 - tests of, 21t
 - time dilation and, 135–7
 - weak (WEP), 41
- ergosphere, 353–4
 - and energy extraction, 353
- Euclidean topology, 49
- Euler-Lagrange equation, 108–11. *See also* equation of motion; geodesic equation
 - in curved spacetime, 117–8, 241–3
 - for free particle, 106–9, 478
 - in electromagnetic field, 109–10
 - in gravitational field, 110–12, 117–8, 241–3, 289
 - variational principle and, 106–11, 241–3, 289, 478
 - as geodesic equation, 118, 241–3
- event horizon, 329–35
 - in flat spacetime, 329–30
 - as global property of spacetime, 330
 - hydrodynamic analog for, 386
 - infinite-redshift surface and, 330
 - in Kerr geometry, 349–51
 - light cones and, 331, 331f, 342f, 352f
 - as one-way membrane, 329
 - in Rindler coordinates, 329–30
 - and singularity, 329
 - in Schwarzschild geometry, 329–42
- evolution of galaxies, 462
- exoplanets, microlensing by, 158–9
- exotic particles, 390, 409, 461
- EXPLORER, 210t
- exterior calculus
 - special relativity and, 76–87
 - tangent vectors in, 78–80
- exterior derivative of p -forms, 85–6
- exterior product of 1-forms, 84
- extremum action, 101. *See also* variational principle
- extrinsic curvature, 221–2
- Fermi coordinates, 235
 - construction of, 236f
 - Fermi-Walker transport and, 257
 - parallel transport and, 255
- Fermi energy, 368–9
- Fermi gas
 - of electrons, 368
 - of neutrons, 369
- Fermi momentum, 368–9
- Fermi transport, 235–6
 - Fermi-Walker transport and, 256
- Fermi-Thomas method, 370–2, 386
- Fermi-Walker transport, 255–7
 - Fermi coordinates from, 257
 - Fermi transport and, 256
 - four-velocity and, 256
 - gyroscopes and, 257
 - Lorentz transformation and, 256–7
 - Thomas precession and, 310
- Feynman diagram, 364
- field, 62
 - action-at-distance vs. local action by fields, 2
 - Lagrangian for fields, 479–82
- field equation. *See* Einstein's field equation; Maxwell's equations
- fifth force, 8–9
- First Rule for Reasoning in Philosophy, by Newton, 104, 187
- flat spacetime
 - Christoffel symbols for, 229
 - event horizon in, 335
 - equation of motion in, 74, 108
 - Maxwell's equations in, 71–6
 - metric tensor of, 55
 - parallel transport in, 229
 - Riemann tensor and, 245
 - in Rindler coordinates, 329–30
- flatness puzzle, 463–5
- fluid, equation of motion for, 457
- flux theorem for gravitational field, 491–6
- force density, 70
- force law, inverse-square, 2
- 4-D manifold, 48
- 4-D vectors, 79
- 4-D volume, 67
- four-momentum, 59, 61
 - equation of motion and, 243, 287
- fourth-rank tensor, Riemann curvature tensor as, 246
- four-vector potential, 75
 - field equation for, 76, 99
 - and field tensor, 75, 99
 - gauge transformation for, 99
 - in Lagrangian, 483–4
 - as 1-form, 87
 - and scalar and vector potential, 75
- four-velocity, 58–61
 - in equation of motion, 111–2
 - and energy-momentum tensor, 65
 - and four-momentum, 59
 - in Lagrangian, 107–8
- frame-dragging, 168
- free fall
 - in atomic fountain, 26

- of antimatter, 28
- of cesium atoms, 26
- of clock, 119–20, 123
- of electrons, 26
- of elevator, 135–7
- and Galileo, 19–20
- and geodesic equation, 243
- of neutrons, 26
- of spacecraft, 29
- and tidal forces, 29–34
- free index, 56
- free-fall coordinates, 235. *See also* Fermi
 - coordinates; geodesic coordinates
- free-fall experiments, 26
- free-fall time
 - in black hole, 333
 - in cloud of gas, 458
- freely falling clocks, 119
 - gravitational time dilation and, 137
- freely falling particle
 - equation of motion for radial motion, 321
- freely falling reference frame, 130. *See also*
 - geodesic coordinates
 - Fermi coordinates and, 235
 - geodesic coordinates and, 243, 287
 - SEP and, 283
 - tidal forces in, 29–34
- freeze-out of reaction, 451
- frequency shift from gravitational time dilation, 132.
See also redshift
- frequency of wave in static medium, 147
- Friedmann models, 418–24
 - age vs. density parameters, 438
 - Einstein’s equation and, 420, 422, 423, 431
 - with negative curvature, 422–3
 - with positive curvature, 419–22
 - radius of curvature vs. time, 422–424, 422f
 - with zero curvature, 423–4
- Friedmann-Lemaître models, 419, 426–8, 437t
 - age vs. density parameters, 435, 440
 - diagnostic chart for, 429
 - for early universe, 446
 - Einstein’s equation and, 428
 - horizon distance vs. density parameters, 440
 - observable parameters for, 434
 - for our universe, 437t
 - with positive or negative curvature, 426–7
 - radius of curvature vs. time, 428, 435f, 436f
 - with zero curvature, 428
- frozen star, 372–3
- fundamental constants, xv
- Fundy, Bay of, 34
- G. See* gravitational constant
- galaxies
 - black holes in, 377–8
 - clusters of, 390, 461
 - dark mass in, 157, 461
 - distribution of, 391, 391f
 - Einstein rings and, 151
 - evolution of, 462, 463f
 - gravitation in, 6
 - as gravitational lenses, 151–2, 154–7, 155f, 156f
 - missing mass of, 409
 - pancakes of, 462
 - perturbations and, 462
 - radio, 392
 - redshift for, 394–6
 - rotation curves of, 408f
 - Seyfert, 377
 - spiral, 408–9
 - systems of, 318t
 - and voids, 462
- Galilean transformation, 54
- Galileo Galilei, 19–20
- Galileo Galilei experiment (GG), 25
- Galileo’s equivalence principle, 17, 19, 287
- Galileo’s test of free fall, 19–20
- gamma rays
 - black holes and, 366–7
 - redshift of, 132–3
- Gamow, George, 451
- gauge function, 99, 184, 187
- gauge symmetry, 99, 281
- gauge transformation
 - as coordinate transformation, 280–1
 - Einstein’s field equation and, 280–1, 287–8
 - in electrodynamics, 282
 - for four-vector potential, 99–100
 - general invariance and, 280
 - of gravitational field, 105–6, 280–82
 - of gravitational wave, 184–6, 187
 - metric tensor and, 280
 - supplementary, 184, 187
 - as symmetry, 99, 281
- gauge waves, 184–5
 - as phantoms, 185
- Gauss’s law
 - in electromagnetism, 348, 493
 - in gravitation, 8, 493
- Gauss’s theorem
 - conservation of energy-momentum and, 287
 - in 4-D, 67–8
- general coordinate transformation, 224–5
- general coordinates, 223, 278–9
 - covariance and invariance under, 276–9
- general covariance
 - Christoffel symbols and, 277
 - Einstein’s gravitational theory and, 276–84
 - equation of motion and, 277
 - pseudo-forces and, 278
 - redundant character of, 278
- general invariance, 275–6
 - coordinate transformations and, 279
 - definition of, 279
 - Einstein’s field equation and, 289

- general invariance (*cont.*)
 - Einstein's gravitational theory and, 276–84
 - as an elective symmetry, 289
 - gauge transformation and, 280–1
 - gravitational mass and, 281
 - inertial mass and, 281
 - laws of physics and, 279
 - Maxwell's equations and, 282
 - metric tensor and, 279
 - pseudo-forces and, 278
 - symmetry and, 279
- general relativity, 275–93. *See also* Einstein's gravitational theory
 - as relativity of acceleration, 275–6
 - geometrodynamics and, 276
- generalized Lagrangian coordinate, 96
- geodesic. *See also* geodesic equation
 - as straightest curve, 232–3
 - as curve of extremum length, 232, 241–242
- GEO, 213t
- geodesic coordinates
 - cosmological term in, 291
 - Einstein's field equation and, 284–5
 - and equation of motion, 287
 - and freely falling reference frame, 283
 - local, 277, 283, 287
 - SEP and, 283, 290
 - tidal force in, 318
- geodesic deviation, tidal forces and, 252–5
- geodesic equation, 118
 - in affine geometry, 233
 - constants of motion for, 300–1
 - for comoving coordinates, 412
 - differential forms and, 260
 - Einstein's field equation and, 287
 - for extremal proper time interval, 242
 - free fall and equation of motion, 243
 - in linear approximation, 117–8, 289
 - in local geodesic coordinates, 235
 - in metric geometry, 233, 241–2
 - in Kerr geometry, 345
 - normal form of, 233
 - for parallel transport of momentum, 243
 - for parallel transport of tangential segment, 233
 - parametrization of, 233
 - in Schwarzschild geometry, 299–300
 - Riemannian geometry and, 232–6
- geodetic precession, 170, 309–16
 - angular velocity of, 312
 - of gyroscope, 309, 313f, 315
 - of Hulse-Taylor binary pulsar, 315
- geodesically complete manifold, 337
- geometric interpretation
 - in linear approximation, 117–23
- geometric structure of spacetime, 48–50, 221–2
- geometrodynamics, 276
- geometry
 - affine, 221, 226–8, 232–3
 - intrinsic vs. extrinsic, 221–2
 - metric, 236–243
- GG. *See* Galileo Galilei experiment
- Global Positioning System (GPS), 135
- globular clusters, age of, 403–4
- gluons, in early universe, 449
- gradient operator
 - in spacetime, 63
 - tangent vectors and, 81
- GOCE. *See* Gravity Field and Ocean Circulation Explorer
- GPS. *See* Global Positioning System
- gradiometer for gravitational field, 38–9
- Grand Unified Theory (GUT), 444–5, 467–9
- gravitation
 - acceleration of, 41
 - as action-at-distance, 2
 - analogy with electromagnetism, 104t
 - of antiparticles, 28
 - Einstein's field equation for, 284–93
 - electromagnetic energy and, 25t, 27
 - electromagnetic fields and, 27
 - energy-momentum tensor as source for, 101–2
 - and equation of motion, 110–12
 - as field, 2
 - and field equation for linear approximation, 101–6
 - in galaxies, 6
 - geometric interpretation of, 117–23
 - gravitational energy and, 25t, 26
 - inverse-square force and, 2
 - of kinetic energy, 25t
 - of K^0 mesons, 28
 - linear approximation for, 95–122
 - Maxwell's equations and, 282
 - potential energy and, 2
 - of positrons, 28
 - strong-interaction energy and, 25t, 27
 - tidal fields as measure of, 34–41
 - weak-interaction energy and, 25t, 27
- gravitational binding energy
 - particle orbits and, 305, 346, 347f
 - released in accretion, 305, 346
- gravitational collapse
 - black holes and, 324–87
 - electromagnetic waves emitted in, 373
 - gravitational waves emitted in, 207–8, 373
 - and Hawking-Penrose theorem, 374
 - and Kruskal diagram, 341
 - maximal Kerr geometry and, 357, 359
 - of stars, 372–5
 - trapped surface and, 374–5
- gravitational constant (G), 2
 - definition of, 18
 - limit on rate of change, 203
 - measurements of, 3–4, 3t
- gravitational field. *See also* Einstein's field equation
 - as acceleration field, 11
 - analogy with electromagnetic field, 104t
 - atomic clocks and, 123
 - clocks and, 119, 122

- deflection of light and, 130, 138
- of Earth, 128
- energy in, 12–3
- energy-momentum tensor of, 170, 185, 284, 484–5
- field equations, 104, 284–6, 484
- geometric interpretation of, 117–23
- gravitomagnetic, 115–6
- homogeneous, 41n10
- inertial reference frame and, 39
- Lagrangian for field, 484
- Lorentz group and, 186, 281
- of mass distribution, 128
- metric tensor and, 117, 284
- neutrino speed in, 149
- potential energy in, 12
- vs. pseudo-force field, 41
- of rotating mass, 163–70
- Riemannian geometry for, 275
- of Sun, 26–7, 14–6, 128
- as 2nd rank tensor vs. 3rd rank tensor, 102
- of spherical mass, 127–30, 295, 298
- as tensor field, 102–6
- tidal forces and, 29–41, 255
- gravitational field equation. *See* Einstein’s field equation
- gravitational force, 2, 17
 - linear superposition of, 11
 - tidal force and, 29–41, 282
- gravitational lens, 149–59
 - brightness of image, 162
 - caustic surface and, 152–4
 - dark mass and, 157
 - diffraction effects, 162
 - Einstein rings and, 151–2
 - galaxies and, 152–7
 - image ellipse for, 162
 - images produced by, 150
 - impact parameter and, 151
 - multiple images and, 149–50
 - number of images, 152
 - optics of, 150, 159–70
 - quasars as sources for, 153–4, 157
 - redshift and, 154
 - search for black holes and, 376
 - with spheroidal symmetry, 160
 - stars and, 151
 - supernovas as sources for, 157
 - as telescopes, 157
 - wavefronts and, 152
- gravitational mass, 17–9
 - acceleration and, 18
 - active and passive, 18n3, 494–5
 - definition of, 17–8
 - equality with inertial mass, 19–28, 21t, 491, 494
 - flux theorem and, 491–6
 - forms of energy and, 25–6, 25t
 - general invariance and, 281
 - inertial mass and, 2, 17–9, 298
 - negative, 28
 - weight and, 20
- gravitational mass density, 291–2
- gravitational multipoles, 13–16
- gravitational potential, 11–14
 - Laplace equation and, 32
 - of mass distribution, 11–12
 - mean-value theorem for, 12
 - multipole expansion for, 13–14
 - of mesons, 28
 - of system of particles, 11
 - uniqueness theorem for, 12
- gravitational potential energy, 2
 - as field energy, 13
 - of mass distribution, 12–13
- gravitational radiation. *See also* gravitational waves
 - angular distribution, 194–5, 197
 - astrophysical sources of, 208t
 - from binary systems, 200t, 204–5
 - from coalescence of binary system, 204–5
 - emission of bursts of, 204–8
 - energy flux density of, 193–4
 - from galactic nuclei, 208
 - from gravitational collapse of supernova, 207–8
 - from infalling particle, 205–7
 - radiated power, 195
 - from rotating quadrupole, 199–204
 - sources of, 196, 200–4, 207–8, 208t
 - special relativity and, 182
 - from supernovas, 207
 - from vibrating quadrupole, 196–8, 208
- gravitational quadrupole radiation. *See* gravitational radiation
- gravitational radius. *See* Schwarzschild radius
- gravitational redshift, 132–4, 308–9. *See also*
 - gravitational time dilation
 - and Doppler shift, 135–6
 - infinite, 325–32, 349–51, 359f
 - elevator Gedankenexperiment and, 136–7
 - Killing vector and, 308–9
 - Mössbauer effect and, 132–3
 - tests of, 134
 - time dilation and, 132, 308–9
- gravitational self-energy, 13, 26
 - of Earth, 26
 - as field energy, 13
 - of Moon, 26
 - and Nordvedt effect, 27–8
 - in particles, 491, 495
 - as source of gravity, 25t, 26
- gravitational sources in terms of energy, 25
- gravitational theory of Newton, 1–45, 112–16
- gravitational time dilation, 130–7
 - atomic clocks and, 133–5
 - by black hole, 332
 - Doppler shift and, 133–4
 - Einstein’s elevator Gedankenexperiment, 135–7

- gravitational time dilation (*cont.*)
 - equivalence principle and, 132
 - freely falling clocks and, 137
 - frequency shift and 132
 - GPS and, 135
 - hydrogen-maser clocks and, 133–4
 - infinite, 325–32, 349–51, 359f
 - Mössbauer effect and, 132–3
 - in PSR 1913+16, 201
 - special relativity and, 136
 - tests of, 134t
- gravitational waves, 182–219
 - angular distribution of emission, 194–5, 197
 - astrophysical sources of, 208t
 - from binary systems, 200t, 204–5
 - bursts of, 204–8
 - circular polarization of, 186
 - deformation produced by, 188–90
 - detectors of, 208–15
 - emission of, 191–6
 - energy and momentum of, 185–6
 - energy flux of, 185, 193
 - energy-momentum tensor of, 184–5
 - gauge transformation for, 184–6, 187
 - Hilbert gauge condition for, 182–4
 - interferometric detectors of, 211–15, 213t
 - from linear quadrupoles, 196–89
 - metric tensor of, 188
 - interaction with particles, 187–91
 - plane waves, 182–7
 - polarization tensor for, 183, 186
 - pulsar timing and, 214–5, 219
 - resonant detectors of, 208–10, 210t
 - from rotating quadrupoles, 199–204
 - sources of, 208t
 - special relativity and, 182
 - stars and, 204
 - tidal force from, 189–90
 - typical sources and amplitudes of, 208t
 - vibrating quadrupole as source of, 196–98
 - wave equation for, 182
 - wave equation with sources, 191–3
- gravitino, 409
- gravitomagnetic field, 115–6
 - analogy with Maxwell’s equations, 115–6
 - of Earth 314, 167
 - Lense-Thirring effect and, 167, 169
 - precession of gyroscope and, 314
- graviton, 105
 - in early universe, 450
 - mass of, 6
 - spin of, 186, 281
 - Yukawa potential and, 5–6
- Gravity Field and Ocean Circulation Explorer (GOCE), 39–40, 40f
- gravity gradiometer, 38–40
- Gravity Probe B, 38, 164, 170, 315
 - geodetic precession and, 316
 - Lense-Thirring precession and, 316
- gravity of gravitational energy, 26–7
- group representations, 186, 281
- GUT. *See* Grand Unified Theory
- gyroscope
 - equation of motion for spin of, 37, 310
 - Fermi-Walker transport and, 257
 - geodetic precession of, 170, 309, 313f, 315
 - Lense-Thirring precession of, 170, 315
 - parallel transport and, 309–10
 - Riemann tensor and, 310
 - spin-spin coupling to Earth, 314
 - transport along geodesic and nongeodesic, 310
- hadron era of early universe, 449–50
- Hamilton’s principle. *See* variational principle
- Hamiltonian, 478–9, 481
 - as constant of motion, 478, 482
 - as energy, 478–9, 481–2
 - for fields, 481
 - for particles, 478
- Hamilton’s variational principle. *See* variational principle
- Harrison-Wheeler critical mass, 370–1
- Hawking-Penrose theorem, 374–5
 - quantum fields and, 375
- Hawking’s area theorem, 354–5
- heavy-element formation in early universe, 451–2, 455
- Heisenberg, Werner, 221
- Heisenberg uncertainty principle, 212
- helicity of wave, 186
- helium
 - abundance of, 453, 455
 - Big Bang and, 451
 - in early universe, 444, 451–6
 - synthesis of, 451–5
- Hertzprung-Russell diagram, 403–4
- higgsinos, 409
- High-*z* Supernova Search Team, 400–1
- Hilbert gauge condition, 105–6, 288
- homogeneity of universe. *See also* isotropy of universe
 - comoving coordinates and, 413
 - of early universe, 447
 - of galaxy distribution, 391
 - of large-scale structure of universe, 390
- homogeneous gravitational field, 41n10
- homogeneous, isotropic models of universe, 417t, 426t. *See also* Robertson-Walker geometries
- horizon. *See* event horizon; Cauchy horizon; particle horizon
- horizon distance, 432
 - rate of increase of, 433
 - smoothness puzzle and, 465
- hot dark mass, 461
- Hubble age, 402
 - and actual age, 402–4
 - in early universe, 448

- in models of universe, 435, 437t, 438
- and reaction rate, 453
- Hubble constant, 395
 - from distance data, 396
 - from CBR anisotropy data, 397, 472
 - and acoustic oscillations, 472
 - gravitational lensing and, 158
 - in models of universe, 435, 437t, 438
 - propagation of light and, 430
 - and radius of curvature, 431
 - and reaction rate, 451, 453
 - and redshift, 395–6
 - from data on time delay, 158
 - uncertainties in, 400
- Hubble Space Telescope, 154–5, 378f
- Hubble’s law, 396–401
 - propagation of light and, 430–1
- Hulse-Taylor binary pulsar. *See* PSR 1913+16
- Hyades cluster, 393
- hydrodynamic analog for horizon, 386
- hydrogen
 - in early universe, 446
 - recombination of, 446
- hydrogen-maser clocks, 133–4
- hydrostatic models of neutron stars, 371
- hyperbolic motion, 90
- hypersphere, 414
- hypersurface, 67–8
- ideal test particle 491, 495
- ignorable coordinate in Lagrangian, 268
- impact parameter
 - bending angle and, 307f
 - deflection of light vs, 140
 - gravitational lenses and, 151
- indices
 - free and dummy, 56
 - lowering and raising, 60
- inertia tensor, 37–8
- inertial coordinates, 278. *See also* inertial reference frame
- inertial mass, 17–19
 - definition of, 17
 - equality with gravitational mass, 19–28, 21t, 491, 494
 - flux theorem and, 491–6
 - general invariance and, 281
 - gravitational mass and, 2, 17–28, 298, 491, 494
 - mass-energy relation, 69–70
 - Newton and, 20
- inertial reference frame, 17, 29, 47, 49
 - construction of inertial reference frame, 49
 - coordinate transformations of, 53
 - elevator accelerating relative to, 136
 - equation of motion and, 277
 - and freely falling reference frame, 29, 243
 - gravitational field and, 39
 - Maxwell’s equations in, 47
 - and noninertial reference frame, 17
 - relativity principle and, 47
- infall velocity, 396
- infalling particle
 - gravitational radiation by, 205–7
- infinite redshift
 - clocks and, 328
 - event horizon and, 330
 - in Kerr geometry, 349–51, 359f
 - in Schwarzschild geometry, 325–32
 - singularity and, 325–9
- infinite-redshift surface
 - in Kerr geometry, 349–50
 - in Schwarzschild geometry, 329–30
- infinitesimal coordinate transformation, 263, 280–1
- infinitesimal Lorentz transformation, 265
- infinitesimal rotation, 265
- inflationary model, for early universe, 462–73
 - acoustic oscillations and, 470–1
 - cosmological constant and, 468
 - flatness puzzle and, 463–5
 - gravitational potential and, 470
 - GUT and, 467–9
 - monopole puzzle and, 467
 - open questions for, 473
 - phase transition and, 468–9
 - radius of curvature vs. T , 468, 469f
 - smoothness puzzle and, 465–7
 - initial value of density parameter, 464
- ingoing and outgoing Eddington-Finkelstein coordinates, 382
- interactions
 - Lorentz invariance and, 282
 - general invariance and, 282
- interferometric detectors of gravitational radiation, 211–15, 213t
 - LIGO, 213–4
 - pendulum mirror suspension for, 213–4
 - sensitivity of, 212–3, 213t
- intrinsic curvature, 221–2
- invariance. *See also* general invariance
 - for general coordinate transformations, 275–6, 279–80
 - for Lorentz transformations, 54, 71
 - for gravitational gauge transformations, 105–6, 280–1
 - for electromagnetic gauge transformations, 99–100
- inverse metric tensor, 84, 239, 260, 281
- inverse-square force law, 2
 - Gauss’s law and, 348
 - geophysical measurements of, 7–9
 - laboratory measurements of, 9–11
 - at large distances, 4
 - orbital observations of, 7
 - quadrupole moment and, 14
 - relativistic field theory and, 4–5
 - at short distances, 6–7
 - tests of, 4–11
 - torsion balance and, 9–10, 9f, 10f

- irreducible mass, 354–5, 384
- isometry of spacetime, 262–8
 - Killing vector and, 264
 - Killing’s equation and, 263
 - Lie derivative and, 264
 - metric tensor and, 262–3
- isotropic coordinates, 298
- isotropy of universe, 408
 - comoving coordinates and, 413–14
 - deviations seen in CBR, 407
 - and implied homogeneity, 390
 - large-scale structure of universe and, 390
- Jeans mass, 456–62
 - for baryons, 458f
- Jeans wavelength, 457
- Jordan’s theory, 104
- K^0 meson and antimesons, 28
- KAGRA, 213t
- Kepler orbits, 14, 14f
- Kepler’s third law, 199
 - in binary system, 199
 - in Schwarzschild geometry, 319
 - tests of inverse-square law and, 7
- Kerr geometry, 343–6
 - accretion disk, 376–9
 - disk singularity in, 353
 - geodesic equation in, 345
 - infinite-redshift surfaces and horizons in, 349–51, 358–9
 - light cones in, 352
 - maximal extension of, 356–60
 - naked singularity in, 360
 - radius and energy of circular orbit in, 347f
 - spacetime interval of, 343
 - spin angular momentum of, 344, 346n4
 - turning points for orbital motion in, 345–6
 - uniqueness of, 373
- Kerr-Newman geometry, 348
 - irreducible mass of, 355
 - magnetic dipole moment of, 348
 - uniqueness of, 373–4
- Killing vector, 262–8
 - conservation law and, 267–8
 - constants of motion and, 267
 - isometries and, 262–8
 - Killing’s equation for, 263
 - Lie derivative and, 264
 - linearly independent, 267
 - Lorentz transformation and, 265
 - rotations and, 265
 - in Schwarzschild geometry, 308
 - symmetries of spacetime and, 266
- Killing’s equation, 263
- kinetic energy
 - energy density and, 64
 - as source of gravity, 25t
- Klein, Felix, 66n9
- Klein-Gordon equation, 483
- Klein paradox, 355
- Kretschmann, Erich, 276, 278
- Kronecker delta, xvii, 56
- Kruskal coordinates, 335–41
 - compared with Rindler coordinates, 335
 - and gravitational collapse, 341
 - and maximal extension, 337
 - and Schwarzschild coordinates, 335, 336f
 - spacetime interval in, 335
 - time-dependence of geometry in, 337–8, 341
 - white holes and, 339
- Kruskal-Szekeres coordinates. *See* Kruskal coordinates
- LAGEOS. *See* Laser Geodynamics Satellite
- Lagrangian equation. *See also* Lagrangian; geodesic equation
 - comparison of particles and fields, 480t
 - in electromagnetic field, 74, 110
 - energy, momentum, angular momentum from, 112, 300
 - for fields, 481
 - for free particle, 106–9, 477–9
 - for geodesic, 117–8, 241–3, 289
 - geometric interpretation of, 117–123, 289
 - in linear approximation, 110–2, 117–8, 289
 - in metric geometry, 241–2
 - in Schwarzschild geometry, 299–300
 - in special relativity, 289
- Lagrangian
 - angular momentum from, 300
 - for Einstein’s field equation, 486–8
 - energy and momentum from, 111–12, 300
 - energy-momentum tensor and, 482–5
 - for field in linear approximation, 484
 - for free particle, 106–9, 477–9
 - ignorable coordinates and, 268
 - for Maxwell’s equations, 484
 - motion of planets and, 300
 - nonrelativistic and relativistic, 289
 - for particle in electromagnetic field, 109–10
 - for particle in linear approximation, 110–2, 117–8, 289
 - potential energy and, 111–12, 111n8
 - in Schwarzschild geometry, 300
 - variational principle and, 107–11
- Landau-Lifshitz energy-momentum tensor, 493n10
- Laplace equation, 32
- Laplace, Pierre S., 324
- Laplacian operator, in spacetime, 63
- large distances, inverse-square law at, 4–7
- large-scale structure of universe, 390–3, 461–2, 463f
- Laser Geodynamics Satellite (LAGEOS), 7, 169
- Lense-Thirring precession and, 314–6
- Laser Interferometer Space Antenna (LISA), 213t, 214
- laser ranging, 27, 316

- Lense-Thirring effect, 163–70. *See also*
 - Lense-Thirring precession
- Lense-Thirring precession, 167–70, 314–6
 - gravitomagnetic field and, 169
 - of gyroscope, 170, 315
 - LAGEOS and, 316
 - of orbital plane of satellite, 168–9
- lepton era, of early universe, 448, 450
- lepton number, 374
- LeVerrier, Urbain J. J., 1
- Lie derivative, 264
- Liénard-Wiechert potentials, 170
- light. *See also* propagation of light; deflection of light; time delay of light; redshift
 - circular orbit for, 324
 - deflection of, 138–42
 - invariance of speed of, 52
 - no-escape radius for, 324
 - redshift of, 132–7
 - slowing down in gravitational field, 147–9
 - time delay, 142–6
- light cone, 51
 - ergosphere and, 353
 - horizon and, 331
 - in Kerr black hole, 352f
 - in Schwarzschild black hole, 331f, 342f
 - in universe, 431–2
- light-element abundances, 454f, 455t
- LIGO, 191, 211, 213–14, 213t
- linear approximation for gravitation, 95–122
 - applications of, 127–80
 - as basis for Einstein’s nonlinear theory, 284–5
 - and conservation law for energy-momentum, 103
 - curved spacetime and, 117–23
 - deflection of light in, 138–42
 - equation of motion for, 106–12
 - energy-momentum tensor for, 184, 484–5
 - field equations for, 102–4, 284–5, 484
 - for field of rotating mass, 163–70
 - for field of spherical mass, 127–30
 - gauge transformation in, 104–6
 - geodesic equation in, 118
 - geometric interpretation of, 117–23
 - gravitational lens optics and, 159–70
 - gravitational lenses and, 149–59
 - Lagrangian for equation of motion, 111, 117
 - Lagrangian for field equation, 484
 - Lense-Thirring effect in, 163–70
 - Newton’s gravitational theory and, 112–16
 - nonlinear correction for, 172
 - nonrelativistic limit of, 112–16
 - perihelion precession in, 129
 - time delay of light in, 142–9
 - time dilation and redshift in, 130–7
 - variational principle in, 106–7, 118
- linear field equations for gravitation, 101–6. *See also* linear approximation
- linear superposition of gravitational forces, 11
- linear transformation, 53–4, 492
 - for Christoffel symbols, 243
- linearity of electromagnetic fields, 73n13
- Liouville theorem, 162n6
- LISA. *See* Laser Interferometer Space Antenna
- local action vs. action-at-distance, 2
- local geodesic coordinates, 234
 - and cosmological constant, 291
 - Einstein’s field equation in, 284–5, 287
 - energy-momentum conservation in, 287
 - equation of motion in, 287–8
 - and SEP, 283, 290
 - singularity and, 326–7
- Local Group, 390
 - cosmic distances in, 393
 - Virgo cluster and, 396
- local inertial coordinates, 234. *See also* local geodesic coordinates
- Local Supercluster, 390
- Lorentz group, 54
 - representations of, 186, 281
- Lorentz invariance
 - interactions and, 282
 - of laws of physics, 71, 275
 - principle of relativity and, 47, 71, 282
 - of spacetime interval, 52–2
 - of speed of light, 51–2
- Lorentz tensor, 59n6
- Lorentz transformation, 54
 - of **E** and **B**, 74
 - for electrodynamics, 71
 - of electromagnetic field, 73–4
 - Fermi-Walker transport and, 256–7
 - general, 58
 - Killing vector and, 265
 - matrix for, 57
 - of plane wave, 186
 - of position vector, 56–7
 - of spacetime coordinates, 56–7
 - of scalar, 58
 - of tensor, 59–60
 - of tensor field, 62–3
 - of vector, 57–8, 79
- Lorenz gauge condition, 100
- lowering tensor index, 60
- luminosity density of galaxies, 408, 410
- luminosity distance, 394
 - angular-diameter distance and, 434
 - propagation of light and, 433
 - redshift and, 433–4
 - redshift parameter and, 434
- luminosity
 - of mass in universe, 408, 410
 - of stars, 375
 - of stars vs. temperature, 403
 - of supernovas, 393–4
- luminous mass, density of, 411

- MACHOS. *See* massive compact halo objects
- Mach's principle, 17
- macrolensing, 152
- magnetic dipole moment, 348
- magnetic monopole, 467
- main sequence, 403–4
- manifold
 - geodesically complete, 337
 - maximal, 337
 - spacetime as, 48, 80, 221
- Mars
 - perihelion precession of, 303t
 - time delay of light and, 145
- mass. *See also* inertial mass; gravitational mass
 - critical, for neutron star, 370–2
 - critical, for white dwarf, 369
 - equality of gravitational and inertial mass, 18–28, 21t, 491, 494
 - flux theorem and equality of gravitational and inertial mass, 491–6
 - forms of energy and gravitational mass, 25–6, 25t
 - of graviton, 6
 - inertial and gravitational, 2, 18
 - irreducible, 354–5, 384
 - mass-energy relation, 69–70
 - of photon, 6
- mass density
 - of early universe, 448
 - proper, 66, 420, 420n13
 - of universe, 408–11, 411t
- mass dipole moment, 14
- mass quadrupole tensor, 14
- massive compact halo objects (MACHOS), 158
- mass-to-light ratio of galaxies, 408, 410
- matter density in early universe, 445–6
- matter era of early universe, 446, 450
- maximal Kerr geometry, 356–60
- maximal manifold, 337
- maximal Schwarzschild geometry, 335–42
- maximally symmetric spacetime, 267
- Maxwell's equations, 47, 71
 - from Coulomb's law, 55
 - covariant derivatives and, 282
 - curved spacetime and, 282, 333
 - derivation of, 95–9
 - as differential forms, 86
 - for four-vector potential, 96–9
 - general invariance and, 282
 - Lorentz transformation of field tensor, 73–4
 - relativity principle for, 71
 - tensor formulation, 71–2
 - white holes and, 339
- mean-value theorem for gravitational potential, 12
- mechanics, laws of, 47
- membrane paradigm, 333
- Mercury, 1
 - perihelion precession for, 15–16, 302, 303t
 - relativistic correction for motion of, 301
 - time delay of light and, 144–5
- metric geometry, 221, 233
 - affine geometry and, 240
 - geodesic motion in, 241–2
- metric tensor, 245. *See also* spacetime interval
 - Christoffel symbols and, 240, 242
 - clocks and, 130
 - comoving coordinates and, 413
 - conformal transformation, 104n
 - covariant derivative of, 239
 - of curved spacetime, 117, 237, 260
 - determinant of, 272
 - as dynamical field, 279
 - Einstein's field equation and, 285
 - gauge transformation of, 280
 - general invariance and, 279
 - for gravitational wave, 188
 - inverse of, 239
 - isometry and, 262–3
 - for Kerr geometry, 343
 - for Kerr-Newman geometry
 - measurement by radar ranging, 238
 - Minkowski, 55
 - for models of universe, 418–28
 - for Reissner-Nordström geometry, 348
 - Riemann tensor and, 245
 - in Riemannian geometry, 236–43
 - for Robertson-Walker geometries, 418
 - for rotating mass, 166
 - as 2nd-rank tensor, 237
 - for Schwarzschild geometry, 295
 - singularity and, 325–6
 - in special relativity, 55–6
 - for spherical mass distribution, 127–8, 130
 - as tensor product, 83–4, 260
- Michelson interferometer, 211
- microlensing, 152
 - Einstein rings and, 158
 - by exoplanets, 158–9
 - by quasars, 158
 - by stars, 158
- MICROSCOPE experiment, 25
- Milky Way, 390
- miniholes, 366
- minimal-coupling principle, 283
 - SEP as, 290
 - violation in electrodynamics, 283–4
- Minkowski metric tensor, xviii, 55. *See also* metric tensor
- Minkowski, Hermann, 50
- missing mass, 409. *See also* dark mass
- modification of Einstein's equations, 466
- Modified Newtonian Dynamics (MOND), 6
- momentum. *See also* energy-momentum
 - calculated from energy-momentum tensor, 67–9
 - canonical, 108, 111–2, 478
 - conservation of, 67
 - energy-momentum four-vector, 59

- in fields, 482
- relativistic, 59
- momentum density, 65
- momentum flux density, 65
- MOND. *See* Modified Newtonian Dynamics
- monopole puzzle, 467
- Moon
 - gravitational self-energy of, 26
 - tidal force and, 32–4, 33n8
- Mössbauer effect, 132
- motion of planets
 - Einstein's gravitational theory and, 299–305
 - nonlinear corrections, 129, 301
 - perihelion precession, 302–3, 303t
- multipole expansion, 13–16
- muons, 449
- naked singularity, 358–9
 - in Kerr geometry, 360
 - in Reissner-Nordström geometry, 360
- NAUTILUS, 210t
- negative-curvature universe
 - empty Lemaître model for, 425
 - Friedmann model for, 422–3
 - Friedmann-Lemaître model for, 426–8
 - Robertson-Walker geometry for, 416–17, 417t
- negative gravitational mass, 28
- Neptune, 1
- neutrino, 474–5
 - decoupling, in early universe, 448–9
 - families of in Standard Model, 456
 - from Large Magellanic Cloud, 149
 - speed in gravitational field of, 149
- neutrino families and helium abundance, 456
- neutron
 - abundance in early universe, 453
 - free fall of, 26
 - and helium production in early universe, 451–5
- neutron-proton ratio, 453
- neutron star, 369–72
 - critical mass of, 370–2
 - Fermi-Thomas model of, 370–1
 - formation of, 373
 - radius of, 372
 - structure of, 370
 - as vibrating quadrupole, 198
- Newcomb, Simon, 1
- Newton, Isaac
 - on cosmology, 389
 - First Rule for Reasoning in Philosophy, 104, 187
 - gravitational theory of, 1–41
 - laws of mechanics of, 47
 - test of gravitational vs. inertial mass, 20
- Newtonian spacetime, 47, 49
 - Galilean transformation and, 54
 - and invariant space and time distances, 54
- Newtonian time, absolute, 50, 278
 - and synchronization, 49
- Newtonian momentum, 59
- Newtonian potential
 - compared with relativistic linear approximation, 113–4
 - with cosmological constant, 291–2
 - for mass distribution, 11
 - for Schwarzschild geometry with cosmological constant, 299
 - Taylor-series expansion for, 13
 - for tidal force, 32–3
- Newtonian spacetime, 47, 49, 51
 - Galilean transformation for, 54
 - invariant distances in, 54
- Newtonian time, absolute, 278
- Newtonian velocity-addition law, 136–7
- Newton's equation in covariant form, 277–8, 317
- Newton's gravitational theory, 11–6
 - compared with relativistic linear approximation, 112–6
- Newton's laws
 - first law, 53
 - second law, 49, 70
 - relativistic version of second and third laws, 70
 - third law, 70
- Newton's principle of equivalence, 18–28, 287
- Newton's test of gravitational vs. inertial mass, 20
- Newton's theorem, 12
 - compared with Birkhoff's theorem, 298
- no-escape radius, 324
- Noether's theorem, 100n3, 479
- nonbaryonic matter, mass density of, 411
- noncommuting derivatives in Riemannian geometry, 249–50
- nonlinear terms in gravitational field, 172
- nonrelativistic limit
 - Newton's gravitational theory and, 112–16
- Nordvedt effect, 27–8
 - alternative theories of gravitation and, 28
- normal coordinates, 252
- normal form of geodesic equation, 233
- nova, vibrating quadrupole and, 198
- n*-tuple, 77
- nuclear vibration frequency, 123
- nucleosynthesis
 - Big Bang and, 404
 - in early universe, 405, 451–6
- object horizon, 431. *See* particle horizon
- observable parameters for Friedmann-Lemaître models, 434
- Occam's razor, 104
- ocean basins, oscillations of, 34
- 1-forms, 80–2
 - energy-momentum vector and, 81
 - vector and, 81, 258
 - tensor and, 82–3, 258
- one-way membrane, 329, 337
- Oppenheimer-Volkoff critical mass, 370–1

- orbital angular momentum of planet
 - in Kerr geometry, 345–7
 - in Schwarzschild geometry, 300, 304–5
- orbital angular momentum in protons, 228n3
- orbital plane, Lense-Thirring precession of, 168
- oscillating quadrupole, 16, 193
 - as source of gravitational waves, 193
- oscillation of accretion disk, 381
- oscillation of ocean basins, 34
- oscillations of Sun, 15–16
- Palatini method, 487–8
- pancakes of galaxies, 462
- parallax, 393
- parallel transport
 - of contravariant vector, 228
 - of covariant vector, 227
 - in curved spacetime, 226–32
 - Fermi coordinates and, 235, 255
 - Fermi-Walker transport and, 310
 - in flat spacetime, 229
 - gyroscopes and, 309–10
 - on parallelepiped, 247–8
 - on parallelogram, 244–5
 - and Riemann tensor, 244–5, 247–8
 - of vector, 221, 227–8, 239, 245, 259
- parametrized post-Newtonian formalism (PPN), 116
- particle
 - emitted by black hole, 365
 - energy-momentum tensor of, 64–66
 - energy-momentum vector of, 59, 79
 - equation of motion, 17, 243, 287
 - equation of motion and Einstein’s field equation, 287
 - exotic, 390, 409, 411
 - Galileo principle for, 17
 - geodesic equation for, 117–8, 241–3, 287
 - gravitational force for, 2
 - gravitational potential for, 2
 - interaction with gravitational wave, 187–91
 - Lagrangian for, 117–8, 241–2, 477–9
 - mass distributions behaving as, 12
 - motion in Schwarzschild geometry, 299–305
 - motion in Kerr geometry, 345–7
 - relative acceleration of, 253–4
 - test particle, 287, 491, 495
- particles, kinds of
 - axino, 461
 - axion, 461
 - baryons, 449, 458
 - electron, 25–8, 72, 366, 368–9, 450
 - exotic, 390, 409, 411
 - gravitino, 461
 - graviton, 366, 449, 450
 - hadrons, 449
 - K mesons, 366
 - leptons, 450
 - magnetic monopole, 461
 - maximon, 461
 - muon, 366, 450
 - neutralino, 461
 - neutrino, 366, 461, 450
 - neutron, 21, 25–8, 72, 366, 369, 450–4
 - nucleons, 450–4
 - photino, 461
 - photon, 366, 450
 - pion, 366
 - positron, 366
 - proton, 25–8, 72, 366, 369, 450–4
 - pyrgon, 461
 - quark, 461
 - Snutrino, 461
 - tau, 450
 - W boson, 449
 - WIMP, 458, 461
 - Z boson, 449
- particle horizon, 431
 - recession speed and, 433
 - in universe, 428–34
- passive gravitational mass, 18n3
- pendulum mirror suspension, 213–4
- Penrose diagrams, 356–60
- Penrose process, 353–5
- Perfect Cosmological Principle, 392
- periastron precession of PSR 1913+16, 201, 304
- perihelion precession
 - in Einstein’s general relativity theory, 1, 15–16, 299–305
 - for inner planets, 303t
 - in linear approximation, 129
 - for Mercury, 15–16
 - nonlinear corrections for, 129
 - for planets, 302–4, 303t
 - and quadrupole moment of Sun, 15
 - in Schwarzschild geometry, 299–305
- perturbations
 - in early universe, 456–62
 - in early universe with expansion, 459t
 - galaxies and, 462
 - in general relativity, 460
- p*-forms, 85
 - exterior derivative of, 85–6
- photino, 409
- photon
 - decoupling, 446
 - deflection of light and, 138–42
 - in early universe, 446, 449
 - mass of, 6
 - redshift of light and, 308–9
 - time delay of light and, 142–4
- photosphere, 306
- Planck length, 6, 49, 293
- Planck mass, 293, 448
- Planck spectrum, 406. *See also* cosmic background radiation
- Planck time, 449

- plane electromagnetic wave
 - polarization vectors for, 100–1
 - spin of, 100n2, 186
- plane gravitational wave, 182–7
 - with circular polarization, 186
 - energy flux of, 185
 - energy-momentum tensor of, 185
 - gauge transformation of, 184–6, 187
 - Hilbert gauge condition for, 182–4
 - polarization tensors for, 183, 186
 - spin of, 186
 - wave vector of, 183
- planetary orbit
 - angular momentum of, 300
 - binding energy of, 305
 - effective potential for, 304–5
 - energy of, 305
 - equation of orbit, 302
 - orbital energy in Schwarzschild geometry, 300–1
 - orbital energy in Kerr geometry, 345–7
 - perihelion precession of, 302–4, 303t
 - as precessing ellipse, 302
 - in Schwarzschild geometry, 302–2
- planet
 - exoplanet, 158–9
 - equation of motion of, 129, 299–305
 - perihelion precession of, 302–4, 303t
 - time delay of light signal to, 142–4
- Poincaré group, 54
- Poisson equation, 12
- polar orbit, Lense-Thirring precession of, 168–9
- polarization tensors for gravitational waves, 183–4
- position vector
 - contravariant components of, 56, 60, 225
 - covariant components of, 56, 60–1, 225
- positive-curvature universe
 - empty Lemaître model for, 424–5
 - Friedmann model for, 419–22
 - Friedmann-Lemaître model for, 426–8
 - Robertson-Walker geometry for, 414–16, 417t
 - radial length in, 415
- positrons
 - in early universe, 448
 - electron-positron pairs, 293
 - free fall of, 28
- post-Newtonian formalism, 116
- potential energy
 - for inverse-square force, 2
 - Lagrangian and, 111–12, 111n8
- Poynting vector, 75, 116
- PPN. *See* parametrized post-Newtonian formalism
- precession. *See also* de Sitter precession; geodetic precession; Lense-Thirring precession; perihelion precession; Thomas precession
 - Lense-Thirring, of satellite orbit, 167–9
 - Lense-Thirring, of gyroscope, 169–70, 315–6
 - geodetic, 170, 309–14
 - de Sitter, 170, 309–14
 - of periastron, 201, 304
 - of perihelion, 1, 15, 302, 304
 - Thomas, 312–3
- primeval explosion, 447
- primordial gas, 452
- primordial helium, 451–6
- Principe (Gulf of Guinea), 141
- principle. *See specific kind of principle*
- prior geometry, 279
- propagation of light, 305–9
 - and deflection, 138–41, 305–8
 - equation for trajectory, 306
 - Hubble’s law and, 430–1
 - luminosity distance and, 433
 - photosphere, 306
 - and redshift, 130–1, 143n3, 147, 430, 433–4
 - and time delay, 142–9
 - universe and, 428–34
 - worldlines and, 429
- proper mass density at present time, 420n13
- proper particle density, 65
- proper time interval. *See also* spacetime interval
 - in gravitational field, 112, 117, 119–22, 237
 - in special relativity, 58
- proton-antiproton pairs, 293
- pseudo-energy-momentum tensor, 493
- pseudo-force, 17
 - of acceleration, 41
 - centrifugal, 22–3, 23f, 278, 317
 - Coriolis, 278, 317
 - general covariance and, 278
 - gravitational force and, 17, 22, 282
 - tidal force vs., 282
 - as transformation function, 278
- pseudosingularity
 - as coordinate singularity, 326, 328
 - Riemann tensor and, 326–7
 - in Rindler coordinates, 328
 - in Schwarzschild geometry, 325–9
 - tidal forces and, 326
- PSR J0737-3039, 146
- PSR 1913+16, 201–3
 - decrease of period, 202–3
 - geodetic precession and, 315
 - gravitational time dilation in, 201
 - gravitomagnetic effects in, 203
 - masses of components, 202
 - observed parameters of, 201t
 - periastron precession of, 201, 304
 - rate of change of G , 203
 - special-relativistic time dilation in, 201
- pulsar. *See* neutron star
- pulsar timing and gravitational waves, 214–5, 219
- pure transformations, 58
- quadrupole
 - mass quadrupole tensor, 14
 - rotating, 16, 199–204

- quadrupole (*cont.*)
 - vibrating, 16, 196–8
 - time-dependent, 16
- quadrupole moment
 - of Earth, 14
 - Taylor series expansion of potential and, 14
 - perihelion precession and, 15
 - of Sun, 13–16, 303
- quadrupole, linear, 196–8
- quadrupole radiation, 195
- quantum era of early universe, 449
- quantum field
 - Hawking-Penrose theorem and, 375
 - theory, 365
- quarks, in early universe, 449
- quasar
 - as source for gravitational lens, 153–5, 157
 - gravitational waves and, 182
 - redshift of, 392
 - size of, 158
 - as source for microlensing, 158
 - twin of, 154–5, 157
- quasilinear, 284
- quasiperiodic oscillations of accretion disk, 381
- quotient rule, 69n10
- radar astronomy, 1
- radar ranging
 - for space intervals, 120–1
 - for spacetime intervals, 52–3, 238–9
- radial coordinates and lengths in universe, 415, 417
- radiation density in early universe, 445
- radiation emitted by black holes, 365–7
- radiation era, 446, 450
- radiation zone, 192
- radio galaxies, 392
- radio waves deflected by Sun, 141–2
- radioactive dating, 402
- radius of circular orbit
 - in Kerr geometry, 347f
 - in Schwarzschild geometry, 347f
- rainbow and raindrops, 149
- raising tensor index, 60
- range
 - of electromagnetic force, 6
 - of Yukawa potential, 5–7
- Rayleigh’s criterion, 142
- reaction rate and Hubble constant, 451, 453
- recession speed of horizon, 433
- recession velocity, 395, 398
- recombination of hydrogen, 446
- redshift, 132–7, 137n1, 308–9. *See also*
 - gravitational time dilation; cosmological redshift; Doppler shift
 - Doppler shift and, 136
 - gamma rays and, 132–3
 - Einstein’s Gedankenexperiment and, 135–7
 - gravitational lenses and, 154
 - infinite-redshift surfaces, 325–9, 349–51, 358–9
 - and Killing vector, 308–9
 - radar signals and, 133–4
 - in Schwarzschild geometry, 308
 - spectral lines and, 134
 - Sun and, 134
- redshift parameter z , 395, 434
- luminosity distance and, 434
- reference frame. *See also* inertial reference frame;
freely falling reference frame; geodesic
coordinates
 - accelerated, 17, 39, 135–6, 275–6
 - freely falling, 130, 235, 243, 283
 - inertial, 29, 47, 49, 243
 - and tidal forces, 29–34
- Reissner-Nordström geometry, 346–8
 - electric charge and, 346–7
 - electric field in, 348
 - irreducible mass of, 355
 - naked singularity of, 360
 - spacetime interval of, 348
- relative acceleration of particles, 253–4
- relativistic electrodynamics, 71–6
- relativistic field theory
 - inverse-square law and, 4–5
- relativistic spacetime
 - Lorentz transformation for, 54
 - invariant distance in, 54
- relativity principle, 47, 55
 - for Lorentz transformations, 71
 - for Maxwell’s equations, 71
 - inertial reference frame and, 47
 - compared with general invariance, 276
- resonant detectors of gravitational waves, 201,
208–10, 210t
- rest mass, 59
 - energy density and, 64
 - and mass-energy relation, 69–70
- retardation effects, 2
- Rhoades-Ruffini critical mass, 372, 380
- Ricci tensor, 248–9
 - and Bianchi identities, 248
 - and curvature scalar, 248
 - for Robertson-Walker geometries, 420
 - for Schwarzschild geometry, 296
 - as tensor product, 261
- Riemann curvature tensor, 243–52
 - absolute derivative and, 253
 - acceleration and, 252
 - Christoffel symbols and, 244
 - commutation of covariant derivatives and, 249–50
 - covariant components of, 245–6
 - Einstein’s field equation and, 285
 - and flat spacetime, 245
 - as fourth-rank tensor, 246
 - geodesic deviation and, 253–4
 - identities for, 246
 - in normal coordinates, 252

- as map of 1-forms and vectors, 260–1
- metric tensor and, 245
- motion of gyroscope and, 310
- and parallel transport on closed loop, 244–5
- and parallel transport on parallelepiped, 247–8
- second derivatives of metric tensor and, 246–7
- singularities of black hole, 326–7, 351
- for spherically symmetric spacetime, 248
- Taylor-series expansion for, 251
- 3-D geometry of universe and, 413
- tidal force and, 31–2, 245
- Riemann tensor. *See* Riemann curvature tensor
- Riemannian geometry, 221–73
 - contravariant vectors and, 225
 - coordinates and, 223–6
 - covariant derivatives in, 226–32
 - covariant vectors and, 225
 - differential forms and, 257–62
 - Fermi-Walker transport and, 255–7
 - geodesic deviation and, 252–5
 - geodesic equation and, 232–6
 - isometries of, 262–8
 - Killing vectors of, 264–8
 - metric tensor and, 236–43
 - parallel transport in, 226–32
 - tensors and, 222–6
 - tidal forces and, 252–5
- Riemannian spacetime, 221–2. *See also* Riemannian geometry
- Rindler coordinates, 266
 - event horizon in, 329–30
 - flat spacetime in, 328–30
 - singularity in, 328–9
- Robertson-Walker geometries, 418–28
 - and Friedmann models, 418–24
 - and Friedmann-Lemaître models, 426–8
 - and Lemaître models, 424
 - for negative curvature, 416–17, 417t
 - for positive curvature, 414–16, 417t
 - for zero curvature, 417–24, 417t
- Roche’s limit, 45
- rotating black hole
 - area of horizon of, 354
 - energy of orbits for, 353
 - infinite-redshift surfaces and event horizons for, 349–51, 358–9
 - irreducible mass of, 354–5
 - light cones of, 352f
 - light signals from infinite-redshift surface, 350
 - naked singularity, 358–60
 - scattering of waves by, 355
 - singularity of, 351–3
 - superradiance by, 355
 - topology of, 358
- rotating mass
 - energy-momentum tensor of, 165–6
 - gravitational field of, 163–70
 - spin of, 165
- rotating quadrupole, 16, 199–204
- rotation curves of galaxies, 408–9
- rotation of coordinates
 - Killing vectors and 265
 - and centrifugal and Coriolis forces, 317
- Ruffini, Remo, 221
- Sachs-Wolfe effect, 408, 473
- Satellite Test of Equivalence Principle (STEP), 25
- scalar
 - Lorentz transformation of, 58
 - as tensor, 62
- scalar field
 - covariant derivative of, 231
 - in spacetime, 62
- scalar product
 - of vectors, 61
 - for 1-form and tangent vector, 80–1
- scalar-tensor theory, 104–5
- Schwarzschild black hole, 329–35. *See also* black hole; Schwarzschild geometry
- Schwarzschild coordinates
 - isotropic coordinates and, 298
 - singularity and, 327
- Schwarzschild geometry, 293–9. *See also* black hole
 - accretion disk in, 381
 - angular coordinates for, 294
 - Birkhoff’s theorem and, 298
 - Christoffel symbols for, 296
 - comparison with linear approximation, 297–8, 338–9
 - constants of motion in, 300–1
 - cosmological constant and, 299
 - deflection of light in, 306
 - Einstein’s field equation for, 296
 - event horizon and, 329–35
 - evolution in time, 340–41
 - free-fall time in, 332–3
 - gravitational collapse and, 332
 - gravitational radius, 325
 - infinite-redshift surface in, 325–32
 - interior solution for, 294
 - in isotropic coordinates, 298
 - Killing vectors and, 308
 - Kruskal coordinates and, 335–41
 - Lagrangian for motion and, 300
 - light cones in, 331, 331f, 342f
 - mass and, 298
 - maximal, 335–42
 - membrane paradigm and, 333
 - metric tensor for, 295
 - planetary orbits and, 301–2
 - pseudosingularity at Schwarzschild radius in, 325–9
 - radial coordinate for, 295
 - radius and energy of circular orbits, 345–7, 347f
 - Ricci tensor and, 296
 - Riemann tensor in geodesic coordinates and, 327

- Schwarzschild geometry (*cont.*)
 - Schwarzschild radius for, 325
 - Schwarzschild throat, 338–9
 - significance of radial coordinate, 294–5
 - singularity and, 325–9
 - singularity at $r = 0$, 327, 332, 335
 - Solar System and, 294
 - spacetime interval for, 295, 298
 - speed of light in, 330
 - spherical symmetry of, 294
 - 3-D geometry at fixed Kruskal time
 - time evolution of, 340–1
 - uniqueness of, 373
- Schwarzschild solution. *See* Schwarzschild geometry
- absolute derivative, 254
- second-rank tensor, 59–60, 231
 - covariant derivative of, 231
- self-energy, 491. *See also* gravitational self-energy
- semidiurnal tide, 34n8
- SEP. *See* strong equivalence principle
- Seyfert galaxies, 377
- Sgr A*, 377–8
- shock waves, 372
- sign convention for metric tensor, xviii
- signals in static gravitational field, 131
- Silk mass, 475
- singularity
 - black holes and, 332
 - coordinate transformations and, 327
 - coordinates and, 326
 - cosmic censorship conjecture, 359
 - disk singularity, 351, 353, 359f
 - gravitational collapse and, 375
 - infinite redshift and, 325
 - metric tensor and, 325–6
 - naked, 358–60
 - pseudosingularity and, 325–9
 - Riemann tensor and, 326–7
 - in Rindler coordinates, 328–9
 - rotating black hole and, 351, 353, 359f
 - Schwarzschild coordinates and, 327
 - in Schwarzschild geometry, 325–9
 - tidal forces and, 326
 - trapped surface and, 375
- singularity theorems
 - early universe and, 466
 - and trapped surface, 375
- Sloan Digital Sky Survey, 391
- Sloan Great Wall, 391f
- smoothness puzzle, 465–7
 - cosmic background radiation and, 465–6
 - horizon distance and, 465
- Sobral (Brazil), 141
- Solar and Heliospheric Observatory (SOHO), 15
- solar seismology, 15–16
- Solar System
 - age of, 402–3
 - cosmology and, 389
 - deuterium in, 455
 - Schwarzschild geometry and, 294
- sound, speed of, 372, 470
- sources of gravity, 25
- source term in Einstein’s equation, 492
- Space Shuttle, 315
- spacelike and timelike coordinates in Schwarzschild geometry, 330
- spacelike, timelike and lightlike displacements, 50
- spacetime, 47
 - absolute, 41
 - clocks and, 52–3, 53f, 134–5
 - Einstein and, 47
 - geometric structure of, 48
 - gradient operator in, 63
 - invariant distances in, 54
 - isometry of, 262–8
 - Laplacian operator in, 63
 - as manifold, 48
 - maximally symmetric, 267
 - and metric tensor, 55–6, 236–8
 - Newtonian, 47, 49, 51, 54
 - radar ranging in, 52–3, 238–9
 - for Riemannian geometry, 221
 - scalar field in, 62
 - of special relativity, 48–55
 - spherically symmetric, 294
 - tensors in, 55–62
 - time slices in, 68
 - topological structure of, 48
- spacetime interval. *See also* metric tensor
 - in curved spacetime, 117, 119–22, 236–9
 - invariance of, 51–2, 237
 - measurement of, 52–3, 238
 - in special relativity, 50
 - in Schwarzschild geometry, 295, 298
- special relativity
 - differential forms and, 76–87
 - equivalence principle and, 137
 - exterior calculus and, 76–87
 - formalism of, 47–87
 - gravitational time dilation and, 136
 - gravitational waves and, 182
 - relativity principle and, 47, 71, 282
 - spacetime of, 48–55
 - volume-contraction effect in, 65
- speed of light
 - deceleration of, 148–9
 - in gravitational field, 143, 147–9
 - invariance of, 51–2
 - slowing down of, 147–9
- speed of sound
 - in acoustic oscillations, 470
 - in neutron star, 372
- spherical mass distribution
 - and Birkhoff’s theorem, 298
 - gravitational field of, 127–30

- and mean-value theorem, 12
- and Newton's theorem, 12, 19n4
- potential of, 2
- Schwarzschild geometry for, 293–99
- spherically symmetric spacetime
 - Christoffel symbols for, 241, 296
 - metric tensor for, 241, 295, 419, 423
 - Ricci tensor, 249, 296
 - Riemann tensor, 248
 - spacetime interval of in, 241, 294–5, 297–8, 418–9, 423
- spin
 - circular polarization and, 186
 - of Earth, 38
 - electromagnetic field and, 100n2
 - equation of motion for, 37, 310
 - gravitational wave and, 186–7
 - of graviton, 5, 105, 186
 - of photon, 105
 - as source of torsion, 228n3
 - spinor field and, 63n7
 - of Sun, 167
 - tidal torque on, 37–8, 310
 - tensor field and, 63n7
 - transport of, 257
- spin crisis, 228n3
- spin density, 228n3
- spin-orbit coupling, 313
- spin-spin coupling, 169, 314
- spiral galaxies, 408–9
- SQUID, 25
- standard candle, 393
- standard light source, 393–4, 396, 400
- Standard Model of particle physics, 467, 492
 - neutrino families and, 456
- Standard Model of universe, 444, 455
- star
 - age of, 404
 - apparent shift of position of, 140
 - black, 373
 - Einstein rings and, 151
 - frozen, 373
 - gravitational collapse of, 341
 - as gravitational lens, 151
 - luminosity vs. temperature for, 403
 - mass-to-light ratio of, 410
 - microlensing by, 158
- static gravitational field
 - tidal force in, 254
- stationary action. *See* variational principle
- steady-state theory, 392
- Stefan-Boltzmann law, 445
- Stefan's law, 366
- stellar evolution, 372
- STEP. *See* Satellite Test of Equivalence Principle
- Stokes' theorem, 76, 87
- strong equivalence principle (SEP), 41
 - Einstein's field equation and, 290
 - electrodynamics and, 283–4
 - equation of motion and, 283
 - freely falling reference frame and, 283
 - geodesic coordinates and, 283
 - as minimal-coupling principle, 283, 290
 - spin of rigid body and, 283
 - violation of, 283–4
- strong interactions, 25
 - gravitational self-energy and, 27
- Stukeley, William, 1
- subscripts for covariant vectors, 56
- summation convention, xviii
- summation convention of Einstein, 55
- Sun
 - deflection of light by, 140–2
 - equatorial bulge of, 15
 - gravitational field of, 128
 - oscillations of, 15–16
 - quadrupole moment of, 13–16, 303
 - redshift of spectral lines in, 134
 - shape of, 15
 - spin of, 167
 - tidal force and, 33
 - time delay of light and, 142–6
- Sunyaev-Zel'dovich effect, 407
- superclusters, 390
- superior conjunction, 144
- superluminal speed, 341
- Supernova Cosmology Project, 400–1
- supernova explosion, type II, 372
- supernova
 - black-hole formation, 373
 - gravitational waves and, 207
 - luminosity of, 393–4
 - as source for gravitational lens, 157
 - vibrating quadrupole and, 196
- superradiance by black hole, 355
- superscripts for contravariant vectors, 56
- symmetric tensor, 62, 65
- symmetry
 - energy released in GUT breakdown, 469
 - gauge transformation as, 281
 - general invariance as, 279
 - GUT as, 468–9
 - Lorentz transformation as, 279, 265–6
 - and phase transition, 468
 - and phase transition of water, 468–9
 - rotation as, 265
 - spontaneous breakdown of, 467
 - time translation as, 268
 - translation as, 267
- synchronization by clock transport, 134–5
- Synge, John L., 41
- systems of galaxies, 318t
- tachyonic speed, 341
- TAMA, 213t
- tangent vector, 78
 - gradient operator and, 81
- taus, in early universe, 449

- Taylor-series expansion
 - for potential, 13
 - for Riemann curvature tensor, 251
- tensor-analysis formulas, 250t
- tensor derivative, 231
- tensor field, 62–4
 - general transformation of, 225–6
 - Lorentz transformation of, 62–3
 - Riemannian geometry and, 222
- tensor index, 231
- tensor transformation equations, 225–6
- tensor
 - for angular momentum, 59–60
 - Cartan calculus and, 223
 - contraction of, 83
 - covariant derivative of, 230–1, 258–9
 - curved spacetime and, 225–6
 - differentiation of, 63–4, 230–1
 - for electromagnetic field, 71–74
 - general transformation and, 225–6
 - for gravitational field, 103–4
 - Lorentz transformation of, 56–9, 62
 - as linear operator, 82–4
 - lowering index of, 60
 - Maxwell equations and, 71–2
 - metric tensor, 83–4, 237
 - Minkowski tensor, 55
 - 1-form and, 258
 - product of vectors and 1-forms, 82
 - raising index of, 60
 - of rank one, 58
 - of rank two, 59–60, 61
 - Riemannian geometry and, 222–6
 - scalar as, 58, 62
 - in spacetime, 55–62
 - summary of tensor formulas for, 250t
 - symmetric, 62
 - for tidal force, 31
 - trace of, 61
- tensor fields, 62–4
- test particle, 287, 491, 495
 - equation of motion for, 287
- tetrad, 235
- thermal pressure in stars, 367–8
- thermal radiation. *See* cosmic background radiation
- thermodynamic engine, efficiency of, 362
- thermodynamics, of black hole, 360–7
- Thomas precession and Fermi-Walker transport, 310
- three-geometries, homogeneous, isotropic, 417t
- tidal ellipsoids, 35
- tidal field
 - detection of, 36–40
 - detection by GOCE gravity gradiometer, 38–40
 - of Earth, 29–32, 33n8
 - gravitational torque and, 37–8
 - gravitational waves and, 190
 - as local measure of gravitation, 34–41
 - represented by lines of force, 35, 36f
 - represented by tidal ellipsoids, 35
- tidal force, 29–34
 - atomic clocks and, 122–3
 - Fourier components of tide, 34n8
 - from gravitational wave, 189
 - in general relativity, 32, 254
 - geodesic deviation as tidal effect, 252–5
 - gravitational fields and, 31–41
 - gravitational force and, 31, 35, 282
 - of Moon, 32–4, 33n8
 - pseudo-force and, 282
 - represented by field lines, 255
 - Riemann tensor and, 245, 254–5
 - singularities and, 326
 - of Sun, 33–4
 - tensor for, 31
 - tidal acceleration as absolute, 282
 - torque on gyroscope, 37–8, 310
- tidal range, 33–4
- tidal torque, 37–8, 310
- time delay of light, 142–9
 - binary pulsar systems and, 146
 - clocks and, 148
 - Doppler shift and, 146
 - Hubble constant and, 158
 - Mars and, 145
 - Mercury and, 144–5
 - nonlinear corrections, 146
 - in PSR J0737-3039, 146
 - Sun and, 142–6
 - tests of, 146t
 - Venus and, 144–5
 - wave frequency and, 147
- time dilation, 130–7, 308, 325. *See also*
 - gravitational redshift
 - for astronaut falling into black hole, 332
 - Einstein’s elevator Gedankenexperiment, 135–7
 - as evidence for curved spacetime and, 134–5
 - at infinite redshift surfaces, 325–6, 349
 - in Kerr geometry, 349
 - and Killing vector, 308–9
 - in Rindler coordinates, 328
 - in Schwarzschild geometry, 308, 325, 330
 - tests of, 132–6, 134t
- time slices, in spacetime, 68
- time travel via wormhole, 341
- topological structure of spacetime, 48, 449
- torque
 - of gravitomagnetic field on satellite, 167–8
 - of gravitomagnetic field on gyroscope, 169
 - spin-orbit coupling and, 313
 - spin-spin coupling and, 169, 314
 - of tidal force on gyroscope, 37–8, 310
 - torsion-balance and, 24f
- torsion, 228, 228n3
- torsion-balance
 - of Cavendish, 3, 4f
 - of Eötvös, 20–24

- gravitational constant and, 3
- inverse-square law and, 9–10, 9f, 10f
- trace, of tensor, 61
- transformation law
 - for Christoffel symbols, 231–2
 - for contravariant tensor components, 59, 79, 225
 - for covariant tensor components, 60, 226
 - for gauge transformations, 99, 105
 - for general coordinate transformation, 225–6
 - for Lorentz transformation, 56, 59–60
 - for Maxwell’s equations, 71–2
- trapped surface, 374–5
- turning points for orbital motion
 - in Kerr geometry, 345–6
 - in Schwarzschild geometry, 305
- twin paradox, 172
 - and gravitational time dilation, 176
- twins of quasars, 154–5, 157
- 2-D curved space, 229, 233, 241
- 2-forms, 84–5
- two-sphere, 229, 233, 241, 414
- uncertainty principle, 212
- unification of interactions, 467
 - Grand Unified Theory (GUT)
 - symmetry and, 469
- uniqueness theorems for black-hole solutions, 373–4
- uniqueness theorem for gravitational potential, 12
- universal free fall
 - gravitational self-energy and, 28
- universal gravitation, law of, 1–4
- universe. *See also* early universe
 - acceleration of, 293, 400
 - acoustic oscillations in, 408
 - age of, 401–4
 - comoving coordinates and, 411–18
 - comoving particle and, 412
 - comparison of theory and observation, 434–7
 - cosmic background radiation and, 396–7, 400, 404–8, 470–2
 - cosmic distances in, 392–4
 - dark mass in, 408–11
 - density parameters, 428
 - de Sitter model for, 426
 - empty Lemaître models for, 424–6
 - expansion of, 293, 394–401, 405
 - Friedmann models for, 418–24
 - Friedmann-Lemaître models for, 419, 426–8, 437t
 - homogeneous, isotropic models of, 426t
 - Hubble age of, 402
 - invisible and visible part, 431, 432f
 - isotropy of diffuse X-ray flux, 390
 - isotropy and homogeneity of, 390, 408
 - large-scale structure of, 390–2
 - mass density of, 408–11, 411t
 - negative curvature and, 416–7, 417t
 - our universe, 434–437
 - our universe as exceptional, 464
 - particle horizon of, 428–34
 - positive curvature and, 414–6, 417t
 - propagation of light in, 428–34
 - Robertson-Walker geometry for, 411–18
 - 3-D metric tensor for, 413
 - 3-D Riemann tensor for, 413
 - zero curvature and, 417–8, 417t
- vacuum polarization, 28
- variational principle, 477
 - in curved spacetime, 117–18
 - for Einstein’s field equation, 486–8
 - for equation of motion, 106–12, 477–8
 - Euler-Lagrange equation and, 111, 118, 242
 - for geodesic, 117–8, 241–42
 - Lagrangian and, 107–11, 117–8, 241, 477–8, 486–9
 - Palatini method, 487–8
- vector
 - basis, 78
 - covariant derivative of, 231
 - as differential operator, 78
 - as directional derivative, 79–80
 - in exterior calculus, 78–80
 - Fermi transport of, 235–6
 - Fermi-Walker transport of, 256–7
 - geometric interpretation of, 79
 - linearity for tangent vectors, 78
 - Lorentz transformation of, 58, 78–9
 - 1-form and, 81, 258
 - parallel transport of, 221, 259
 - parallel transport around loop, 244–5
 - parallel transport around parallelepiped, 247–8
 - parallel transport along geodesic, 233
 - tangent vector, 78
- vector potential, electromagnetic, 75–6, 87
 - as differential form, 87
- velocity-addition law
 - Newtonian, 136–7
 - relativistic, 89
- Venus
 - perihelion precession of, 303t
 - time delay of light and, 144–5
- very long baseline interferometry (VLBI), 142
- vibrating quadrupole, 196–9
 - neutron star and, 198
 - nova and, 198
 - star and, 196
 - supernova and, 196
- Virgo cluster, 396
- VIRGO, 213t
- virial theorem, 410
 - binary system and, 292
- VLBI. *See* very long baseline interferometry
- volume-contraction effect in special relativity, 65
- W bosons, 450
- water hammer, 372

- wave equation
 - for four-vector potential, 75
 - for gravitational wave, 182
- wave frequency, time delay of light and, 147
- wave vector, 183
- wavefronts, gravitational lens and, 152
- weak equivalence principle (WEP), 41
- weak interaction, 25–6
 - gravitational self-energy and, 27
- weakly interacting massive particle (WIMP), 458, 461t
- Weber detector, 208–9, 210t
 - accidentals in, 209
 - sensitivity, 209
- wedge product of 1-forms, 84
- weight, inertial mass and, 20
- WEP. *See* weak equivalence principle
- Wheeler, John A., 276, 286, 374
- white dwarf, 368–70
 - dark mass and, 409
- white hole, 339
- Whittaker, Edmund, 477
- Wien’s law, 361
- WIMP. *See* weakly interacting massive particle
- Wilkinson Microwave Anisotropy Probe (WMAP), 397, 408
- WMAP. *See* Wilkinson Microwave Anisotropy Probe
- worldline
 - clocks and, 52–3
 - of light signal entering black hole, 331–2
 - of particle, 49
 - propagation of light and, 429
- wormhole, 338–41
 - in early universe, 449
 - time travel via, 341
- X-ray flux, 381
 - large-scale isotropy of universe and, 390
- X-ray sources, 377–8
- X-ray telescopes, 378
- Yukawa potential, 5–7
 - baryon number and, 8
 - gravitons and, 5–6
 - range of, 5–6
- Z boson, 450
- zero-curvature universe
 - age vs. density parameters, 428
 - empty Lemaître model for, 425–6
 - Friedmann model for, 423–4
 - Friedmann-Lemaître model for, 428
 - horizon distance vs. density parameters, 436
 - radius of curvature vs. time, 428, 435f, 436f
 - Robertson-Walker geometries for, 417–24, 417t
- zero-g, 29
- zero-point energy. *See* Fermi energy
- zero-point pressure, 368