

Cambridge University Press

978-1-107-01352-0 - Set-Theoretic Methods for the Social Sciences: A Guide to Qualitative Comparative Analysis

Carsten Q. Schneider and Claudius Wagemann

Index

[More information](#)

Index

- Achen, C., 157
 Adcock, R., 317
 addition, Boolean, 51
 additivity, 86
 algorithm, 92, 104, 105, 112, 115, 120, 152, 177–179, 182, 190, 191, 193, 197, 242, 243, 281, 318
 analytic moment, 11, 91, 305
 antecedent condition, 267, 268
 anticipated effects, 265
 arithmetic remainder, 153, 154, 157
 arrow, 53, 70, 82, 267
 associativity, 48, 55
 assumption, 86, 122, 151, 157, 158, 160–162, 164–169, 173–176, 188, 197–204, 209, 210, 212, 214, 215, 217–219, 221–225, 228, 231, 239, 277–279, 282, 283, 285, 298, 304, 305, 314, 315, 318
 asymmetry, 6, 8, 53, 54, 78, 79, 81, 112–114, 300, 307, 316, 317
- Berg-Schlosser, D., 255–257, 260, 262, 276
 binomial probability test, 128
 Black Raven Paradox, 85
 Boolean algebra, 9, 17, 46, 47, 49, 54, 55, 92, 104, 115, 313
 Boolean calculator, 284
 Boolean methods, 6
 Brady, H. E., 1, 2, 297
 Braumoeller, B., 80, 88, 128, 297
 Bush, G. W., 1, 2
- calibration, 23, 24, 32–35, 37–41, 121, 128, 182, 266, 277, 284–289, 291, 294, 316, 318, 319
 Caren, N., 9, 215, 268–271
 case selection, 11, 17, 19, 70, 123, 160, 275, 286, 293, 306, 307, 312, 316, 318, 319
 causal analysis, 8, 13
 causal complexity, 4, 6, 9, 17, 56, 60, 77–81, 83, 86–90, 297, 313, 316–318, 336
 causal mechanism, 189, 254, 301, 308, 309
 causal relation, 6, 8, 53, 70, 77, 79, 81, 155
 causality, 6, 58, 78, 79, 89, 90, 215, 267, 313
 Clark, W. R., 87
 clustered remainder, 154
 commutativity, 48, 50, 53, 55
 Compasss, 13
 complement, 18, 43, 47, 48, 50, 54, 55, 65, 67, 82, 91, 101, 123, 203, 226, 238
 complex solution term, 162, 166
 concept, 3, 6, 7, 11, 14–16, 23–26, 28–35, 37, 40, 41, 45, 46, 53, 74, 113, 121, 260, 261, 263, 266, 277, 291, 293, 312, 321
 concept formation, 7, 8, 24, 319
 conceptual boundaries, 3, 27
 condition, 11, 52, 53, 55, 60, 66, 103, 128, 133, 188, 201, 206, 228, 230, 237, 240, 261, 270, 272, 278–281, 286, 288, 289, 298, 302, 307–311, 314, 319, 325
 configuration, 7, 91, 92, 95, 103, 115, 122, 155, 179, 190, 199, 223, 254, 279, 299, 305
 Configurational Comparative Methods, 6, 203
 confirmed most likely case, 299
 conjunction, 43, 44, 48, 54, 55, 63–65, 68, 72, 73, 79, 92, 95, 100–102, 104–109, 122, 134, 149, 151, 155, 168, 169, 171, 173, 197, 215–217, 229, 241, 243, 248, 257, 258, 266, 279, 284, 288, 297, 301, 303, 307, 309
 conjunctural causality, 6, 79
 conjunctural causation, 8, 9
 conservative solution term, 162, 166, 169, 171, 172, 202, 212, 225, 228, 230, 285
 consistency, 18, 119, 120, 122–131, 133–137, 139–141, 143–151, 178, 182, 185–189, 191, 193, 201, 202, 204, 206, 210, 214, 216, 221, 224–233, 235–237, 239–244, 247, 254, 278–282, 284–294, 300–303, 305, 307, 308, 310, 314, 316, 318–320
 consistency level, 128, 143, 148, 279, 286, 292
 consistent least likely case, 303, 305
 consistent most likely case, 303, 305
 contradictory (simplifying) assumption, 204, 205

- contradictory assumption, 219
 contradictory counterfactual, 206
 contradictory easy counterfactual, 204–206
 contradictory truth table rows, 104, 115, 119–121, 123, 127, 261
 convex hull, 158
 correlation, 3, 6, 12, 17, 57, 77, 83–85, 89, 276, 313, 317
 counterfactual, 153, 156, 157, 160, 161, 167–169, 171, 174, 175, 197–200, 211, 212, 214, 216, 218, 223, 239, 254
 counterfactual claim, 214, 239
 covariation, 83, 313
 coverage, 18, 60, 63, 119, 126, 128, 130–135, 137–141, 143–150, 182, 188, 201, 221, 224, 226, 228, 230, 233–235, 280–282, 285–291, 293, 295, 300–303, 305, 308–311, 314, 315, 318–320
 covered least likely case, 302, 305
 covered most likely case, 301, 305
 Cramer's *v*, 83
 crisp set qca (csqca), 3, 13–16, 23, 26, 33, 58, 60, 67, 68, 71, 85, 91, 103, 104, 120, 123, 124, 127, 132, 152, 193, 255–263, 277, 283, 284, 287, 313
 critical junctures, 265
 Cronqvist, L., 255–257, 260, 262, 263
 cube, 97, 98
 curse of dimensionality, 157

 data analysis technique, 10, 11, 13, 77, 122, 160, 233, 274, 275, 281, 318
 data matrix, 56, 58, 62, 63, 65, 73, 91–96, 100, 102, 105, 112, 178, 179, 190, 193, 258, 314
 De Meur, G., 276
 degrees of freedom, 157–160
 DeMorgan, A., 50, 82
 DeMorgan's Law, 48–51, 81–83, 114, 115, 206, 279
 determinism, 317
 deviant case, 282, 293, 306–308, 311
 deviant case consistency, 282, 307, 309, 310, 312
 deviant case coverage, 282, 308–310, 312
 dichotomy, 15, 25, 30, 156, 168, 191, 255
 difference(s) in degree, 14, 15, 26, 92, 278, 308
 difference(s) in kind, 14, 92
 difficult counterfactual, 168, 169, 171, 174–176, 198, 199
 direct (method of) calibration, 35–39, 41, 278, 284
 directional expectation, 152, 168, 169, 171–176, 197, 201, 203–208, 211, 213, 215–217, 279, 282, 284, 287
 disjunction, 43, 45, 46, 48, 54, 146
 distributivity, 48, 50, 51, 55, 326
 easy counterfactual, 168, 169, 171, 173–176, 188, 199, 200, 202–206, 208, 212, 217, 218, 314
 Emmenegger, P., 34, 35, 38–40, 75, 199, 286, 287, 289, 290, 292, 293
 empirical evidence, 41, 58, 88, 90, 108, 119, 120, 122, 127, 128, 151–153, 161, 164, 168, 169, 171, 174, 175, 214, 218, 220, 226, 276, 277, 280, 286, 290, 293, 295, 298, 300, 302, 303, 305, 314, 317, 318, 321
 enhanced intermediate solution, 210, 279
 enhanced most parsimonious (intermediate) solution term, 210, 211, 224, 279
 Enhanced Standard Analysis (ESA), 18, 197, 200, 201, 209, 211, 218, 224, 278, 315, 319
 epistemology/epistemological, 27, 56, 88, 133, 258, 306
 equals sign, 82, 114
 equifinality, 5, 8, 9, 54, 60, 78, 79, 83, 86, 89, 133, 297, 312, 313, 316, 317, 332
 Excluded Middle (Rule of the), 28, 48, 49, 55, 232, 238, 247

 false necessary condition, 221, 227, 229–232, 315
 feedback loop, 80, 265
 formal logic, 9
 Freiburger, P., 31
 Freitag, M., 36, 38, 40
 fsQCA–, *see* software, 19, 37
 functional equivalent, 74
 fuzzy algebra, 17, 42, 44, 46
 fuzzy set, 3, 4, 8, 14, 15, 23, 25, 27–34, 36, 37, 41, 43, 44, 46, 47, 49, 55, 56, 66, 67, 69, 84, 85, 87, 91, 96–103, 105, 120, 125–129, 131, 137, 140, 141, 143, 148, 152, 179, 190–193, 201, 204, 212, 228, 232, 237–240, 247, 255, 260–263, 266, 277, 284, 288, 307, 315
 fuzzy-set membership score, 29, 39, 193
 fuzzy-set QCA (fsQCA), 13–16, 23, 37, 67, 75, 91, 104, 113, 120, 127, 152, 153, 201, 203, 238, 239, 241, 242, 247, 255, 256, 258–263, 273, 277, 282–284, 287, 302, 312, 313, 316, 320

 Gerring, J., 10, 12, 297, 309
 Gilligan, M. J., 87
 Goertz, G., 4, 7, 45, 54, 80, 86, 90, 128, 144, 220, 236, 237
 Golder, M., 87
 good counterfactual, 177, 198–200, 212, 213, 217
 Gore, A., 1, 2
 Gran, B., 155, 207
 Grofman, B., 154, 280

 Hempel, C. G., 85
 hidden necessary condition, 221, 225, 226, 231, 315

- historical explanations, 9
 hypothesis, 19, 58, 295–297, 304, 305
- ideal type, 98–101, 103, 179, 181, 182, 185–187
 implausible assumption, 157, 207, 209, 219
 implausible counterfactual, 199, 200, 208, 211
 implausible easy counterfactual, 209
 impossible remainder, 153–157, 159, 176, 199, 200, 206–209, 256, 261–263, 269
 incoherent assumption, 223–225, 232
 incoherent counterfactual, 203, 204
 incomplete truth table, 18, 119, 178, 314
 inconsistent case, 126, 127, 132, 133, 142, 185, 186, 236, 240, 301
 inconsistent least likely case, 302, 305
 inconsistent most likely case, 302, 305
 indirect (method of) calibration, 35–37, 41, 278, 284
 individually irrelevant case, 301, 307, 309–312
 inference, 2, 11, 26, 104, 151, 153, 157, 159, 191, 198, 206, 232, 233, 237, 239, 241, 247, 249, 297, 309, 320
 interaction (term), 87, 88
 intermediate number of cases, 12
 intermediate solution term, 169, 171–173, 175, 176, 197, 200, 202, 203, 205–207, 209, 254, 279, 282, 291
 interpretation, 8, 9, 14, 87, 88, 107, 115, 143, 145, 146, 171, 174, 189, 203, 206, 215, 218, 259, 281, 285, 286, 294, 295, 313
 intersection, 7, 44, 49, 50, 52, 54, 55, 73, 82, 87, 93, 99, 298–306
 intersections, 93, 298, 300, 302, 304, 305, 316
 interval variable, 15, 156
 intervening condition, 267
 inus condition, 3, 6, 8, 9, 11, 53, 77, 79, 83, 90, 115, 239, 281, 288, 299, 304, 309, 313
 irrelevant case, 300
- Kimball, E., 266–268
 Koenig-Archibugi, M., 212–215
 Koivu, K. E., 266–268
 Kvist, J., 8
- lagged variable, 88
 large-N, 159, 263, 284
 Liebersson, S., 81
 limited diversity, 18, 93, 119, 121, 151–153, 155, 157–160, 164, 188, 197, 217, 225, 227, 256, 258, 260–262, 270, 277, 304, 314, 315
 linear algebra, 42, 46, 51, 55
 linguistic qualifier, 28, 31
 Lipset, S. M., 203, 205, 209, 210
 logic of propositions, 17, 42, 44–46, 53, 55, 313
 logical and, 42, 44–46, 51, 54, 55, 63, 64, 72, 73, 79, 92, 99, 128, 149, 238, 248, 263
 logical contradiction, 82, 83, 87, 120, 121, 127, 128, 185, 246, 290
 logical methods, 6
 logical minimization, 9, 11, 13, 55, 91, 105–107, 109, 110, 112, 115, 119–123, 127, 129, 154, 161, 162, 164, 165, 171, 176, 178, 185–187, 191, 197, 203, 209, 224, 225, 227–232, 239, 254–258, 263, 265, 266, 268, 270–272, 274, 279, 287, 288, 291–293, 310, 313, 314, 317, 332
 logical OR, 42, 45–48, 50, 51, 54, 55, 72, 74, 79, 80, 109, 133, 146, 149, 248, 269, 278
 logical remainder, 18, 83, 93, 114, 119, 151–162, 164–167, 169, 171, 175, 176, 182, 186, 188, 190, 191, 193, 197, 199, 201, 202, 204–207, 209–213, 215–218, 221–225, 228, 231, 232, 239, 241, 254, 259, 261–263, 269, 276, 279, 280, 282, 285, 286, 291, 298, 304, 305, 314, 315, 317–319
 logically possible combinations, 87, 92–94, 99, 100, 111, 113, 151, 154, 157, 159, 161, 260, 269, 314
 logically redundant prime implicant, 109–111, 138, 162
 Lott, J. R., 1, 2
- Mahoney, J., 7, 9, 24, 54, 75, 206, 237, 266–268, 317
 main diagonal, 67, 68, 75, 76, 84, 85, 125–127, 132, 133, 141, 189, 192, 244, 306, 307
 maximum, 46, 51, 55, 74, 146, 288
 McNeill, D., 31
 measurement, 14, 25, 27, 29, 30, 121, 261, 312
 measurement theory, 24
 mid-size(d) n/medium-size(d), 10, 12, 88, 153, 263
 Mill, J. S., 8, 9, 157
 minimum, 44–46, 51, 55, 64, 72, 74, 87, 99, 100, 137, 141, 153, 182, 279, 288
 missing values, 151, 158, 160
 most parsimonious solution term, 107, 111, 165–167, 169, 171–173, 175, 176, 197, 202, 204, 205, 207, 208, 213, 222, 258, 272, 282, 284
 multifinality, 239
 multi-method research, 265, 275, 282, 306, 311, 319
 multinomial variables, 255, 259
 multiplication, 44, 46, 50, 51, 55, 87, 262
 multi-value QCA (mvQCA), 15, 16, 96, 253, 255, 259, 277
- necessary condition, 4, 6, 8, 56, 69, 71–75, 78, 80, 82, 83, 105, 113–115, 119, 139–147, 150, 187, 188, 191, 193, 202–205, 209, 220–234, 237, 247, 248, 260, 278, 286, 298, 313–315, 320
 negation, logical, 28, 47, 49, 54, 82, 83, 113, 173, 191, 202, 205, 261, 270, 271, 279

- negative outcome, 279
- non-occurrence, 6, 78, 81, 89, 112–115, 120, 193, 198, 201, 204, 210, 239, 243, 279, 280
- Obama, B., 155
- off-diagonal, 83, 84
- ontology/ontological, 12, 85, 89
- operating system, 284
- operationalization, 6, 7
- ordinal scale, 25
- ordinal variable, 259
- ordinary least squares, 84
- outcome, 5, 6, 8, 9, 11, 52, 53, 55, 60, 70, 72, 79, 81, 82, 84, 87, 89, 91, 93–96, 99, 101–105, 119, 130, 133, 134, 147, 148, 174, 182, 187, 191, 202, 210, 239–241, 243, 262, 263, 272, 277, 279–281, 311
- outcome enabling conditions, 254
- Panofsky, A., 9, 268–271
- parameter of fit, 123, 139, 232, 303
- parsimony, 161, 167, 175–177, 197–200, 204, 210, 212, 214, 217, 218, 304, 315
- path, 55, 79, 87, 115, 129, 133–137, 139, 162, 172, 188, 203, 216, 231, 232, 280, 281, 300, 304, 309, 310, 312, 317, 332, 336
- path dependency, 264
- Pennings, P., 179, 181
- point of indifference, 28, 30, 31, 35, 38
- population, 12, 31, 32, 86, 88, 121, 123, 312
- Potential Outcomes Framework, 297, 320, 321
- presentational forms, 66, 280
- PRI, 242–244, 247–249
- prime implicant, 109–111, 115, 165, 257
- primitive expression, 105–107, 109–111
- probability/probabilistic, 2, 31, 86, 128, 284
- process tracing, 264, 306
- product, 243, 244, 247–249
- property space, 97–100, 152, 157, 181, 186, 187, 265, 270, 274, 319, 336
- proximate (factors), 253–255, 266
- qualitative anchors, 28, 30–32, 35–38, 41, 277, 285, 288
- qualitative distinction, 14, 25, 28, 258, 307
- qualitative methods/qualitative research, 122, 148, 264, 265, 273, 295, 296
- quantitative methods/quantitative research, 25, 79, 157
- Quine–McCluskey algorithm, 104, 105, 108, 112, 115
- Ragin, C. C., 9–11, 13, 14, 27, 28, 30, 35, 36, 76, 80, 85, 95, 124, 126, 128, 131, 140, 144, 145, 151, 152, 154, 155, 168, 175, 177, 179, 185, 193, 203, 205, 207, 222, 232, 234, 236, 237, 242, 243, 248, 265, 266, 269–273, 276, 277, 280, 295, 297, 319, 320
- raw consistency, 129, 204, 226, 229, 241, 278, 279, 286, 287, 291–293, 295
- raw coverage, 133, 134, 137, 139, 188, 214, 216, 224, 225, 287, 289, 290, 292, 294, 300
- regression, 1, 26, 78, 82–87, 90, 285, 306
- relevance necessity, 236, 238
- remote (factors), 253–255, 266
- research design, 70, 121, 160, 265, 267, 269, 275
- Rihoux, B., 198, 203, 259, 276
- robust/robustness, 17, 19, 25, 40, 128, 275, 284–287, 292, 294, 316, 318, 319
- R–, *see* software 19, 37, 128, 282, 284, 316, 320
- Samford, S., 235
- scatter plot, 84
- Schlicht, R., 36, 38, 40
- Schneider, C. Q., 137, 141, 145, 146, 154, 249, 254, 275, 280, 312
- scope conditions, 58, 121, 281, 296
- selection on the dependent variable, 70
- sequence, 268, 269
- sequence elaboration, 268
- set membership score, 6, 15, 16, 18, 23, 26, 29, 30, 32, 33, 35–38, 41, 43, 51, 62, 66, 67, 85, 94, 96–98, 100, 102, 103, 137, 140, 192, 204, 221, 244, 247, 248, 266, 277, 278, 288, 294, 311, 315, 319
- set-theoretic methods, 1–4, 6, 7, 9, 11–13, 15, 18–20, 24, 36, 42, 51–56, 74, 78, 79, 81–83, 86, 89, 90, 122, 133, 148, 151, 154, 159, 218, 220, 227, 247, 248, 253, 258, 260, 262, 263, 265, 267, 276, 285, 289, 294–296, 300, 305, 306, 313, 316, 318, 320, 321
- Shulman, D., 155, 207
- significance/significance tests, 86, 159, 285, 294, 296, 317
- simplifying assumption, 88, 167–169, 171, 174–176, 188, 198, 199, 202, 204, 205, 207–209, 214, 218, 258, 263, 284, 292, 314, 320
- simultaneous subset relations, 238–242, 278, 315, 319
- Skaaning, S. E., 294
- skewed/skewedness, 18, 38, 221, 232–235, 238–240, 243, 244, 246–249, 315, 319
- small-N, 263
- software, 9, 11, 13, 18, 19, 37, 93, 128, 134, 144, 171, 175, 209, 224, 242, 243, 271, 272, 274, 282–284, 316, 320
- solution coverage, 133–135, 137, 139, 216, 224, 225, 289, 290, 292, 294, 300
- solution formula, 55, 65, 68, 78–80, 87, 106–109, 129, 133, 160, 161, 164–168, 174, 191, 209, 213, 222, 224, 227, 249, 258, 263, 279–281, 283, 287, 289–291, 293, 295, 312, 314, 318

- Standard Analysis, xiv, 18, 151, 160, 161, 166–168, 171, 175–178, 188, 190, 197–199, 209, 211, 217, 218, 284, 315, 319
- standards of good practice, 17, 276, 296, 316
- Starr, H., 90, 220
- Stata–, *see* software, 19, 37, 128, 282, 284, 316
- statistical methods, 2, 11
- Stokke, O. S., 221, 222, 224
- Strand, S. I., 9, 269–271
- sufficient condition, 4–6, 8, 56, 57, 60–63, 65, 68, 78, 79, 82, 104, 115, 119, 121, 124, 125, 127–131, 133, 134, 143, 178, 187, 191, 193, 201, 227, 231, 237, 239, 240, 243, 278, 285, 286, 288, 302, 303, 306, 310, 313, 314
- SUIN condition, 3, 6, 8, 9, 11, 53, 75, 77, 79, 80, 90, 237, 276, 313
- symmetry/symmetric, 6, 57, 81–86, 145
- syntax, 284, 320
- temporal QCA (tQCA), 16, 18, 264, 266, 268–270, 273
- tenable assumption, 199
- Theory-Guided Enhanced Standard Analysis (TESA), 197, 212, 217, 218, 315
- threshold, 15, 25, 26, 28, 32, 37, 127–129, 133, 137, 139, 143, 145, 148, 153, 185–187, 191, 192, 201, 204, 226–228, 230, 239–241, 243, 254, 278–281, 284, 286–288, 291, 292, 294, 295, 316
- tosmana–, *see* software, 19, 316
- trivialness, 144–148, 232–237, 315
- true logical contradictory case, 127, 129, 142, 143, 148, 184–186, 189, 240, 241, 244, 278–280, 287, 292, 293, 307
- truth table, 11, 91, 103, 104, 256
- Truth Table Algorithm, vii, 178, 179, 182, 190, 191, 193, 197, 242, 253, 272, 278, 284, 314
- truth tables, 8
- two-step QCA, 18, 254, 255, 315
- typical case, 307, 309–312
- typological theories, 9
- typology, 8
- uncertainty, 11, 30, 31, 260, 294
- unconfirmed most likely case, 299
- uncovered case, 287, 289, 290
- uncovered least likely case, 303, 305
- uncovered most likely case, 303, 305
- unifinality, 86
- union, 47–51, 54, 55, 74, 78, 80, 82
- unique coverage, 133, 134, 137–139, 188, 214–216, 224, 225, 287, 289, 290, 292, 294, 300
- uniquely covered case, 137, 139, 148, 188, 280
- unit of observation, 92
- untenable assumption, 157, 203, 207, 209–212, 218, 219, 263, 279, 315, 319
- van Vliet, o., 259
- variation, 25, 26, 29
- Venn diagram, 5, 56, 58, 59, 71, 76, 84, 93, 110, 111, 123, 124, 129–132, 145, 176, 199, 280, 283, 284
- Vink, M., 259
- Vis, B., 134, 201, 202, 209, 228, 231, 241
- visualization/visualize, 58, 67, 85, 93, 189, 199, 244, 248
- Wagemann, C., 249, 275
- Weinberg, A., 155, 207
- within-case studies, 7, 10, 19, 282, 305, 306, 308, 310, 312
- XY plot, 56, 66–68, 75, 76, 84, 126, 127, 141, 146, 150, 189, 191, 192, 235, 236, 244, 246–248, 283, 284, 306, 307, 309, 310
- z test, 128
- Zadeh, L., 14, 27, 31