

Index

abdominal magnetic resonance angiography (MRA) 144 interpretation 145	Bartholin gland cysts 96	in renal dysfunction 12
abscess in Crohn's disease 69 liver 22, 32	bile duct beaded 40 cholangiocarcinoma <i>See</i> cholangiocarcinoma dilatation 36 pathology 38–41 stones 40 strictures 40	intravenous (IV) 10–11 liver 10, 13 oral 11
actual diffusion coefficient (ADC) 8, 19 female pelvis 71	biliary hamartomas 15, 16	contrast-enhanced images 5
adenocarcinoma, pancreatic 47, 48	blood 2, 22	Crohn's disease 67, 132 enterography 64–70
adenoma adrenal gland 5, 59 liver 10, 21, 25	body coil 1, 9	CT 2 adrenal glands 58
adenomyosis 71, 78	body protocols 12	cystadenocarcinoma 90
adnexal masses 71, 89, 106	Bosniak classification 49, 54	cysts adrenal gland 62 Bartholin gland 96
adrenal glands 58–63 adenoma 5, 59 cysts 62 interpretation 58–9 metastases 59 myelolipoma 60 pheochromocytoma 60, 61 sequences 59–62 tumors 58 volume-interpolated gradient echo 62	bright-blood MRI 9	choledochal 40, 41 Gartner duct 96 hemorrhagic 89, 106 liver 15, 16 müllerian duct 128 ovarian 89, 106 renal 54, 55, 56 Skene's gland 96, 97 vaginal 95, 96
adrenocortical carcinoma 59, 61	b-value (B) 8	deep venous thrombosis 153
amniotic fluid 106	cancer <i>See</i> tumors	defecation studies 103
anal fistula 132, 133, 135	Caroli's disease 40, 41	diffusion weighted imaging 8–9
anal sphincter 104 muscles of 103, 133	catheter angiography 139	female pelvis 81 lesion detection 8, 19 liver 19 sensitivity to water motion 8
angiomyolipoma (AML) 49, 50	cavernosal thrombosis 123	
angioplasty 139	cervical carcinoma 81–78	
anismus 102, 103	chemical shift imaging 4, 17	
anorectal angle 104	chest magnetic resonance angiography (MRA) 143 interpretation 145	
anorectal fistula 132–5	choangiocarcinoma 22, 32, 33, 40 differential diagnosis 33	
antimotility agents 65	cholecystitis 111	
aorta 144	choledochal cysts 40, 41 classification 40	
aortic aneurysm 145, 146 atherosclerotic 146 inflammatory 148 mycotic 146	choledocholithiasis 36 cholelithiasis 111	
aortic dissection 143, 148	cirrhosis 26, 28 perfusion changes 27	
appendicitis in pregnancy 107–14	coils body 1, 9 phased array 9, 10	
atherosclerosis 146	colorectal metastases 25	
	colorectal MRI 132–8 anorectal fistula 132–5 rectal mass 135–7	
	comb sign 67	
	computed tomography <i>See</i> CT	
	contrast agents 5, 10–12 dose 11	
	gadolinium-based <i>See</i> gadolinium-based contrast agents	
		echo time (TE) 1, 4 embolization 139 endocervical coil 10 endometrial carcinoma 78–150 endometrioma 87, 88, 89 endometriosis 71 endorectal coil 10 endoscopic retrograde cholangiopancreatography <i>See</i> ERCP enodurethral coil 10 enterocele 100 entero-entero fistula 69 enterography 64–70 interpretation 64–5 sequences 65–9
balanced-FFE sequence 9		
barium sulfate suspension 11, 14, 36, 64, 65		

- endoscopic retrograde
 cholangiopancreatography
 (ERCP) 36, 40
 pancreatitis resulting from 36
etching artifact 4, 17, 59
- fast-spin echo (FSE) 8
 single-shot 8
fat 2, 5
 macroscopic 18
 microscopic 4, 18
fatty infiltration 20
female pelvis 71–120
 adnexal masses 71, 89
 cervical carcinoma 81–78
 endometrial carcinoma
 78–150
 interpretation 80
 pregnancy 106–16
 prolapse 99–3, 100
 urethra 93–106
 uterine anomalies 71, 73–81
 uterus 150
ferumoxsil (GastroMARK) 11,
 14, 36
fetus 106
fibroids 71, 76, 96, 106
fibromuscular dysplasia 145
fibrostenotic disease 64, 69
field strength 12
FIESTA sequence 9
fluids 2
fluid-sensitive imaging 2
focal nodular hyperplasia (FNH) 10,
 13, 21, 24
- gadobenate dimeglumine 139
gadodiamide (Omniscan) 12
gadolinium-based contrast agents 2,
 10, 22
 anaphylaxis 22
 contraindication in pregnancy 11
 in renal dysfunction 11
 *See also individual agents and
 procedures*
gadopentetate dimeglumine
 (Magnevist) 10
gadoteridol (ProHance) 10
gadoversetamide (OptiMARK) 10
gadoxetate disodium (Eovist) 10, 11,
 13–14, 22, 25
 dose 11
Gartner duct cysts 96
Gd-BOPTA (MultiHance)
 10, 22
glomerular filtration rate 12
glucagon 65
glucagonoma 47
gonadal vein thrombosis 153
- gradient echo sequences 4
 volume-interpolated *See* volume-
 interpolated gradient echo
 sequences
- hemangiomas
 flash-filling 16, 18
 liver 11, 16, 17
 thrombosed/sclerosed 16
hematospermia 124
hemochromatosis *See* iron deposition
hemoperitoneum 28
hemorrhagic cyst 89, 106
hepatocellular carcinoma (HCC) 26, 29
 fibrolamellar 30
Hounsfield units 6
hydronephrosis 77, 111, 114
 in pregnancy 115
hydrosalpinx 84
hypervascular lesions 22
 benign 24
 malignant 26
hypovascular lesions 22, 31
- iliococcygeus 104
in/out-of-phase sequence 4
 adrenal glands 59
 appendicitis in pregnancy 111
 female pelvis 71
 liver 17
 pancreas 46
 pregnancy 107
 renal masses 49
incidentalomas 58
India-ink artifact 4, 17
infertility 124
insulinoma 47
interpretation 1
intraductal papillary mucinous
 neoplasm (IPMN) 43, 45
intramural hematoma 148, 149
iron deposition 5, 14
iron overload 5, 6
islet cell tumors 47
- jaundice 36
- Kawasaki's disease 150
Kegel maneuver 100
kidney *See* entries under renal
- latex allergy 124
LAVA sequence 2
leiomyoma *See* fibroids
levator ani 104
lipoma, pancreatic 46
liver 13–34
 abscess 22, 32
 adenoma 10, 21, 25
 cholangiocarcinoma 22, 32, 33
 cirrhosis 26, 27, 28
 contrast agents 13
 cysts 15, 16
 exam sequences 13
 focal nodular hyperplasia 10, 13,
 21, 24
 hemangiomas 11, 16, 17
 hepatocellular carcinoma (HCC) 26,
 29, 30
 hypervascular lesions 22, 24, 26
 hypovascular lesions 22, 31
 indications for scanning 13
 iron deposition 5, 14
 metastases 30, 31
 magnetic resonance
 cholangiopancreatography
 (MRCP) 14
 MRI examination 15
 steatosis 4, 17
 lymphoma 65
- magnetic resonance angiography *See*
 MRA
magnetic resonance
 cholangiopancreatography *See*
 MRCP
magnetic resonance imaging *See* MRI
magnetic resonance venography *See*
 MRV
male pelvis 121–31
 interpretation 121
 penis 122
 prostate 124–30
 scrotum 121, 122
 testicles 121
mediastinum testis 121
melanin 2, 22
melanoma 22
 metastases 22
mesenteric magnetic resonance
 angiography (MRA) 144
metastases 11
 adrenal gland 59
 liver 30, 31
 renal 53
midpubic line 100
MRI scanner 1
magnetic resonance angiography
 (MRA) 139–53
 abdominal 144
 aorta 144
 bolus tracking 140
 chest 143
 double inversion recovery 142
 ECG-gated single-shot fast-spin
 echo 142
 fixed delay 140
 gadolinium-enhanced 139–40

Cambridge University Press

978-1-107-01404-6 - Practical Body MRI: Protocols, Applications, and Image Interpretation

David J. Grand, Courtney A. Woodfield and William W. Mayo-Smith

Index

[More information](#)

Index

- magnetic resonance angiography (MRA) (cont.)
 interpretation 145–7
 not gadolinium-enhanced 140–2
 pathology 146–50
 phase-contrast 141
 renal/mesenteric 144
 steady-state free precession 142
 techniques 139–42
 time of flight (TOF) 140
 timing bolus 140
- magnetic resonance
 cholangiopancreatography (MRCP) 14
 pancreas 36–8
 three-dimensional 37
- MRI 1
See also specific body regions
- magnetic resonance venography (MRV), pelvic 152–3
 multiplanar steady-state free-precession 152
 time of flight (TOF) 152
- mucinous cystadenocarcinoma 43, 44, 108
- müllerian duct cysts 128
- myelolipoma 60, 116
- nephrogenic fibrosing dermopathy 12
- nephrogenic systemic fibrosis (NSF) 10, 12
- oncocytoma 50
- oral contrast agents 11
 barium sulfate *See* barium sulfate suspension
 enterography 65
- organ of Zuckerkandl 60
- ovarian cyst 89, 106
- ovarian follicle 86
- ovarian teratoma 109
- ovarian vein thrombosis 111
- ovary, normal 84
- pancreas 36–48
 adenocarcinoma 47, 48
 cystic lesions 42–7
 fatty infiltration 47
 lipoma 46
 magnetic resonance
 cholangiopancreatography (MRCP) 36–8
 pathology 38–41
 pseudocysts 42
 tumors 36, 43
- pancreas divisum 38, 48
- pancreatitis 36, 39, 41
 acute 42
 chronic 42
- and endoscopic retrograde
 cholangiopancreatography (ERCP) 36
 pseudocysts 43
- pelvic dyssynergia 103
- pelvic floor muscles 104
- pelvic magnetic resonance venography (MRV) 152–3
- pelvic prolapse 99–103
 interpretation 99–104
- pelvis
 female 71–120
 male 121–31
- penis 122
 corporal bodies 121
- perianal fistula 65, 69
- peritoneocele 100
- periurethral glands 96
- phase-contrast magnetic resonance angiography (MRA) 141
- phased array coils 9, 10
- pheochromocytoma 60, 61
- placenta 114–16, 119
 cervical invasion 119
 interpretation 118
- placenta accreta 118
- placenta percreta 116, 118, 119
- placenta previa 118
- polyarteritis nodosa 149
- polycystic kidney disease (PCKD) 54, 55, 56
- post-contrast images 5, 21
- pre-contrast images 5, 21
- pregnancy 106–16
 appendicitis 107–14
 deep venous thrombosis 153
 enterography in 65
 hydronephrosis 115
 interpretation 106
 MRI urography 114–16
 placenta 114–16, 119
 renal cell carcinoma (RCC) 117
 subchorionic hematoma 119
- primary sclerosing cholangitis (PSC) 40
- prostate 124–30
 carcinoma 124, 125, 126, 127, 129
 interpretation 124
- prostate-specific antigen 124
- prostatitis 124
- protein 2
- pubococcygeal line 100
- pubococcygeus 104
- puborectalis 103, 104
- pulse sequences 2, 4–9
 diffusion-weighted imaging (DWI) 8–9
 T1-weighted *See* T1-weighted images
 T2-weighted *See* T2-weighted images
- radiofrequency 1
- rectal carcinoma 135–7
- rectal intussusception 104
- rectal prolapse 101
- rectocele 101, 102
 staging 102
- rectovaginal fistula 132, 135
- renal cell carcinoma (RCC) 49, 51, 52
 in pregnancy 117
- renal masses 49–57
 Bosniak classification 49, 54
 cystic *See* polycystic kidney disease (PCKD)
 interpretation 49
 solid 50–3
 subtraction images 55
- renal metastases 53
- renal magnetic resonance angiography (MRA) 144
- renal stones 115
- repetition time (TR) 1
- scrotum 121, 122
- serous cystadenoma 43, 44
- sigmoidocele 100
- sinus of Valsalva aneurysm 146
- Skene's gland cysts 96, 97
- small bowel distension 65
- solid and papillary epithelial neoplasm (SPEN) 43, 45, 46
- sphincter of Oddi 37
- spin echo sequences 4
- steatosis 4, 17
- stenting 139
- subchorionic hematoma 119
- subtraction images 6
 female pelvis 78
 renal masses 55
- suppressed spoiled gradient echo (SPGR) 139
- surface coil 1
- T1-weighted images 1, 2, 4–7
- T2-weighted images 1, 2, 7–8
 female pelvis 71
 fluids on 2
 fluid-sensitive 8
 pelvic prolapse 100
 post-contrast 5
 prostate 125
- Takayasu's arteritis 149, 150
- TE *See* echo time
- teratoma 85, 89, 106, 109
- testicles 121
- testicular seminoma 123
- THRIVE sequence 2
- time-of-flight magnetic resonance angiography (MRA) 140

time-of-flight magnetic resonance venography (MRV) 152 TR <i>See</i> repetition time true fast imaging with steady-state precession (true-FISP) sequence 9 tuberous sclerosis 51 tumor-hiding sequences 15, 27 tumors 8 adrenal gland 58, 60 cervical carcinoma 81–78 endometrial 78–150 endometrial carcinoma 79, 80, 82 islet cell 47 liver 26 pancreas 36, 43 prostate 124, 125, 126, 127, 129	rectal 135–7 testicular seminoma 123 tunica albuginea 121 ureteral dilation 115 urethra, female 93–106 leiomyoma 98 squamous cell carcinoma 97 urethral diverticulum 94, 95, 98 urography 114–16 interpretation 114 uterine anomalies 71, 73–81 uterine artery embolization (UAE) 150 uterus 72, 150 fibroids 71, 76, 106 septate 75 unicornuate 74	vagina 95 cysts 95, 96 Valsalva maneuver 100 vasculitis 149 VIBE sequence 2 VIPoma 47 volume-interpolated gradient echo sequences 5 adrenal glands 62 female pelvis 71 liver 21 placenta 118 pregnancy 107 prostate 127 voxels 4 weighted images 2
---	--	---