

Index

- ϵ , 12, **37**
- ϵ -rule, 14, 149, 234, 236, 238, 239, 252, 254, 255, 266–268, 270
- $a^n b^n c^n$, 29, 215–222, 225, 235, 238
- abstraction, **58**, 57–60, 99, 113, **128**, 129
- abstract feature structure, 34, **56**, 54–64, 83–85, 99–108, 113, 116, 126, 127, 129, 142, 146, 287
- abstract multirooted structure, 115, 116, 125, 129, 136–163
 - empty, **126**
- Ackerman function, 99
- adjectival phrase, 206
- adjective, 206, 207
- AFS, *see* abstract feature structure
- agreement, 7, 27, 29, 31, 35, 36, 116, 165–171, 177, 180, 200, 204, 206, 208–210, 252, 253
- ALE, 212
- algorithm, 226, 235, 239, 254–256, 258–267, 270–273, 276
- alphabet, *12*, **14**, 146
- ambiguity, 146, 148, 162
 - lexical, 36
 - structural, 19
- anaphora, 2
- anti-unification, *see* generalization
- arborescence, **78**, 78, 78–82
- artificial intelligence, 2
- assignment, 240, 241, 244
- atom, 35, 35, 36–38, 44, 46, 49, 75, 89, 109, 117, 156, 165, 166, 179, 181, 215, 248
- ATOMS, 37, **37**, 55, 118, 146, 150, 176, 230
- attribute-value matrix, *see* AVM
- attribute grammar, 164
- AVM, 34–37, **65**, 64–83, 85, 94, 108, 116, 130, 135, 157, 210, 217, 222
 - atomic, **65**
 - complex, **65**
 - empty, **66**, 71, 75
 - expression, 79, **79**, 81, 82
 - well-formed, **67**, 67–68, 76, 77, 80, 81, 130, 287
- Bambara, 23
- body, 14, **14**, 17, 146, 149, **149**, 150, 151, 156, 221, 234, 245, 248, 249, 254
- branching degrees, 235
- C, 83
- c-structure, 209–211
- case, 165, 181, 197, 208, 210
- case control, 166, 172–174, 208
- Catalan number, 266
- categorical grammar, ix, 31, 208, 211, 212, 276
- category, 14, 17, 24, 116, 146, 148, 149, 163, 165, 166, 170, 172, 176, 180, 181, 185–188, 192, 193, 202–204, 206, 207, 215, 229, 256, 257, 260, 266, 269
 - base, 206
 - preterminal, **21**
- CFG, x, **14**, 14–28, 34, 37, 115, 146, 150, 151, 157, 161, 163–166, 170–172, 201, 202, 208, 209, 213–215, 225, 226, 234, 245–247, 250, 254–268, 271, 275, 292
- chart, 256, 258–266, 268, 271, 272, 274
- Chinese, 210

- Chomsky, Noam, 1, 22, 23
 Chomsky hierarchy of languages, 22, 226
 Church's thesis, 226
 closure operations, 100–105, 107, 113, 139, 140, 143, 144, 152
 compiler, 164
 complement, 177–181, 184–186, 198, 206
 complementation, 23
 complexity, 33, 99, 172, 213, 226, 239, 255, 256, 263–264, 270, 276
 computational linguistics, ix, x, 34, 35, 209–211
 computation theory, 227, 273
 computer science, x, 1, 3, 83, 239, 275, 276
 concatenation, 12, 13, 30, 125, 127, **127**, 128, 133, 147, 217
 concretization, **60**, 60–62, 128
 configuration, **227**, 228–231
 conjunction, 202, 203, 240
 constituency, 30
 constituent, 20, **21**, 26, 176, 180, 185–187, 189, 202, 204, 208, 210
 constituent order, 179
 constraint, 7, 176, 180, 181
 context-free grammar, *see* CFG
 context-free skeleton, 149, 211
 context-sensitive grammar, 23
 control, 28, 166, 197–201, 275, 295
 coordination, 25, 114, 166, 201–209, 212
 nonconstituent, 207–208
 of unlikes, 206–207
 cycle, **42**, 42, 53, **70**, 71, 77, 81, 94, 113, 122, 133, 286
 cyclically unifiable sequence, **236**, 236–237
- decidability, 213, 233–235, 251, 267
 deduction, 274
 Definite Clause Grammar, 273, 274
 DELPH-IN, 212
 depth, 234–238
 derivation, 15, **15**, 17, 36, 115, 146, **151**, 151–158, 161, 164, 166, 170, 171, 174, 176, 187, 188, 190, 203, 215, 217–219, 221–223, 225, 229, 232, 234, 236, 239, 247, 248, 249–251, 254, 255, 258, 269
 equivalence relation over, 17
 leftmost, 15
 derivation tree, 17, **17**, 18, 27, **157**, 157–163, 167, 168, 170, 172, 173, 175, 176, 180, 181, 183, 187–196, 200, 201, 203, 206, 209, 211, 220, 222, 224, 225, 234–238, 242–244, 247, 248, 255, 265
 determiner, 168, 170, 193
 determiner phrase, 210
 disjunction, 240
 distance, **47**
 dominance, 165
 dotted rule, **256**, 256–261, 264, 266, 268, **268**, 272
 dot movement, 258, 259, **259**, 260, 264, 268, 269, **269**, 270
 Dutch, 23, 33
- E_0 , 6–8, 11, 25, 31, 35, 166–168, 176, 178, 185, 202, 203
 $E_{control}$, 8, 197
 E_{coord} , 11, 202, 203, 205
 E_{ldd} , 9, 185
 E_{relcl} , 10, 192
 E_{subcat} , 7–10, 178, 180, 183–185
 edge, 256, 258, 260, 264–266, 269–271, 273
 efficiency, 214
 empty category, 193, 195, 196
 English, xi, 2, 5, 6, 8, 10, 11, 23–25, 27, 28, 35, 36, 116, 172, 173, 176, 179, 202, 204–207, 210, 252
 exhaustive search, 234, 235, 239, 244, 254–256
 expressiveness, *see* expressivity
 expressivity, 115, 209, 213–253, 268
- f-structure, 209, 210
 failure, 89, 95, 140, 181, 217
 FEATS, 37, **37**, 55, 117, 118, 146, 150, 176, 230
 feature, 35, 35, 75, 117, 186, 215
 feature graph, 34, **37**, 37–54, 56, 57, 74–83, 85–93, 95, 109, 111, 115, 119–121, 123, 285
 atomic, **39**
 empty, **39**
 feature structure, x, **52**, 34–86, 93–94, 105, 114–118, 164, 165, 204, 206–209, 212, 246, 249, 250, 268
 abstract, *see* abstract feature structure
 cyclic, 84
 empty, 35, 36, 108, 109, 172
 typed, 84, 211

- filler, 189, 209
- Finnish, 174
- first-order term, *see* FOT
- form, **14**, 115, 151, 153, 156, 234, 249, 255
 - sentential, **15**, 17, 117, 232–234, 245, 248–250, 254, 255, 259
- formalism
 - feature-structure-based, *see* formalism, unification
 - grammatical, 213, *see* formalism, linguistic
 - linguistic, 4–6, 83, 166, 172, 209–211, 275, 276
 - unification, xi, 213–253
- FOT, 84, 113, 114
- French, 6, 27, 28, 205, 210, 211
- frontier, 161, 162, 234
- fusion closure, 56, **56**, 60, 84, 100–103, 105, 125, 126, 137, 139, 289
- gap, 189, 190, 192, 193, 195, 209
- generalization, 85, **108**, 108, 108–114, 206, 207, 212
- generation, 214
- generative capacity, 22–23, 25, 33, 226
 - strong, 25, 172, 267, 276
 - weak, 25, 214, 226, 267
- German, 6, 23, 174, 181, 210, 211
 - Swiss, 33
- Government and Binding, 163, 210
- GPSG, 163, 212
- grammar
 - branching, **239**, 239–244, 251–253, 267, 268, 270, 297
 - context-free, *see* CFG
 - engineering, 211
 - equivalence, **18**, 18–21, 25, 276
 - weak, 18, 21, 25
 - functional, 163
 - functional-unification, 163
 - generalized phrase structure, *see* GPSG
 - head-driven phrase structure, *see* HPSG
 - lexical-functional, *see* LFG
 - linear-indexed, 245, 251
 - nonreentrant, 245–253, 274, 297
 - one-reentrant, **248**, 251–253, 274, 297
 - phrasal/terminal normal form, 21, **21**, 146, 254
 - polynomially parsable, 244–251
 - tree-adjoining, *see* TAG
 - unification, ix, x, 37, 42, 84, **150**, 115–165, 168, 170–172, 188, 201, 205, 208–211, 213–276
- grammar engineering, 211
- grammar variable, *see* nonterminal
- grammatical function, 210
- Grammix, 212
- graph, x, 34, 37, 39, 75, 78, 99, 114, 118, 120
- greatest lower bound, 108, 111, 112, 114, 212
- hardness, 239, 240
- head (of a phrase), 25, 170, 192, 193
- head (of a rule), 14, **14**, 17, 149, **149**, 150, 151, 180, 219, 221, 234, 237, 238, 248, 249, 259, 266, 268–271, 273
- head drives phrase structure grammar, *see* HPSG
- HPSG
 - Hebrew, 6, 27, 28, 205, 212
- homomorphism, 23
- HPSG, 4, 31, 150, 163, 211, 212
- infinitive, 178, 197, 198, 201
- initial symbol, *see* start symbol
- invariant, 258–260, 270
- isomorphism, 34, 41, **43**, 47, 51, 52, 54, 55, 58, 72, 73, 91, 122, **122**, 124, 125, 134, 288
- Japanese, 210, 211
- Kleene closure, 13
- Korean, 211
- language
 - context-free, 16, 22, 22–28, 170, 239, 245–248, 251, 253, 268
 - formal, ix, x, 1, 5, 13, 12–14, **15**, 16, 21, 22, 213–215, 225, 226, 275
 - fragment, x, 6–11, 165, 203
 - mildly context-sensitive, 29–30, 239, 245, 248–251, 253
 - natural, xi, 1–5, 6, 22–32, 146, 172, 176, 204, 206, 208, 211, 212, 214, 226, 227, 245, 251–253, 268, 275, 276
 - structure, 5
 - of a grammar, x, 115, 116, 151, **156**, 171, 175
 - of a Turing machine, **229**
 - programming, x, 1, 22, 83, 84, 117, 164, 211, 253, 276
 - recursively enumerable, 23, 213, 226, 227

- language (*cont.*)
 regular, 23, 32, 213
 trans-context-free, 16, 215, 227, 252, 268
 trans-regular, 23, 24
 Latin, 174
 least upper bound, 85, 86, 91, 106, 139, 143, 145
 length, 12, 47, **118**, 123, 126, 133, 138, 140, 149, 215, 217, 234, 237, 239, 247, 254, 255
 letter, *see* terminal
 lexicalism, 31, 179, 209
 lexical entry, **21**, 35, 146, 147, 161–163, 172, 173, 176, 178, 179, 181, 183, 185, 188, 190, 198, 199, 201, 203, 241, 242, 246, 252, 266, 268, 294
 lexical functional grammar, *see* LFG
 lexical item, *see* lexical entry
 lexicon, 25, 31, 35, 146, **146**, 147, 173, 174, 181, 202, 209, 230, 241, 242, 252
 LFG, 4, 30, 31, 150, 163, 209–211, 273, 274
 LIFE, 84
 linguistics, 1, 275
 linguistic generalization, 165, 166, 170–172, 177, 179, 208–209, 211, 214
 linguistic theory, ix, 4, 163, 165, 179, 185, 204, 205, 208–212, 275, 276
 LISP, 117
 list, 117, 178, 179, 217, 222, 229, 230
 literal, 240, 241, 244
 LKB, 211, 212
 logic, 239, 240, 276
 logic programming, x, 84
 LOGIN, 84
 long-distance dependencies, 166, 172, 185–197, 208, 212, 275

 membership, 214, 235, 238, 239, 241, 244, 276
 Mohawk, 23
 morphology, 2, 3
 movement, 165, 209
 MRG, 115, 116, **118**, 118–125, 128, 129, 135, 136, 138, 145
 empty, **118**
 MRS, 115, **125**, 115–129, 135, 138, 164
 multi-AVM, 115, 116, **130**, 130–137, 148, 175
 well formed, **130**, 131
 multirooted feature graph, *see* MRG
 multirooted structure, 268 *see* MRS

 natural language processing, ix
 nonbranching dominance chain, **236**, 237, 238
 nonterminal, 14, **14**, 15, 31, 36, 116, 166, 172, 215, 225, 245, 246, 250, 254, 259
 Norwegian, 10, 211
 noun, 168, 170, 172, 181, 192, 193, 197, 202, 207
 noun phrase, 154, 165, 168, 169, 172, 178, 179, 186, 187, 193, 196–198, 204–206, 210, 212, 297

 object, 173, 176, 189, 190, 192, 193, 197, 198, 201, 210
 off-line parsability, 213, **237**, 233–239, 244, 251, 268, 273
 overgeneration, 26, 187

 PARGRAM, 211
 parsing, xi, 5, 22, 36, 116, 164, 214, 235, 253–274, 276
 part of speech, 25
 Pascal, 83
 path, **37**, **39**, 39, 39–41, **53**, 55, 57, 63, **68**, 78, 100, 104, 116, 118, **120**, 122, 126, **132**, 140, 143, 144, 149, 152, 285, 286, 290
 empty, 37, 285
 length, 37
 value, **40**, 40, 41, 43, **69**, 117, 121, **121**, 132, **132**, 133, 285
 PATHS, **37**
 person, 205
 phonology, 2, 3
 phrase, 36, 116, 186, 187, 189, 192, 197, 203
 phrase structure, 30, 164, 201
 pragmatics, 2
 preterminal, **148**, 161, 162, 170, 215, 219, 221, 231, 232, 244, 250, 253, 272, 242,
 precedence, 166
 predicate, 204
 prefix closure, 40, 56, **56**, 60, 101, 102, 105, 125, 126, 137, 139
 principle, 1
 production, *see* rule
 Prolog, x, 84
 pronoun, 2, 172, 173, 185, 186, 190, 297
 proper name, 172, 297
 pumping lemma, 23, 32
 push-down automaton, 229

 recognition, 22, 214, 235, 244, 245, 251, 253–255, 258–267, 270, 271, 276

- record, 83, 84, 95
- recursion, 16
- reduction, 239, 241, 244
- reduplication, 29
- reentrancy, **41**, 41–42, 45, 53, **53**, 56, 63, **70**,
 75, 77, 80, 84, 90, 91, 94, 109, 116, 122,
 123, 127, 131, 133, 134, 140, 143, 144,
 147–149, 151–153, 157, 159, 165, 167,
 187, 191, 193, 200, 208, 209, 217, 218,
 245–252, 268, 269, 286
- relative clause, 166, 185, 191–197, 267
- relativizer, 193
- renaming, **74**, 72–74, 133, 134
- repetition, *I2*, 13
- root, 118, **118**, 119, 123, 136, 161
- rule, 14, 31, 36, 115–117, **148**, 146–151, 153,
 156, 160, 161, 164, 168–173, 176, 177,
 179, 184–190, 192, 193, 202–206, 208,
 209, 211, 215, 217, 220, 223, 225, 230,
 232, 236, 237, 239, 241, 245, 246, 248,
 254, 257, 259, 266, 272
- Russian, 6, 27, 28, 174
- scrambling, 30
- semantics, xi, 2, 3, 25, 31, 32, 210, 214
- sentence, 178–180, 185–190, 192, 193, 195,
 200, 201, 203, 204, 207–210, 295
 - declarative, 166, 185
 - interrogative, 166, 186–188
- set, x, 99, 100, 104, 179, 291
- signature, 37, **37**, 38, 65, 66, 72, 85, 117, 118,
 130, 134, 146, 147, 150, 157, 167, 168
 172, 215, 223, 230, 245–248
- slash, 186–190, 192, 193, 196, 212
- stack, 229, 236
- start symbol, 14, **14**, **150**, 151, 161, 175, 222,
 223, 230, 241, 246, 255, 273
- string, *I2*, 30
- sub-AVM, 130, **130**
- subcategorization, 7, 28, 31, 165, 166, 171,
 174–183, 188, 197, 201, 206–208
- subgraph, 120, **120**
- subject, 36, 116, 166, 173, 177, 180, 190,
 192–195, 197, 198, 200, 201, 204, 210,
 252
- substitution, 114
- substructure, **126**, 127, 129, 133, 142, 158
- subsumption, **44**, 44, 42–52, **53**, 54, 55, **62**,
 62–64, **72**, 71–72, 76, 77, 85, 91, 93, 99,
 105, 108, 123, **123**, 124, 129, **129**, 133,
 134, **134**, 139, 143, 144, 286, 287
- subsumption morphism, **44**, 45–48, 50, 51, 54,
 62, 63, 92, 93, 111, 124, 286
- syntax, x, 2–4, 163, 208, 275, 276
- TAG, 211, 212
- tag, 65, **66**, 75, 116, 130, 131, 156, 224, 249
- tagset, **66**
- tense, 198
- terminal, *I2*, 14, **14**, 31, 215, 223, 245, 246,
 254, 260, 266
- termination, 96, 98, 214, 229, 232, 234, 235,
 238, 253–255, 260, 267, 270
- TFS, *see* feature structure, typed
- trace, 193, 196
- TRALE, 211, 212
- transformation, 165
- tree, 78, 84, 265, 266
- Turing machine, 213, **227**, 226–236, 238, 267,
 273
- type respecting relation, **87**, 87–90, 92
- typology, 211
- unbounded dependence, *see* long-distance
 dependencies
- underspecification, 171
- unification, x, 36, 41, 42, 85, **86**, **89**, **104**,
 83–109, 113, 114, **139**, 137–146, 151,
 153, 154, 164, 181, 205–207, 209,
 212, 217, 219, 245, 249, 269, 270,
 294
 - algorithm, 94–99, 114, 145
 - destructive, 96, 99
 - nondestructive, 99, 114
 - in context, *I15*, 116, **139**, 137–146, 151,
 157, 158, 269
- union-find, 94, 114
- unit-rule, 14, 232, 234, 236–239, 251, 252,
 254, 255, 264, 267, 268, 270
- universal recognition problem, 213, *213*, 226,
 233, 234, 239, 241, 274, 276
- unrestricted rewriting systems, 23,
 226
- Urdu, 211
- value, 35, 35, 36, 66
 - complex, 35
- variable, 65, 67, 72, 76, 78, 81, 130–133, 136,
 150, 173, 181, 203, 219, 270
 - scope, 116, 130, 133, 150, 156, 157, 175
- variable association, **68**, 70, 76, **130**

verb, 116, 168–170, 176–181, 184–188, 192, 197, 199–201, 206–210, 252	Word, 12, 31, 35, 36, 146, 148, 162
finite, 198, 295	WORDS, 146
intransitive, 176	wrapping, 30
transitive, 176	<i>ww</i> (repetition language), 222–225
verb phrase, 154, 165, 166, 168–170, 176–181, 186, 189, 190, 192, 197, 198, 201, 203, 204, 207, 295	XLE, 210, 211