

Index

- α helix, 16, 222, 304, 307, 313
- β
 - hairpin, 221, 303, 307
 - sheet, 16, 222, 252, 313
 - strand, 16
- δ rod, 222
- γ ring, 222
- acceptance probability, 101
- adsorption, 255, 260, 279, 286, 294
- aggregation, 227
- AIDS, 1
- amino acid, 3, 6, 16
 - hydrophobic, 17
 - polar, 17
- amyloid
 - β peptide, 1, 227
 - aggregation, 1
 - hypothesis, 1, 227
- anti-Mackay overlayer, 150
- aquaporine, 4
- autocorrelation
 - function, 85
 - time, 86
- Bézier
 - analysis, 93
 - curve, 93
 - spline, 93
- barrier, 8, 11, 15, 50, 52, 189, 206
 - activation, 10, 209
 - bending, 20
 - energetic, 140, 152, 189
 - entropic, 242, 248, 249, 279
 - excitation, 152
 - free-energy, 7, 8, 15, 50, 51, 101, 182, 191, 197, 317
 - hidden, 191
 - kinetic, 11, 51, 53, 317
 - phase separation, 249
 - surface, 241, 248
 - torsional, 9, 11–13, 20, 193
 - transition, 241, 242
 - transition state, 202
- Bernstein polynomial, 95
- bias, 84, 92
- binning analysis, 88
- bioprotein, xiii, 3, 5, 6, 9, 10, 12, 20, 191, 209
- bond angle, 192
- bovine spongiform encephalopathy, 1
- Boyle temperature, 145
- canonical
 - analysis, 54, 170, 208, 233, 235, 236, 268, 270, 275, 303
 - ensemble, 34, 35, 37, 39–41, 43, 44, 46, 50, 197, 202, 208, 210–212, 227, 230, 233, 275
 - temperature, 34, 35, 40, 41, 54, 210–212, 239
- chain growth
 - contact-density, 258, 259, 295
 - multicanonical, 123, 129, 131, 138, 258
 - Rosenbluth, 18, 123, 125–127, 261
- chevron plot, 206
- chirality, 291
- chymotrypsin inhibitor, 2, 208
- coarse-graining, xiv, 14, 50
- codon, 6
- conformational transition, 11, 23, 181, 195
- constraints, 217
- contact density, 257, 295
- contact map, 68
- content
 - α , 304
 - β , 304
 - secondary-structure, 304, 313
- cooperativity, xiii, 8, 32, 43, 47, 48, 52, 82, 141, 185, 213, 218, 240, 300
 - conformational, 230
 - parameter, 8, 33
 - steric, 301
 - structural, 303
 - substrate-peptide, 294
- critical slowing down, 104
- cytochrome c, 294
- cytoskeleton, 23
- defect, 292
- dementia, 1
- density of states, 39, 41, 54, 76, 102, 105–108, 111, 117, 129, 130, 235, 259, 280, 295

- designability, 72
- designing sequence, 19, 69
- detailed balance, 52, 100, 101, 118
- dihedral, 20, 123, 213
- dihedral torsion angle, 9
- dipole–dipole interaction, 24
- disease
 - Alzheimer’s, 1, 16, 227, 252
 - Creutzfeldt–Jakob, 1, 209
 - liver, 1
 - neurodegenerative, 1, 227
 - prion, 1, 209
- DNA, 6, 20, 175
- effect
 - backbending, 59, 62, 212, 228, 235–237, 247, 248, 252, 286
 - bond elasticity, 159
 - bulk, 151
 - cooperative, 32, 34, 48, 212, 225
 - degeneration, 10
 - energetic, 34, 140, 209
 - entropic, 209, 247, 266
 - excluded volume, 48, 218
 - finite-size, xv, 27, 34, 64, 82, 149, 158, 164, 176, 184, 261, 273
 - finiteness, 34, 138, 141
 - hydration, 311
 - hydrophobic, 11
 - lattice, 14, 139, 140, 149, 269, 279
 - long range, 162, 198
 - macroscopic, 34
 - memory, 52, 198
 - microcanonical, 209, 282
 - noncooperative, 139
 - polarization, 9, 310
 - quantum-mechanical, 9, 11, 12, 42
 - roughness, 308
 - screening, 9
 - short-range, 166
 - smallness, 34
 - surface, 35, 53, 54, 149, 151, 152, 210, 227, 233, 235, 236, 243, 247–249
- emergence, xiii
- ensemble
 - canonical, 34, 35, 37, 39–41, 43, 44, 46, 50, 81, 197, 202, 208, 210–212, 227, 230, 233, 275
 - generalized, 18, 204
 - grand canonical, 41, 42
 - microcanonical, 38–41, 81, 210, 247
 - multicanonical, 111, 195, 231
- entropy, 36, 37, 82
 - conformational, 284
 - Hertz, 235
 - interfacial, 279
 - microcanonical, 55, 107, 112, 210, 227, 235, 236, 241, 247, 252, 279
 - suppression, 279
 - surface, 279
 - translational, 253, 257, 284
- enumeration, xv, 18, 68, 79
- enzyme, 3, 6
- ergodicity, 82
- evolution, 67
- filament, 4, 23, 175
- finite-size
 - deviation, 145
 - effect, xv, 27, 34, 64, 82, 149, 158, 164, 176, 184, 261, 273
 - scaling, 34, 158, 183, 185
 - system, 57, 260
- folding
 - channel, 195
 - direct, 68
 - inverse, 68
 - two-state, 191, 209
- free energy, 7, 36, 40, 42, 48–50, 196, 202, 228, 261, 264, 266, 268, 300
 - barrier, 7, 8, 15, 50, 51, 101, 182, 191, 197, 317
 - contact, 264, 265, 296, 297
 - landscape, 7, 8, 11, 15, 48–53, 191, 196–198, 201, 206, 231, 264, 295
- gene expression, 2, 6
- Gibbs hull, 59, 210, 236, 282
- grand canonical
 - ensemble, 41, 42
 - potential, 42
 - temperature, 42
- heat capacity, 43, 46
- hybrid
 - interface, 255, 256, 293, 307
 - model, 255, 275, 294, 309, 317
 - system, 2, 255, 256, 258, 259, 262, 264, 274, 294, 301
- hydrogen bond, 4
- hydrophobic
 - core, 17
 - force, 17, 182
- hydrophobic core, 79
- hydrophobicity, 17, 49, 70, 71, 77, 186, 190, 302, 308
- importance sampling, 103, 127
- inflection-point analysis, 62, 117, 164, 253
- interaction range, 165
- interface
 - hybrid, 255, 256, 293, 307

- organic-inorganic, 293
 - peptide-semiconductor, 255
 - peptide-silicon, 307
 - protein-substrate, 293
 - pseudophase, 227
- jackknife analysis, 90
- kinetic
- barrier, 11, 51, 53, 317
 - transition, 53
- kinetics, 191, 198, 204
- chemical reaction, 8
 - folding, 191, 198, 199, 204, 206, 207
 - Gō, 198
 - unfolding, 206, 207
- landscape, 193, 223
- energy, 186
 - free-energy, 7, 8, 11, 15, 48–53, 191, 196–198, 201, 206, 231, 264, 295
 - specific-heat, 222, 225
- latent heat, 64, 279
- layering transition, 259
- Lennard-Jones
- cluster, 149, 150, 152–155, 158–160, 162, 163
 - polymer, 152, 162
 - potential, 15, 20, 147, 150, 156, 160, 162, 166, 269, 185, 200, 203, 217, 219, 220, 244 287, 311
- Mackay overlayer, 150
- macrostate, 33, 37
- magic number, 150
- Markov dynamics, 100
- master equation, 52, 100
- Maxwell construction, 55, 168, 237, 282
- method
- contact-density chain growth, 258, 259, 295
 - exact enumeration, xv, 18, 68, 79
 - flat-histogram, 129, 132, 138, 258
 - generalized-ensemble, 18
 - molecular dynamics, 12, 198, 204
 - Monte Carlo, 18, 19, 45, 68, 123, 127, 155, 195, 198, 204
 - multicanonical, 129, 132, 138, 155, 195, 230–232, 244, 258
 - multicanonical chain growth, 123, 129, 131, 138, 258
 - pruned-enriched Rosenbluth, 126–130, 132, 146
 - Rosenbluth chain growth, 18, 123, 125–127, 261
- microcanonical
- analysis, 53, 57, 65, 116, 171, 210–213, 235, 238, 244, 249, 253, 279
 - effect, 282
- ensemble, 38–41, 210, 247
- entropy, 39, 55, 107, 112, 210, 227, 235, 236, 241, 247, 252, 279
- specific heat, 228, 237
- temperature, 35, 39–41, 55, 63, 112, 117, 167, 210–213, 227, 235, 237, 247, 253
- microstate, 37, 101
- Miller index, 301, 310
- model
- AB, 14, 19, 20, 49, 185, 191, 192, 199, 203, 210, 223, 228
 - adsorption, 269
 - aggregation, 228
 - all-atom, 11, 12, 192, 310
 - bond fluctuation, 29, 147
 - coarse-grained, xiv, 14, 15, 17, 48–50, 191, 192, 287
 - effective, 49, 199
 - flexible polymer, 137
 - Gō, 199, 203, 209
 - Heisenberg, 22
 - hybrid, 255, 258, 275, 294, 309, 317
 - hydrophobic–polar, xv, 14, 17, 19, 27, 49, 68, 185, 223
 - Ising, 15, 102
 - Kratky–Porod, 22
 - lattice, 14, 17, 67, 147, 181, 185, 256, 261, 294
 - mesoscopic, 20, 48, 185, 191, 198, 208, 218
 - microscopic, 14, 198
 - mixed hydrophobic–polar, 19, 70
 - off-lattice, 14, 19, 185, 192, 228, 269
 - peptide, 12, 14, 68
 - protein, 208
 - self-avoiding walk, 48, 124
 - semiclassical, 11, 12, 198
 - spin glass, 15
 - tube, 218
 - wormlike chain, 22, 175
- molecular dynamics, 81, 101, 134
- Monte Carlo method
- generalized-ensemble, 108, 210
 - Metropolis, 103
 - multicanonical, 109
 - parallel tempering, 108
 - replica-exchange, 108
 - simple sampling, 102
 - simulated tempering, 109
 - Wang–Landau, 114, 117
- Monte Carlo simulation, 81, 100
- Monte Carlo update, 101, 118, 124
- displacement, 118
 - pivot, 120
 - torsional, 121
- mRNA, 6

multicanonical	stiff, 176, 247
chain growth, 123, 129, 131, 138, 258	tube, 218–222, 289
ensemble, 111, 195, 231	tube-like, 217
histogram, 111, 117, 186, 195–197, 231	polymerase, 1, 6
method, 129, 132, 138, 155, 195, 230–232, 244, 258	potential
recursion, 111	bond, 28, 155, 162
weight, 112, 129, 130, 132	chemical, 33, 35, 41
myosin, 4, 175	effective, 11, 42, 49
	electrostatic, 11, 24
	FENE, 28, 155
	grand canonical, 42
nanoarray, 2, 293	Lennard-Jones, 15, 20, 26, 147, 150, 156, 160, 162, 166, 185, 200, 203, 217, 219, 220, 244 269, 287, 311
nanoelectronics, 2, 243	square-well, 147
nanoparticle, 2	surface, 269, 270, 274
nanopore, 3, 4	thermodynamic, 36
nanosensor, 139, 255, 293	torsion, 11
nanotube, 286	Yukawa, 147
nanowire, 286	protein, 1, 3, 6, 9, 15, 51, 181, 185, 223
neuron, 1, 227	adsorption, 293, 307
	aggregation, 227, 242
	backbone, 3, 4, 20
order parameter, 8, 11, 15, 44, 47, 48, 50, 185, 192, 196, 200, 208, 227, 316	design, 67
adsorption, 262, 315	folding, 2–4, 7, 8, 10–12, 15, 16, 34, 67, 81, 184, 191, 192, 198, 204, 210, 227
aggregation, 229, 233	functional, 15, 53, 67, 68, 209
angular overlap, 191, 192	hull, 1
icosahedral, 154, 157, 159	hydrophobic–polar, 17, 67, 74, 78, 181, 185
similarity, 192	lattice, xv, 17, 18, 67, 70, 76, 78, 127, 132, 181
	membrane, 4
pectate lyase C, 181	misfolding, 1
peptide	off-lattice, 185
adhesion coefficient, 301, 308, 309	synthesis, 1, 6
adsorption, 255, 293, 294, 301, 308, 312, 317	pruned-enriched Rosenbluth method, 126–130, 132, 146
aggregation, 2, 235, 243, 247, 249	flat-histogram, 129, 132, 138, 258
amyloid β , 1, 227	pseudophase, 46, 260, 265, 274, 300
bond, 3, 4, 9, 10, 16, 20, 229	
modeling, 12	
synthetic, 191, 301, 307, 313	random number generator, 133
persistence length, 23, 175	feedback shift register, 134
phase transition, 2, 11, 34, 46, 82, 185, 259	Fibonacci, 134
physisorption, 255	linear congruential, 133
polymer	Mersenne Twister, 134
adsorption, 2, 255, 258–260	RANMAR, 134
aggregation, 227, 243	receptor-ligand binding, 3, 6, 227, 293
collapse, 2, 137, 189, 212	reweighting
crystal, 149, 217	multiple-histogram, 105, 129
crystallization, 2, 137, 149, 152, 162, 212, 243	single-histogram, 104
elastic, 27, 149, 152, 153, 155, 158, 272	ribonuclease A, 16
flexible, 23, 48, 68, 137–139, 149, 150, 152, 176, 219, 259	ribosome, 1, 6, 7, 16, 198
freezing, 137, 149	RNA, 6, 20, 175
lattice, 68, 123, 137–139, 141, 189, 260, 261, 264, 278, 279	
Lennard-Jones, 152, 162	scaling
linear, 4, 219	analysis, 69, 141, 146, 240, 241
nucleation, 227	finite-size, 34, 158, 183, 185
semiflexible, 22, 175, 243–245, 247, 249, 269	

- Gaussian, 137
- law, 68, 69
- logarithmic, 147
- selection probability, 101, 119
- self-avoiding walk, 17, 27, 68, 137
- sequence specificity, 294
- side chain
 - hydrophobic, 3
 - polar, 3
- simple sampling, 102
- single-walled tube, 291
- solubility, 259, 260, 295
- solvent, 3, 4, 7, 9, 11, 16, 137, 149, 184, 191, 244, 270, 293
 - accessible surface, 13, 210
 - explicit, 13, 198
 - good, 137, 189, 262, 267, 300
 - implicit, 13, 256, 308, 310
 - parameter, 261, 295, 297
 - poor, 182, 189, 261, 274, 301
 - quality, 182, 275, 300, 301
- specific heat, 46, 76, 138–140, 157, 158, 170, 176, 182, 186, 189, 199, 211, 212, 225, 233, 245, 247, 257, 260, 277, 295, 303
 - landscape, 222, 225
 - microcanonical, 228, 237
 - negative, 228, 237
- statistical error, 84, 90
- statistical path integral, 43
- stiffness, 175
- structure
 - β -sheet, 224, 313
 - amorphous, 149, 247
 - anti-Mackay, 159, 161, 164
 - armchair, 291
 - compact, 276, 300
 - crystalline, 53, 149, 155, 203, 273, 275
 - cuboidal, 278
 - decahedral, 150, 154, 173
 - designable, 73
 - diamond, 311
 - droplet, 289
 - face-centered cubic, 151, 158
 - film-like, 261, 262, 288, 300
 - functional, 51
 - helical, 213, 217, 220, 222, 293
 - hierarchical, 247
 - icosahedral, 150, 151, 173, 277
 - layered, 261
 - Mackay, 163, 164
 - native, 51
 - non-icosahedral, 154, 160
 - prediction, 12
 - primary, 3, 9, 16, 67, 209
 - quaternary, 4, 16
 - ring-like, 222
 - secondary, 3, 12, 16, 74, 191, 209, 217, 218, 220, 222, 223, 293, 304, 313
 - sheet-like, 222
 - surface, 308–310
 - target, 14
 - tertiary, 4, 16, 17, 181, 222
 - tetrahedral, 154
 - zigzag, 291
- subphase transition, 247, 252, 265, 300
- substrate specificity, 294
- surface
 - adhesive, 256
 - attraction strength, 269, 272, 274, 277, 278
 - attractive, 269
 - barrier, 241, 248
 - contacts, 257, 259, 262, 264, 272–274, 277, 278, 293, 295, 298
 - coverage, 301
 - crystal, 293
 - defects, 158
 - effects, 35, 53, 54, 149, 151, 152, 210, 227, 233, 235, 236, 243, 247–249
 - energy, 149
 - entropy, 59, 210, 236, 238, 239, 241, 248, 249, 279
 - fluctuations, 210
 - GaAs, 302, 309
 - hydrophilic, 210
 - interfacial, 228
 - layer, 150–152, 267, 274, 276, 310, 311
 - metal, 293
 - minimal, 149
 - monomers, 144
 - neutral, 257
 - potential, 269, 270, 274
 - semiconductor, 293, 312
 - Si, 302, 303, 308–310, 312
 - solvent-accessible, 13, 210
 - structure, 308–310
 - tension, 236, 238
- synergetics, xiii
- systematic error, 90
- temperature
 - Θ , 137, 145, 273
 - adsorption, 279, 286
 - aggregation, 237, 240–242, 246–249
 - Boyle, 145
 - canonical, 34, 35, 40, 41, 54, 210–212, 239
 - critical, 46, 145
 - folding, 201, 204, 206, 207, 210–212
 - freezing, 145, 245, 247, 273, 275
 - grand canonical, 42
 - heat bath, 35, 39, 40
 - melting, 138, 157

temperature (cont.)	two-state, 213, 279
microcanonical, 35, 39–41, 55, 63, 112, 117, 167, 210–213, 227, 235, 237, 247, 253	wetting, 277
transition, 35, 44, 46, 47, 138, 145, 158, 160, 185, 197, 210, 233, 238, 239, 268, 274	transition probability, 83, 101, 119
thermodynamic	transition state theory, 51, 101
equilibrium, 36, 81, 184	translation, 6
laws, 33	tRNA, 7
limit, 33, 34, 54, 55, 147, 185, 261	two-state folding, 8, 191, 209
thermostat	
Andersen, 135	umbrella sampling, 110
Langevin, 135	
Nosé–Hoover, 135	van der Waals
torsion angle, 192, 303	equation, 55
transition	force, 11, 23, 48, 150
coil–globule, 164	gas, 57
first-order, 46, 55, 64, 104, 110, 165, 209, 243, 252, 265, 280, 286, 317	interaction, 14, 17, 217
gas–liquid, 172	isotherm, 56
helix–coil, 213	radius, 11, 12, 311
hierarchy, 243, 247, 249	virus
layering, 274	capsid, 1, 149
liquid–solid, 156, 158, 164, 172	hepatitis B, 1
second-order, 46, 64, 104, 165, 280	human immunodeficiency, 1
solid–solid, 156, 164, 172	
	Wang–Landau method, 114, 117, 176
	WHAM, 105