

Index

- accretion, 168
- activation of cloud condensation nucleus (CCN), 69
- adiabatic gradient of the ice water mixing ratio, 93
- adiabatic gradient of the liquid water mixing ratio, 92, 662
- adiabatic processes
 - adiabatic lapse rates with non-zero equilibrium supersaturations, 157–158
 - dry adiabatic lapse rate, 89
 - dry adiabatic processes, 88–90
 - wet adiabatic lapse rate, 91, 92
 - wet adiabatic processes, 90–94
- adsorption of gases on the crystal surface, 142
- adsorption of gases on the surface of drops and aerosol particles, 181
- aerosol size spectra
 - algebraic approximation of the lognormal size spectra, 206–211
 - approximation of the lognormal size spectra by the inverse power law, 203–204
 - lognormal and inverse power law size spectra, 203
- affinity, 291
- algorithms for microphysics module in multidimensional models, 173–179
- altocumulus clouds, 10
- altostratus clouds, 10
- amorphous ice
 - high density amorphous ice (HDA), 101
 - low density amorphous ice (LDA), 99
- Angström index of aerosol extinction coefficient, 182, 184
- anomalous diffraction theory (ADT), 33
- Arctic climatic front, 16, 17
- artificial ice nuclei, 107, 404
- Avogadro number, 291, 411
- bin microphysics method, 168
- boiling point elevation, 85
- boundary sphere, method of, 129–130
- broad size spectra in clouds and their theories, 613–614
- bulk or parameterized microphysics method, 168
- canonical ensemble, 50
- canonical partition function, 50
- Chapman–Kolmogorov equation, 669–673
- characteristic relaxation times of CCN size and solution concentration, 435
- chemical potential, 45, 47, 67, 72, 307
- cirriform clouds, 10
- cirrus clouds, 10
- Claudeyron equation
 - equilibrium of a water drop with saturated vapor, 74
 - equilibrium of an ice crystal with saturated vapor, 75–78
 - equilibrium of liquid and ice bulk phases, 73
 - generalized, 79
- cloud climatologies, 15
- cloud condensation nuclei (CCN), 69
- cloud microphysical properties
 - absolute dispersion of the spectrum, 30
 - droplet and crystal concentrations or number densities, 20
 - effective radius, 21
 - ice water content, 27, 30
 - ice water path, 21
 - liquid water content, 21
 - liquid water path, 21
 - mean radius of the droplets or the effective (mean) radius of the crystals, 20
 - modal radius, 20
 - precipitation rate, 22
 - radar reflectivity, 22–23
 - relative spectral dispersion, 28, 30
 - spectral *p*-index or the shape parameter of the gamma distribution, 30
 - supersaturation absorption (relaxation) times, 21
 - visibility or visual range, 22
- cloud radiative properties
 - asymmetry parameter, 32
 - backscatter cross sections, 23
 - broadband parameterizations, 37–38
 - cloud emissivity, 39
 - complex refractive index for water and ice, 23
 - efficiency factors of extinction, scattering, and absorption, 34
 - mass absorption coefficients, 39
 - mass extinction coefficients, 36
 - mass scattering coefficients, 36–37
 - optical thickness, 32
 - single-scattering albedo, 21, 32
 - volume absorption coefficients, 36
 - volume extinction coefficients, 36
 - volume scattering coefficients, 36
- cloud seeding, 78
- cloud-topped boundary layers (CTBL), 18–19
- clouds
 - cloud types
 - boundary layer clouds Sc-St, 18–19
 - convective cloudiness, 19
 - frontal and cyclonic clouds, 16–17
 - orographic clouds, 19–20

- clouds (*Continued*)
 - global distribution and relation to general atmospheric circulation, 1
 - International classification, 10–12
 - microphysical properties, 20–23
 - optical properties, 32–43
 - particles size spectra and moments
 - algebraic distributions, 25–26
 - exponential distributions, 23
 - gamma distributions, 26–32
 - generalized gamma distributions, 26, 28
 - inverse power laws, 23–24
 - lognormal distributions, 24–25
 - Weibull distribution, 28
- coagulation
 - Brownian, 168, 170
 - gravitational, 171
 - kinetic equation of, 168–171
- coefficient of thermal expansion, 103
- condensation coefficient, 131
- condensation point elevation, 86
- condensation rate, 90, 154
- condensation trails or contrails, 86
- confluent hypergeometric function, 642, 681
- contact ice nucleation
 - empirical parameterizations, 535–536
 - general properties, 533–535
 - theory of contact ice nucleation
 - aerosol scavenging by drops, 536–541
 - Brownian diffusion, 536–537
 - diffusiophoresis, 539–541
 - freezing and scavenging rates, 541–546
 - thermophoresis, 537–538
- cooling agents, 85
- cooling mixtures, 85
- correspondence principle, 2–3
- critical freezing and melting temperatures of heterogeneous freezing
 - general equations, 446–450
 - liquidus curves, 452
 - surface quasi-heterogeneous freezing, 450–451
 - surface quasi-heterogeneous melting, 451
 - volume heterogeneous freezing, 414–419
- critical freezing and melting temperatures of homogeneous freezing
 - comparison with observations, 333–339
 - equivalence of solution and pressure effects, 339–345
 - general expressions based on classical theory, 328–330
 - liquidus curves, 331–332
 - relation of the freezing and melting point depressions, 332–333
- critical ice germ size, energy and homogeneous freezing rate analysis and properties of the solution, 319–322
 - comparison with previous models and observations, 322–325
 - derivation, 313–318
- critical or threshold saturation ratios and water activities for homogeneous freezing
 - calculations of critical relative humidities over water and ice, 354–357
 - derivation from classical theory of the water activity shift method, 350–353
 - effects of various factors on the critical humidity, 353–354
 - general equations, 346–347
- critical or threshold saturation ratios and water activities of heterogeneous freezing
 - calculations of critical relative humidities for heterogeneous nucleation, 458–463
 - comparison of critical humidities for heterogeneous and homogeneous nucleation, 463–465
 - derivation from classical theory of the water activity shift method, 456–458
- general equations, 453–454
- simplified equations for the heterogeneous critical saturation ratio, 454–456
- critical points of water
 - 1st critical point, 78
 - 2nd critical point, 122–124
- critical radius and energy of heterogeneous freezing
 - basic dependencies of heterogeneous freezing, 412–414
 - critical energy of volume freezing, 421–423
 - modification of critical energy with active sites, 423–425
 - particular cases of critical radius, 419–421
 - volume heterogeneous freezing, 414–419
- critical radius of activation of an aerosol particle into a cloud drop, 84, 182–183, 186, 197
- critical supersaturations of activation of an aerosol particle into a cloud drop, 182–183, 186, 187, 197
- cryoscopic constant, 85
- crystallizing agents, 78
- cubic ice, 101
- cumulonimbus clouds, 11
- cumulus clouds, 11
- Cunningham's slip-flow correction, 170, 537
- curvilinear coordinate system over a complex terrain, 171–172
- Dalton's law for gases, 67, 83
- Debye's cubic law for the heat capacity, 115
- deliquescence-freezing mode of ice nucleation (condensation-freezing), 411–412
- deliquescence in atmospheric aerosols
 - a model for deliquescence of salt crystals based on the entropy equation, 553–558
 - particular cases of the deliquescence model, 558–559
 - deliquescence relative humidity (DRH), 562–563
 - phase diagram of solution and eutectic point, 563–566
 - temperature dependence of solubility, 559–561
 - temperature dependence of the dissolution heat, 559
 - previous theories and models of deliquescence, 549–553
- deposition mode of ice nucleation, 400–401
- deposition rate, 92
- derivation of the stochastic kinetic equations from the Fokker–Planck equation
 - Chapman–Kolmogorov and Fokker–Planck equations, 669–673
 - spatially homogeneous cloud, 673–676
 - spatially inhomogeneous cloud, 676–678
- differential supersaturation activity spectrum of cloud condensation nuclei (CCN)
 - algebraic activity spectrum, 226–229
 - arbitrary dry aerosol size spectrum, 219–221
 - lognormal activity spectrum, 221–226
- diffusional growth of the crystals
 - axial growth rates, 141–143
 - mass growth rates, 138–141
 - ventilation corrections, 137–138
- diffusional growth of the drops
 - diffusional (Maxwellian) growth regime, 127–129
 - kinetic regime and kinetic corrections, 129–135
 - mass growth rate, 138–141
 - psychrometric correction to the latent heat, 132–135
 - radius growth rate, 135–137
 - ventilation corrections, 137–138
- direct aerosol effect on climate, 181
- droplet activation on cloud condensation nuclei (CCN)
 - analytical modified power laws for the activation time, maximum supersaturation and drop concentration, 250–254
 - analytical solutions to the supersaturation equation, 246–250
 - calculations of CCN activation kinetics, 254–263
 - interpolation among the limits and comparison with exact solutions, 282–283

- limit #1: small vertical velocity, diffusional growth regime, 265–273
- limit #2: small vertical velocity, kinetic growth regime, 273–276
- limit #3: large vertical velocity, diffusional growth regime, 277–278
- limit #4: large vertical velocity, kinetic growth regime, 278–281
- empirical and semi-empirical parameterizations of droplet activation, 183–186
- four analytical limits of solutions for drop activation, 263–265
- integral supersaturation in liquid cloud with drop activation, 243–246
- lognormal and algebraic CCN spectra, 230
- modified power law for the drop concentration with continuous parameters, 231–232
- supersaturation dependence of power law parameters, 233–236
- dry adiabatic gradient (lapse rate), 88–90
- ebullioscopic constant, 85
- effective thermal conductivity coefficient, 132
- effective vapor diffusion coefficient, 312, 320, 538
- efflorescence in atmospheric aerosols
 - applications of the efflorescence model, 570–575
 - joint phase diagram for freezing-melting-deliqescence-efflorescence, 573–575
 - a model for efflorescence of salt crystals based on the entropy equation, 553–558
 - phenomenon of efflorescence, 547–549
 - theories and models of efflorescence, 549–553
- Einstein–Debye thermodynamic equations of state for ice and heat capacity, 114–116
- Einstein’s formula for Brownian diffusion, 170
- electrical charge, 583
- electrostatic analogy of the water vapor field, 128
- electrostatic capacitance, 128
- electrostatic potential, 128, 138
- enthalpy, 46
- entropy, 45
- entropy equation, 71
- equations for water and ice supersaturation with homogeneous ice nucleation, 311–313
- equations of state based on the concept of the second critical point, 122–124
- equations of state for ice in terms of Gibbs free energy, 116–120
- equilibrium of two bulk phases around a phase transition point, 83
- equilibrium radii of deliquescent aerosol
 - interstitial aerosol at water saturation in a cloud, 193–197
 - at subsaturation, 187–193
- error function $erf(z)$, 128, 378, 393
- evaluation of some existing parameterizations of ice nucleation and cloud phase state, 501–506
- evaporation coefficient, 131
- extensive thermodynamics potentials
 - enthalpy H , 46
 - entropy S_m , 46
 - Gibbs free energy G , 46
 - Helmholtz free energy F , 46
 - internal energy E , 46
 - Landau potential Ω , 46
- externally mixed aerosol particles, 181
- Feistel–Wagner equation of state and theory of heat capacity, 118
- finite-difference grid, 178–179
- first law of thermodynamics, 88, 94
- fog
 - advective, 12
 - ice, 12
 - radiative, 12
 - steam, 12
- Fokker–Planck equation, 669–673
- free energy and equations of state
 - ideal gas, 59–61
 - non-ideal gas, 62–66
 - van der Waals equation of state, 62–66
- freezing point depression, 84–86
- Frenkel–Zeldovich equation, 296
- Gann–Marshall size spectrum, 28
- gas mixtures and solutions
 - partial gas pressures, 82–83
- Gauss hypergeometric function, 642, 682
- Gauss–Ostrogradsky integral relation, 138
- general circulation models (GCM), 16
- general phase equilibrium equations for solutions
 - general phase equilibrium equation (entropy equation), 70–72
 - Gibbs–Duhem relations, 72
- generalized equations of state for fluid water
 - based on the concept of the second critical point for water, 122–124
 - in terms of Helmholtz free energy, 120–122
 - of the van der Waals type, 120–122
- geometric optics method (GOM), 41
- Gibbs free energy or Gibbs function, 116–120
- Gibbs–Duhem relations, 72
- glassy water, 99
- global pressure field, 13
- haze particles, 181, 440–444
- heat capacity at constant pressure (isobaric), 47
- heat capacity at constant volume, 48
- Helmholtz free energy, 120–122
- heterogeneous ice nucleation, empirical and semi-empirical parameterizations, 6
- heterogeneous ice nucleation in a polydisperse aerosol
 - freezing of haze particles at water subsaturation in the deliquescence-freezing mode, 440–444
 - simultaneous heterogeneous freezing in the deliquescence-freezing and immersion modes at water supersaturation, 444–446
- heterogeneous ice nucleation kinetics, analytical parameterization based on extended classical nucleation theory (CNT)
 - case 1: large N_a and crystal concentrations limited by kinetics, 516–520
 - diffusion growth limit, 520–521
 - kinetic growth limit, small and large particle limits, 522–524
 - case 2: small IN concentration N_a and crystal concentration limited by N_a , 524–525
- comparison of crystal concentrations with empirical parameterizations, 515–516
- heterogeneous nucleation rate derived from CNT and comparison with the previous parameterizations, 510–514
- nucleation rates in a polydisperse aerosol, 507–508
- parameterization of deposition ice nucleation based on classical nucleation theory, 529–533
- temperature effects in heterogeneous freezing of cloud drops, 414–419
- temporal evolution of supersaturation, 508–510
- temporal evolution of the crystal
 - concentration, 514–515
- heterogeneous nucleation of crystals in the deposition mode on water-insoluble particles, 408–411

heterogeneous nucleation of drops and ice crystals, 395–506	kinetic equations of condensation and deposition in adiabatic process analytical solution of the kinetic equations of regular condensation, 165–167 derivation of the kinetic equations, 161–163 equation for the integral supersaturation, 167–168 properties of adiabatic condensation, 163–165
heterogeneous nucleation of drops by vapor deposition on water-insoluble particles, 395–400	kinetic equations of stochastic condensation and deposition, analytical solutions, 618–622
hexagonal ice, 113	applications of the solution for liquid clouds, 656–661
homogeneous ice nucleation, empirical and semi-empirical parameterizations of, 289	approximation neglecting the diffusional growth of larger particles, 639–640
homogeneous ice nucleation kinetics, analytical parameterization based on extended classical nucleation theory diffusion growth limit, 381	large particle solution, 640–641
evaluation of the deposition integral I_{dep} , 377–379	merged solution, 641–643
evolution of nucleation rate and crystal concentration, 373–376	small particle solution, 640
freezing rate and its simplification, 369–370	asymptotic solutions, 643–645
general features of homogeneous ice nucleation kinetics, 368–369	calculation of size spectra for a crystalline cloud, 665–669
kinetic growth and large particle limits, 381–383	comparison with previous theories and observations, 661–665
physical interpretation of parameterization, 383–387	physical interpretation of the solution parameters, 647
separation of temperature and supersaturation dependencies, 370–373	solution including the diffusional growth of large particles, sedimentation and coagulation, 645–647
solution of equations for the supersaturation and for crystal concentration, 379–380	solutions in the form of gamma distributions, 649–654
homogeneous nucleation of drops and ice crystals, 314, 326, 358	solutions in the form of inverse power laws, 654–655
humidity hysteresis in aerosols, 548	various forms of solution parameters, 647–649
humidity variables	kinetic molecular flux, 52
absolute humidity, 78	Kirchoff’s equations, 77
fractional, absolute, and specific, 79	Köhler equation, 81–82, 182, 186
fractional relative humidities over water and ice, 79	Kummer equation, 679–683
mole fraction of vapor in the air, 78	Kummer function, 643
relative humidities in percent, 79	
saturated water vapor pressure, 87	Landau potential, 46
saturation ratios over water and ice, 79	Laplace’s equation, 71, 567
specific humidity, 79	latent heat
supersaturations over water and ice, 79	condensation/evaporation, 81, 132
water vapor density, 79	deposition/sublimation, 75
water vapor mixing ratio, 78	melting/freezing, 326
water vapor pressure, 74	molar, 74, 83, 110
hydrogen bonds, bonding, 122	specific, 71, 77
hydrostatic equation, 89, 92, 149	Lennard-Jones potential, 106
hygroscopic growth of aerosol particles, 181–182	liquid cooling (crystallizing) agents, 107
hygroscopicity parameter, 188	liquid films on the crystal surface, 142
	longwave (infrared) radiation, 35
ice nucleation modes, 486	
immersion mode of ice nucleation, 400	Magono and Lee scheme for different crystal shapes, 141, 604
indirect aerosol effects on climate	Marshall–Palmer size spectrum, 608, 699
first indirect or Twomey effect, 181–182	Maxwell equations for electromagnetic field, 138
second indirect or Albrecht effect, 182	mean thermal velocity of vapor molecules, 130
insoluble core of aerosol particles, 181	melting heat, effective, parameterization, 316, 347–350
integral specific supersaturations over water and ice, 175	melting point depression, 85, 332–333
internal energy, 45	metastable states and nucleation of a new phase, 290–293
internally mixed aerosol particles, 185	metastable supercooled water, 99
International Association for the Properties of Water and Steam (IAPWS), 117, 120	meteotrons, 86
International Satellite Cloud Climatology Project (ISCCP), 15, 493, 665	Mie theory, 32, 33, 37
intertropical convergence zone, 19	modes of ice nucleation, 400–401
isobaric compressibility, 76	modified anomalous diffraction theory (MADT), 40, 42
	molality of solutions, 67
Junge-type inverse power law, 205, 217	molar quantities, 290
	mole fraction, 67
Kelvin curvature parameter, 80, 135, 187	molecular concentration, 52, 130
Kelvin equation, 80–81	molecular mean free path length, 129
kinetic equations of coagulation	multidimensional models
Brownian coagulation, 168, 170	fast algorithms for microphysics module in multidimensional models, 173–179
collection kernels for various coagulation processes, 170–171	thermodynamic and kinetic equations for multidimensional models, 171–173
derivation of the equation, 161–163	multiple forms of water and ice, 4
gravitational coagulation, 171	
various forms of the coagulation equation, 168–170	nimbostratus clouds, 11
	“No man’s land,” 99
	normalized integral specific supersaturations, 175

- nucleation rates for condensation and deposition
 - application of Boltzmann statistics, 293–295
 - application of Bose–Einstein statistics for condensation and deposition, 299–300
 - Fokker–Planck kinetic equation and Zeldovich factor, 295–299
- nucleation rates for homogeneous ice nucleation
 - application of Bose–Einstein statistics for freezing, 303
 - nucleation rates with Boltzmann distribution, 300–302
 - parameterizations of activation energy, 303–305
- numerical models, 168, 460, 592, 695, 716
- ocean currents, 17
- orographic clouds, 19–20
- ozone hole, 107
- parameterizations of water and ice thermodynamic properties
 - density of ice, 113–114
 - density of water, 113
 - heat capacity of water and ice, 109–110
 - latent heats of condensation, deposition and melting, 110–111
 - saturated vapor pressures, 108–109
 - surface tension between ice and air or vapor, 111
 - surface tension between ice and water, 112
 - surface tension between water and air or vapor, 113
- parcel model for a mixed-phase cloud with heterogeneous ice nucleation
 - comparison of heterogeneous and homogeneous nucleation theories, 485–491
 - comparison of simulated crystal concentrations with experimental data and empirical parameterizations, 491–497
 - kinetic equations for droplet and crystal size spectra with particles nucleation, 470
 - kinetics of ice nucleation effects with stronger updrafts, 482–485
 - kinetics of ice nucleation in the mixed and crystalline clouds with weak updrafts, 473–482
 - parcel model simulations of ice nucleation kinetics in deliquescence-freezing mode, 470–491
 - supersaturation equation with nucleation of drops and crystals, 466–469
- parcel model simulations, kinetics of homogeneous ice nucleation
 - parcel model description, 357–359
 - simulation results, 359–368
- Peclet number (Pe), 132
- phase relaxation times, 147
- phase rules for thermodynamic systems
 - bulk phases, 57
 - systems with curved interfaces, 57–59
- Planck constant, 50, 60
- Poisson equation
 - for the electrical potential, 138
 - of the dry adiabatic process, 89
- polar climatic front, 13
- polar mesospheric (noctilucent) clouds, 99, 107
- polar stratospheric clouds, 107
- polyamorphism, 101
- polymorphs of ices at different pressures and temperatures, 101
- potential temperature, 89
- Prandtl number (Pr), 132, 538
- pressure induced ice transformation, 101
- properties of ice nuclei (IN), 401–404
- properties of the deliquescence-freezing mode of ice nucleation, 411–412
- Raoult’s law for solutions, 67, 84
- ray-tracing method in cloud optics, 32
- Rayleigh–Gans limit, 33
- Reynolds number (Re), 137, 580, 582
- riming, 168
- satellite images, 17
- saturated vapor pressure
 - over ice, 61, 109, 139
 - over water, 61, 79, 158
- Schmidt number (Sc), 137, 537, 539
- separation of insoluble fraction between activated drops and unactivated CCN, 434–435
- separation of temperature, supersaturation and aerosol dependencies of the critical energy and nucleation rate, heterogeneous nucleation, 429–434
- separation of temperature, supersaturation and aerosol dependencies of the critical energy and nucleation rate, homogeneous nucleation, 370–373
- Sherwood number (Sh), 137, 143
- ship tracks, 12
- shortwave radiation, 1
- soluble fraction of aerosol (cloud condensation nuclei),
 - parameterization of surface proportional, 185
 - volume proportional, 198, 218
- solutions
 - (practical) osmotic potential, 68
 - activity of the k -th component, 67
 - activity of water in aqueous solutions, 68
 - chemical potential of the k -th component, 70–71
 - concentration, 72
 - diluted, 69
 - ideal, 67
 - molality, 70
 - mole fraction, 70
 - non-ideal, 86
 - rational activity coefficient, 68
 - solute, 69
 - solvent, 69
 - van’t Hoff’s factor, 68
 - weight concentration or weight percent w , 70
- specific quantities, 45, 47, 48
- spectral bin microphysics method, 168, 357, 665
- spectral microphysics method, 168, 635
- spheroids
 - electrical capacitance, 142
 - oblate, 141
 - prolate, 141–142
 - volume and mass, 142
- spinodal limit, 99
- spinodal temperature, 104
- splitting method in multidimensional models, 149, 173
- statistical energy distributions
 - Boltzmann distribution, 52–54
 - Bose–Einstein statistics, 54–55
 - Fermi–Dirac statistics, 55–56
 - Gibbs distribution, 49–51
 - Maxwell distribution, 51–52
- statistical sum, 50, 54, 59
- stochastic condensation, theory of
 - condensation in a turbulent cloud, 623–628
 - covariances with drop size distribution function, 631–632
 - covariances with supersaturation, 630–631
 - evaluation of correlation functions, 628–629
 - expansions of random characteristics over the turbulent frequencies, 628–629
 - general kinetic equations of stochastic condensation, 633–635
 - supersaturation as a nonconservative variable, 629–630
 - supersaturation fluctuations, 625–628
 - system of equations of stochastic condensation in a cloud, 624–625

- stochastic kinetic equations with condensation (deposition) and coagulation (accretion), analytical solutions of
 - autoconversion and corrections to the general analytical solutions, 712–716
 - coagulation equation as the integral Chapman–Kolmogorov and differential Fokker–Planck equations, 716–722
 - derivation of kinetic equation in continuous collection approximation, 688–692
 - example calculations for a crystalline cloud, 705–709
 - general analysis of the parameters, 703–704
 - general interpretation of the solutions, 709–712
 - general solutions for the large-size fraction with diffusion growth and coagulation particular cases
 - aerodynamic regime for fall speed of large particles, 700–701
 - coagulation growth rate much greater than diffusion growth rate, 699–700
 - fall speed as a linear function of particle size, 698–699
 - solution for subcloud layer, 702
- stratocumulus clouds, 10–11
- stratus clouds, 11
- supersaturation relaxation (absorption) times and their diffusion and kinetic limits, 4
- supersaturations over water and ice
 - adiabatic lapse rates with non-zero equilibrium supersaturations, 157–158
 - equation for ice saturation ratio, 154
 - equation for the integral supersaturation, 167–168
 - equation for water saturation ratio, 151
 - equation for water supersaturation in terms of relaxation times, 149–151
 - equations for fractional ice supersaturation, 152–154
 - equations for fractional water supersaturation, 144–147
 - equilibrium supersaturations over water and ice
 - ice clouds, 154–155
 - liquid clouds, 154
 - mixed phase clouds, 156
 - equivalence of various forms of supersaturation equations, 151–152
 - physical interpretation of the supersaturation equation and of the relaxation times, 149–151
- surface-active substances (surfactants), 131
- surface freezing and melting
 - surface freezing, 436–438
 - surface melting, 438–440
- surface tension, 71, 111–113
- T*-matrix of light scattering, 41
- temperature effects in heterogeneous freezing of cloud drops, 387–390
- temperature effects in homogeneous freezing of cloud drops, 525–529
- temperature ranges in clouds of the Earth and other planets, 4
- terminal fall velocities of drops, crystals and other objects
 - altitude corrections for temperature and pressure, 591–593, 606–608
 - asymptotic values, 588–591
 - basic equations for fall velocities, 582–586
 - crystal aggregates, 598–603
 - drag coefficient and “crisis of drag,” 594–596
 - drops, 596–598
 - hail, 605–606
 - liquids and other planets, 610–612
 - parameterizations for large-scale models, 608–610
 - Re-*X* relation, 593–594
 - review of the previous theories, 577–582
 - spherical and nonspherical particles, 588–591
 - turbulent corrections, 587
 - various crystal habits, 603–605
- theories of water
 - liquid–liquid transition around 2nd critical point, 106
 - singularity free or percolation hypothesis, 104–105
 - stability limit conjecture, 103
- thermal accommodation coefficient, 133
- thermal conductivity coefficient, 132
- thermal diffusivity coefficient, 132
- thermodynamic constraints on heterogeneous ice nucleation parameterizations, 497–501
- thermodynamic degrees of freedom
 - bulk phases, 57
 - systems with curved surfaces, 57–59
- thermodynamic equations of state for ice
 - Einstein–Debye equations, 114–116
 - equations in terms of Gibbs free energy, 116–120
- thermodynamic properties of gas mixtures and solutions, 3
- thermodynamic properties of water and ice,
 - parameterizations of, 4
- thermodynamic relations, 45–97
- thermodynamic variables
 - extensive, 45
 - intensive, 45
 - molar, 45
 - pressure *p*, 45
 - specific, 45
 - temperature *T*, 45
 - volume *V*, 45
- thermodynamics of solutions, 67–70
- threshold of deliquescence saturation ratio or threshold deliquescence humidity, 181
- transformation of the wet aerosol size spectra at varying humidity
 - algebraic size spectra, 26
 - arbitrary initial spectrum of dry aerosol, 211–212
 - inverse power law spectrum, 216–218
 - lognormal initial spectrum of dry aerosol, 212–216
- triple point of water, 77
- van der Waals equation of state, 62–66
- vapor diffusion coefficient, 127, 312
- ventilation coefficient, 137
- ventilation corrections, 137–138
- vertical velocity, 5, 359, 380, 623, 625–626, 651, 662
- Wagner and Pruß equation for fluid water, 121
- water
 - current theories of water, 103–106
 - equations of state for water, 106
 - forms of water at high pressures, 101–102
 - forms of water at low temperatures, 99–100
- water activity
 - definition, 68
 - expression via saturated vapor pressures over ice and water, 87, 108–109
 - relation to the freezing point depression, 86–87
 - various expressions in solutions, 68–70, 72, 307, 347–348, 500, 562, 565
- wavelength of radiation, 21
- Wegener–Bergeron–Findeisen (WBF) process and cloud crystallization
 - first stage, 158–159
 - second stage, 159–160
- Weibull distribution, 28
- wet adiabatic gradient (lapse rate), 157
- wet adiabatic lapse rate in ice clouds, 92, 648
- wet aerosol processes
 - calculations based on the Köhler theory and its generalizations
 - critical aerosol radius and supersaturation, 197–202
 - equilibrium aerosol radii at subsaturation, 187–193
 - equilibrium radii of interstitial aerosol in a cloud, 193–197
 - empirical parameterizations of droplet activation, 183–186
 - empirical parameterizations of hygroscopic aerosol growth, 182–183
- Widom lines, 106
- wind speed, 172
- World Climate Research Program (WCRP), 15