CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-01618-7 — The Atmosphere and Climate of Mars
Robert M. Haberle , R. Todd Clancy , François Forget , Michael D. Smith , Richard W. Zurek
Index
More Information

INDEX

References to figures are indicated with f.; references to tables are indicated with t.

accretion, 527, 541, 542–543
accretion (coagulation), 92
adiabatic heating/cooling, 49, 95, 97, 100, 242, 393, 434
adiabatic lapse rate, 148, 551
aeolian processes, 221–222, 296, 317
aerobraking, 9, 23, 25, 26, 27, 29, 34, 42, 44, 45, 46, 54, 218, 260, 435, 439, 453, 454
aerosols. *See* dust particles, CO_2 ice particles, water ice particles
airglow, 61, 97, 110, 143, 418, 421, 435, 436, 451, 452, 456
  definition of, 446
  models of, 449
  observations of, 447
albedo
  planetary albedo, 547, 552, 554
  single scattering albedo, 30, 124, 125, 133, 136, 305
    definition, 110
  surface albedo, 235, 305
    changes in, 3, 4, 13, 26, 313
Amazonian, 12, 338, 504, 506, 515, 518, 533, 535, 536, 544, 545, 557
  definition, 526
aphelion. *See* orbit properties
aphelion cloud belt. *See* clouds
arcuate ridges, 500
areocentric longitude, 7
atmospheric composition, 16t. 2.2., 57–65
atmospheric escape
  ion escape processes, 483–485
  modeling approaches, 467–468
  neutral escape processes, 482–484
  observations, 465–467
  on early Mars, 545–546
  reservoirs for, 481–482
  source and loss processes, 480–481
  total loss, 485–488
atmospheric collapse, 395, 499–500
atmospheric parameters, 16t. 2.3.
atmospheric retrievals, 43–46, 50–53, 65, 153–157
atmospheric tides. *See* thermal tides
aurorae, 29, 446–451, 477–479

band models, 122
baroclinic eddies
  basic theory, 268
  fundamental aspects, 267–268
  modeling, 272–277
  observations, 269–272
  structure, 272–274
baroclinic instability, 204, 205, 268, 276
bore waves, 22, 212, 219
boundary layer. *See* planetary boundary layer
bow shock, 147, 466–473
brines, 183, 352, 365, 516
Brunt-Väisälä frequency, 16, 174, 204
Burns formation, 533

Cameron bands, 436, 447–451
carbonates, 12, 33, 64, 377, 394, 531
Chapman layer, 442
Chasma Australe, 507
Chasma Boreale, 348f. 11.8., 507, 514
clathrates, 394, 424
clouds
  CO_2 ice clouds, 26, 76, 87, 99–100
    in the atmosphere, 97
    implications for early Mars, 100, 552–554
    observations, 97–99
  dust scavenging, 13, 215, 304, 328, 346, 367
  microphysical processes, 92
  perihelion cloud trails, 77, 78
  physical properties, 90
  precipitation, 11, 88–89, 183–184, 510–511, 530–531, 552, 554, 555
  radiative properties, 90–91
  water ice clouds
    aphelion cloud belt, 82–84
    global distribution, 82–87
    high altitude hazes, 85–87
    interannual variability, 87–88
    polar hoods, 84–85
    radiative effects, 96–97
    within the boundary layer, 88–89
  wave clouds, 77–82
CO_2 frost point, 49, 50, 65, 219, 239, 374, 386
CO_2 ice albedo and emissivity, 377–378
condensation enrichment, 57–59, 383–384, 408
condensation flow. *See* winds
condensation nuclei, 13, 87, 378, 389, 395
Conrath parameter, 148, 259, 298
convection, 551
convective available potential energy (CAPE) 385–387
core formation, 542–543
Coriolis parameter, 173, 189, 241, 242, 255
coronal mass ejection (CME) 147, 475
correlated-k technique, 122–124
crater circulation, 216
cross-equatorial transport, 7, 250, 360, 364
crustal magnetic fields, 10, 147, 443–446, 451
cryptic region, 352, 377, 380, 391–393
Curiosity rover, 11, 15, 33, 244, 258, 269, 341, 405, 413, 422, 569

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-01618-7 — The Atmosphere and Climate of Mars
Robert M. Haberle , R. Todd Clancy , François Forget , Michael D. Smith , Richard W. Zurek
Index
More Information

D/H ratio, 64–65, 539–541
data assimilation, 160, 223, 233, 252, 272
deliquescing salts, 338, 354, 366
Doppler wind measurements, 159, 230, 243
dust deposition theory, 320–321
dust devils, 306–307
  formation, 318–319
dust haze, 4, 8, 15, 76, 302, 313, 314, 325, 326, 328
dust lifting
  by convective vortices, 318–319
  by electrical and thermal effects, 319–320
  by wind stress
    creep, 316
    physics of particle movement, 316–317
    saltation, 178, 295, 316, 317–318
    suspension, 318
  theory, 316
dust particles
  composition, 304
  radiative properties, 305
  sizes, 304–305
dust reservoirs
  finite, 327–328
  infinite, 323–327
dust storms
  global storms, 311–314
  local storms, 307–310
  mechanisms for global storms, 314
  regional storms, 310–311
dust streaks, 9, 216, 221–222, 244, 281
  elevated dust layers, 215, 300, 303–304, 322, 328
dust transport theory, 321–322
dynamic threshold, 317

early Mars climate models, 547–556
eccentricity. *See* orbit properties
eddy diffusion, 209, 433, 445
effective radius (r_{eff}) 88, 125, 304, 383
effective variance (ν_{eff}) 125, 304
electron density, 439–451, 479–482
electron impact dissociation, 62, 419, 441, 443, 445
energy balance
  global, 106
  polar regions, 374–375
  upper atmosphere, 434–437
exosphere, 433, 464, 468
  definition, 481

F10.l7 index, 437f. 14.3., 447–452
faint young sun paradox, 526, 547, 551–556
Ferrel cell, 252
fluid threshold, 317
fogs, 28, 32, 78, 88, 89, 97, 196
foreshock, 468, 473

Gale Crater, 11, 24, 33, 79, 182, 216, 217–219, 258, 302, 307, 424
geostrophic wind. *See* winds
glaciers
  CO_2 ice glaciers, 377, 500
  cold-based glaciers, 500
  debris-covered glaciers, 497, 506
  glacial processes, 504
  in eastern Hellas, 510
  mid-latitude glaciers, 510
  tropical mountain glaciers, 506, 510
global circulation models, 232–233
gradient wind. *See* winds
gravitational sedimentation, 321
gravity waves, 240
greenhouse gases, 544, 549, 554, 559
greenhouse warming, 152, 519, 552–556
gullies, 338, 383, 504, 517–518
Gusev Crater, 31–32, 140, 195, 222f. 8.7., 307, 527, 531
gyroradius, 469

H_2O frost point, 184, 515
Hadley cell, 23f. 3.2., 49, 94, 95, 242, 246, 249, 252, 254, 286, 299, 302, 304, 310, 315, 316, 326, 327, 328, 339, 360, 362, 363, 367, 419, 503
Hadley circulation. *See* mean circulation
hazes, 2, 3
heating/cooling rate, 106, 111, 113, 145, 148, 149, 157, 175, 177, 235, 238, 239, 244, 286, 434, 437, 452, 454
Hellas
  atmospheric temperatures, 45, 281, 282
  atmospheric water vapor, 29, 345, 359, 361
  clouds, 76, 81, 98
  dust or dust storms, 220, 306, 311, 312, 315, 325, 326, 393
  impact event, 527
  ozone, 61
  stationary waves, 98, 283, 374, 382, 510
  surface ice, 351, 391, 510
  surface wind stress, 323
  topography, 235
hemispheric dichotomy, 8
Hesperian, 507
  defined, 526
homopause, 42, 433, 455, 481–482
Hubble Space Telescope, 2, 8, 23
hydrodynamic escape, 543
hydrostatic equilibrium, 45, 207, 208, 217, 453
hydrostatic pressure, 208, 250

ice annulus, 344, 351, 360–361
induced magnetosphere, 464, 468–469
infrared radiation, 5, 54, 97, 152, 176, 192, 235, 236, 239, 379, 510, 549, 552
interplanetary magnetic field (IMF) 464, 473
ionopause, 466, 470–471, 474
ionosphere, 147, 433
  definition, 481–482
  structure and variability, 439–440
iron oxides (hematite) 32, 61, 527, 534
isotopes
  evidence for escape, 535–542
  in radiative transfer, 143, 144, 145, 157
  isotopic ratios, 63–65

Jeans escape, 482, 483, 488, 546
jet streams, 5, 10, 242, 268

Kolmogorov constant, 175
Kolmogorov dissipation scale, 175, 176, 186, 195
Kolmogorov law, 175, 356

Lagrangian circulation, 252
Laplace tidal equation, 255
latent heating, 2, 5, 14, 100, 220, 233, 234, 239, 314, 385

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-01618-7 — The Atmosphere and Climate of Mars
Robert M. Haberle , R. Todd Clancy , François Forget , Michael D. Smith , Richard W. Zurek
Index
More Information

line-by-line technique, 122
lobate debris aprons, 347, 353, 505–510
L_s. *See* areocentric longitude

magnetic pressure, 476–480, 488
magnetosphere, 147, 464–478, 488
magnetosheath, 469–473, 477, 479, 486, 488
magnetotail, 472–474, 488
Mars climate database, 67–69
Mars year, 7
Martian solar day, 7
mean circulation
  basic theory, 241–242
  fundamental aspects, 241
  modeling, 244–254
  observations, 242
Meinel bands, 416
mesopause, 14, 50, 433, 435, 481
meteoric dust, 87, 305
microphysics. *See* clouds
Milankovitch cycles, 12, 84, 339, 497, see also "orbit properties"
MOLA topography, 191, 234f. 9.3., 277, 347, 507–508
Monin-Obhukov similarity theory, 174, 175, 187, 239
Monte Carlo models, 116, 450, 485
mountain torque, 240

Noachian, 527
  defined, 526
noble gases, 22, 64, 388, 536–539, 542, 543

obliquity. *See* orbit properties
orbit properties
  present values, 15
  variations of, 497–498
overturning circulation. *See* mean circulation

pedestal craters, 506
perchlorates, 33, 352, 366, 422, 516, 535
perihelion. *See* orbit properties
permafrost, 349, 352–353, 365, 512–513
photochemistry
  catalytic cycles, 24, 82, 405, 415, 424
  HO_x chemistry, 405–412, 415, 425
  oxygen chemistry, 412, 555
  nitrogen chemistry, 62, 419–421
  sulfur/chlorine chemistry, 421, 533, 554
  heterogeneous chemistry, 97, 412, 422, 425
  N_2 16t. 2.2., 33, 382, 406t. 13.1.
  CO 60, 406412t. 13.1., 436–449
  O_2 30, 61, 406419t. 13.1., 442
  role of water vapor, 61, 97, 407–408, 426–429
  ozone (O_3) 406t. 13.1., 426–429
  hydrogen peroxide (H_2O_2) 61, 409–413, 427
  methane (CH_4) 24, 62–63, 422–424, 569
  ion chemistry, 440–446, 452
  photolysis, 60–61, 405–422, 555
  O_2 singlet delta, 24, 417–419
photoelectrons, 443, 445, 446, 450, 451
photoionization, 419, 434, 443, 471
phyllosilicates (clays) 352, 366, 526
pickup ions, 468, 472, 473, 483–485
planetary boundary layer, 5, 15, 47, 52
  definition, 172
  effect on weather and climate, 179
  large eddy simulations, 190–195
  modeling, 187–195
  orbital observations, 184–185
  surface observations, 179–184
plasma, 433, 441, 454, 464–477
plate tectonics, 1, 546
polar caps
  advance and retreat, 239, 375
  buried reservoir, 395–396
  circulation, 4, 217, 241, 308, 323
  Clausius-Clapeyron relation, 364, 499
  composition, 4, 20, 22, 97, 374, 375, 380
  constraints on density, 28, 387–388
  CO_2 snowfall, 98, 378–379, 385–395
  discovery, 3, 374
  effects on surface pressure, 6, 57, 375
  ice cap spiders, fans, ice cap jets, 392–393
  imaging observations, 380–382
  layering, 12
  models, 375
  neutron observations, 382
  permanent caps, 249, 269, 347, 354, 518–519
  puzzling nature, 8, 12
  radar observations, 382
  radio and gravity science, 382
  recession curves, 388
  swiss cheese terrain, 13, 380
  temperatures, 239, 241
  water inventory, 347
polar hoods. *See* clouds
polar layered depostis (PLD, also SPLD and NPLD) 347–349, 393–396, 506–514
polar vortex, 26, 59, 61, 96, 97, 98, 244, 357, 361, 362, 364, 384, 415, 416, 417
polar warming, 50, 210, 240, 243, 249, 252, 253, 435, 454
pore ice, 511
pre-Noachian, 527
primitive equations, 205, 207, 208, 233, 255, 452, 453, 455

radiative heating/cooling, 148, 175, 177, 187, 192, 229, 234, 235–239
radiative transfer
  blackbody, 107f. 6.2., 141, 547
  Planck function, 110, 154, 549–551
  gaseous absorption/scattering, 117–124
  aerosol absorption/scattering, 124–141
  radiative transfer equation, 106, 110–117
  scattering properties
    Single scattering albedo (ω_o) 129, 133, 136–139
    parameter (g) 125, 134, 136–139
    extinction efficiency coefficient (Q_{ext}) 124–125
  phase functions
    Single scattering phase function, 90, 110, 112f. 6.3., 124, 131
    Henyey-Greenstein phase function, 132, 134
    Lorenz-Mie phase function, 127–136
  polarization, 4, 90, 111
  plane-parallel approximation, 111–114
  bidirectional reflection, 111
  optical depth, 31, 32, 82–86, 112–113, 140–141, 148–152, 298, 304, 312, 313
  Beer-Lambert-Bouguer Law, 112, 155
  two-stream approximation, 113
  two-stream codes, 114, 238
  discrete-ordinate method (DISORT) 114

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-01618-7 — The Atmosphere and Climate of Mars
Robert M. Haberle , R. Todd Clancy , François Forget , Michael D. Smith , Richard W. Zurek
Index
More Information

spherical harmonics method (SHDOM) 114, 116–117
Chapman function, 114
modified gamma distribution, 90, 126, 133, 136–138
HITRAN, 121, 124, 238
GEISA, 121
Raman scattering, 119
T-matrix method, 128
droxtal, 90, 135–136
local thermodynamic equilibrium (LTE) 142
non-local thermodynamic equilibrium (non-LTE or NLTE) 142, 157, 455–456
radiatively active clouds, 254, 279, 554
Rayleigh distillation, 540–541
reference atmospheres, 65–69
residual caps. *See* polar caps
Richardson number, 174, 175, 189, 205, 239
rock abundance, 240, 305, 503
Rossby Number, 205
Rossby radius of deformation, 16, 204, 205, 213, 221

saltation. *See* dust lifting by wind stress
seasonal ice cap, 57, 89, 96, 97, 344, 350f. 11.11
seasons. *See* areocentric longitude
slope winds. *See* winds
SNC meteorites, 24, 63, 536, 537, 543, 544, 545
sol. *See* Martian solar day
solar cycle, 142, 147, 434–439, 452–453
solar energetic particles (SEP) 147, 382, 475
solar radiation, 5, 91, 111, 134, 142, 148, 151, 158, 175, 187, 229, 235, 238, 241, 259, 377, 379, 433, 497, 510, 511, 556
solar storms, 475–476, 488
solar wind, 433, 464–471, 473–481
solstitial pause, 252
spacecraft instruments
Compact Reconnaissance Imaging Spectrometer for Mars (CRISM), 30, 58, 60, 76, 87, 99, 116, 139, 140, 155, 298, 303, 339, 341, 343, 348, 351, 381, 390, 391, 409, 416, 534, 554
Context Camera (CTX), 30, 306, 380
Gamma Ray Spectrometer (GRS), 28, 59, 339, 379, 382, 384, 388, 510, 512, 545
High Energy Neutron Detector (HEND), 382
High Resolution Imaging Science Experiment (HiRISE), 30, 306, 380, 394
High Resolution Stereo Camera (HRSC), 28, 76, 99, 306, 380
Infrared Interferometer Spectrometer (IRIS), 20, 26, 43, 44, 53, 64, 76, 130, 156, 243, 244, 281, 297, 339
Infrared Radiometer (IRR), 380
Infrared Spectroscopy (IRS), 297, 382
Infrared Thermal Mapper (IRTM), 22, 76, 232, 259, 339
Mars Advanced Radar for Subsurface and Ionospheric Sounding (MARSIS), 347, 349
Mars Atmospheric Water Detector (MAWD), 22, 76, 139, 338, 340, 341, 346, 354, 357, 364
Mars Climate Sounder (MCS), 30, 45, 51, 53, 65, 77, 82, 85, 86, 97, 98, 132, 140, 150, 210, 223, 232, 243, 254, 261, 282, 298, 303, 328, 380, 384, 385
Mars Color Imager (MARCI), 29, 30, 61, 77, 82, 111, 136, 155, 275, 298, 306, 380, 417
Mars Horizon Sensor Assembly (MHSA), 45
Mars Orbiter Camera (MOC), 25, 76, 82, 84, 98, 192, 275, 278, 298, 303, 306, 313, 351, 379, 380, 383, 390
Mars Orbiter Laser Altimeter (MOLA), 25
Mini-TES, 31–32, 47, 156, 180, 183, 304, 341
Neutron spectrometer, see Gamma Ray Spectrometer
Observatoire pour la Minéralogie, l'Eau, les Glaces et l'Activité (OMEGA), 28–29, 58, 60, 76, 96, 97, 99, 139, 141, 157, 185, 217, 298, 303, 314, 339, 341, 347, 348, 349, 351, 352, 378, 381, 390, 392, 393, 418, 427, 446, 554
Phoenix LIDAR, 33, 77, 78, 88–89, 183–184, 302
Planetary Fourier Spectrometer (PFS), 29, 45, 58, 62, 141, 147, 157, 298, 341, 346, 381, 384, 422
Radiation Assessment Detector (RADS), 147
Rover Environmental Monitoring Station (REMS), 33, 182, 216, 258, 307
Sample Analysis at Mars (SAM), 24, 33, 58, 62, 64, 65, 413, 419
Shallow Radar (SHARAD), 30, 347
Spectroscopy for the Investigation of the Characteristics of the Atmosphere of Mars (SPICAM), 29, 298, 303, 341, 346, 381, 383, 415, 417, 418, 419, 426, 427, 435, 447–449, 466
Thermal Emission Imaging System (THEMIS), 28, 45, 55, 76, 82, 99, 139, 140, 232, 298, 306, 422
Thermal Emission Spectrometer (TES), 25, 26, 29, 30, 44, 46, 51, 53, 55, 65, 76, 82, 87, 94, 98, 133, 139, 140, 154, 156, 191, 223, 233, 243, 252, 269, 272, 276, 298, 310, 312, 338, 339, 341, 343, 379, 380, 390, 392, 415
spacecraft missions, 230
Mariner 4, 20
Mariner 9, 20
Mars 96, 24
Mars Atmosphere and Volatile Evolution (MAVEN), 30–31
Mars Climate Orbiter (MCO), 9, 24, 29, 30
Mars Exploration Rovers (MER), 31–32
Mars Express (MEX), 28–29
Mars Global Surveyor (MGS), 25–28
Mars Observer, 1, 2, 9, 24, 30, 145
Mars Odyssey, 28
Mars Orbiter Mission (MOM), 2
Mars Pathfinder, 31
Mars Polar Lander, 48, 118, 122
Mars Reconnaissance Orbiter (MRO), 29–30
Mars Science Laboratory (MSL), 33
Nozomi, 24
Phobos 2, 23
Phoenix, 32–33
Viking, 20–23
standard mean ocean water (SMOW) 65, 539–541
stationary eddies
basic theory, 280–281
fundamental aspects, 279–280
modeling, 283–285
observations, 281–283
storm zones, 274–275
stream function, 252
sublimation, 12, 88, 92, 96, 343, 350
sulfates (gypsum, jarosite) 11, 354, 526, 533
superrotation, 249
surface frost, 32, 183, 344, 391
surface heat flux, 173, 186, 194, 324
surface pressure measurements
MSL, 33, 57, 231, 244, 307
from orbit, 20, 28, 185
Pathfinder, 57
Phoenix, 57
telescopic, 4, 20, 57, 60
Viking Landers, 6, 23, 57, 231, 244
surface properties, 234–235
surface roughness length, 173, 185, 239, 240, 316, 356, 503

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-01618-7 — The Atmosphere and Climate of Mars
Robert M. Haberle , R. Todd Clancy , François Forget , Michael D. Smith , Richard W. Zurek
Index
More Information

surface/subsurface ice, 338–339, 352–354
surface stress, 173, 240, 316
surface temperatures, 52, 98, 175, 185, 190, 212, 215f. 8.4., 235–238

tail current sheet, 469t. 15.2., 472, 475
Tharsis, 8
  atmospheric temperatures, 45, 281
  clouds, 22, 26, 76, 85, 214, 219, 343
  CO_2 ice, 386
  convective boundary layer, 185
  dust or dust storms, 312, 315, 323, 325
  formation, 527
  glaciers, 93, 506, 509
  outgassing, 533, 537, 545, 555
  slope winds, 213, 214, 278
  stationary waves, 283
  surface temperatures, 52
  tidal perturbations, 96
  topography, 235, 251
  volcanoes, 79
  water vapor, 29, 95, 345, 358
thermal escape. *See* Jeans escape
thermal inertia
  correlation with water vapor, 345
  defined, 305
  effect on the CO_2 cycle, 379, 389
  effect on thermal tides, 54
  and particle size, 366
  spatial patterns, 235, 358
  and surface temperature, 52, 185, 379, 499
thermal tides
  fundamental aspects, 254–255
  migrating tides, 256
  modeling, 262–267
  non-migrating tides, 256–257
  observations, 257–262
  theory, 255–257
thermal wind. *See* winds
thermosphere, 14, 42, 50
  definition, 433
tidal wind. *See* winds
topography
  control of clouds, 87, 97
  effect on thermal tides, 54–55
  from laser altimetry, 10, 88
Transformed Eulerian Mean circulation, 252
transient liquid water, 12, 338, 515–518, 557
troposphere, 42, 91, 147, 218, 551
triple point, 4, 12, 338, 346, 515, 515f. 16.16.
turbulence
  buoyancy generated, 173
  closure models, 187–190
  dissipation rate, 175
  energy cascade, 175, 206
  and gravity waves, 240
  intensity of, 173, 175
  mechanically generated, 172, 173, 318
  mixing length theory, 187
  parameters for Mars and Earth, 177
  production mechanisms, 239
  production mechanisms and theory, 172–175
  and suspended dust, 316, 322
  and the Reynolds number, 175
  and the Richardson number, 174, 175, 176, 205, 239
  time scales, 174
  validation of scaling laws, 186
  within the boundary layer, 176–177

Valles Marineris, 8
  clouds or fogs, 30, 78, 81, 84, 88, 343
  dust storms, 314
  light toned layered deposits, 533
  methane, 422
  slope winds, 214
valley networks, 8, 10, 527, 528, 530, 547, 549, 556, 557
ventilation timescale, 250
Victoria Crater, 533
Viking Landers. *See* spacecraft missions
Viking Orbiters. *See* spacecraft missions

water vapor
  column abundance, 4, 27f. 3.4., 339–347
  precipitable micrometers (pr-μm) 4
  profiles (vertical distribution) 341–347, 407–409
  transport, 89, 92, 249, 357362f. 11.15.
  saturation, 29, 84, 346, 407
  supersaturation, 29, 51, 88–92, 407
  temporal variations, 76, 342–344
  spatial variations, 344–346
  ground based observations, 20, 339–341
  spacecraft observations, 22, 26, 339–341
  hygropause, 77, 84, 363–364, 407
  hemispheric asymmetry, 344–345, 363–364
  in the regolith, 352–354, 364–366
  infrared absorption, 117
  latent heat effects (see latent heating)
wave of darkening, 3
weathering, 366, 527, 531, 533, 534, 557
Weibull distribution, 222
western boundary currents, 251–252
winds
  condensation flow, 230, 250–251
  geostrophic wind, 241
  gradient wind, 242
  katabatic winds, 203, 212, 348, 379
  observed winds
    from cloud tacking, 243
    from earth-based observations, 230
    from lander measurements, 230
    inferred from temperature data, 232
  slope winds, 216
  thermal wind, 241
  tidal winds, 264–267
  topographic winds, 212–217, 238, 251, 264, 309, 379

yellow clouds, 295, 297

zonal mean circulation. *See* mean circulation

© in this web service Cambridge University Press & Assessment www.cambridge.org