

Index

- absolute momentum, 85
- absorption coefficient, 326, 338
- accretion, *see* droplet, growth by accretion
- activated fraction, 178, 179, 232, 233
- activation, *see* droplet, activation, 130, 166, 173, 186
 - radius, 171–172
 - saturation ratio, 171–172
- adiabatic cooling, 59
- adiabatic liquid water mixing ratio, 62
- adiabatic process, *see* process, adiabatic
- aerosol
 - activation, *see* droplet formation
 - aging, 143
 - anthropogenic, 118, 134
 - burden, 115, 144–147
 - chemical conversion, 143
 - definition, 115
 - dry size, 164, 171, 174, 175, 177, 180
 - emissions, 131–135
 - formation
 - binary nucleation, 129
 - primary aerosol, 129, 131, 133
 - secondary aerosol, 129, 131, 132
 - growth by condensation, 143
 - growth factor, 164, 164
 - hygroscopic growth, 163–166
 - lifetime, 144–147
 - liquid, 164
 - mixing state, 116, 117
 - mode, 117
 - accumulation, 117, 118, 141, 147, 176
 - Aitken, 117, 118, 147, 176
 - coarse, 117, 118, 147
 - fine, 118
 - giant, 117
 - nucleation, 117, 118, 147, 176
 - natural, 118
 - number concentration, 118, 121, 127, 130, 341
 - observations, 338, 339, 340
 - definition, 338
 - in GCM simulations, 339, 340
 - origin, 129
 - continental, 179
 - marine, 126, 179
 - particle conversion
 - bulk-to-particle, 129, 133
 - gas-to-particle, 129, 131
 - liquid-to-particle, 129, 133
 - radiative forcing, *see* radiative forcing
 - removal from atmosphere, *see* scavenging
 - size distribution, 118–123, 129
 - discrete, 118
 - log-normal, 121, 123
 - number, 118–123
 - observations, 126–129
 - surface, 121–126
 - volume, 123–128
 - soluble, 163, 164, 180
 - types/species, 115
 - black carbon (BC), 116, 134–135, 144
 - mineral dust, 133, 134, 144
 - organic carbon (OC), 116
 - particulate organic matter (POM), 132, 134, 144
 - sea salt, 133, 144
 - sulfate, 132, 134, 144, 358
 - sulfuric acid, 130
 - wet size, 164
- African easterly jet (AEJ), 313
- air parcel, 8, 38, 52, 57, 58, 59, 60, 71
- albedo, planetary, 324
- angular momentum, 298, 300
- anomaly of water, 47
- anvil, 9, 14, 288, 297, 303, 309, 310, 349
- atmosphere
 - absolutely stable, 77
 - absolutely unstable, 78
 - baroclin, 84, 89
 - barotrop, 84, 89
 - conditionally unstable, 77
 - dry, 72
 - dry neutral, 79
 - neutral, 74
 - saturated neutral, 79
 - stable, 73
 - unstable, 74

- well-mixed, 98
- atmospheric scales, 262
 - macro, synoptic or global scale, 262, 298
 - mesoscale, 262, 269, 274, 298, 307
 - microscale, 262
- atmospheric window, 328
- Beer's law, 338
- Bergen school, *see* Norwegian cyclone model
- biomass-burning aerosol
 - observed size distribution, 126
- boiling point, 46
- boundary layer
 - marine, 5, 342, 349
 - planetary, 9, 73, 272, 286, 304, 305, 347
 - well-mixed, 98
- Brownian motion, 136, 139
- Brunt–Väisälä frequency, 75, 87
- buoyancy, 8, 68
 - effect of compensating downdrafts, 106
 - equation, 72
 - force, 72, 75, 88, 89, 103, 104, 300
 - reduction by weight of hydrometeors, 105
 - reduction due to aerodynamic drag, 111
 - reduction due to entrainment, 111
- Carnot engine / process / cycle, 31, 36, 36, 314–316
 - efficiency, 37, 316
- centrifugal force, 70, 88, 305, 313
- chemical potential, 43–45, 165, 158–173
 - for hygroscopic growth, 165
- cirrus clouds
 - in-situ formed, 223
- Clausius–Clapeyron equation, 45, 46, 48, 49, 51, 97, 97, 190, 344, 352
 - approximate integrated form, 48
 - general form, 46
- climate engineering, 356–363
 - cirrus modification, 361
 - definition, 356
 - marine cloud brightening, 360
 - side effects, risks, costs, 363
 - solar radiation management, 356
 - stratospheric aerosol injection, 358
- climate feedback, 353, 350–354
 - albedo feedback, 353
 - cloud feedback, 353–356
 - lapse-rate feedback, 353
 - Planck feedback, 352, 354
 - temperature feedback, 352
 - water vapor feedback, 353
- climate sensitivity parameter, 351
- closed cells, 342, 347
- cloud, mixed-phase, *see* mixed-phase cloud
- cloud
 - albedo, 341, 342
 - base, 4, 10, 58
 - clean, 20, 22, 342
 - climatology, 1
 - cold, *see* cold cloud
 - cover, 1–3, 5
 - different levels, 345–347
 - trend, 349
 - definition, 1
 - ice, *see* ice cloud
 - lifetime, 19
 - liquid water, *see* warm cloud
 - mixed-phase, *see* mixed-phase cloud
 - orographic, *see* orographic cloud
 - polluted, 20, 22, 342
 - properties
 - dependence on height, 195
 - regimes, 347–349
 - top, 9
 - overshooting, 286, 288, 297, 303
 - types, 4, 4, 6, 19
 - altocumulus (Ac), 10, 11, 99, 347
 - altocumulus castellanus, 10
 - altocumulus lenticularis, 10, 75
 - altostratus (As), 10, 11, 270, 347, 348
 - anvil cirrus, 13
 - asperatus, 14, 15
 - banner, 13, 14
 - boundary layer clouds, 341, 360
 - cirrocumulus (Cc), 10, 11, 99
 - cirrostratus (Cs), 10, 11, 270
 - cirrus (Ci), 3, 4, 10–13, 219, 330, 344, 348, 355, 361
 - response to increasing temperature, 355, 356
 - cirrus uncinus, 11
 - congestus, 349
 - convective, *see* cumulus clouds
 - cumuliform, 99
 - cumulonimbus (Cb), 7, 9, 99, 262, 267, 270, 285, 309, 349
 - cumulus (Cu), 3, 9, 8–10, 99, 262, 270, 285, 347
 - continental, 18
 - marine, 18, 21
 - response to increasing sea surface temperature, 354
 - trade wind, 348
 - cumulus congestus (Cu con), 9, 99, 262, 267, 285, 349
 - cumulus humilis (Cu hum), 7, 8, 99
 - cumulus mediocris (Cu med), 9, 349
 - fog, *see* fog
 - high-level, 4, 10–13, 329, 346, 346, 350
 - Kelvin–Helmholtz wave, 14, 15
 - low-level, 4–5, 329, 346, 346, 347, 350
 - response to doubling of carbon dioxide, 354, 355
 - mammatus, 14, 286, 288, 297, 302, 303
 - mid-level, 4, 10, 346, 347, 350

- nimbostratus (Ns), 7, 8, 262, 270, 348
- overview (WMO), 6
- pileus, 288
- polar stratus, 348
- roll, 13, 14, 297
- shelf, 297, 297, 303
- stratocumulus (Sc), 2, 5–7, 270, 348
 - response to increasing sea surface temperature, 354
- stratus (St), 3, 5–7, 348
 - response to increasing sea surface temperature, 354
- wall, 303, 305
- types in atmospheric systems
 - extratropical cyclone, 270, 348
 - Hadley circulation, 348
 - vertical extent, 5, 8, 10, 19
 - vertical velocity, *see* updraft velocity
 - warm, *see* warm cloud
- cloud condensation nuclei (CCN), 18, 22, 116, 141–142, 166, 176, 179, 180, 198–200, 247, 340
 - activation, 176
 - counter, 177–179
 - giant (GCCN), 198–200
 - typical concentration, 186
- cloud droplet, *see* droplet
- cloud feedback, *see* climate feedback
- cloud lifetime effect, *see* radiative forcing, cloud lifetime effect
- cloud radiative effect (CRE), 329–331, 332
 - albedo, 329
 - Arctic stratus, 330
 - cirrus, 330
 - deep convective clouds, 330, 331
 - global distribution, 332
 - greenhouse, 329
 - longwave (LCRE), 330–331, 356, 361
 - low-level clouds, 330, 331
 - nimbostratus, 331
 - shortwave (SCRE), 330–331, 356, 361
- cluster formation, 158–162
- coagulation efficiency, 137, 140
- coalescence efficiency, 202
 - empirical, 211
- cold cloud, 15
- collection efficiency, 137, 140, 202
- collection kernel, 140, 205
- collector drop, 137
- collision–coalescence, *see* droplet, growth by collision–coalescence
- collision efficiency, 137, 138, 200, 201, 341
- collision kinetic energy (CKE), 210
- complex index of refraction, 259, 260
- condensation, 41, 44, 56, 58, 60, 157, 159, 160
- conditional instability, 77
- convection
 - definition, 95, 99
 - embedded, 274
 - forced, 99
 - free, 99
 - parcel theory, 93, 103
 - trigger
 - mechanical lifting, 99
 - solar heating, 103
- convective condensation level (CCL), 99–103
- convective inhibition (CIN), 103
 - tephigram, 100
 - tornadic supercell, 305, 307
- convective instability, *see* potential instability
- convectively available potential energy (CAPE), 103
 - analytical expression, 104
 - downward (DCAPE), 106
 - ordinary thunderstorm, 286
 - pseudoadiabatic, 105
 - reduction due to entrainment, 111
 - relation to vertical velocity, 104
 - tephigram, 100, 103
 - tornadic supercell, 305
 - typical values, 105
- conveyor belt, *see* extratropical cyclone, conveyor belt
 - cold, 272
 - warm, 271–273
- Coriolis force, 69–70, 81, 83, 83, 85, 86, 305, 313, 349
- Coriolis parameter, 69
- critical radius
 - for homogeneous nucleation, 130, 161
 - tabulated, 163
 - of solution droplet, 171
- crystallization, 164, 165
- crystallization relative humidity, 165
- cyclone
 - extratropical, *see* extratropical cyclone
 - tropical, *see* tropical cyclone
- cyclostrophic wind, 305
- Dalton's law, 53
- deliquescence, 163–182
- deliquescence relative humidity, 164
- deposition, 41, 157
- dew point mirror, 56
- diffusion of water vapor in air
 - tabulated, 192
- diffusiophoresis, 139
- dimethyl sulfide, 132, 134
- distrometer (Joss–Waldvogel), 254
- downburst, 301
- drag coefficient, 203
 - for oblate raindrop, 209
- drag force, 203, 243
- drizzle, 7, 17, 22, 171
 - radar reflectivity, 259
 - typical concentration, 186

- droplet
- activation
 - process, 130, 171, 175, 182
 - radius, 171, 172, 175
 - saturation ratio, 171, 172, 179
 - collision, 200–202
 - wake capture, 201
 - condensational/diffusional growth, 176, 197
 - diffusional growth equation, 189
 - droplet growth equation, 192
 - heat conduction equation, 189
 - mass growth equation, 191
 - of droplet population, 196
 - of droplet populations, 193–195
 - solution of droplet growth equation, 193, 194
 - fall speed, *see* droplet, terminal velocity
 - formation, 162, 170, 176, 177, 180
 - heterogeneous, 163, 166, 174
 - homogeneous, 162
 - growth by accretion, 198, 243–245, 251, 267, 289–290, 309
 - growth by collision–coalescence, 198–202, 244, 247, 267
 - continuous collection, 206
 - initiation by GCCN, turbulence, 199–200
 - of exemplary drop size distribution, 207
 - stochastic coalescence equation, 207
 - nucleation from vapor phase, 155–222
 - critical radius, 161
 - energy barrier, 155–180
 - number concentration, 18, 19, 21, 22, 186, 197, 341
 - radar reflectivity, 259
 - size, 17, 19, 197
 - size distribution
 - marine versus continental, 18, 21
 - solution, 155, 168, 169
 - terminal velocity, 140, 203, 205
- dry adiabat, 41, 52, 57, 60, 61
- dry adiabatic ascent, *see* process, dry adiabatic
- dry air
- composition, 31
- dry deposition, *see* scavenging
- efflorescence, *see* crystallization
- efflorescence relative humidity, *see* crystallization
- relative humidity
- electrical circuit, global, 290, 291
- electrosphere, 290
- emissions
- anthropogenic, 132, 134, 360
 - natural, 132
- energy
- internal, 32, 43
 - kinetic, 160
- energy balance, 323–329
- atmosphere, 326
 - Earth's surface, 328–329, 360
- greenhouse effect, 327
 - latent heat flux, 327, 360
 - sensible heat flux, 327, 360
 - top of the atmosphere, 324–325
- energy barrier, 155
- energy of coalescence, 210–212
- enthalpy, 45, 160
- entrainment, 62, 108, 176
 - intermittence and inhomogeneity, 111
 - rate, 110
- entropy, 27, 31, 40, 42
 - specific, 28, 39–40
- equation of motion, 68
- equation of state for an ideal gas, *see* ideal gas law
- equilibrium
- metastable, 173
 - stable, 172, 173, 176, 182
 - unstable, 172
- equilibrium level, *see* level of neutral buoyancy
- equilibrium vapor pressure, *see* saturation vapor pressure
- equivalent aerodynamic particle radius, 117
- equivalent potential temperature, 60
- evaporation, 41, 45, 57, 63, 157, 160, 167, 176
- externally mixed aerosol, 116
- extinction coefficient, 257, 338
- extratropical cyclone, 272, 270–274, 348
 - anafont, 273
 - climate change, 318
 - cloud types, 270, 347
 - conveyor belt, 271
 - cold (CCB), 272, 273
 - dry intrusion, 272, 272
 - warm (WCB), 272
 - katafront, 272
 - Norwegian cyclone model, 270
 - rainbands, 274
- extratropical transition, 317
- fair weather electric field, 290
- feedback, *see* climate feedback
- Ferrel cell, 349
- Fick's law, 188
- first law of thermodynamics, 32, 34, 35, 39, 45, 76
- Foehn, 63
- fog, 5
 - advection fog, 5
 - formation, 56
 - mixing fog, 5, 95
 - overview, 6
 - radiation fog, 5
 - steam fog, 95
- Fourier law of conduction, 189
- freezing, 41, 157
 - point depression, 225
 - probability, 223, 231
- front, 79, 90, 95, 270–274

- ana, 273
- Arctic, 85
- cold, 9, 264, 270, 309, 347–348
- gust, 286, 288, 296, 297, 300–305, 308, 310
- kata, 272
- warm, 10, 270, 348
- gas constant
 - dry air, 32, 34, 54
 - moist air, 54
 - universal, 52
 - water vapor, 53
- general circulation model or global climate model (GCM), 318, 353, 355
 - coupled atmosphere-ocean, 279
 - Geoengineering Model Intercomparison Project (GeoMIP), 358–360
- geoengineering, *see* climate engineering
- geostrophic flow
 - scale analysis, 82
- geostrophic wind, 82–83, 83, 86
 - change with altitude, 84–85
- Gibbs free energy, 41, 43
 - barrier of
 - heterogeneous freezing, 227
 - homogeneous ice nucleation from liquid, 220–222, 227
 - homogeneous ice nucleation from vapor, 219–220
 - homogeneous nucleation of liquid phase from vapor, 158–160
 - definition, 43
 - equality of specific different phases, 45, 48
 - extremum principle, 44, 156–175
 - for phase transitions in TDE, 45
 - of deliquesced aerosol particle, 172, 174
 - of homogeneous nucleation, 155–159
 - energy barrier, 157, 219, 221
- Gibbs potential, *see* Gibbs free energy
- global brightening, 340
- global dimming, 340
- gradient wind, 83, 313
- graupel, 17
- gravity force, 203, 243
- Greenfield gap, 140, 146
- greenhouse effect, 328
 - anthropogenic, 325
 - natural, 325
- greenhouse gases, 278, 325, 328
 - carbon dioxide (CO₂), *see* well mixed radiative forcing, *see* radiative forcing
 - well mixed, 343
- gust front, *see* front, gust
- Hadley cell, *see* Hadley circulation
- Hadley circulation, 347, 348, 356
- hailstone
 - definition, 288
 - growth (dry or wet), 289
 - life cycle, 289–290
 - radar reflectivity, 259
 - size, 17, 242
- halo, 11–13, 258
- Hatch-Choate equation, 126
- haze, 171
- heat capacity, specific
 - definition, 33
 - dry air, 33, 34
 - ice, 49, 51
 - liquid water, 51, 190
 - water vapor, 49
- heat engine, 36, 37
- heat reservoir, 42, 44
- helicity, 304
- Helmholtz free energy, 42
- humidity
 - absolute, 53
 - relative, 55, 58, 164, 165, 180
 - crystallization, 164, 165
 - deliquescence, 164, 164, 165
 - specific, 57, 58
- hurricane, *see* tropical cyclone
- hydrological cycle, 275
- hydrometeor, 17
 - typical sizes, 186
- hydrostatic balance, 70, 76
- hydrostatic equation, 70
- hygroscopic growth, 164, 182
- hygroscopicity parameter, 176
- hypsoetric equation, 71
- hysteresis, 165
- ice cloud, 11, 16, 224
 - definition, 15
- ice crystal
 - formation, 155
 - growth by accretion, 244–245, 267
 - growth by aggregation, 244, 264, 267, 301
 - growth by coagulation
 - accretion, 243–245, 267
 - aggregation, 241, 263, 267
 - riming, 244
 - sintering, 241, 263
 - growth by diffusion, 55, 239, 244, 264, 267
 - growth by riming, 244, 263, 309
 - habit, 236, 238
 - as function of temperature and supersaturation, 239
 - heterogeneous ice nucleation modes
 - condensation freezing, 228
 - contact freezing, 228
 - deposition nucleation, 228
 - immersion freezing, 228
 - homogeneous ice nucleation modes, 223

- ice nucleation modes, summary, 224
- melting, 265, 267
- multiplication, 244, 245
- nucleation from liquid phase
 - critical radius, 222
 - energy barrier, 221, 227
- nucleation from vapor phase
 - critical radius, 222
 - energy barrier, 219, 220
 - nucleation rate, 220, 221
- number concentration, 20, 361
- pristine, 218, 237
- terminal velocity, 243
- ice embryo, 221, 226
- ice germ, 221
- ice nucleating particles (INPs), 340
 - active sites, 232
 - concentration dependence on temperature, 233–236
 - contact angle, 226, 227
 - definition, 226
 - frozen fraction, 233, 234
 - requirements, 231–232
 - significance in heterogeneous ice nucleation, 226–227
 - types, 230–231
- ice water content (IWC), 18, 20
- ideal gas, 31
- ideal gas law, 38, 39, 48, 52, 54
 - dry air, 32
 - moist air, 54
 - water vapor, 53
- indirect aerosol effect, *see* radiative forcing
 - deactivation, 343
 - glaciation, 343
- inertial instability, 85, *see also* stability criteria
 - oscillation frequency, 87
- internal energy, 32
- internally mixed aerosol, 116
- International standard atmosphere, 76
- Intertropical Convergence Zone (ITCZ), 1, 2, 276–278, 313, 331, 346, 349
- inversion, *see* temperature, inversion
- ionic dissociation, 168
- IPCC
 - climate change scenarios, 278
 - precipitation projections, 279
- isobar, 41, 57, 59
- isobaric process, *see* process, isobaric
- isochoric process, *see* process, isochoric
- isotherm, 41, 57, 59
- isothermal process, *see* process, isothermal

- Kelvin equation, 162
- Kelvin's law, 166, 170, 171, 172, 173, 180, 182
- Köhler curve, 170–177, 180–181
- Köhler equation, 171, 178, 180
- Köhler theory, *see* Köhler equation

- Lagrangian parcel model, 195
- land-sea breeze, 13, 275, 276
- Laplace equation, 159
- lapse rate, 9, 101, 107–108
 - ambient, 72, 73, 101, 107, 326
 - dry adiabatic, 72–75, 101, 107
 - pseudoadiabatic, 76–77
 - saturated adiabatic, 76–77, 107, 110
- latent heat, 44, 46, 49, 58, 60, 160
 - of fusion, 55
 - of sublimation, 49
 - of vaporization, 48, 49, 51, 58
- level of free convection (LFC), 99, 100
 - ordinary thunderstorm, 286
 - tornadic supercell, 308
- level of neutral buoyancy (LNB), 100, 103
 - ordinary thunderstorm, 286
 - tornadic supercell, 305
- lifting condensation level (LCL), 59, 60, 63, 99, 100
 - definition, 58
 - ordinary thunderstorm, 286
 - tornadic supercell, 304, 305
- lightning, 295, 310
 - charge separation within clouds, 291–293
 - dart leader, 294
 - ground flashes, 293–295
 - main charging zone, 291
 - return stroke, 293
 - stepped leader, 293
 - thermoelectric theory, 291
- liquid water content (LWC), 18, 19, 205
 - vertical distribution, 197
- log-normal aerosol size distribution, *see* aerosol, size distribution

- macrostate, 27, 157
- marine aerosol
 - CCN activity, 180
 - observed size distribution, 127
- mass extinction efficiency (MEE), 337
- Maxwell-Boltzmann distribution, 160
- melting, 41, 157, 166
 - point, 46, 47
- mesocyclone, 305, *see* thunderstorm, multicell, mesocyclone
- mesoscale, *see* atmospheric scales, mesoscale
- mesoscale convective system, 88, 262, 349
 - characteristics, 307
 - mesoscale convective complex, 349
 - squall line, 262, 308–310
 - CAPE values, 105
- metastable phase, 48
- metastable state, 155, 156, 157, 161, 164, 165
- microburst, 301
- microstate, 26, 157, 161
- minimum principle, 42, 43, 157
- mixed-phase cloud, 219, 224, 239, 245, 247, 348

- definition, 15, 16
- observations, 15
- radar reflectivity, 259
- mixing
 - adiabatic, 98
 - dilution of parcel by entrainment, 108
 - isobaric, 97, 95–98
- monsoon, 252, 278, 313, 346
- mountain-valley wind, 275
- Navier-Stokes equation, 68, 81, 85, 298
 - horizontal component, 85
 - vertical component, 70
- Norwegian cyclone model, 270
- nucleation, 129, 218
 - definition, 155
 - heterogeneous
 - ice, 226–235, *see also* ice crystal
 - liquid, 170, *see also* droplet
 - rate, 232
 - homogeneous
 - freezing, 219
 - ice, 218–225, *see also* ice crystal
 - liquid, 155, 157, 159, 160, 161, 221, *see also* droplet
 - nucleation rate, 220
 - rate, 220, 221, 225, 251
 - process, 166
- open cells, 342, 347
- optical depth, 1
- orographic cloud, 16
- Ostwald's rule of stages, 222, 229
- parcel theory
 - elementary, 103
 - modifications to elementary theory, 105
 - vertical velocity predicted by, 104
- parent phase, 155, 159, 180
- partial pressure, 47, 52, 156
- phase diagram, 48
 - of water, 46, 46
 - triple point, 47
- phase transitions, 41, 45, 46, 52, 60, 155–161, 165
 - first order, 157, 166
 - of water, 46
- phoretic forces, 139
- Planck function, 326
- potential instability, *see also* stability criteria
 - dry air, 79
 - moist air, 79–81
- potential temperature, 38, *see* temperature, potential
- precipitation
 - classification, 263
 - convective, 262, 263, 267, 270, 285
 - conveyor belt, 271
 - radar echo, 267
 - formation, 55
 - formation of warm rain
 - by collision–coalescence, 198
 - global annual mean, 275, 360
 - global distribution, 275–279
 - mesoscale structure, 269
 - orographic, 274–275
 - orographic, 63, 278
 - rate, 200, 252
 - stratiform, 262, 263
 - microphysical processes, summary, 265
 - radar echo, 263, 265
 - warm rain, 251
- pressure gradient force, 69, 81, 83, 85, 86, 305, 313
- process
 - adiabatic, 34, 35, 37, 38, 59
 - dry, 34, 38–40, 58, 60, 61, 63
 - pseudo, 62, 63
 - wet / saturated / moist, 38, 41, 61, 63, 76
 - reversible, 62
 - dry, 52
 - irreversible, 30, 31, 39, 63
 - isentropic, 40
 - isobaric, 33, 35, 45, 56, 57
 - isochoric, 34, 35
 - isothermal, 30, 35, 36
 - irreversible, 30
 - reversible, 30
 - reversible, 29, 31, 39, 44
- pseudoadiabatic process, *see* process, adiabatic
- psychrometer, 57
- quantity, specific, 27
- quasi-liquid layer, 47, 166, 241
- radar, 256
 - bright band, 264, 265, 267–269, 309, 310
 - Doppler, 261, 263, 264
 - equivalent reflectivity factor, 259
 - height time indicator (HTI), 261
 - height–time indicator radar image, 261, 265
 - plan position indicator (PPI), 261
 - precipitation radar, 257
 - reflectivity, 259, 264
 - as function of rainfall rate (Marshall–Palmer), 260
 - as function of rainfall rate (MeteoSwiss), 260
 - typical atmospheric values, 259
 - wavelengths, 257
- radiation
 - balance, 323–325, 329
 - black body, 324, 326, 328
 - longwave or terrestrial, 323
 - shortwave or solar, 323
- radiative forcing (RF), 278, 335, 336, 344
 - aerosol particles, 345
 - aerosol-cloud interactions (ACI), 336

- aerosol-radiation interactions (ARI), 336–340
- anthropogenic, 343, 344
- cloud albedo effect, 336
- cloud lifetime effect, 341
- contrail/contrail-induced cirrus, 345
- deactivation indirect effect, 343
- doubling of carbon dioxide ($2\times\text{CO}_2$), 331, 351, 352, 354, 355, 358, 361
- effective (ERF), 336
- glaciation indirect effect, 343
- greenhouse gases, 335, 344, 345
- ships, 360
- Twomey effect, 336
- radius, 171–172
- rainbands, 88, 264, 271, 274, 311, 314
- rainbow, 258
- raindrop
- break-up, 265
 - collision kinetic energy (CKE), 209–212
 - size distribution of satellite drops, 254
 - types, 212–213, 254
 - evaporation, 208, 265
 - formation, *see* droplet growth
 - maximum size, 204, 209
 - radar reflectivity, 259
 - size, 17, 186
 - size distribution
 - Marshall–Palmer, 252
 - measurement, 254
- Raoult curve, 175
- Raoult's law, 167, 168, 169, 169–171, 172, 173, 180
- dependence on droplet radius, 170
- relative humidity
- definition, 54
- Representative concentration pathway (RCP), 278
- Reynolds number, 201, 203, 209
- Rossby number, 83
- Saffir–Simpson scale, 311
- satellite data, 1, 315, 348
- CERES, 332
 - CloudSat/CALIPSO, 346, 355
 - ISCCP, 1, 2
 - MODIS, 339, 340
- saturated/moist adiabat, 41, 52, 59, 60, 61
- saturated/moist adiabatic ascent, *see* process, saturated/moist adiabatic
- saturation
- mixing ratio, 41
 - of water, 49, 51, 54, 57
 - ratio, 44, 158, 160–162, 171, 175, 177
 - rate of change, 194
 - specific humidity, 41, 57, 58, 59
 - vapor pressure, 44, 46, 156–175
 - of water, 48
- saturation
- specific humidity, 41
 - saturation equivalent potential temperature, 61
 - graphical determination, 61
 - saturation equivalent temperature, 61
 - graphical determination, 61
 - saturation ratio, 158, 171–172
 - saturation specific humidity, 158
 - saturation vapor pressure
 - empirical formula, 49
 - of water and ice, 50, 55
 - tabulated, 49
 - scattering, 257
 - coefficient, 338
 - efficiency, 338
 - geometric optics, 258
 - Mie, 258, 337
 - Rayleigh, 257, 258
 - size parameter, 257
 - scavenging
 - definition, 135
 - dry, 135
 - wet
 - impaction, 135, 137–141
 - interception, 139
 - nucleation, 141–142
 - phoretic forces, 139
 - Schmidt number, 136, 136, 209
 - Schwarzschild equation, 326
 - sea breeze, 276, *see* land-sea breeze
 - second law of thermodynamics, 39, 42
 - seeder-feeder process, 275, 310
 - sensible heat, 58
 - ship tracks, 7, 7, 341, 360
 - size distribution
 - of aerosol particles, *see* aerosol size distribution
 - of cloud droplets, 21, *see also* droplet, size distribution
 - of hydrometeors, 17
 - of raindrops, 253, *see also* raindrop, size distribution
 - of snowflakes, 255, *see also* snowflake, size distribution
 - slantwise displacement, 88
 - snowflake
 - formation, *see* ice crystal growth
 - melting and sublimation, 246
 - radar reflectivity, 259
 - size, 17
 - size distribution (Gunn–Marshall), 255
 - terminal velocity, dependence on dimensionality and density, 241
 - solution droplet, 175, 182
 - activation, 171
 - critical radius, 171
 - definition, 218
 - solution, ideal, 167, 167, 171, 173

- South Pacific Convergence Zone (SPCZ), 1, 2, 276, 331, 346, 347
- specific heat capacity, *see* heat capacity
- specific humidity, 53
- specific volume, 33
- squall line, 105, 262, 308–310, *see* mesoscale convective system, squall line
- derecho, 310
- stability criteria
- absolutely stable, 78
 - absolutely unstable, 78
 - conditionally unstable, 78, 78, 99, 108, 109, 286
 - dry neutral, 78
 - inertial, 87
 - neutral, 74
 - potential, 81
 - saturated neutral, 78
 - stable, 74
 - static, dry air, 74
 - static, moist air and general, 78
 - symmetric, 90
 - unstable, 74, 99, 286
- state variables, 27, 43, 45, 157
- conjugate, 27
 - extensive, 27
 - intensive, 27
- static stability, 72, 105, *see also* stability criteria
- oscillation frequency, 75
- Stefan–Boltzmann law, 323, 325, 328, 356
- Stokes law, 203
- storm tracks, 2, 278, 331, 347
- sublimation, 41, 157, 246
- supercooling, 48, 55
- supersaturation
- peak, 195
 - sources and sinks of, 194
 - typical values in the atmosphere, 186
 - vertical distribution above cloud base, 197, 195–197
- surface tension, 159, 162
- force, 209
 - of ice in air, 220
 - of ice in water, 222
 - of liquid in vapor, 159
 - of water in air, 162, 163, 166, 172
 - of water in vapor, 161
 - value for water, 162
- sweep-out volume, 138
- symmetric instability, 88, 89, 90, 274, *see also* stability criteria
- system
- closed, 28
 - isolated, 28
 - open, 28
- temperature
- convective, 101
 - dew point, 56, 57
 - analytical approximation, 56
 - graphical determination, 57, 59
 - distribution in the atmosphere, 89
 - effective, 325
 - equivalent, 61
 - graphical determination, 59
 - equivalent potential, 60–61
 - graphical determination, 59, 60
 - frost point, 56
 - inversion, 8, 9, 347, 349
 - isentropic condensation, 59
 - graphical determination, 59, 60
 - melting point, 47
 - potential, 38, 39, 41, 52
 - change with altitude, 73
 - distribution in the atmosphere, 89
 - graphical determination, 59
 - horizontal gradient, 84
 - saturation equivalent, 61
 - saturation equivalent potential, 61
 - saturation equivalent potential, graphical determination, 59
 - saturation equivalent, graphical determination, 59
 - surface, 327
 - triple point, 47
 - virtual, 53–54
 - wet-bulb, 57
 - graphical determination, 58, 59
 - wet-bulb potential, 41, 59
 - graphical determination, 59
- tephigram, *see* thermodynamic chart, tephigram
- thermal conductivity
- tabulated, 192
- thermal wind, 84–85
- thermodynamic
- coexistence, 31, 41–43, 45–48
 - equilibrium, 28, 31, 42, 48, 156
 - mutual, 29
 - state variables, *see* state variables
- thermodynamic charts, 40
- tephigram, 40, 41, 59, 57–59, 100, 102, 108, 287, 306, 316
 - ordinary thunderstorm, 287
- thermodynamic equilibrium, 28
- thermophoresis, 139
- thunder, 294
- thunderstorm, 13, 14, 79, 262, 278, 285–310
- CAPE values, 105
 - isolated, 288
 - multicell, 295, 297, 297
 - ordinary, 285
 - pulse storm, 285
 - stages, 286
 - supercell, 295
 - bounded weak-echo region, 304, 307

- bounded weak-echo region (BWER), 304
- characteristics, 301–304
- flanking line, 302
- forward flank downdraft, 302
- hook echo, 305
- mesocyclone, 300, 302, 305
- radar echo, 302, 303, 308
- rear flank downdraft, 302, 303, 305
- schematic, 303
- Tornado Alley, 301
- vault, 303, 304
- tornadic, 105
- vertical shear, 295
- tornado, 305, 310
 - enhanced Fujita scale, 307
 - landspout, 302
 - waterspout, 310
- total derivative, 69
- triple point, 46
- tropical cyclone, 88, 262, 310–318
 - CAPE values, 105
 - Carnot efficiency, 316
 - Carnot process, 314
 - circulation pattern, 313
 - climate change, 318
 - decay, 317
 - differences from extratropical cyclone, 313
 - extratropical transition, 317
 - general features, 310
 - hurricane Sandy, 317
 - landfall, 317
 - nomenclature, 311
 - prerequisites, 312
 - Saffir–Simpson scale, 311
 - storm surge, 311, 317
- updraft velocity, 110, 263, 267, 295
 - in supercells, 302
- van't Hoff factor, 168, 175
- variable
 - extensive, 27
 - intensive, 27
 - of state, 27
- ventilation coefficient, 208, 209
- vertical velocity, *see* updraft velocity
- virga, 10, 209, 286, 288, 303
- vorticity, 298–301
 - absolute, 86
 - definition, 298
 - generation in thunderstorms, 300
 - horizontal, 300, 301, 304, 305
 - relative, 86
 - vertical, 300
 - vorticity equation, 298
- warm cloud, 16, 224
 - definition, 15
- water activity, 167, 168, 172
- water vapor
 - atmospheric residence time, 275
 - greenhouse gas, 52, 325, 344
 - mixing ratio, 60
- water vapor mixing ratio, 53
- water vapor pressure
 - definition, 53
 - saturation, *see* saturation vapor pressure
- water vapor, significance in atmosphere, 52
- waterspout, *see* tornado, waterspout
- Wegener–Bergeron–Findeisen process, 55, 239, 244, 247, 263, 267, 343
- wet deposition, *see* scavenging
- wind barbs, 287, 306
- wind shear, 285, 286
 - generation of vorticity, 298
 - in thunderstorms, 295–297, 302, 307
- winds
 - Chinook, 63
 - Santa Ana desert, 63