

# Index

- Abdur, 88  
 Abri Pataud, 76  
*Accipiter trivirgatus*, cf., 219  
 Acclimatization, 2, 7, 268, 271  
 Acculturation, 70, 279, 288  
 Acheulean, 26, 27, 28, 29, 45, 47, 48, 51, 52, 58, 88  
 Acheulo-Yabrudian, 48  
 Adaptation  
   high frequency processes, 286  
   hominin adaptive trajectories, 7, 267, 268  
   low frequency processes, 286–287  
   tropical foragers (Southeast Asia), 283  
   Variability selection hypothesis, 285–286  
 Additive strategies  
   economic, 274, 280. *See* Strategy-switching (economic)  
   technological, 165, 206, 283, 289  
 Agassi, Lake, 285  
 Ahmari, 80  
*Ailuropoda melanoleuca fovealis*, 35  
 Airstrip Mound site, 136  
 Altai Mountains, 50, 51, 94, 103  
 Altamira, 73  
*Amyda cartilaginea*, 218, 230  
*Amyda* sp., 37  
 Anderson, D.D., 111, 201  
*Anorrhinus galeritus*, 219  
*Anthracoseros coronatus*, 219  
*Anthracoseros malayanus*, 219  
 Anthropocene, 8, 9, 274, 286, 289  
 Aq Kupruk, 104, 105  
 Arboreal-adapted taxa, 96, 110, 111, 113, 122, 151, 152, 155, 167, 209, 217, 219, 220, 227, 228, 230, 231, 240, 246, 250, 257, 258, 261, 262, 263, 265, 282  
*Arborophilia* sp., 219  
*Arctictis binturong*, 218, 229, 230, 231, 263  
*Arctogalidia trivirgata*, 229  
*Arctonyx collaris*, 241  
 Arcy-sur-Cure, 75  
*Arius* sp., 219  
 Asian leaf turtle. *See* *Cyclemys dentata*  
 Asian soft-shell turtle. *See* *Amyda cartilaginea*  
 Asian wild dog. *See* *Cuon alpinus*  
 Assamese macaque. *See* *Macaca assamensis*  
 Athapaskan, 278  
 Atlantic thermohaline circulation (THC), 23–24  
 Attirampakkam, 106  
 Aurignacian, 69, 71, 72, 73, 76, 78, 102, 103, 268, 272  
   Developed-, 280  
   Proto-, 70, 78  
 Australo-Melanesian population, 109, 116  
 Australopithecines (robust), 286  
 Azilian, 74  
  
 Baconian, 188, 192, 194  
 Balobok rock-shelter, 159  
 Ban Don Mun, 54  
 Ban Lum Khao, 164, 165  
 Ban Mae Tha, 54  
 Ban Rai, 203  
 Banteng. *See* *Bos* cf. *javanicus*  
 Banyan Valley Cave, 201  
 Barranco León, 29  
 BAT 1, 173, 174  
 BAT 2, 173  
 Bat hawk. *See* *Macheiramphus alcinus*  
 Batadomba-lena, 107, 108  
 Batek, 274

*Index*

- Batu Gajah, finds from near, 55  
 Bau Du, 248  
 Bay cat. *See Felis badia*  
 Bear cat. *See Arctictis binturong*  
 Bearded pig 282. *See Sus barbatus*  
 Beli lena kitulgala, 107  
 Bellan-bandi Palassa, 107  
 Bellwood, P.S., 5, 122, 173, 174, 181  
 Bennett's Wallaby. *See Macropus rufogiseus*  
 Bent-winged bat. *See Miniopterus* sp.  
 Black eagle. *See Ictinaetus malayensis*, cf.  
 Black hornbill. *See Anthracoceros malayanus*  
 Black pond/marsh turtle. *See Siebenrockiella crassocollis*  
 Blombos Cave, 82, 83  
 Bobongara, 133, 136  
 Bogatyri/Sinyaya Balka, 29  
 Bolac, Lake, 131  
 Bond cycles, 22, 24  
 Bond events, 24  
 Bone technology. *See Organic technology*  
 Bornean gibbon. *See Hylobates* cf. *muelleri*  
 Bos cf. *javanicus*, 217, 220  
 Bose Basin, 39, 45, 59  
 Boxgrove, 49  
 Brahminy kite. *See Haliastur indus*  
 Breuil, H., 1, 88  
 Buring Basin, 35, 45  
 Buceros cf. *rhinoceros*, 219  
 Buffy fish owl. *See Ketupa* cf. *ketupa*  
 Bui Ceri Uato, 168, 170  
 Bukit Bunuh, 59, 101, 112, 113, 139  
 Bukit Jawa, 55, 62, 63, 197  
 Burial, secondary, 194  
 Burials  
   flexed, 194, 196  
   Neolithic, 195  
   secondary, 107, 173, 180, 194  
 Bushy crested hornbill. *See Anorrhinus galeritus*  
 Butchery, 258–259, 282  
   *chaine opératoire*, 228, 230  
   cut-marks, 28, 30, 212, 216, 217, 223, 227, 228, 229, 231, 240, 245, 246, 252, 258, 259, 260, 262, 263  
   Geshur Benot Ya'aqov, 47  
   Gua Sagu and Gua Tenggek, 254, 261  
   Hang Boi, 248  
   impact scars, 216, 223  
   Liang Bua, 125  
   marrow extraction, 28, 30, 216, 223, 242  
   Niah Caves, 157, 205, 212, 216, 218, 220, 227, 228, 229–230, 231, 262, 263  
   scrape-marks, 30, 218  
   stiff-joint butchery, 227  
 Buwawansi, 181  
 Callao Cave, 115, 116, 140  
 Cambrian Explosion, 8  
 Canis  
   *Canis cyonoides*, 63  
   *Canis lupus*, 63  
   *Canis lupus variabilis*, 63  
   *Canis yuanmouensis*, 37, 63  
 Carcass transportation. *See Procurement*  
 Carmel, Mt. *See Wadi-el-Mughara* ('Valley of Caves') and Wadi Kebara  
 Ceramic technology  
   ceramic material sourcing, 276  
   ceramic stratigraphic horizons, 128, 151, 181  
   pottery sherds, 127, 173, 180, 181, 192, 198, 201, 202, 246, 249, 250, 251  
   pre-ceramic stratigraphic horizons, 154, 160, 163, 166, 167, 175, 179, 180, 181, 198, 208  
 Cercopithecidae, 111, 121, 156, 157, 162, 167, 217, 219, 221, 227, 228, 240, 246, 263  
 Cervus unicolor, 113, 114, 217, 220, 240, 245, 254, 256, 260  
 Châtelperronian, 70, 75, 279, 280  
 Chauvet, Grotte, 73, 74, 75  
 Chenjiawo, 34–35, 36  
 Chinese three-striped box turtle. *See Cuora* cf. *trifasciata*  
 Chirki-on-Pravara, 52  
 Chongokni, 59  
 CLIMAP programme, 108  
 Climate  
   climatic amelioration, 97, 267  
   climatic fluctuations, 3, 12, 60, 66, 88, 249, 286, 287  
   climatic instability, 6, 8, 62, 66, 87, 98, 140, 272, 282, 284, 288  
   flickering switch, 20, 289  
   rapid climate change, 6, 18–24, 73, 284, 289  
 Clouded leopard. *See Neofelis diardi*  
 Clovis, 134, 270  
 Coastal lagoons. *See Ecological communities*  
 Colani, M., 185, 186, 187, 190, 199  
 Colonization. *See Transference, Diversification, Innovation Divergence and Creolization*  
   'abortive' colonization of the Levant, 92–93, 97  
   acquired knowledge, 270  
   immigrant inviability, 269  
   in-situ resource utilization, 269  
   island colonization (tsunami), 126–127  
   landscape-learning, 270  
   Later Upper Pleistocene Model, 68  
   maladaptation during, 269, 271, 279, 280  
   mega-patches, 270  
   Multiple dispersal hypothesis, 104  
   Northern Route out of Africa, 101  
   Overkill hypothesis 137. *See Extinction*  
   pioneer populations, 269, 278  
   population contraction, 99, 271, 272  
   population replacement, 48, 99, 267  
   Population-dispersal hypothesis, 68, 80  
   re-colonization, 45, 66, 204, 268, 285  
   risk-reduction. *See Risk*  
   seasonal forays, 278  
   Southern Route hypothesis, 6, 85, 102, 139  
   trans-location, 271  
   transported knowledge, 270  
   Wave of advance model, 106, 268  
 Common palm civet. *See Paradoxurus hermaphroditus*  
 Complexity (behavioural), 2, 47, 84, 108, 272, 280  
 Con Moong cave, 162, 188  
 Cosquer, La Grotte, 73  
 Cowtail stingray. *See Pastinachus sephen*

## Index

- Creolization, 278–279  
 cultural ‘hybridization’ as alternative for, 279
- Crested goshawk. *See* *Acipiter trivirgatus*, cf.
- Crocodylia  
*Crocodylus* cf. *porosus*, 230  
*Crocodylus ossifragus*, 64  
*Crocodylus* sp., 64  
*Garialis bengawanicus*, 64
- Cuddie Springs site, 134, 136
- Cultural drift, 84
- Cuon alpinus*, 35  
*Cuon antiquus*, 63  
*Cuon* sp., 64  
*Cuora* (= *Pyxidea*) *mouhotii*, 245  
*Cuora ambionensis*, 261  
*Cuora* cf. *trifasciata*, 245
- Cyber-somatic devices, 287
- Cyclemys dentata*, 218, 245, 254, 257  
*Cyclemys oldhami*, 242, 245
- Cynailulus* (= *Acinonyx jubatus*) sp., 63  
*Cynailulus* (= *Acinonyx*), 37, 63  
*Cypripidae* sp., 219
- Da But, 162, 190, 246, 249, 250
- Da Phuc, 163
- Dabutian, 190
- Daewo village caves, 181
- Dansgaard-Oeschger (D-O) cycles, 20–21
- Dark-throated leaf turtle. *See* *Cyclemys oldhami*
- Darra-i Kur, 104, 105, 107
- Dasyatidae spp., 246
- Dating methods  
 Amino Acid Racemization (AAR), 234, 249  
 Argon/Argon, 100  
 Electron Spin Resonance (ESR), 39, 52, 62, 91, 92  
 ESR/U-Series, 58, 81, 82, 91, 123, 124  
 Fairbanks\_0107 calibration curve, 10  
 Fission-track dating, 40  
 Optically Stimulated Luminescence (OSL), 55, 81, 88, 100, 101, 122, 138  
 Palaeomagnetism, 26, 29, 42, 46, 50, 51  
 Radiocarbon dating 9, 10, 16, 107, 110, 114, 115, 117, 118, 120, 122, 124, 127, 129, 130, 143, 146, 158, 163, 187, 211, 220, 233, 234, 268, 270. *See* Appendix  
 Thermoluminescence (TL), 45, 50
- Dawādmī, 27
- Decapoda, freshwater  
 Potamidae, 238  
 Varunidae, 238  
*Vilopotamon* sp., 238, 239
- Deglaciation, 8, 120, 146, 148, 151, 153, 205  
 Melt-water pulse-1A (mwp-1A), 143
- Denisova Cave, 50, 51, 61, 62, 66, 94
- Dennell, R., 5
- Developed Oldowan, 28, 30, 60
- Devil’s Lair, the (Western Australia), 133
- Dicerorhinus sumatrensis*, 217
- Dina, 51
- Divergence (adaptive), 2, 133, 134, 269, 278–281
- Divergence (climatic), 20
- Divergence (genetic), 26, 49, 51, 102, 126
- Diversification, 139, 206, 269, 272–274, 280, 290
- Dmanisi, 5, 29–31, 140
- Dogania subplana*, 218, 254, 261
- Douara Cave, 80
- Dubois, M.E.F.T., 4, 40, 63
- Dune, 16R, 93
- Duryong Cave, 175
- Dzudzuana Cave, 80
- Early Upper Palaeolithic (EUP), 50, 69
- East Indian box turtle. *See* *Cuora ambionensis*
- Ecological communities  
 coastal lagoons, 22, 130, 246, 250, 282  
 faunal turn-over events, 41, 62–64, 65  
 Kedung Brubus fauna, 64  
 megafauna, 77, 136, 137, 282  
 Ngandong fauna, 54, 57, 58, 62, 64, 285  
 novel faunal associations, 98, 272  
 Punung fauna, 62, 96, 285  
 salt marsh, 246, 249, 250, 282  
 species diversity, 14, 61, 76, 78, 98, 273, 289  
 species’ response to climate change, 98  
*Stegodon-Ailuropoda* fauna, 35, 54  
 Trinil H.K. fauna, 63, 64  
 Villafranchian fauna, 29, 62
- Eemian interglacial  
 concordance with MIS-5e, 85  
 Late Eemian Aridity Pulse (LEAP), 86
- El Niño Southern Oscillation (ENSO), 273, 281, 286
- Elaphas*  
*Elaphas antiquus*, 55  
*Elaphas maximus*, 55  
*Elaphas namidicus*, 55  
*Elaphas* sp., 34, 35
- Emiran, 80
- Epigravettian, 78
- Equus yunnanensis*, 35, 37
- Estuarine crocodile. *See* Crocodylia – *Crocodylus* cf. *porosus*
- Eugeissona utilis* (hill sago palm), 275
- Evolved Pavlovian (Eastern Gravettian), 76
- Exchange. *See* Procurement
- Extinction, 33, 36, 38, 51, 100, 124, 137, 267, 269, 284, 285, 290
- Eyre, Lake basin, 131
- Fa Hien-lena 107, 108. *See* Hominin fossils
- Facteur, Le, 76
- Fauna, vertebrate. *See* individual taxa
- Fay-Ne 1 at Jebel Faya, 88, 93
- Felis badia*, 217
- Felis* cf. *planiceps*, 229
- Ferrassie, La, 76
- Flat-headed cat. *See* *Felis* cf. *planiceps*
- Foote, R.B., 4
- Franchthi Cave, 78, 79
- Fruit bat. *See* *Rousettus* sp.
- Fuente Nueva 1, 29
- Fumane Cave, 74
- Gallus* cf. *gallus*, 219

*Index*

- Garrod, D.A.E., 1, 88, 89, 90, 91
- Geoemydidae (hard-shell turtles), 118, 218, 221, 245, 254, 262
- Gesher Benot Ya'aqov, 46–47, 48, 60
- Giant squirrel. *See Ratusfa affinis*
- Gibbon. *See Hylobates* sp.
- Gigantopithecus blacki*, 39
- Glacials and Interglacials, 12–13
- Glaciations  
Weichselian, 86
- Global Stratotype Section and Point (GSSP), recognised, 9, 143
- Glover, I.C., 168, 169, 170, 171, 172, 177, 178, 179
- Gol Ba'it, 194
- Golo Cave, 130, 160, 161, 181
- Gongwangling, 35, 36
- Gopeng Beds, the, 56
- Gorman, C.F., 200, 201, 208, 209, 264
- Gran Dolina, 29, 48
- Gravettian, Eastern, 70, 76, 103
- Greater mouse deer. *See Tragulus napu*
- Greenland Interstadials  
GIS-1, 19, 20, 21, 143, 145, 146, 147, 150, 164, 205, 211, 221, 224, 231, 242, 258, 262, 263, 270, 282, 283  
GIS-11, 110  
GIS-12, 120
- Greenland Stadials  
GS-1, 19, 20, 21, 86, 143, 147, 148, 205, 211, 242, 251, 263, 270  
GS-2, 19, 143  
GS-3, 19
- Greenland Stadials and Interstadials, 18–20
- Gua Badak, 55, 56
- Gua Balambangan, 115–116, 158, 164, 174
- Gua Bintong, 151, 163, 194
- Gua Braholo, 153, 162, 167
- Gua Cha, 195, 216, 257
- Gua Gunung Runtuh, 101, 196–197
- Gua Kechil, 164, 195
- Gua Kerbau, 193, 194, 195
- Gua Lawa, 150, 151, 162, 166, 167
- Gua Naga, 56
- Gua Pandan, 166
- Gua Sagu, 210, 261, 262, 263  
faunal analysis from (Gua Sagu and Gua Tenggek), 251–261  
lithic technology from, 198–199
- Gua Samang Buat, 122
- Gua Sireh, 158, 164
- Gua Tambun, 56
- Gua Tenggek, 210  
faunal analysis from (Gua Sagu and Gua Tenggek), 255  
lithic technology from, 198, 199
- GuaK Kepah, 194
- Gunung Sewa, 153, 167
- Gunung Tempurung (and Gua Tempurung), 56, 57
- Guri Cave, 175
- Hadar, 65
- Hagop Bilo, 153, 173, 184
- Hairy-nosed otter. *See Lutra sumatrana*
- Haliaster indus*, 219
- Hang Boi, 188–189, 210, 232, 233, 235, 253, 257, 258, 261, 263, 264, 273  
camp fire, modern, 238  
faunal analysis from, 232–251  
freshwater crabs, 239  
organic technology, 163  
perforated Neritidae shells, 239
- Hang Chồ, 190
- Hang Hum I and II, 109
- Hang Trống, 163, 188, 189, 191, 262
- Haplogroups  
A, 285  
B2, 285  
C, 103  
C1, 285  
D, 103  
D1, 285  
E1, 149, 150  
E1a, 149  
E1a1a, 149, 150  
E1b, 149  
E2, 149, 150  
E2a, 149  
E2b, 149  
G, 103  
L3, 97, 102, 104  
M, 97, 102, 104, 134  
M21, 276  
M31, 102  
M32, 102  
N, 102, 104  
Q, 134  
X2a, 285
- Happisburgh, 29
- Harrison, T., 117, 118, 151, 231  
Sarawak Museum Archive of, 117, 123, 211
- Hathnora, 51, 52, 107
- Haua Fteah, 87
- Heinrich Events, 21–23
- Helarctos malayanus*, 218
- Heosemys spinosa*, 218
- Herto, upper fossiliferous deposits, 100
- Himalayas, 31, 97
- Hipposideros* sp., 258
- Hoabinhian, 112, 113, 114, 151, 163, 185–191, 192, 193–195, 197, 198, 199–202, 203, 206, 209, 236, 248, 250
- Hog badger. *See Arctonyx collaris*
- Holocene  
base of, 9  
Climatic Optimum, 260
- Hominin fossils. *See* individual *Homo* species  
Batadomba-lena remains, 107  
Beli lena kitulgala remains, 107  
Bellan-bandi Palassa remains, 107  
C1 (Tabūn), 92  
Callao Cave remains, 116  
Darra-i Kur skull, 104  
Deep Skull, post cranial remains associated with, 118  
Deep Skull, the (Niah Caves), 101, 116–118, 119

Cambridge University Press

978-1-107-01829-7 - Human Adaptation in the Asian Palaeolithic: Hominin Dispersal and Behaviour during the Late Quaternary

Ryan J. Rabett

Index

[More information](#)

## Index

- Dmanisi hominins, 30–31  
 Fontéchevade hominin, 71  
 Irhoud 3 (Jebel Irhoud), 62, 87, 100, 103  
 KC4 (Kent's Cavern), 71  
 KNM-ER 26, 137  
 KNM-ER 26, 286  
 KNM-ER 26  
 KNM-ER, 42700, 26  
 KNM-ER, 42703, 26  
 KNM-WT, 15000, 26  
 LB1 (Liang Bua) 40, 124, 125. *See* Microcephalic, modern human; Liang Bua  
 LB-JR-8a (Liang Bua), 124  
 LBS4-32a (Liang Bua), 124  
 Liujing hominin (Tongtianyan Cave), 94, 96  
 Moh Khiew hominin, 109  
 Mungo III (Lake Mungo), 135, 139  
 Narmada specimens (Hathnora), 51, 62, 140  
 Ngandong hominins, 57, 58  
 Omo I and II hominins, 100  
 'Perak Man' (Gua Gunung Runtuh), 196  
 pigmented skull fragments (Niah Caves) 118. *See* Pigmentation  
 PU-198 (Punung), 96  
 Qafzeh hominins, 92  
 Skhül hominins, 90–91, 92  
 Skhül V, 90, 97  
 Sunguir I-III, 74–75  
 Tabon hominins, 114–115  
 TD6 (Gran Dolina), 48  
 Wajak, 4  
 YF-86B-N7-3 (Fa Hien-lena child), 93, 107  
 Zhirendong hominins, 95, 96  
 Hominoid fossils. *See* *Gigantopithecus blacki*  
 MH001 & MH0018 (Mohui Cave), 39  
 Yunxian crania, 96  
*Homo antecessor*, 29, 48, 52  
*Homo erectus*, 25–26, 31, 34, 35, 39, 40, 41, 45, 49, 51, 52–53, 54, 56–58, 60, 62–64, 65, 83, 94, 96, 109, 123, 126, 140, 267, 285  
*Homo* (= *Pithecanthropus*) *erectus*, 4, 40  
*Homo erectus* (= *Sinanthropus pekinensis*), 4  
*Homo ergaster*, 25, 26, 31, 37, 39, 41  
*Homo floresiensis*, 26, 40, 83, 115, 124, 125, 126, 127, 140, 167, 283, 286, 288  
*Homo georgicus*, 31  
*Homo habilis*, 26, 30, 31, 37, 39, 115  
*Homo heidelbergensis*, 29, 48, 51, 52, 61, 106  
*Homo sapiens idaltu*, 88  
*Homotherium ultimus*, 63  
 Howieson's Poort, 81, 82, 107  
 Hoxne, 49  
 Human behaviour, modern, 2, 6, 69, 77, 82, 84, 130, 133, 140, 265, 266, 267, 288  
 Human Revolution in Europe, traits, 68–69  
 blade-based technologies, 69–70  
 mobility, 75–76  
 new lithic tool types, 70–71  
 non-lithic technological and representative media, 71–75  
 pace of material culture innovation, 77  
 population density, 76–77  
 subsistence, 80  
 Hunting strategies. *See* Procurement  
 Hyaenidae  
*Crocota crocuta*, 28  
*Crocota crocuta ultima*, 63  
*Crocota* sp., 64  
*Hyaena* (= *Pachycrocota*) *brevirostris*, 63, 64  
*Hyaena* (= *Pachycrocota*) *licenti*, 63  
*Hyaena sinensis*, 63  
*Hyaena* sp., 53, 62, 63  
*Pachycrocota* (= *Hyaena*) *licenti*, 37, 53  
*Hylobates* cf. *muelleri*, 217, 228  
*Hylobates* sp., 96, 219, 221  
 Hystricidae, 39, 219, 252  
 Ice cores (Antarctic)  
 Dome Fuji core, 18  
 EPICA, 18  
 EPICA (Dronning Maud Land core), 18  
 EPICA Dome C core, 15, 60  
 Vostok core, 15, 17, 18, 21  
 Vostok Station, 18  
 Vostok, Lake, 17  
 Ice cores (Greenland)  
 Camp Century, 15  
 GISP2, 15, 16, 17, 18, 19, 20, 125, 147  
 GRIP, 15, 17, 20, 62, 86, 87  
 NEEM, 15, 17  
 NGRIP, 15, 16, 20, 86, 87, 93  
 Renland cores, 15  
 Ice-rafted debris (IRD), 21, 22, 24  
 Ice-sheets  
 East Antarctic, 18, 143  
 Fennoscandian, 23, 98  
 Laurentide, 21, 143  
*Ictinaetus malayensis*, cf., 219  
 Ille Cave, 159, 175, 176  
 Innovation, 1, 2, 68–77, 80, 138, 142, 151, 152, 155, 158, 164, 172, 185, 196, 206, 265, 266, 269, 274–275, 279, 280, 282, 284, 289  
 Inter-tropical Convergence Zone (ITCZ), 108, 286  
 Isampur locality, 52  
 Jalalpur, 51  
 Jamestown, Virginia, 268, 269, 271  
 Jebel Irhoud 62, 87. *See* Hominin fossils  
 Jerimalai, 128, 172, 184  
 Joe's Garden site, 136  
 Jungle fowl. *See* *Gallus* cf. *gallus*  
 Kalumpang sites, 194  
 Kao Pha Nam, 54  
 Kara Karmar, 104, 105  
 Karama, 50  
 Karatau I, 49  
 Katanda, 82  
 Keeled box turtle. *See* *Cuora* (= *Pyxidea*) *mouhotii*  
 Keewatin ice dome (Canada), 148  
 Keo Leng, 109  
 Keplek industry, 123, 167  
*Ketupa* cf. *ketupa*, 219

*Index*

- Khao Talu, 201, 202  
 Khok Phanom Di, 148, 149, 158, 164  
 Kilu Cave, 136  
 Klasies River, 81  
 Klisoura Cave 1, 78  
 Kosipe, 134, 136  
 Kostenki I, 79  
 Kota Tampan, 4, 55  
     KT1987, KT2005, 100, 109, 112, 196, 197, 199  
 Kria Cave, 160–161, 182–183  
 Ksar 'Akil, 81  
 Kul'dara, 31, 49  
*Kulturpumpe* model, 73, 77  
 Kuprukian, 105  
 Kutikini Cave, 138
- Laang Spean, 192  
 Lakhuti I, 49  
 Lakonis I, 70  
 Landscape-learning. *See* Colonization  
 Lang Bon, 162  
 Lang Kamnan, 201, 202, 203, 204  
 Lang Rongrien, 109–111, 112, 152, 185, 199, 201–202,  
     203, 204, 273  
 Lang Vanh, 187  
 Lascaux, 73  
 Last Glacial Maximum (LGM)  
     definition, 9  
 Last Termination  
     definition, 10  
 Late Pleistocene  
     definition, 9  
 Lawin, 197  
 Leaf monkeys, 217, 228, 257  
 Leaf monkeys and macaques. *See* Cercopithecidae and  
     individual species  
 Leang Burung 1, 128  
 Leang Burung 2, 128, 129  
 Leang Sakapao 1, 129  
 Leang Sarru, 180  
 Leang Tuwo Mane'e, 179–180, 184  
 Lene Hara, 127, 128, 172, 173, 184  
 Lenggong Valley, 55, 113, 122, 196, 197, 276  
 Leopard cat. *See* *Prionailurus bengalensis*  
*Lepus wongi*, 35  
 Liang Bua, 123–127, 140, 167  
 Liang Lemdubui, 153, 161, 162, 183, 184  
 Liang Nebulei Lisa, 161  
 Lie Siri, 168, 169  
 Lithic raw materials  
     basalt, 30, 115, 176, 198, 200  
     calcite, 200  
     chalcedony, 110, 202, 203  
     chert, 45, 59, 76, 110, 111, 112, 115, 119, 122, 123,  
         124, 127, 129, 159, 167, 172, 174, 175, 176, 177,  
         180, 182, 183, 184, 192, 194, 197, 200, 202, 203  
     flint, 29, 74, 92, 168  
     granite, 197  
     hornfels, 192  
     iron-oxide, 197  
     jasper, 94, 111, 119, 176, 202  
     limestone, 29, 119, 123, 182, 184, 189, 191, 197, 198,  
         203  
     obsidian, 76, 135, 165, 166, 167, 168, 176, 179, 180,  
         184  
     quartz, 37, 45, 110, 112, 115, 119, 193, 197, 202, 203  
     quartzite, 30, 35, 45, 50, 76, 111, 112, 182, 183, 192,  
         194, 197, 198, 200, 201, 202, 203  
     sandstone, 45, 192, 197  
     sandstone, metamorphic, 119  
     schist, 193, 194  
     shale, 203  
     silicified limestone, 110, 166, 177, 183, 202  
     silicified tuff, 182  
     slate, 94, 194, 197, 198, 201  
     suevite, 59, 112
- Lithic technology  
     adzes, 110, 136, 150, 169, 171, 197, 200  
     arrowheads, bifacially flaked, 166  
     arrowheads, hollow-base, 166, 177  
     arrowheads, round-base, 166  
     backed blades, 169  
     bifacial implements, 28, 30, 31, 37, 59, 65, 110, 122,  
         125, 129, 192, 195, 197, 198, 199, 201, 202  
     blade cores, 169, 172, 176  
     blade technology, 69–70, 73, 80, 105, 113, 175, 180,  
         184, 206, 281  
     blade/bladelet technology, 81  
     blade-flakes, 187, 189, 191  
     burins, 48, 70, 80, 94, 106, 119, 168, 169, 171, 172,  
         175, 189, 191  
     Chopper-chopping tool schema, 59  
     choppers, 28, 94, 115, 123, 186, 190, 192, 194, 197,  
         199, 201, 202  
     composite technology, 81  
     curation, 130, 172, 189  
     débitage, 32, 47, 104, 105, 112, 115, 129, 130, 180  
     decorification flakes, 203  
     edge-gloss, 129, 167, 168, 169, 170, 171, 174, 176, 178,  
         184  
     edge-ground pieces (proto-neoliths), 114, 186, 187,  
         188, 190, 193  
     flake-based industries, 185, 192  
     flake-blades, 104, 115, 165, 168, 170, 172, 174, 175,  
         176, 178, 179, 180, 184, 185, 186, 189, 206  
     grinding stones, 150, 167, 173, 194, 200  
     ground stone implements, 136, 183  
     hafting, 136  
     hammerstones, 115, 175, 176, 180, 182, 186, 197, 198,  
         201, 202, 203  
     hard-hammer, freehand, 167  
     micro-blades, 105, 106, 107, 124  
     micro-cores, 105  
     microliths, 107, 166  
     multiplatform cores, 113, 123, 168, 169, 182  
     naturally backed knives, 167  
     nosed end-scrapers, 70, 168, 169, 171  
     pebble tools, 31, 113, 122, 166, 173, 174, 185, 187,  
         188, 189, 190, 195, 197, 200, 201, 202, 204  
     perforators, 124, 167  
     polished stone, 136, 166, 173, 189, 200, 201  
     pounders, 150, 168, 173, 194

## Index

- prismatic cores, 70, 174, 184  
 pseudo Levallois points, 105, 129  
 re-tooling, 162, 189  
 retouched bladelets, 70  
 retouched blades, 70, 105, 171  
 retouched flakes, 94, 105, 113, 182, 183, 195, 200  
 scalar cores, 129  
 scrapers, 32, 35, 48, 70, 80, 93, 94, 104, 105, 113, 119, 135, 136, 165, 166, 167, 168, 169, 170, 172, 186, 190, 192, 201, 202  
 short axes, 186, 188, 192, 200, 201, 203  
 single platform cores, 189  
 soft-hammer reduction, 189, 190, 191  
 standardization, 45, 49, 105, 277, 282, 283, 289  
 Sumatralith, 186, 187, 188, 190, 192, 194, 195, 197, 199, 200, 201, 202, 203  
 tanged points, 169, 172, 184  
 thumb-nail scrapers, 136, 168, 171  
 Tingkayu bifaces, 130, 174, 206, 277  
 unifacial implements, 37, 114, 167, 186, 197, 198, 199, 202  
 unretouched pieces, 165, 180, 181  
 utilized flakes, 129, 167, 168, 169, 170, 174, 175, 176, 184, 201  
 waisted blades, 136  
 Liujiang. *See* Hominin fossils  
 Loess Plateau, Chinese, 27, 32, 34, 35, 41–42  
 Longgupo Cave, 35, 39  
 Long-tailed macaque. *See* *Macaca fascicularis*  
 Lower Palaeolithic, 5, 46, 65  
 Lower Pleistocene  
 definition, 9  
 Luochuan section, 34, 42  
*Lutra sumatrana*, 218
- Macaca*  
*Macaca arctoides*, 246, 247  
*Macaca assamensis*, 245  
*Macaca fascicularis*, 227, 229  
*Macaca mulatta*, 245  
*Macaca nemestrina*, 221, 227, 246, 257  
*Macaca* sp., 113, 114, 162, 229  
*Macaca* spp., 240  
 Macaques, 217, 227, 228  
*Macheiramphus alcinus*, 219  
*Macropus rufogriseus*, 138  
 Madai caves (MAD 1/28 and MAD 2), 158, 173–174  
 Magdalenian, 72, 73, 272  
 Mai Da Đìềù, 186, 190  
 Majuangou, 32, 33  
 Maladaptation. *See* Colonization  
 Malakumanja II, 133, 136  
 Malay civet. *See* *Viverra zibetha*  
 Malayan flat-shell turtle. *See* *Notochelys platynota*  
 Malayan soft-shell turtle. *See* *Dogania subplana*  
 Malayan tapir. *See* *Tapirus indicus*  
*Mammuthus primigenius*, 34  
*Mammuthus trogontherii*, 34  
 Mangrove forest, 120, 146, 148, 223, 238, 246  
 exploitation of, 158, 282  
 growth of, 249
- Mansuli site, 122  
 Marine cores  
 MD900963, 18  
 ODP, 17940, 143, 145  
 ODP 17954, 143  
 ODP 17961, 143  
 ODP 17964, 147  
 ODP 18252–3, 143  
 ODP 18287–3, 143, 148  
 ODP 43, 64  
 ODP 758B, 45  
 Marine oxygen isotope stage (MIS)  
 MIS-2, 19, 60, 87, 93, 131, 267, 284, 285  
 MIS-3, 21, 98, 108, 112, 122, 127, 131, 137, 267, 284  
 MIS-4, 109, 131, 285  
 MIS-5, 19, 86, 87, 92, 93, 139, 285  
 MIS-5a, 92  
 MIS-5b, 131  
 MIS-5c, 92  
 MIS-5d, 86, 93, 95, 97  
 MIS-5e, 56, 66, 85, 86, 87, 88, 92, 93, 95, 96, 137, 284, 285  
 MIS-5e, Event 1 & 2, 86  
 MIS-6, 48, 50, 51, 62, 86, 87, 88, 93, 95, 96, 99, 100, 286  
 MIS-7, 56, 61, 66  
 MIS-8, 48, 61  
 MIS-9, 18, 50  
 MIS-10, 61  
 MIS-11, 48, 49, 60, 61, 87, 284, 285  
 MIS-12, 60, 61  
 MIS-13, 49, 53, 61  
 MIS-14, 60, 61  
 MIS-15, 49, 53, 60  
 MIS-16, 60  
 MIS-17, 53, 60  
 MIS-18, 47, 60  
 MIS-19, 43, 53, 100  
 MIS-20, 43, 47, 100
- Masked palm civet. *See* *Paguma larvata*  
 Mast-fruiting events, 273  
 Mata Menge, 57, 64, 123, 126  
 Matar, 58  
 Matenbek, 135  
 Matenkupkum, 135  
 Mauer, 48, 60  
 Mayr, E.W., 2  
*Mececyon* (= *Cuon*) *trinilensis*, 63  
 Medway, Lord (Earl of Cranbrook), 151  
*Megantereon inexpectatus*, 63  
*Megantereon nihowanensis*, 63  
 Meilkane, 81  
 Melanesian population (modern), 196  
 Melayu Asli, 276  
 Mellars, P.A., 69, 84  
 Menez Dregan, 48  
 Mesolithic, 105, 163, 177, 186  
 Metal Age (Southeast Asia), 173, 175, 179, 180  
 Microcephalic, modern human, 4, 40, 126  
 Middle Palaeolithic, 30, 46, 69, 70, 72, 74, 75, 76, 77, 78, 79, 81, 93, 105, 106, 107, 140

Cambridge University Press

978-1-107-01829-7 - Human Adaptation in the Asian Palaeolithic: Hominin Dispersal and Behaviour during the Late Quaternary

Ryan J. Rabett

Index

[More information](#)

## Index

- Middle Pleistocene  
definition, 9
- Middle Son Valley, 52, 93
- Middle Stone Age (MSA), 81, 82, 83, 88, 92, 93, 285, 288
- Milankovich cycles, 10–12
- Miniopterus* sp., 258
- Mladeč, 70, 71
- Moh Khiew 110–111, 114, 163, 201, 202. *See* Hominin fossils
- Mohui Cave, 39–40
- Mojokerto, 26, 40
- Mokhovo I, 50, 61
- Mollusca, brackish water  
*Neritina (Dostia) cornucopia*, 238  
*Neritina (Neripteron) violacea*, 238  
*Neritina petiti*, 220  
*Neritodryas dubia*, 220  
*Neritodryas subsulcata*, 220  
*Polymesoda erosa*, 220
- Mollusca, freshwater  
*Angulyagra (= Viviparus) polyzonata*, 237  
*Angulyagra polyzonata*, 237  
*Angulyagra* sp., 114  
*Brotia (= Antimelania) costula*, 114  
*Brotia (= Antimelania) siamensis*, 114  
*Brotia perfectora*, 129  
*Brotia* sp., 196, 237  
*Brotia spinoza*, 253, 254, 263  
*Corbicula*, 34, 147, 162, 237, 249  
*Cristaria herculea*, 237  
*Cuneopsis*, 34  
*Lamprotula*, 34  
*Limnea*, 34  
*Pisidium*, 34  
*Planorbis*, 34  
Unionidae, 237
- Mollusca, marine  
*Cypraea* sp., 238  
*Cypraea arabica*, 248
- Mollusca, terrestrial  
Camaenidae, 236  
Clausiliidae, 236  
*Cyclophorus dodrans*, 114  
*Cyclophorus fulganatus*, 114  
*Cyclophorus siamensis*, 114, 188  
*Cyclophorus speciosus*, 114  
*Cyclophorus* spp., 236  
*Cyclophorus theodori*, 236  
*Cyclophorus unicus*, 236  
*Japonia?*, 236  
*Leptopoma*, 236  
*Pterocyclos*, 236  
Pupinidae, 236  
*Scabrina*, 236  
Streptaxidae, 236  
Subulinidae, 236  
Zonitidae, 236
- Mongoloid Austronesian population, 149
- Monitor lizards. *See* *Varanus* spp.
- Monsoon  
Asian monsoon, 42, 97
- Summer monsoon, 42, 97, 98, 104, 132  
Winter monsoon, 42, 97, 98
- Mortuary profiles  
age structure, 121, 227, 228, 231, 263  
prime adult biased, 217  
young adult biased, 231
- Morwood, M.J., 124, 127
- Mount Cripps cave, 137
- Mouse deer. *See* *Tragulus* sp.
- Mousterian, 46, 48, 50, 51, 62, 66, 70, 74, 80, 83, 85, 88, 90, 92, 94, 104, 105, 272, 280
- Movius Line, the, 60
- Movius, H.L., Jr., 5, 65, 83
- Mungo, Lake 133. *See* Hominin fossils.; Willandra Lakes
- Muntiacus*, 55, 217, 241, 245
- Muntjac (barking deer). *See* *Muntiacus*
- Muong-Nong/Australasian tektite strewn field (MN/AT), 43, 44–45, 267
- Musang Cave, 159
- Natural selection, 2, 66, 99
- Nauwalabila I, 133, 136
- Nawamoyon, 136
- Neofelis diardi*, 118, 229
- Neogene, 9, 12
- Neolithic, 117, 123, 127, 150, 165, 166, 175, 177, 179, 186, 195, 199, 201, 212, 251, 274, 276, 285, 288
- Ngandong, 57, 58
- Ngandong fauna. *See* Ecological communities
- Ngebung 2, 58
- Nguòm, 113, 114, 185, 190
- Nguòmian, 113, 114, 201
- Niah Caves, 101, 116–122, 151, 152, 153, 156, 157, 172–173, 205, 206, 211, 221, 257, 273, 277  
Deep Skull. *See* Hominin fossils  
Gan Kira, 223  
Kain Hitam, 156  
Lobang Hangus, faunal analysis from, 221–232, 258  
removal of toxins (pit features), 123  
West Mouth, Area A, faunal analysis from, 212–220, 258, 259  
West Mouth, Area D, faunal analysis from, 220–221, 222  
West Mouth, ‘Hell’ trench, 116, 117, 118, 119, 120, 121, 172, 205, 212
- Niaux, 73
- Nihewan Basin, 31, 34
- Niujiangbao, 35
- North Atlantic conveyor 23, 24. *See* Atlantic thermohaline circulation (THC)
- North Atlantic deep water current (NADW), 23, 24
- Norton, C.J. and Braun, D.R., 5
- Notochelys platynota*, 218
- Nyctereutes sinensis*, 63
- Ohalo II, 80
- Okladnikov Cave, 51
- Okladnikov, A.P., 82
- Omo 64, 65. *See* Hominin fossils
- Oral traditions, 287
- Orangutan. *See* *Pongo pygmaeus*



## Index

- Organic technology
- antler, worked, 72, 80, 110
  - bamboo, 152, 176, 203, 209
  - blowpipes, 152, 228
  - 'bone culture' hypothesis, 150, 151
  - bone points, 71, 82, 83, 121, 152, 154, 155, 163, 164, 178, 181, 188, 200, 220, 262
  - bone technology, 70, 72, 120, 150–165, 166, 177, 186, 205, 206, 220, 228, 246, 250, 261, 263, 265
  - bone technology, standardization, 154, 283
  - bone tool manufacturing debris, 154
  - bow and arrow, 152
  - catfish barbs, 157
  - composite technology, 158, 160, 161, 206, 277, 282
  - curation, bone technology, 157
  - edge-ground pieces, 150, 158, 159, 164
  - experimental studies, 151, 154, 157, 161
  - fletching, 152
  - gouges, 155, 156, 160
  - groove and snap technique, 110, 159
  - hafting, bone points, 152, 155, 158, 159, 160, 161
  - hafting, bone tool, 165
  - hafting, fibres, 157
  - needles, 158
  - perforators (awls), 71, 72, 150, 154, 159, 160, 161, 206
  - pig tusk, 120, 157, 159
  - resin, used in hafting, 157, 158
  - re-tooling, 164
  - Sampung bone industry, 151, 163
  - 'spatulate' bone tools, 150, 159, 160, 161, 162, 177
  - stringray barbs, 157, 158, 164, 206, 264, 282
  - tanged arrowhead, 158
  - use-wear, bone points, 155, 159, 162
  - yam planters, 156
- Ornamentation
- beads, standardization, 74
  - body ornamentation, 1, 70, 72, 73, 74, 75, 80, 238
  - body ornamentation\|t, 29
  - N. gibbosulus* shell beads from Mugharet es-Skhül, 81
  - perforated shell beads, 239
  - shell beads, perforated, 81, 108, 238
- Oued Djebbana, 81
- Pabbi Hills, 51
- Pacitan, 55, 166, 167
- Pacitanian, 165
- Padah-Lin, 192
- Paguma larvata*, 217, 229
- Pakefield, 29, 48, 60
- Palaeo-cultures
- definition, 280
  - quasi-stable nature of, 280
- Palaeo-lake environments, 29, 32, 47, 55, 112, 113, 122, 131
- Palaeolithic. *See* Lower, Middle, Upper Palaeolithic
- use of term in this volume, 10
- Palaeo-magnetic events
- Laschamp, 9
  - Matuyama-Brunhes reversal, 9, 43, 47
  - Mid-Brunhes (MBE), 11, 61
  - Olduvai, 9
- Panthera*
- Panthera cf. pardus*, 37, 63, 64, 240, 241, 249, 258, 263
  - Panthera cf. tigris*, 63
  - Panthera tigris*, 37, 63, 64, 218, 241, 258
  - Panthera tigris sondaica*, 64
  - Panthera youngi*, 63
- Paradoxurus hermaphroditus*, 229
- Parmerpar Meethaner, 136
- Partridge. *See* *Arborophila* sp.
- Paso shell midden, 160, 179
- Pastinachus sephen*, 157, 158
- Patne, 107, 108
- Patpara, 93
- Patte, M.E., 162, 185
- Pavlov I, 79
- Peñablanca caves, 115, 159, 176
- Pestera cu Oase 1, 71
- Phia Vai, 248
- Pied hornbill. *See* *Anthracoceros coronatus*
- Pigmentation
- early use of at Niah Caves, 118, 119, 277
  - non-symbolic use of, 158
  - ochre, use of, 74, 82, 118, 135, 158
  - pigmented cowrie shell, 238
  - pigmented geoemydidae plastron (Niah Caves), 119
  - portrayal of early use, 72
  - skull fragments (Niah Caves), 118
  - tree-resin, 118
  - use of in Southeast Asia, 122, 130, 168, 289
- Pig-tailed macaque. *See* *Macaca nemestrina*
- Plant macro-molecules (lipids), study of, 250
- Pleistocene Explosion of new life ways 290. *See* Cambrian Explosion
- Pliocene epoch, 25, 42
- Late Pliocene, 32, 34, 42
- Plio-Pleistocene, 25, 29, 32, 34, 35, 41, 56, 65, 66
- Pongo pygmaeus*, 54, 96, 113, 114, 120, 217, 221, 227
- Population genetics
- aboriginal hair, DNA from, 102
  - bottle-neck events, 42, 99, 100, 101, 150, 205, 272, 285
  - coalescence, 10, 99, 102, 103, 135, 149
  - common ancestor, 26, 49, 51, 102, 276
  - daughter populations, 99, 101, 279
  - genetic drift, 49
  - genetic variability, 99, 149
  - haplogroups, individual. *See* Haplogroups
  - issues with, 103–104
  - larger long-term effective populations, 99
  - MtDNA, 49, 51, 85, 97, 99, 102, 103, 135, 149, 205, 276, 285
  - Orang Asli indigenous group (Peninsular Malaysia), 102, 109
  - Out of Africa II genetic model, 96, 98–99, 205
  - population generators, 102
  - Weak Garden of Eden hypothesis, 99
  - Y-chromosome, 85, 97, 99, 103, 104
  - $\rho$  (rho) statistic, 102
- Porcupine 241, 252, 259. *See* Hystricidae
- Presbytis cristata*, 221
- Presbytis* sp., 217, 262
- Prionailurus bengalensis*, 218, 229

*Index*

- Procurement 140. *See* Additive strategies. *See* Mortuary profiles
- broad spectrum, 209, 264, 282
- coastal foraging zone, 247
- 'dinnertime' camps, 137
- embedded, 76
- exchange, 76, 158, 195, 248, 250, 276, 278, 281
- fishing, 128, 150, 155, 158, 164, 172, 173, 248, 261, 282
- foraging radius, 247
- hunting pressure, 137, 138, 217
- hunting strategies, 121, 122, 152, 216, 219, 227, 257, 258, 261, 272, 273
- logistical, 247, 278
- mobility strategies 58, 134, 135, 208, 249, 250, 262, 264, 269, 276, 281, 283. *See* Human Revolution in Europe, traits.
- prey selection, 228, 231, 264
- removal of toxins (Niah pit features), 122, 123, 289
- residential camps, 137, 138, 247, 248, 273, 278
- sago, 121, 152, 209, 275
- 'schlepp' effect, 248
- seasonality, 78, 110, 138, 209, 249, 250, 281
- specialized, 77, 78, 138, 139, 272, 278, 280, 286, 290
- subsistence strategies, 77, 92, 98, 114, 130, 139, 141, 207, 265, 283
- swidden-based agriculture, 210, 274
- transportation, 28, 217, 247, 248, 249, 251, 262, 263
- traps, 111, 227, 229, 231, 246, 265
- tropical foragers, 133, 142, 143, 151, 203, 208, 247, 250, 274, 276
- yams, 209, 210
- Pungitius* sp., 34
- Punung fauna. *See* Ecological communities
- Python reticulatus*, 218
- Qafzeh, 92, 105
- Quaternary  
definition, 9
- Rangifer tarandus*, 76, 272
- Rapid climate change. *See* Climate
- Ratufa* (= *Sciurus*) *bicolor*, 242
- Ratufa affinis*, 219, 221
- Regionalism (adaptive), 7, 24, 65, 82, 288
- Reindeer. *See* *Rangifer tarandus*
- Reticulated python. *See* *Python reticulatus*
- Rhesus macaque. *See* *Macaca mulatta*
- Rhinoceros hornbill. *See* *Buceros* cf. *rhinoceros*
- Rhinoceros* sp., 55
- Riparo Mochi, 70, 78
- Risk, 209, 270, 271, 272, 273, 274, 275, 280
- Riwat, 51, 106
- Rodniki, 29
- Roundleaf bat. *See* *Hipposideros* sp.
- Rousettus* sp., 235
- Sa Huynh culture, 194
- Sai Yok 1, 163
- Sakai Cave, 163
- Samarkandskaya, 94
- Sambar deer. *See* *Cervus unicolor*
- Sambungmacan, 58
- Saptomo, Wayhy, 125
- Savannah conditions, Pleistocene  
Africa, 64, 132, 208, 286, 289  
Central Asia, 29  
'Savannahstan' model, 65  
Southeast Asia, 108, 110, 144, 146, 204
- Sea levels, 12, 57, 96, 97, 132, 142, 143, 148, 205, 220  
coastal communities, 149, 248, 249  
coastal inundation, 106, 248, 287
- Seasonality. *See* Procurement
- Sel'-Ungur, 49, 94
- Semai, 276
- Semang, 274, 276
- Shanboa Cave, 42
- Shark teeth (Gua Lawa), 167
- Shell middens  
BAT 1 (Borneo), 173  
crushed shell deposits (Hang Boi), 234, 235  
Da But (Vietnam), 162  
Golo Cave (Gebe Island), 160  
Hang Boi (Vietnam), 188, 234–236, 237  
Hang Chồ (Vietnam), 191  
Hang Trông (Vietnam), 163, 188  
Ille Cave (Philippines), 159, 176  
kitchen-middens, 185  
MAD 2 (Borneo), 174  
Paso (Sulawesi), 160  
Province Wellesley (Peninsular Malaysia), 193  
'shell-bearing midden camp', 250  
Sukajadi Pasar III (Sumatra), 193  
whole shell deposits (Hang Boi), 234, 235, 236
- Shell technology  
ostrich egg-shell beads, 108  
shell adzes, 181  
shell artefacts, 125, 127, 130, 177, 200  
shell fishing hooks, 172, 173, 282  
shell scrapers, 177, 188  
standardization, 282, 283
- Siebenrockiella crassocollis*, 261
- Silvered langur. *See* *Presbytis cristata*
- Sima de los Huesos, 49
- Sima del Elefante, 29
- Site 9, 104
- Slushball Earth, 8
- Small-toothed palm civet. *See* *Arctogalidia trivirgata*
- Snowball Earth, 8
- Soa Basin, 125
- Social systems  
closed, 276, 282, 283, 289  
differences in, 277  
networks as buffer against scarcity, 273, 281  
open, 276
- Soi Nhu pebble and flake industry, 190
- Son Vi, 187
- Song Gupuh, 122, 123, 162
- Song Keplek, 167
- Song Perahu, 166
- Song Terus, 123, 167
- Sonvian, 112, 113, 187, 188

- South Kov site, 136
- Specialization, adaptive and social. *See* Procurement
- Spiny hill turtle. *See* *Heosemys spinosa*
- Spirit Cave, 199, 200–201, 202, 203, 208–209
- Spotted Hyaena. *See* Hyaenidae, *Crocuta crocuta*
- Stadials
- Bölling-Allerød 19, 20, 143. *See* GIS-1.
  - temperature rise (Bölling-Allerød), 19
- Stegodon orientalis*, 35
- Stegodon* sp., 45, 56
- Stegodon-Ailuropoda* fauna. *See* Ecological communities
- Steppe mammoth. *See* *Mammuthus trogontherii*
- Still Bay Industry, 82
- Stone tools. *See* Lithic technology
- Strategy-switching (economic), 280, 283
- Stump-tailed macaque. *See* *Macaca arctoides*
- Subsistence strategies. *See* Procurement
- Sukajadi Pasar III, 193
- Sumatran rhinoceros. *See* *Dicerorhinus sumatrensis*
- Sun bear. *See* *Helarctos malayanus*
- Sunghir. *See* Hominin fossils
- Sus barbatus*, 121, 212, 215, 216, 230, 262, 273
- Sus scrofa*, 113
- Sus* sp., 56, 241, 245, 250, 259, 260
- Swabian Jura sites
- Geißenklösterle, 72
  - Hohle Fels, 72
  - Hohlenstein-Stadel, 72
  - Vogelherd, 70, 72, 73
- Szeletian, 70, 279
- Tabon, 114, 115, 116, 175–176, 185
- Tabuhan industry, 123
- Taforalt, 81
- Tam Hang, 192
- Tambora, volcano, 43
- Tanjung Pinang, 180, 181
- Taphonomy
- abrasion, bone, 33, 151, 212, 223, 252, 253, 260, 261
  - anthropogenic processes, 28, 120, 234, 236
  - butchery. *See* Butchery
  - fluvial transportation, 28
  - foot traffic (trampling), 34, 189, 212, 220, 223, 231, 234, 236, 252, 260
  - fragmentation, bone, 218, 223, 234
  - manganese oxide staining, 212, 252, 253, 260
  - post-depositional processes, 40, 94, 129, 151, 174, 177, 212, 216, 234, 235, 236, 240, 253
  - root-etching, 252
  - weathering, bone, 30, 32, 212, 223, 252
- Tapirus indicus*, 217
- Tapirus sinensis*, 35
- Techno-complex, Hoabinhian defined as, 186
- Techno-modes
- Mode 1, 29, 37, 49, 62, 65, 83, 94, 135
  - Mode 2, 26, 29, 45, 46, 65
  - Mode 3, 46, 69, 70, 83, 92, 99
  - Mode 4, 69, 70, 99, 100
- Tektites. *See* Muong-Nong/Austalasian tektite strewn field (MN/AT)
- Terra Amata, 48
- Terrestrial cores
- Gunung Buda, stalagmite sequence (Borneo), 148
  - Lake Pemerak (core HN3, cores A–C) (Kalimantan), 146
  - Lake Suigetsu (Japan), 147
  - Makangit Cave (Philippines), 146
  - ND-1 (Vietnam), 147, 246, 250
  - Pea Bullock (Sumatra), 148
  - Situ Bayongbong (Java), 144, 145, 148
- Tertiary, species survival from, 31
- Terus industry, 123
- Teshik-Tash, 51
- Tham Khuong, 187
- Tham Lod, 197, 201, 203
- Tham Om, 109
- Thar Desert, 93, 104
- Tianko Panjang, 166
- Tibetan Plateau, 4, 8, 97, 98, 104
- Tiger. *See* *Panthera tigris*
- Tingkeyu, locales I and II, 122, 130, 174, 206, 277
- Titans Shelter cave, 137
- Toalean, 159–160, 176–180, 184, 185
- Maros points, 177, 178, 179, 184, 206
  - Muduk bone bipoints, 177
  - Pirri points, 177
- Toba caldera, 42, 43
- Haranggal Dacite Tuff (HDF), 43
  - Middle Toba Tuff (MTT), 43
  - Oldest Toba Tuff (OTT), 43, 44, 45, 63, 267
  - Younger Toba Tuff (YTT), 43, 44, 55, 93, 100–101
- Toé Cave, 161, 181, 182, 183
- Tongtianyan Cave, 94
- Tragulus napu*, 217
- Tragulus* sp., 254
- Tràng An. *See* Hang Boi and Hang Trống
- Transference, 269–272, 280
- Trans-somatic behaviour, 287
- Tree shrew. *See* *Tupaia glis* (=belangeri)
- Trinil, 4, 40
- Trinil H.K. fauna. *See* Ecological communities
- Trionychidae (soft-shell turtles), 218, 221, 254, 261, 262
- Tupaia glis* (=belangeri), 246
- Turangmoroke, Lake, 131
- Uai Bobo 1 and 2, 168–172
- Ubeidya, 27, 52
- Ulalinka, 50, 61
- Ulu Leang 1, 128, 159, 177, 178, 179
- Uluzzian, 70, 279
- Um Kapat Papo, 181
- Upper Palaeolithic, 6, 46, 48, 68, 69, 70, 71, 72, 74, 75, 76, 77, 78, 79, 80, 82, 84, 85, 94, 105, 106, 107, 108, 130, 140, 206, 266, 272, 277, 279, 283
- Upper Pleistocene
- definition, 9
- Ursus arctos*, 63
- Ursus* cf. *spelaeus*, 63
- Ursus thibetanus*, 63
- Ust'-Karakol, 94

Cambridge University Press

978-1-107-01829-7 - Human Adaptation in the Asian Palaeolithic: Hominin Dispersal and Behaviour during the Late Quaternary

Ryan J. Rabett

Index

[More information](#)*Index*

- van Es, L.J.C., 150  
 van Stein Callenfels, P.V., 150, 177, 186, 193
- Varanus* spp., 212, 218, 221, 230, 252  
 Variability Selection hypothesis. *See* Adaptation  
 Velika Pěcina, 70  
 Vertessöllos, 48  
 Vilakuav site, 136  
 Villafranchian fauna. *See* Ecological communities  
*Viverra tangalunga*, 218, 221  
*Vulpes* cf. *chikushanensis*, 37
- Wadi Fatimah, 27  
 Wadi Hadramawt, 46  
 Wadi Kebara  
   Kebara Cave, 80  
 Wadi-el-Mughara ('Valley of Caves'), 88  
   Mugharet el-Wad, 89, 90  
   Mugharet es-Skhül 81, 89, 90, 91, 92, 105. *See*  
     Hominin fossils and Ornamentation  
   Mugharet et-Tabūn 48, 89, 90. *See* Hominin fossils  
 Warreen, 137, 138
- Wild dogs. *See* *Cuon* sp.  
 Willandra Lakes, 131, 137, 138  
 Wolo Sege, 41, 64, 126  
 Woolly mammoth. *See* *Mammuthus primigenius*  
 Wray, L. Jr., 4, 193
- Xiaochangliang, 32–33, 34  
 Xifeng section, 42  
 Xóm Trại, 186, 187  
 Xom Tre, 187
- Younger Dryas. *See* GS-1  
 Yuanmou, 35, 37, 38, 63  
 Yuanmou Basin, 26, 35, 37
- Zamiatnin, Z.N., 83  
 Zaraisk, 79  
 Zhirendong. *See* Hominin fossils  
 Zhoukoudian, 4, 35, 45, 52, 53, 54, 60, 61, 63, 94  
   Locality 1, 45, 52, 53, 54  
 Zuraina Majid, 196, 197, 253  
 Zuttiyeh Cave, 89