

# Index

*Page numbers in bold denote references to figures.*

- absolute value, 12, **13**
- absorption, 98
- absorption coefficient, 117
- amplitude, 3, 4, **5**, 25
- analysis, 207
- angle, 6
- angular dispersion, 214
- angular frequency, **7**, 8
- angular resolution, 236
- aplanatic lens, 176, **177**, **178**
- Applications, 207–52
- argument, 12, **13**
- attenuated total reflectance, 182
- attenuated total reflection, **182**
- attenuators, 183
- autocollimation, 214
- band-pass filter, 184
- Basics, 3–124
- beam waist, 165
- beam width, 163
- beat frequency, 32
- beat-frequency generation, 149
- beats, 25, 26, 31–33
- blackbody, 67
- blackbody radiation, 54, **68**, **69**, **70**, 65–71
- blaze angle, 213
- blazed grating, 213, **213**
- bolometer, 190, 198, **199**
- Boltzmann constant, 66
- bound states, 127, 140–44
- calorimetric sensors, 190
- chromatic resolving power, 215
- circular polarisation, 25, 54, 65, **66**
- collimating lens, **177**, **177**
- COMBINING OSCILLATIONS, 25–53
  - compact notation for two-dimensional oscillations, 42–4
  - counter-rotating circular oscillations, compact notation, 44–7
  - Jones notation, 47–52
  - oscillations in two dimensions, 36–47
  - two counter-rotating circular oscillations, 41–42
  - two perpendicular oscillations: different amplitude, 39–41
  - two perpendicular oscillations: same amplitude, 36
  - two oscillations in the same direction, 26–35
    - two arbitrary oscillations, 26–7
    - two identical oscillations, 27–8
    - two oscillations that differ only in amplitude, 28
    - two oscillations that differ only in frequency – beats, 31–3
    - two oscillations that differ only in initial phase – interference, 29–31
    - two oscillations that differ only in phase, 28–9
    - two oscillations with nothing in common, 35
    - two oscillations with only amplitude in common – more beats, 35
    - two oscillations with only frequency in common – interference, 33–4
    - two oscillations with only initial phase in common – beat-like, 34–5
- compact notation, 11–15
- compact notation for two-dimensional oscillations, 42–4
- complex conjugate, 13
- complex multiplication, **44**
- complex number, 12, **13**
- complex plane, 12, **13**
- complex refractive index, 114
- Components, 127–204
- computer-aided tomography, 247
- computer-axial tomography, 247
- conductivity, 102
- conductor, 108
  - electromagnetic waves in, 113–18
- confocal, 165
- constant
  - Boltzmann, 66
  - electric, 57
  - lightspeed, 58
  - magnetic, 57
  - Planck, 55

- constructive interference, 31
- continuous laser source, 149–51
- continuously tuneable, 210
- corner mirror, **170**
- cos, **7**
- cosine, **7, 8, 20**
- counter-rotating circular oscillations, compact notation, 44–7
- damping force, 104
- depth of field, 238
- depth of focus, 238
- describing electromagnetic waves, 62–4
- describing oscillations, 4–11
- describing waves, 60–62
- detectivity, 192
- DETECTORS, 190–203
  - electro-optic, 200–1
  - parameters, 191–5
  - photoconductive, 201–2
  - thermal, 195–200
- dielectric breakdown, 101
- dielectric function, 98, 101, **107–11**
- dielectrics, 101
- diffraction grating, 211, **211, 213**
- diffraction tomography, 249, **249**
- digital, 233
- dipole radiation, 140
- discontinuously tuneable, 210
- dispersion, **78, 207**
- dispersive spectrometer, 207
- dispersive spectroscopy, 210–16
- echelon, 213
- efficiency, 208
- electric constant, 57
- electro-optic detector, 190, 200, **201**
- electromagnetic wave, 54, 56–60, **62**
- electromagnetic waves at an interface, 118–22
- electromagnetic waves in matter, 101–4
- electromagnetic waves in a conductor, 113–18
- electromagnetic waves in an insulator, 112–13
- ellipse, **38, 40, 47**
- elliptical mirror, 173, **173**
- elliptical polarisation, 25, 54, 65, **66**
- emission spectroscopy, 211
- energy
  - thermal, 66
- environmental factors, affecting detector, 192
- Euler’s theorem, 14
- evanescent, 181
- evanescent wave, **182**
- f-number, 235
- far-field, 166
- filters, **184, 183–5**
- finite potential well, 84–5
- finite square well, **85**
- focal plane array, 233, 242
- focal plane array imaging, 242, **243**
- Fourier analysis, 3, **18, 19**
- Fourier coefficients, **18**
- Fourier methods, 3
- Fourier series, **18, 20**
- Fourier synthesis, 3, **18, 19**
- Fourier-slice theorem, 247
- Fourier theorem, 17–23
- Fourier transform spectrometer, 207
- free charges, 127, 129–40
- free electron laser, 127, 144
- free particle, **78, 77–80**
- free-standing grid, 186
- frequency, xiii, 3, 4, **5, 7, 25**
- frequency domain, **5, 6, 17, 18, 19**
- frustrated total internal reflection, **182, 183**
- function
  - Planck, 67, **68–70**
  - Rayleigh-Jeans, 68
  - Wien, 67
- fundamental frequency, 19
- Gaussian beam, **164, 166**
- Gaussian beam propagation, 162
- Gaussian optics, 162
- Ge-laser, 127
- geometrical optics, 162
- germanium laser, 146
- Golay cell, 190, 197, **197**
- grating, 211
- grating equation, 212
- half-wave plate, 187
- harmonic, 9
- harmonic oscillation, **7, 9**
- harmonic oscillator model, 104–12
- hemispherical lens, **176**
- hertz, xiv
- high-pass filter, 184
- higher order, 213
- image, 232
- imaginary axis, **13**
- imaginary number, 12
- IMAGING, 232–51
  - focal plane array, 242
  - near-field, 242–6
  - passive, 234–39
  - raster, 239–42
  - reflection raster, 241–42
  - tomography, 246–250
  - transmission raster, 239–41
- imaging
  - reflection raster, 241–42
- infinite potential well, 80–84
- infinite square well, **84**
- initial phase, 3, 5, **5, 9, 25**

- insulator
  - electromagnetic waves in, 112–13
- INTERACTION OF LIGHT AND MATTER, 98–23
  - electromagnetic waves at an interface, 118–22
  - electromagnetic waves in matter, 101–4
  - electromagnetic waves in a conductor, 113–18
  - electromagnetic waves in an insulator, 112–13
  - harmonic oscillator model, 104–12
  - static electric field, 99–101
- interface
  - electromagnetic waves at, 118–22
- interference, 25, 26, 29–31, 33–34, 207
- interferogram, 207
- interferometer, 207
- interferometry, 216–22
- INTRODUCTION, xiii–xix
- inverse Boltzmann constant, 66
- inverse metre, xv
- Jones matrix, 50
- Jones notation, 47–52
- Jones vector, 48
- laser, 140, 146–9
- lateral resolution, 236
- left circular polarisation, 65, **66**
- lenses, 174–80
- LIGHT, 54–73
  - blackbody radiation, 65–71
  - describing electromagnetic waves, 62–4
  - describing waves, 60–62
  - electromagnetic waves, 56–60
  - photons, 55–6
  - polarisation, 64–5
- light
  - visible, 56
- lightpipes, 180
- linear polarisation, 25, 65, **66**
- linearity, 191
- linearly polarised, 54
- low-pass filter, 183
- magnetic constant, 57
- mathematical symbols [Appendix B], 254–6
- mathematics [Appendix C], 257–61
- MATTER, 74–97
  - finite potential well, 84–5
  - free particle, 77–80
  - infinite potential well, 80–84
  - multiple potential well, 85–7
  - oscillations of molecules, 87–95
  - Schrödinger equation, 75–7
  - wave mechanics, 74–5
- Maxwell’s equations
  - free space, 57
  - mechanics
    - wave, 74–5
- metre, xv
- Michelson interferometer, 207, **217**, **218**
- mirrors, 166–73
- modulus, 12, **13**
- molecular laser, 127, 147, 148
- molecules
  - oscillations, 87–95
- monochromatic sources, 208–10
- monochromatic spectroscopy, **209**
- multiple potential well, 85–7
- near-field, 165
- near-field imaging, 233, **245**, 242–6
- nonlinear, 158
- numerical aperture, 236
- optical path difference, 218
- optical rectification, 158
- OPTICS, 162–89
  - attenuators, 183
  - filters, 183–5
  - lenses, 174–80
    - focussing, 175
    - matching, 175
  - lightpipes, 180–81
  - mirrors, 166–73
    - elliptical, 172
    - parabolic, 170
    - plane, 169
  - polarisers, 186–7
    - linear, 186
    - wave plates, 187
  - prisms, 180–3
  - quasi-optics, 163–6
  - waveguides, 180–81
  - windows, 185–6
- optics, 162
- orthogonal, 21
- OSCILLATIONS, 3–24
  - compact notation, 11–15
  - describing oscillations, 4–11
  - Fourier theorem, 17–23
  - time-bandwidth theorem, 15–17
- oscillations, 3
- oscillations in two dimensions, 36–47
  - two counter-rotating circular oscillations, 41–2
  - compact notation for two-dimensional oscillations, 42–4
  - counter-rotating circular oscillations, compact notation, 44–7
  - Jones notation, 47–52
  - two perpendicular oscillations: different amplitude, 39–41
  - two perpendicular oscillations: same amplitude, 36–9
- oscillations of molecules, 87–95

- parabolic mirror, 170, **170–2**
- parameters, 191–5
- particle
  - free, 77–80
- passive imaging, **235**, 233–9
- period, **7**
- periodic, 4
- phase, 9
- phase difference, **30**
- photo-Dember emitter, 157
- photoconductive detector, 190, 201, **202**
- photoconductive emitter, 151, 152
- photons, 54–6
- Planck constant, 55
- Planck function, 67, **68–70**
- plane mirror, 169, **169**
- plane-polar coordinates, 8
- plane polarisation, 65
- plasma, 110
- polarisation, 25, 26, 38, 54, 64–5
  - circular, 25, 54, **66**
    - left, **66**
    - right, **66**
  - elliptical, 25, 54, **66**
  - linear, 25, 54, **66**
- polarisation, of detector, 192
- polarisers, 186–7
- polychromatic source, 209
- potential well
  - finite, 84–5
  - infinite, 80–4
  - multiple, 85–7
- prefixes [Appendix A], 253
- principle of superposition, 25, 26
- prisms, 181–3, **181**
- projection tomography, **248**
- pulsed lasers source, 151–60
- purely imaginary, 12
- purely real, 12
- pyroelectric detector, 190, 198, **198**
- quantum cascade laser, 127, 147
- quantum dot, 83
- quantum well, 83, **84, 85**
- quantum wire, 83
- quarter-wave plate, 187
- quasi-optics, **164, 166**, 163–6
- radiation
  - blackbody, 54, **68, 69, 70**, 65–71
- radius, 8
- Radon transform, 248
- range, of detector, 192
- rapid-scan interferometer, 219
- raster, 234, 239–42
- ray optics, 162
- Rayleigh angle, 236
- Rayleigh range, 165
- Rayleigh-Jeans function, 68
- reading, further [Appendix D], 262
- real axis, **13**
- real numbers, 12
- rectangular coordinates, 8
- reduced mass, **89**
- reflection, 98
- reflection imaging, 233, 241, **241**
- reflection raster imaging, 241–2
- reflectivity, **167**
- refraction, 98
- refractive index, 112
- relative dielectric function, 101
- resolution, 208
- right circular polarisation,
  - 65, 66**
- Rytov approximation, 250
- scattering, 98
- Schrödinger equation, 74–7
- second, xiv
- sensitivity, 191
- sensors, 190
  - thermal
    - bolometric, 198
    - Golay, 197
    - pyroelectric, 197
    - thermocouple, 196
    - thermopile, 196
- sin, **7**
- sine, **7, 8, 20**
- skin depth, **167**
- SOURCES, 127–61
  - bound states, 140–44
  - driven by continuous lasers, 149–51
  - driven by pulsed lasers, 151–60
  - free charges, 129–140
  - laser, 146–9
  - survey, 128–9
  - vacuum electronics, 144–6
- sources
  - monochromatic, 209–210
- spatial frequency, 61
- spectral range, 208
- spectral response, 192
- spectrometer, 207
- SPECTROSCOPY, 207–31
  - dispersive spectroscopy, 210–16
  - emission, 213
  - examples, 225
  - interferometry, 216–22
  - monochromatic sources, 209–210
  - time-domain spectroscopy, 222–30
    - compared to interferometry, 223
    - configurations, 223
    - time-resolved spectroscopy, 230
  - spectrum, 207

- speed of light in a vacuum, 58
- speed, of detector, 192
- spherical lens, **178**
- square well, 80, **84, 85**
- static electric field, 99–101
- Stefan-Boltzmann law, 71
- step-scan interferometer, 219
- superposition, **27**
- surface emitters, 155
  - photo-Dember effect, 157
  - surface field effects, 155
- survey of sources, 128–9
- symbols
  - mathematical [Appendix B], 254–6
- synchrotron, 127, 144
- synthesis, 207
- Terahertz
  - applications, 207–52
  - basics, 3–124
  - components, 127–204
- terahertz, xvi
- thermal detectors, **195**, 195–200
- thermal energy, 66
- thermal sensor, 190
- thermal sources, 127
- thermocouple, 196
- thermocouple detector, **196**
- thermopile, 196
- thermopile detector, **196**
- time, xiv
- time domain, **5**, 6, **17, 18**, 19
- time-bandwidth theorem, 3, 16, **17**, 15–17
- time-domain spectroscopy, 207, **225, 226, 228, 229**, 222–30
- time-of-flight imaging, 241
- time-resolved spectroscopy, 230
- tomography, 233, 246–50
- total internal reflection, **175**
- transducer, 190
- transmission, 98
- transmission imaging, 233, 239, **240**
- transmission raster imaging, 239–41
- two arbitrary oscillations, 26–7
- two counter-rotating circular oscillations, 41–2
- two identical oscillations, 27–8
- two oscillations in the same direction, 26–35
  - two oscillations that differ only in amplitude, 28
  - two oscillations that differ only in frequency – beats, 31–3
  - two oscillations that differ only in initial phase – interference, 29–31
  - two oscillations that differ only in phase, 28–9
  - two oscillations with nothing in common, 35
  - two oscillations with only amplitude in common – more beats, 35
  - two oscillations with only frequency in common – interference, 33–4
  - two oscillations with only initial phase in common – beat-like, 34–5
- two perpendicular oscillations: different amplitude, 39–41
- two perpendicular oscillations: same amplitude, 36–9
- uniform circular motion, 6, **7**
- unit circle, **10**
- unit diamond, **10**
- unit square, **10**
- vacuum electronics, 129, 144–6
- vector, 42
- visible light, 56
- wave, 54, 60
  - electromagnetic, 54
- wave equation
  - one-dimensional, 61
- wave mechanics, 74–5
- wave plates, 187
- waveguides, 180
- wavelength, xv, 61
- wavenumber, xv, 61
- waves
  - describing, 60–62
  - electromagnetic, 56–60
- Wien function, 67
- Wien’s displacement law, 71
- windows, 185
- zero path difference, 217
- zeroth order, 213